| 1 | Direct precipitation of siderite in ferruginous environments |
|----|--|
| 2 | |
| 3 | Ashley Grengs ^{1,2*} , Gabrielle Ledesma ^{3,4} , Yijun Xiong ⁵ , Sergei Katsev ^{6,7} , Simon W. Poulton ⁵ , |
| 4 | Elizabeth D. Swanner ⁴ , Chad Wittkop ² |
| 5 | |
| 6 | ¹ Earth Science Department, University of New Hampshire, 305 James Hall, Durham, NH 03824 |
| 7 | ² Department of Biochemistry, Chemistry, and Geology, Minnesota State University, 241 Ford |
| 8 | Hall, Mankato, MN 56001 |
| 9 | ³ Memorial University of Newfoundland, St. John's NLA1C 5S7, Canada |
| 10 | ⁴ Department of Geological and Atmospheric Sciences, Iowa State University, 2337 Osborn |
| 11 | Drive, Ames, IA, 50011 |
| 12 | ⁵ School of Earth and Environment, University of Leeds, Leeds LS2 9JT, UK |
| 13 | ⁶ Large Lakes Observatory, University of Minnesota Duluth 2205 East 5th Street, Duluth, MN |
| 14 | 55812 |
| 15 | ⁷ Department of Physics and Astronomy, University of Minnesota Duluth, 1049 University Drive, |
| 16 | Duluth, MN 55812 |
| 17 | |
| 18 | ABSTRACT |
| 19 | Siderite (FeCO ₃) is often assumed to precipitate from dissimaltory reduction of Fe- |
| 20 | (oxyhydr)oxides, but geochemical and mineralogical analyses from ferruginous (anoxic, Fe-rich) |
| 21 | Canyon Lake, USA suggest Fe-carbonate represents a direct early precipitate unrelated to |
| 22 | substantial oxide burial. X-ray absorption near edge structure (XANES) spectroscopy of |
| 23 | sediment trap materials and an anoxic sediment core indicated a mixture of Fe(II) and Fe(III) in |

water column particulates and ferruginous surface sediments, while all Mn phases were reduced. About 60 cm below the sediment-water interface, Fe-Mn carbonates were detected by X-ray diffraction and XANES, while Fe extended X-ray absorption fine structure (EXAFS) spectra were best fit with combinations of a biogenic Fe-oxyhydroxide ("Bio Fe"), greigite, and siderite. Sediment Fe speciation indicates a large pool of reduced Fe with a minor component of oxides. Although we found no evidence of significant carbonate phases above or below the 60 cm horizon, equilibrium modelling indicates siderite supersaturation throughout surface sediment porewater, with pH as the primary control on supersaturation. We conclude that delivery of wildfire ash to sediments increased pH, initiating siderite precipitation from ferruginous porewater.

INTRODUCTION

Siderite (FeCO₃) occurs in sediments throughout Earth's history (Ohmoto et al., 2004), and is a common component in Precambrian iron formations (Ifs; Konhauser et al., 2017). Despite the diversity of environments in which siderite occurs, two mechanisms are generally considered to drive its formation: 1) direct precipitation from an anoxic and iron-enriched (ferruginous) fluid; and 2) as a diagenetic product derived from reduction of primary iron (oxyhydr)oxides coupled to microbial organic carbon remineralization (Heimann et al., 2010;). While dissimilatory reduction of reactive iron (oxyhydr)oxides such as ferrihydrite may explain the negative C-isotopic composition and textures of many lacustrine siderite occurrences (Vuillemin et al., 2019), the textures and C-isotope signatures of well-preserved Precambrian IFs are also consistent with precipitation from ferruginous seawater (Beukes et al., 1990; Siahi et al., 2020; Riding et al., 2022), perhaps under a strong hydrothermal influence (Jiang and Tosca, 2019).

To constrain the conditions that govern natural siderite precipitation, we examined iron (Fe) and manganese (Mn) phases in water column particulates and recent sediments from ferruginous Canyon Lake (CL) in Michigan, USA. Modern ferruginous lakes serve as analogue systems informing our understanding of biogeochemical dynamics in anoxic Precambrian oceans (Swanner *et al.*, 2020). Canyon Lake is an ideal site to investigate these processes, as its ferruginous bottom waters are poised near siderite supersaturation, and its water column has been chemically stable for at least the last 80 years (Lambrecht *et al.*, 2018). Found in a boreal shield setting, groundwater supplies the small CL basin with dissolved iron, and its water column chemistry and methane cycling embed processes similar to those thought to have dominated Precambrian oceans (Lambrecht *et al.*, 2020).

METHODS

Multiparameter sondes were used to determine CL water column properties in 2018 and 2019, and water samples for cation and anion analysis were collected in May 2018 following standard procedures. A sediment freeze core was collected in February 2018, and sediment traps were deployed in 2019. Samples for iron speciation, XANES, and EXAFS were collected processed under an N₂ atmosphere and stored anoxically until analysis. See Supplementary Information (SI) for Site Description, Methods, and full Results.

RESULTS AND DISCUSSION

Iron and Manganese Phases in Ferruginous Waters

70 Centroid energies for Fe XANES pre-edge peaks from sediment trap material from 7.5, 15 and 20 m were ~7114 eV (Fig. 1; Fig. S-3), consistent with a mixture of Fe(II) and Fe(III). Best fits 71 72 from linear combination fitting of Fe extended X-ray absorption fine structure (EXAFS) spectra 73 for the sediment trap samples included, in order of contribution to fits, a biogenic Feoxyhydroxide ("Bio Fe"; Toner et al., 2009), siderite, magnetite (Hansel et al., 2005), green rust, 74 75 and greigite. However, the quality of these fits was low, likely due to the limited amount of 76 sample producing spectra with low signal to noise, or the presence of poorly crystalline phases. 77 The main Mn K-edge peak energy in sediment trap samples (~6552 eV) was consistent with 78 Mn(II) rather than Mn(III) or Mn(IV) (~6558 eV), indicating that Mn-oxides are not present in 79 the water column (Fig. 1). 80 81 Figure 1 Geochemical and mineralogical characteristics of water column solutes and solid 82 phases. (a) Dissolved solutes in the CL water column. The oxycline (decrease in dissolved 83 oxygen) occurs between 7-12 m, and the chemocline (increase in dissolved Fe) occurs between 84 17-19 m. Sediment traps were deployed at 7.5, 15 and 22 m. (b) Sediment trap Fe XANES 85 analyses. Pre-edge centroid energies are ~7114 eV, consistent with a mixture of Fe(II) and 86 Fe(III). (c) Sediment trap Mn K-edge XANES analyses. Peaks have lower energy (~6552 eV) compared to Mn-oxides (~6558 eV), consistent with Mn(II) minerals. 87 88 89 **Sediment Geochemistry and Mineralogy** 90 The sediments contain a large pool of highly reactive Fe (Fe_{HR}; average 3.59 ± 0.52 wt. %), with 91 the Fe_{HR} pool dominated by unsulfidized Fe(II) phases (Fe(II)_{unsulf}), with a generally low 92 concentration of poorly crystalline ferric (oxyhydr)oxide phases such as ferrihydrite (Fe_{0x1}). The

remaining Fe phases, comprising crystalline Fe (oxyhydr)oxides (Fe_{ox2}), magnetite (Fe_{mag}) and pyrite (Fe_{py}), were less significant throughout the core (Fig. 2; Table S-1).

Calculations using porewater DIC and the solute chemistry of the deepest CL waters show siderite to be supersaturated throughout the porewater (Fig. 2). A sensitivity analysis adding additional dissolved Fe or DIC raised the saturation index only slightly; the most significant increase in siderite saturation scenarios came from increasing pH from 6.8 (the assumed porewater value) to 7.5 (Figure 2), consistent with observations from ferruginous porewaters, where alkalinity increases alkalinity due to organic carbon remineralization (Vuillemin et al., 2023).

Figure 2 Bulk sediment and porewater geochemistry for the CL sediment core. (a) Porosity and organic carbon content of the sediments. The high organic carbon content of the sediments contributes to their high porosity. (b) Bulk sediment Fe and Mn content showing peaks at \sim 60 cm depth, which correspond to the presence of siderite (Figure 3). (c) Iron speciation analysis demonstrating that much of the sediment Fe is contained in the Fe(II)_{unsulf} pool. (d) Porewater dissolved inorganic carbon (DIC) concentration and isotope composition, showing a positive δ 13 C signature consistent with the mass balance of depleted carbon lost to methanI(e) Siderite saturation index (SI), which assumes the Fe concentration (1.689 mmol/L) and pH (6.8) of deepest ferruginous water and measured porewater DIC values. Sensitivity scenarios were based on doubling DIC and Fe concentrations, and increasing pH to 7.5.

Siderite was detected by XRD, with primary and secondary peaks observed at 31.62° and 52° 2θ (Fig. 3). A semiquantitative ratio of siderite to quartz (I_{sid}/I_{qtz}) suggests siderite is concentrated mid-core (~60 cm), despite being supersaturated throughout the porewaters. SEM images from this interval detected < 5 μm globular clumps with both dumbbell and spherical egg-shaped siderite morphologies that are consistent with growth in an organic matrix (Dupraz et al., 2009); a few crystals also exhibited rhomb-like shapes. All observed crystal forms were consistent with siderite crystals grown in lab experiments (*e.g.*, Jiang and Tosca, 2019; Lin *et al.*, 2019) or observed in lacustrine settings (Wittkop et al. 2014). Pre-edge peak fitting of sediment Fe XANES indicated predominantly Fe(II) (see SI). Iron EXAFS of sediments were best fit by combinations of Bio Fe and siderite, with siderite having the greatest fit contribution (20.8 %) at 64 cm. Manganese XANES spectra were consistent with rhodochrosite (MnCO₃, which forms solid solutions with siderite) in samples from 64 and 110 cm.

Figure 3 Sediment Fe phases. **(a)** Example XRD scans showing the emergence of siderite in mid-core depths (57.5 and 63.5 cm scans; Q = quartz peaks, S = siderite peaks). **(b)** Relative XRD intensity of the siderite peak normalized to the quartz peak (I_{sid}/I_{qtz}), showing an increase in siderite abundance mid-core. **(c)** Sediment Fe EXAFS spectra fit with linear contribution, showing values for Bio Fe, greigite, and siderite, with the greatest contribution (20%) of siderite to fits in the 64 cm samples (Table S-5a). **(d)** Sediment Mn XANES dominated by reduced Mn(II), and the emergence of a distinctive double-peak of rhodochrosite in the 64 and 110 cm samples. **(e-f)** Example SEM images of twinned sphere and dumbbell crystal morphologies from the siderite-enriched interval, consistent with experimental precipitates of the mineral.

Primary Iron Phases in Canyon Lake

Despite the highly reducing nature of the CL water column and sediments, some Fe_{ox1} persists in the sediment core. XANES spectra are consistent with the presence of mixed Fe(II)-Fe(III) phases (see SI), perhaps green rust, which has been found in other ferruginous settings (Zegeye *et al.*, 2012). While authigenic magnetite has also been shown to be an early precipitate in ferruginous settings (Bauer *et al.*, 2020), the concentrations in our extractions were very low (Fig. 2), and magnetite was not conclusively detected by EXAFS or XRD. Our EXAFS results suggest greigite is present in the sediments, but Fe extractions imply that this mixed-valence sulfide is a minor component of the Fe_{HR} pool (*i.e.*, low concentrations of Fe sulfides), suggesting that the EXAFS analysis is highly sensitive to the presence of sulfides, or is perhaps interfered with by an unknown phase. Sulfide abundance is limited by the small sulfate reservoir in the water column available for reduction (Lambrecht et al., 2018), though a contribution from an organic sulfur reservoir cannot be ruled out (e.g. Phillips et al., 2023).

The persistence of reduced Mn phases throughout the CL water column and sediments (Figs. 1 and 2) underscores the limited ability of this system to oxidize the large reservoir of Fe and Mn from the ferruginous portion of the water column. The dominance of reduced Mn phases in sediment trap materials perhaps points to an external source of reduced solutes—in this case, groundwater input to the lake (Lambrecht *et al.*, 2018). Thus Fe(III) delivery to CL sediments is limited, likely in the form of a poorly ordered Fe-(oxyhydr)oxide (Bio Fe), potentially supplemented by small quantities of greigite and/or green rust; a small component of Fe(III) may be added through detrital phases.

Controls on Siderite Occurrence

Although equilibrium modelling indicates siderite supersaturation throughout CL porewaters, carbonate minerals were only confirmed in one relatively restricted horizon, suggesting an inhibiting factor in the remaining intervals. The relatively slow kinetics of siderite precipitation, especially in the cold (~5 °C) bottom waters of CL, is a likely constraint; hence, a metastable precursor to siderite such as green rust may precipitate first. Carbonate green rust is closely associated with diagenetic siderite precipitation (Vuillemin *et al.*, 2019), and has been previously identified in the sediment traps from ferruginous Lake Matano (Zegeye *et al.*, 2012). Green rust ages to siderite in laboratory experiments (Halevy *et al.*, 2017), but the mechanisms which govern this transformation are not well understood (*e.g.*, Wiesli *et al.*, 2004), though pH is an important control on its behavior (e.g. Guilbaud *et al.*, 2013). Although green rust potentially plays a role in the CL system, we were not able to conclusively identify it in this study.

The organic-carbon rich CL sediments also create an environment that inhibits carbonate precipitation. Over longer timescales, porewater alkalinity and pH are known to increase due to continued OM fermentation (Vuillemin *et al.*, 2023), but organic substrates may both inhibit and promote carbonate precipitation, dependent on the composition of functional groups, and the pH of the environment (Dupraz *et al.*, 2009). In CL sediments, intense fermentation (Lambrecht *et al.*, 2020) likely contributes to the inhibition of siderite precipitation by adding CO₂ to the pore fluids, buffering against significant increases in pH.

The appearance of crystalline siderite (XRD-detectable) ~60 cm below the ferruginous sedimentwater interface suggests a precipitation barrier was overcome in this horizon, likely by an environmental change. While porewater diffusion smoothes the concentration profiles of solutes, diagenetic siderite precipitation may occur episodically due to environmental changes, such as lake level fluctuations (*e.g.*, Vuillemin *et al.*, 2023). However, CL has been stably stratified at least since the late 1930s (Lambrecht *et al.*, 2018), implying that climate-driven changes in lake mixing (*e.g.*, drought) were an unlikely influence in the interval where siderite occurs (see SI). Wildfires are a more likely influence, as both historical accounts and tree-ring records indicate that significant fires occurred in the forests surrounding CL as recently as the early 1900s (Muzika *et al.*, 2015). Calcium carbonate is a known product of wood combustion, and wildfire mineral ash is known to increase environmental pH in a variety of contexts (*e.g.*, Brito *et al.*, 2021).

Mineral ash deposition would stimulate an increase in porewater pH and deliver CaCO₃ to sediments. These changes would catalyse siderite precipitation by enhancing sorbtion of Fe and Mn ions to ash particles (Brito *et al.*, 2021), increasing the activity of CO₃²⁻ (Fig. 4), and providing nucleation sites for crystal growth, overcoming kinetic barriers to siderite precipitation (Jiang and Tosca, 2019; Lin *et al.*, 2019). The increase in abundance of bulk Fe and Mn in the siderite layer (Figure 2) is consistent with a sorbtive process, and an ash layer may have resulted in reduced sediment porosity in the same interval, impeding porewater flow, leading to a localized increase in solute concentrations, further enhancing mineral precipitation potential. These observations suggest that the siderite layer in Canyon Lake sediments derives from a combination of depositional (ashfall, sorbtion) and diagenetic (post-depositional crystal growth) processes.

We cannot eliminate the possibility that another process such as an overturn of lake stratification drove enhanced Fe(III) delivery to CL sediments in the past, but it seems unlikely. Lake overturn would presumably be accompanied by oxidation of the CL's large isotopically light methane reservoir, which is inconsistent with our carbon isotope data. The association between mineral ash fall and sidertite precipitation we suggest is testable with high-resolution sediment chronology, advanced microscopy (e.g. TEM), and/or charcoal analysis.

The pronounced influence of pH on siderite precipitation is linked to the dependence of siderite saturation on the concentration of the CO₃²⁻ ion (Fig. 4). Carbonate equilibrium dictates that [CO₃²⁻] scales linearly with total DIC but nonlinearly with [H⁺], due to the presence of a quadratic term (SI). Hence, changing the pH by 1 unit has a stronger effect than a more substantial change in DIC. In CL porewaters where organic carbon remineralization buffers H⁺ fluctuations by increasing alkalinity (and consumption of H⁺ by acetogens and methanogens), an external agent (i.e. mineral ash) is required to drive more substantial pH changes.

Figure 4 Relative influence of changes in porewater Fe concentration, pH and DIC on the saturation index of siderite. Inputs are based on water chemistry at 20 m, which is assumed to represent a minimum threshold for porewater concentrations. In general, iron concentrations above $\sim \! 100 \ \mu M$ seem to be required for siderite precipitation, unless the pH is high.

The detection of rhodochrosite by XANES in the same horizon where XRD indicates siderite illustrates the heterogeneous nature of carbonate precipitation in CL. Lacustrine siderites are commonly Mn-substituted (Swanner *et al.*, 2020), possibly linked to the more readily reducible

nature of Mn-oxides relative to Fe-(oxyhydr)oxides (Vuillemin *et al.*, 2019). However, the lack of an Mn-oxide flux in CL suggests a fundamental control on precipitation explains this occurrence of Mn-siderite, with competition from nucleation inhibitors (*e.g.*, Mg(II); Vuillemin *et al.*, 2019) or the differential solubilities of Ca-Mn-Fe carbonates (*e.g.*, Wittkop *et al.*, 2020) offering potential explanations. Thus, the occurrence of Mn-rich siderite in the geologic record (*e.g.*, Siahi *et al.*, 2020; Swanner *et al.*, 2020) may be interpreted to reflect passive incorporation of dissolved Mn into the crystal structure, rather than reduction of Mn-oxides.

Biogeochemical Implications

Although siderite occurs in sediments throughout the geologic record, direct precipitation from Fe-enriched anoxic fluids is thought to be rare due to the slow kinetics of siderite precipitation (Jiang and Tosca, 2019). Modern process studies in oxygenated surface environments tend to encounter siderite only in early diagenetic settings (*e.g.*, Lin *et al.*, 2020). Hence it is often assumed that siderite precipitates following the deposition of an Fe-(oxyhydr)oxide precursor such as ferrihydrite, which is subsequently reduced in the sediments through microbial respiration, providing both dissolved Fe and the alkalinity needed to precipitate carbonate phases (Heimann *et al.*, 2010). However, our observations are not consistent with this traditional model, as the sediment Fe reservoir in CL is dominated by Fe(II) phases occurring below a persistently ferruginous water column.

While Fe-(oxyhydr)oxides are often invoked as precursors for Precambrian iron formation (IF) deposition (*e.g.*, Konhauser *et al.*, 2017), recent work has focused on the role of Fe-silicates in IF genesis (*e.g.*, Hinz *et al.*, 2021). In CL, direct precipitation of siderite below a ferruginous water

column represents a significant Fe burial pathway that does not require precursor Fe(oxyhydr)oxides or silicates. Hence, our work demonstrates that the presence of siderite in
sediments should be carefully considered when interpreting past redox conditions, as direct
precipitation pathways imply much lower oxygen levels at the sediment-water interface than
diagenetic pathways involving Fe-(oxyhydr)oxide reduction.

Multiple studies highlight the importance of pH in governing both Fe-carbonate and Fe-silicate systems (Halevy *et al.*, 2017; Jiang and Tosca, 2019; Hinz *et al.*, 2021), as well as the evolution of stable phases from green rust precursors (Zegeye *et al.*, 2012). Could subtle variations in seawater silica concentration and pH have generated the silicate-carbonate banding observed in many Precambrian IFs (*e.g.*, James *et al.*, 1968; Beukes *et al.*, 1990)? A growing body of evidence supports this possibility, but additional experiments are needed to evaluate the role of pH changes and the presence of nucleation substrates in the direct precipitation of siderite (and associated Mn-carbonate).

In ancient seas, the role of wildfire ash in CL may have been played by processes that introduce calcium carbonate to more acidic ferruginous waters, including transgression over previously deposited carbonates, turbidites, or crystals settling from whiting events (*e.g.*, Morse *et al.*, 2003). The novel link between wildfire ash and enhanced siderite precipitation identified here may also imply a new pathway for enhancing carbon sequestration in methane-rich, ferruginous environments that appear to be widespread in boreal shield settings and postglacial lakes (Schiff *et al.*, 2016).

276 **ACKNOWLEDGMENTS** 277 We thank Ben Harrison, Lance Hybben, Michael Mondry, and the Huron Mountain Club for 278 field assistance. Jessica Heck, Kristina Brady Shannon, Ryan O'Grady and Amy Myrbo of the 279 Continental Scientific Drilling Facility assisted with handling of the freeze core. Rose-Marie 280 Muzika, Kerry Woods and Daniel Cziczo provided helpful discussion of fire history. This 281 research utilized the Advanced Photon Source (APS), a U.S. Department of Energy (DOE) 282 Office of Science User Facility operated for the DOE Office of Science by Argonne National 283 Laboratory under Contract No. DE-AC02-06CH11357. Tianpin Wu and George Sterbinsky at 284 9BM assisted with data collection and analysis at the APS. Funding was provided by NSF-EAR 285 1660691, 1660761 and 1660873. 286 287 **REFERENCES CITED** 288 289 Bauer, K.W., Byrne, J.M., Kenward, P., Simister, R.L., Michiels, C.C., Friese, A., Vuillemin, A., 290 Henny, C., Nomosatryo, S., Kallmeyer, J., Kappler, A., Smit, M.A., Francois, R., and 291 Crowe, S.A. (2020) Magnetite biomineralization in ferruginous waters and early Earth 292 evolution. Earth and Planetary Science Letters 549, 116495, 293 https://doi.org/10.1016/j.epsl.2020.116495 294 295 Beukes, N.J., Klein, C., Kaufman, A.J., and Hayes, J.M. (1990) Carbonate petrography, kerogen 296 distribution, and carbon and oxygen isotope variations in an Early Proterozoic transition 297 from limestone to iron-formation deposition, Transvaal Supergroup, South Africa. 298 Economic Geology 85, p. 663-690

| 299 | |
|-----|---|
| 300 | Brito, D.Q., Santos, L. H. G., Passos, C.J.S., and Oliveira-Filho, E.C. (2021) Short-Term Effects |
| 301 | of Wildfire Ash on Water Quality Parameters: A Laboratory Approach. Bulletin of |
| 302 | Environmental Contamination and Toxicology 107, 500-505, https://doi.org/10.1007/s00128- |
| 303 | 021-03220-9. |
| 304 | |
| 305 | Dupraz, C., Reid, R. P., Braissant, O., Decho, A. W., Norman, R. S., & Visscher, P. T. (2009). |
| 306 | Processes of carbonate precipitation in modern microbial mats. Earth-Science Reviews, 96(3), |
| 307 | 141–162. https://doi.org/10.1016/j.earscirev.2008.10.005 |
| 308 | |
| 309 | Guilbaud, R., White, M.L., and Poulton, S.W. (2013). Surface charge and growth of sulphate and |
| 310 | carbonate green rust in aqueous media. Geochimica et Cosmochimica Acta 108, 141-153. |
| 311 | |
| 312 | Halevy, I., Alesker, M., Schuster, E.M., Popovitz-Biro, R., and Feldman, Y. (2017) A key role |
| 313 | for green rust in the Precambrian oceans and the genesis of iron formations. Nature Geoscience, |
| 314 | https://doi.org/10.1038/NGEO2978. |
| 315 | |
| 316 | Hansel, C. M., Benner, S.G., and Fendorf, S, (2005) Competing Fe(II)-Induced Mineralization |
| 317 | Pathways of Ferrihydrite. Environmental Science & Technology, 39: 7147–7153. |
| 318 | https://doi.org/10.1021/es050666z |
| 319 | |
| 320 | Heimann, A., Johnson, C.M., Beard, B.L., Valley, J.W., Roden, E.E., Spicuzza, M.J., and |
| 321 | Beukes, N.J. (2010) Fe, C, and O isotope compositions of banded iron formation carbonates |

| 322 | demonstrate a major role for dissimilatory iron reduction in \sim 2.5 Ga marine environments. <i>Earth</i> |
|-----|--|
| 323 | and Planetary Science Letters 294, 8-18. |
| 324 | |
| 325 | Hinz, I., Nims, C., Theuer, S., Templeton, A.S., and Johnson, J.E. (2021) Ferric iron triggers |
| 326 | greenalite formation in simulated Archean seawater. Geology 49, 905- 910, |
| 327 | https://doi.org/10.1130/G48495.1. |
| 328 | |
| 329 | James, H.J., Dutton, C.E., Pettijohn, F.J., and Wier, K.L. (1968) Geology and Ore Deposits of |
| 330 | the Iron River-Crystal Falls District, Iron Country, Michigan. Geological Survey Professional |
| 331 | Paper 570, https://doi.org/10.3133/pp570. |
| 332 | |
| 333 | Jiang, C.Z., and Tosca, N.J. (2019) Fe (II)-carbonate precipitation kinetics and the chemistry of |
| 334 | anoxic ferruginous seawater. Earth and Planetary Science Letters, 231-242. |
| 335 | |
| 336 | Konhauser, K. O., Planavsky, N. J., Hardisty, D.S., Robbins, L.J., Warchola, T.J., Haugaard, R., |
| 337 | Lalonde, S.V., Partin, C.A., Ooonk, P.B.H., Tsikos, H., Lyons, T.W., Bekker, A., Johnson, C.M. |
| 338 | (2017) Iron Formations: A global record of Neoarchean to Paleoproterozoic environmental |
| 339 | history. Earth-Science Reviews, 140-177. |
| 340 | |
| 341 | Lambrecht, N., Katsev, S., Wittkop, C., Hall, S. J., Sheilk, C.S., Picarad, A., Fakhraee, M., and |
| 342 | Swanner, E. D. (2020) Biogeochemical and physical controls on methane fluxes from |
| 343 | two ferruginous meromictic lakes. <i>Geobiology</i> , https://doi.org/10.1111/gbi.12365. |
| 344 | |

Lambrecht, N., Wittkop, C., Katsev, S., Fakhraee, M., and Swanner, E. D. (2018) Geochemical 345 346 Characterization of Two Ferruginous Meromictic Lakes in the Upper Midwest, USA. Journal of 347 Geophysical Research: Biogeosciences, 123, 3403-3422, 348 http://dx.doi.org/10.1029/2018JG004587. 349 350 Lin, C. Y., Turchyn, A.V., Krylov, A., and Antler, G. (2019) The microbially driven formation 351 of siderite in salt marsh sediments. Geobiology 18, 207-224, https://doi.org/10.1111/gbi.12371. 352 353 Morse, J.W., Gledhill, D.K., and Millero, F.J. (2003) CaCO3 precipitation kinetics in waters 354 from the great Bahama bank: Implications for the relationship between bank hydrochemistry and 355 whitings. Geochimica et Cosmochimica Acta 67, 2819-2826, https://doi.org/10.1016/S0016-356 7037(03)00103-0. 357 358 Muzika, R.M., Guyette, R.P., Stambaugh, M.C., and Marschall, J.M. (2015) Fire, Drought, and 359 Humans in a Heterogeneous Lake Superior Landscape. Journal of Sustainable Forestry 34, 49-360 70, https://doi.org/1080/10549811.2014.973991. 361 362 Ohmoto, H., Watanabe, Y., and Kumazawa, K. (2004) Evidence from massive siderite beds for a 363 CO2-rich atmosphere before ~ 1.8 billion years ago. *Nature* 429, 395-399. 364 365 Phillips, A.A., Ulloa, I., Hyde, E., Agnich, J., Sharpnack, L., O'Malley, K.G., Webb, S.M., 366 Schreiner, K.M., Sheik, C.S., Katsev, S., and Raven, M.R. (2023) Organic sulfur from source to

367 sink in low-sulfate Lake Superior. Limnology and Oceanography 68, 2716-2732, 368 https://doi.org/10.1002/lno.12454. 369 370 Riding, R., Liang, L., and Fralick, P. (2022) Oxygen-induced chemocline precipitation between 371 Archean Fe-rich and Fe-poor carbonate seas. *Precambrian Research* 383, 106902, 372 https://doi.org/10.1016/j.precamres.2022.106902 373 374 Schiff, S.L., Tsuji, J.M., Wu, L., Venkiteswaran, J.J., Molot, L.A., Elgood, R.J., Paterson, M.J., 375 and Neufeld, J.D. (2016) Millions of boreal shield lakes can be used to probe Archean ocean 376 biogeochemistry. Scientific Reports 7, 46708 (2017), https://doi.org/10.1038/srep46708. 377 378 Siahi, M., H. Tsikos, S. Rafuza, P. B. H. Oonk, X. R. Mhlanga, D. van Niekerk, P. R. D. Mason, 379 and C. Harris (2020) Insights into the processes and controls on the absolute abundance and 380 distribution of manganese in Precambrian iron formations. Precambrian Research 350: 105878. 381 https://doi.org/10.1016/j.precamres.2020.105878. 382 383 Swanner, E.D., Lambrecht, N., Wittkop, C., Harding, C., Katsev, S., Torgeson, J., and Poulton, 384 S.W. (2020) The biogeochemistry of ferruginous lakes and past ferruginous oceans: 385 Earth-Science Reviews 211, 1-43, https://doi.org/10.1016/j.earscirev.2020.103430. 386 387 Toner, B.M., Santelli, C.M., Marcus, M.A., Wirth, R., Chan, C.S., McCollom, T., Bach, W., and 388 Edwards, K.J. (2009) Biogenic iron oxyhydroxide formation at mid-ocean ridge hydrothermal

389 vents: Juan de Fuca Ridge. Geochimica et Cosmochimica Acta 73, 388–403, 390 https://doi.org/10.1016/j.gca.2008.09.035. 391 392 Vuillemin, A., Wirth, R., Kemnitz, H., Schleicher, A.M., Friese, A., Bauer, K.W., Simister, R., 393 Nomosatryo, A., Ordonez, L., Ariztegui, D., Henny, C., Crowe, S. A., Benning, L. G., 394 Kallmeyer, J., Russell, J. M., Bijaksana, S., Vogel, H., and the Towuti Drilling Project Science Team (2019) Formation of diagenetic siderite in modern ferruginous sediments. Geology, 395 396 https://doi.org/10.1130/G46100.1. 397 398 Vuillemin, A., Mayr, C., Schuessler, J. A., Friese, A., Bauer, K. W., Lücke, A., Heuer, V.B., 399 Glombitza, C., Henny, C., von Blanckenburg, F., Russell., J.M., Bijaksana, S., Vogel, H., Crowe, 400 S.A., and Kallmeyer, J. (2023). A one-million-year isotope record from siderites formed in 401 modern ferruginous sediments. Geological Society of America Bulletin, 135(1–2), 504–522. 402 https://doi.org/10.1130/B36211.1. 403 404 Wiesli, R.A., Beard, B.L., Johnson, C.M. (2004) Experimental determination of Fe isotope 405 fractionation between aqueous Fe(II), siderite and "green rust" in abiotic systems. Chemical 406 Geology 211, 343–362. 407 408 Wittkop, C., Swanner, E., Grengs, A., Lambrecht, N., Fakrhaee, M., Myrbo, A., Bray, A., 409 Poulton, S., and Katsev, S. (2020) Evaluating a primary carbonate pathway for manganese 410 enrichments in reducing environments. Earth and Planetary Science Letters 538, 116201, 411 https://doi.org/10.1016/j.epsl.2020.116201.

| 412 | |
|-----|---|
| 413 | Zegeye, A., Bonneville, S., Benning, L.G., Sturm, A., Fowle, D.A., Jones, C., Canfield, D.E., |
| 414 | Ruby, C., MacLean, L.C., Nomosatryo, S., Crowe, S.A., Poulton, S.W. (2012) Green rust |
| 415 | formation controls nutrient availability in a ferruginous water column. Geology 40, 599-602, |
| 416 | https://doi.org/10.1130/g32959.1. |
| 417 | |

Graphic abstract




Figure 1




Figure 2




Figure 3





Figure 4





Direct precipitation of siderite in ferruginous environments

A. Grengs, G. Ledesma, Y. Xiong, S. Katsev, S.W. Poulton, E.D. Swanner, and C. Wittkop

Supplementary Information

The Supplementary Information includes:

- Study Site
- Methods
- Results
- Discussion
- ➤ X-ray Absorption Spectra Supplementary Results and Discussion
- ➤ Tables S-1 to S-5
- Figures S-1 to S-7
- Raw Data including Sample Depths, XRF, XRD, Elementar CS
- > Supplementary Information References

Study Site

Canyon Lake is located at N46°49'58.069", W87°55'14.858", within the temperate upper peninsula of Michigan, USA. The lake is located on private property owned by the Huron Mountain Club, in an area consisting of coniferous forest on a substrate of Archean gneiss and relatively thin Pleistocene glacial deposits. Canyon Lake and its immediate catchment are undeveloped and managed as a wilderness area. The lake has a surface area of 1 hectare and maximum depth of 23 m (Lambrecht *et al.*, 2018). There is no surface inflow to the lake; groundwater supplies solutes, and a small stream flows out. The lake experiences limited wind mixing due to shelter from gneiss outcrops that are up to 20 m in height.

Water Column Properties

The iron chemocline is ~17 m deep. Above the chemocline, the water column is typically split into an oxic surface layer (~0-8 m), and an anoxic middle layer (~8-17 m), which mix seasonally. Below the chemocline, dissolved iron concentrations increase rapidly to a relatively constant concentration of ~1600 μ M in its deepest waters (Lambrecht *et al.*, 2020; Swanner *et al.*, 2021). There is no evidence of mixing of the water mass below the chemocline since at least the late 1930's (Lambrecht *et al.*, 2018).

Methods

Water Column Geochemistry

Canyon Lake water column geochemistry methods and data from 2015-2019 were previously reported in Swanner *et al.* (2021). Standard techniques were utilized, including *in situ* sensor monitoring of dissolved oxygen, and inline filtration (to 0.45 µm) for cation (acid preserved) and anion samples.

Sediment Sample Collection and Preparation

Sediment Traps. Canyon sediment traps were deployed May through September 2019 (114 days). Canyon traps utilized funnels with a 346.36 cm^2 diameter due to the low sedimentation rate in the system. Three traps were deployed in Canyon Lake at the 7.5, 15 and 20 m water depths to capture phases from the oxic, chemocline and anoxic layers, respectively. Due to the wilderness nature of the environment, biological poisons were not used in the traps. Recovered trap solids were immediately subsampled under a nitrogen (N_2) atmosphere, and samples for XANES and EXAFS analysis were stored anoxically in an N_2 -filled airtight container.

Sediment Freeze Core. In February 2018, a 103.5 cm-length sediment core was obtained from Canyon Lake's deepest point using an aluminium frozen wedge freeze corer chilled with a mixture of dry ice and ethanol (e.g., Wright, 1980). The core was lowered into the sediments and held in position using drive rods for ten minutes. The recovered core was transported on dry ice and subsequently stored at -80 °C. The recovered freeze core was subsequently sectioned and subsampled at the LacCore Facility at the University of Minnesota, and at Iowa State University. The core was maintained at -80 °C with dry ice during handling but was thawed once it was brought into a 100% N₂ glovebox (Ledesma et al., 2023). Some variations in sample intervals and features observed by core depth occurred due to variations in the sediment, and breakages that occurred in the frozen blocks during recovery and transport.

Porewaters were extracted from sediments inside an anoxic glovebox using Rhizon samplers (Islam, 2022), and $\delta 13C$ and dissolved inorganic carbon (DIC) were determined by measuring gas evolved from 1 mL of sample water injected into Exetainers pre-loaded with concentrated phosphoric acid, as previously detailed (Lambrecht *et al.*, 2020). Porosity (n) was calculated from freeze core samples by recording the subsample's initial mass, then melting the frozen sediment chunks in a 50 mL centrifuge tube to obtain a sample volume. Samples were then freeze dried and a dry sample weight was reached. From this data we were able to obtain the bulk density (ρ_b) and assumed that the particle density (ρ_d) was 2.6 g/mL. The equation used was $n = (1 - (\rho_b/\rho_d)) * 100 \%$ (Eq. S-1).

Constraints on Sediment Age

Our study did not collect sediment age data, but radiocarbon dates on a long sediment core collected in 1970 from Canyon Lake are available in the Neotoma Database (https://doi.org/10.21233/zpe5_s053). A simple linear age model based on the calibrated ages (IntCal13) of the two uppermost dates (150 and 295 cm below lake floor) yields an average sedimentation rate of 0.1 cm/yr. Based on these constraints, the siderite zone at approximately 60 cm depth would have been deposited within the past 600 years. While this places a maximum age constraint on our sediments, it is likely a significant underestimate of the actual sedimentation rate, which would be higher in unconsolidated surface sediments.

Geochemical Analyses

XRF. Freeze dried samples were prepared for XRF by first homogenizing them with a mortar and pestle into finer particles. Then samples were individually weighed with masses ranging from 0.4745 to 1.4448 g, depending on sediment textures and compositions. These loose powder samples were placed into a polyethylene cup (SPEX 3527 40 mm X-Cell) and covered with 3.0 μm Etnom film. Samples were analysed on a Rigaku Supermini 200 XRF Spectrometer

under a helium atmosphere with Pd-anode X-rays at 50 kV and 4.0 mA. Samples were rotated, with a total scan time of ~45 minutes per sample.

XRD. Following XRF, samples were prepared for powder XRD. The samples were loaded into aluminium holders and loosely packed with a smoother. Samples were analysed on a Rigaku Ultima IV with a Cu-Kα radiation source, and an X-ray energy of 40 Ma and 44 kV. Samples were scanned from 5 to 75 $^{\circ}$ 2θ with 0.02 $^{\circ}$ intervals.

We examined the ratio of siderite peak area between 31.1 ° to 32.1 ° 20 in comparison to quartz peak area between 26.1 ° to 26.9 ° 20 to provide a semiquantitative siderite to quartz ratio (I_{sid}/I_{qtz}). Quartz was chosen as a basis for this ratio on the assumption of a relatively constant amount of quartz in the samples. Thus, when the I_{sid}/I_{qtz} is greater than one, it is interpreted to contain siderite.

Elementar CS. Freeze-dried and homogenized samples were analysed for total carbon and sulphur content using an Elementar CS cube elemental analyser. To remove carbonate phases, the samples were weighed into silver capsules, wetted with a small amount of MQ water and put in a fumigation chamber with a beaker containing 12 M HCl for 6 hours. After removal from the fumigation chamber, samples were dried on a hotplate for 48 hours and wrapped in a tin capsule before being analysed (Harris *et al.*, 2001).

Iron Phase Partitioning. The phase partitioning of Fe was determined via the sequential extraction techniques of Canfield *et al.* (1986) and Poulton and Canfield (2005), with the latter modified for application to modern sediments (Zegeye *et al.*, 2012; Poulton, 2021). Iron present as acid volatile sulfide (Fe_{AVS}) was extracted by a concentrated HCl extraction and was below detection (<0.001), followed by a chromous chloride extraction to dissolve pyrite (Fe_{py}), with the sulfide liberated from each extraction being fixed as Ag_2S (Canfield *et al.*, 1986). Iron concentrations were then determined gravimetrically. Operationally-defined non-sulfidic Fe phases were initially extracted with 0.5 N HCl for 1 hour. This extraction dissolves phases such as Fe_{AVS}, surface-reduced Fe(II), poorly crystalline Fe carbonates, green rust and poorly crystalline hydrous ferric oxides such as ferrihydrite (Poulton, 2021). The reduced Fe phases (Fe(II)_{unsulf}) in this extract were immediately determined by spectrophotometer using the ferrozine assay (Stookey, 1970), and Fe(III) (*i.e.* ferrihydrite; Fe_{ox1}) was determined via atomic adsorption spectroscopy (AAS) after subtraction of the Fe(II) phases (Zegeye *et al.*, 2012; Poulton, 2021). A sodium dithionite extraction was then used to dissolve crystalline Fe (oxyhydr)oxides (*e.g.*, goethite, hematite; Fe_{ox2}), which was followed by a sodium acetate extraction to dissolve magnetite (Fe_{mag}), with Fe in both extracts determined by AAS (Poulton and Canfield, 2005). Replicate extractions gave a relative standard deviation of < 5% for all phases.

Iron phase partitioning data are reported in Table S-1, and the highly reactive Fe fraction (Fe_{HR}) was determine as the sum of Fe(II)_{unsulf} + Fe_{ox1} + Fe_{ox2} + Fe_{mag} + Fe_{py} (Xiong *et al.*, 2019). The ratios Fe_{HR}/Fe_T and Fe_{py}/Fe_{HR} were calculated and compared to calibrated thresholds for determining different water column redox states (Poulton and Canfield, 2011; Poulton, 2021). As expected, all data plot in the anoxic ferruginous field (Fig. S-1).

Microscopy. Scanning Electron Microscopy (SEM) and Energy Dispersive Analysis (EDS) were used to identify and characterize Fe- and Mn-bearing particulate phases. For this research, the EDS was used to identify particles containing Fe, Mn, S, P, Si, O, C, Ca and Mg. Samples for SEM-EDS analysis were selected from cores and traps. Homogenized samples were sprinkled onto a 10 mm aluminium mount with black carbon tape. The filtered samples were directly placed onto the carbon tape. Initial EDS analysis was performed on uncoated samples, with follow-up imaging work on carbon-coated samples. All samples were analysed on MNSU's JEOLJSM-6510LV/LGS SEM. The conditions were set to an accelerating voltage of 15.0 kV, working distance of 15 mm, and spot size of 60.

Mineral Saturation Analysis. Mineral saturation calculations were performed in Geochemists Workbench (GWB; Student Edition, Release 14) for purposes of evaluating the saturation state of siderite relative to a range of Fe and DIC concentrations and pH levels. The saturation state was modelled using the B-dot equation from the Debye-Huckel equation within GWB. A majority of water column data imported was from May 2018, including cation, anion, dissolved oxygen and temperature measurements; pH values were averaged from June 2015 and June 2017. Sediment freeze core DIC concentrations were used in GWB for modelling siderite saturation instead of the water column DIC concentrations (though water and sediment DIC concentrations were similar).

To assess siderite saturation states, the anoxic water depth of 20 m was selected to run different scenarios in GWB. Three scenarios were considered to evaluate single variable changes within the porewater, which included 1) multiplying Fe concentrations by 1.5, 2 and 2.5 times its original concentration, 2) doubling DIC concentrations, and 3) changing pH from 6 to 8 in half level increments.

The saturation index was calculated as log Q/K, where the solubility constant is $K = 10^{-10.45}$ and the activity product is $Q = [Fe^{2+}][CO_3^{2-}]$. The influence of pH on carbonate mineral saturation is demonstrated from carbonate equilibria,

$$[CO_3^{2-}] = DIC \left(\frac{[H^+]}{K_2} + \frac{[H^+]^2}{K_1 K_2} + 1 \right)^{-1}$$

where $K_1=10^{-6.35}$, $K_2=10^{-10.33}$, and $[H^+]=10^{(-pH)}$ (Eq. 1).

Under relevant environmental conditions, the concentration of H^+ is likely to vary across a wider range than the concentration of DIC and Fe. As a result, pH will be the strongest effect within a hypothetical system where Fe^{2+} and DIC concentrations are unlikely to vary significantly, though varying Fe^{2+} by orders of magnitude (*e.g.*, across different systems) can produce a similar effect on supersaturation.

The original inputs are presented in Tables S-2 and S-3. These tables contain values measured from 20 m water depth. To evaluate the saturation states of siderite, individual variables including Fe, HCO₃⁻(DIC) and pH were changed as highlighted below. In the main text Figure 4, concentrations were used in place of activities to simplify the calculations, which may introduce an error at higher concentrations.

X-ray Absorption Spectra. Samples were finely powdered using a mortar and pestle inside a N₂ gas-filled glovebox. The powders were pressed into 7 mm pellets and loaded into custom sample holders using carbon tape to secure the pellets to the holder. These holders were transported to the beamline inside a heat-sealed mylar bag with oxygen-removing sachets. The Fe and Mn K-edge XANES analyses were performed at beamline 9-BM at the Advanced Photon Source of Argonne National Laboratory in fluorescence mode using a Vortex four element silicon drift detector with a Si(111) and Si(220) monochromator. Energy was calibrated with an Fe foil and the E0 set to 7112 eV, and a Mn foil with E0 set to 6539 eV. For sediments, three scans were collected per sample for Fe and six for Mn. For sediment traps, 10 scans were collected per sample for Fe and 15-20 for Mn. Channels were summed and deadtime corrected at the beamline. Scans were averaged and normalized in SixPack (Webb, 2005). Pre-edge peak fitting was done in XAS Viewer (Version Larch 0.9.58, https://xraypy.github.io/xraylarch/). Linear combination fitting (LCF) of Fe EXAFS was done in Athena (Version 0.9.26). Fits were performed from k 2-8 Å.

Results

Lake Properties

Consistent with previous observations (Lambrecht *et al.*, 2018; 2020), the Canyon Lake oxycline is positioned at ~12 m water depth, and an interval of low dissolved oxygen concentrations (typically between 1-10 μ M) transitions to permanently ferruginous waters at a chemocline between 17-18 m. Strongly ferruginous waters (aqueous Fe concentrations up to ~1,600 μ M) extend to the bottom, at ~23 m maximum depth. The pH of ferruginous waters near the sediment-water interface ranges from 6.2 to 7.1 (average = 6.5; Fig. S-2). The pH of the middle portion of the water column, where oxygen concentrations are low but dissolved Fe does not accumulate (6-14 m), are slightly lower (ranging from 5.6 to 6.9 at 12 m). The surface waters have consistently higher pH, ranging from 6.6 to 7.1.

Sediment Geochemistry and Mineralogy

The ferruginous sediments of Canyon Lake are exceptionally porous and rich in organic carbon (12.2 to 30.7 wt. %), with the two components linked: the high porosity is enabled both by water-rich sediments and easily displaced organic matter (and likely further displacement by subsequent freezing). Visual description indicates that the organic carbon fraction is largely allochthonous, consisting mainly of detritus from the landscape (pine needles, wood fragments), and the average C/N ratio of the sediment organic carbon is elevated (15.5), further suggesting a dominance of terrestrial sources (Meyers and Ishiwatari, 1993).

The average bulk concentration of Fe is 6.6 wt. %, but spikes to 9.9 wt. % Fe at ~60 cm depth. The concentration of Mn averages 0.44 wt. % but also spikes to 0.97 wt. % Mn at ~60 cm depth. The ratio of Fe/Ti increases and Fe/Mn decreases in the siderite zone (~60 cm depth), due to more efficient Fe and Mn sequestration in the carbonate phase, and not enhanced delivery of Fe or Mn to the system. Ratios are more variable in the upper core, particularly that of Si/Al, precluding clear interpretation of trends (Figure S-1).

In the lower portion of the core (60-90 cm), there are intervals where the Fe_{ox1} pool is increased at the expense of the $Fe(II)_{unsulf}$ pool, potentially indicating a degree of sample oxidation, most likely during collection or storage, which dominantly impacted the most sensitive $Fe(II)_{unsulf}$ phases; these samples are shown in Table S-1, but were removed from the plot shown in the main text.

The concentration of DIC in porewaters was generally at or slightly above the level observed in the deepest ferruginous water mass, with a positive C-isotopic composition consistent with residual DIC reflecting the loss of isotopically light carbon to methane production (Lambrecht *et al.*, 2020).

X-ray Absorption Spectra Supplementary Results and Discussion

Pre-edge Peak Fitting

A baseline was fit to the pre-edge and initial edge jump region of the Fe XANES using a linear and Lorentzian model. Gaussian peaks were fit to the pre-edge peak. Two gaussians produced the best fit for the sediment trap samples. Three gaussians produced the best fit for sediments, although one of the peaks for the 64 and 110 cm samples had a very small area with large relative standard deviation. The centroid energy systematically decreased with depth through the water column and sediments, although the 110 cm sample had a slightly higher energy centroid than the 64 cm sample. Standards with known $Fe^{3+}/\Sigma Fe$ were not analysed with the samples, so a quantitative calibration of $Fe^{3+}/\Sigma Fe$ was not possible. However, the centroid energies are consistent with the sediment trap samples being a mixture of Fe^{2+} and Fe^{3+} , and sediment samples being predominantly Fe^{2+} (Wilke, 2001; Ellison et al., 2020). Pre-edge fit results are reported in Table S-4 and are reported in the Figure S-3.

Linear Combination Fitting

To investigate the composition of the water particulates and sediments in Canyon Lake, linear combination fittings (LCF) of the Fe X-ray adsorption near edge structures (XANES) across 7100 to 7180 eV and extended X-ray adsorption fine structures (EXAFS) across k^3 -weighted chi (k)-space 2-8 were performed on the samples using 5 standards (Green Rust Iron, Magnetite, a biogenic Fe (oxyhydr)oxide ["Bio Fe"], Greigite, and Siderite) for the Fe sediment data and 9 standards (Green Rust Iron, Magnetite, Hematite, Lepidocrocite, Bio Fe, Greigite, Siderite, Goethite, and 2-line Ferrihydrite) for the Fe water column particulates. Weighted components were normalized to the total sum, which was not forced to sum to 1, following recommendation by Calvin (2013). However, non-normalized sums were within \pm 0.25 from 1. The 'goodness of fit' was determined by R-factors values and the Hamilton Test was utilized as a statistical assessment to indicate the significance between subsequent fits produced from the LCF following parameters outlined by Calvin (2013).

Linear combination fits for the sediment trap material from water column data at 15 m and 20 m had >10 fits that could not be distinguished statistically in normalized energy or in k^3 -weighted chi (k)-space. Therefore, this data is excluded from consideration. Sediment trap material from 7.5 m water depth had 2 fits which could not be distinguished in k^3 -weighted chi (k)-space and are given in Figure S-4 and Table S-6. Because both fits are equally good, caution should be given to conclusions relying on one fit over the other.

Linear combination fits for the sediment data at 110 cm resulted in one fit that was statistically better than all subsequent fits in normalized energy. For k^3 -weighted chi (k)-space, LCF also found one fit that was statistically better than all other fits for sediment data at 22 and 64 cm. The LCF data in normalized energy for 22 and 64 cm and the k^3 -weighted chi (k)-space for 110 cm all had between 1-2 additional fits that could not be statistically distinguished and can be seen in Figures S-5 and S-6. A fit that contained Bio Fe, Siderite and Greigite was common across all the samples for the sediment data in both normalized energy and in k^3 -weighted chi (k)-space and is shown in Figure S-7. All statistics and values for the LCF results for XANES and EXAFS are given in Table S-5.

Supplementary Tables

Table S-1 Iron phase partitioning data for Canyon Lake Samples. Samples in *italics* displayed indications of oxidation subsequent to core recovery and were not plotted in the main text.

| # | Name | Depth (cm) | Fe(II) _{unsulf} (wt.%) | Fe _{ox1} (III) (wt.%) | Fe _{0x2} (wt.%) | Fe _{mag} (wt.%) | Fe _{py} (wt.%) | Fe _{avs} (wt.%) | Fe _{HR} (wt.%) | Fe _{HR} / | Fe _{py} / | Fe (wt.%) ICP |
|----|---------------------|------------|---------------------------------|-----------------------------------|--------------------------|--------------------------|-------------------------|--------------------------|-------------------------|--------------------|--------------------|---------------------|
| 25 | Core C 14 cm | 14 | 2.16 | 0.30 | 0.38 | 0.05 | 0.23 | 0 | 3.12 | 0.83 | 0.07 | 3.75 |
| 26 | Core C 22 cm | 22 | 2.00 | 0.33 | 0.39 | 0.06 | 0.18 | 0 | 2.96 | 0.79 | 0.06 | 3.74 |
| 27 | Core C 30 cm | 30 | 2.47 | 0.19 | 0.40 | 0.05 | 0.24 | 0 | 3.34 | 0.84 | 0.07 | 4.00 |
| 28 | Core C 39 cm | 39 | 2.50 | 0.19 | 0.43 | 0.05 | 0.22 | 0 | 3.39 | 0.84 | 0.06 | 4.06 |
| 29 | Core C 44 cm | 44 | 2.22 | 0.17 | 0.46 | 0.07 | 0.16 | 0 | 3.09 | 0.76 | 0.05 | 4.06 |
| 30 | Core C 49 cm | 49 | 2.37 | 0.25 | 0.43 | 0.06 | 0.19 | 0 | 3.30 | 0.81 | 0.06 | 4.06 |
| 31 | Core C 54 cm | 54 | 2.18 | 0.42 | 0.41 | 0.06 | 0.18 | 0 | 3.24 | 0.84 | 0.06 | 3.86 |
| 32 | Core C 59 cm | 59 | 1.81 | 0.58 | 0.45 | 0.07 | 0.16 | 0 | 3.07 | 0.79 | 0.05 | 3.90 |
| 33 | Core C 64 cm | 64 | 2.82 | 0.82 | 0.52 | 0.08 | 0.18 | 0 | 4.42 | 0.82 | 0.04 | 5.41 |
| 34 | Core C 71 cm | 71 | 2.97 | 1.22 | 0.53 | 0.07 | 0.15 | 0 | 4.95 | 0.90 | 0.03 | 5.47 |
| 35 | Core C 78 cm | 78 | 0.82 | 2.01 | 0.56 | 0.09 | 0.15 | 0 | 3.63 | 0.79 | 0.04 | 4.61 |
| 36 | Core C 81 cm | 81 | 2.25 | 0.74 | 0.51 | 0.07 | 0.16 | 0 | 3.74 | 0.83 | 0.04 | 4.50 |
| 37 | Core C 84 cm | 84 | 0.97 | 2.69 | 0.59 | 0.08 | 0.15 | 0 | 4.47 | 0.92 | 0.03 | 4.84 |
| 38 | Core C 88 cm | 88 | 2.34 | 0.72 | 0.48 | 0.06 | 0.20 | 0 | 3.79 | 0.83 | 0.05 | 4.58 |
| 39 | Core C 94 cm | 94 | 0.72 | 2.05 | 0.51 | 0.07 | 0.19 | 0 | 3.53 | 0.83 | 0.05 | 4.24 |
| 40 | Core C 100 cm | 100 | 2.39 | 0.52 | 0.48 | 0.07 | 0.19 | 0 | 3.66 | 0.90 | 0.05 | 4.06 |
| 41 | Core C 105 cm | 105 | 0.69 | 2.16 | 0.49 | 0.07 | 0.09 | 0 | 3.51 | 0.85 | 0.03 | 4.12 |
| 42 | Core C 110 cm | 110 | 2.37 | 0.32 | 0.38 | 0.06 | 0.20 | 0 | 3.33 | 0.87 | 0.06 | 3.82 |
| 43 | Core C 117 cm | 117 | 2.27 | 0.65 | 0.46 | 0.06 | 0.22 | 0 | 3.66 | 0.85 | 0.06 | 4.29 |

Table S-2 Siderite saturation calculations (as log Q/K) based on Canyon Lake waters.

| Species | Concentration (mg/) | pН | Siderite (log Q/K) |
|------------------|---------------------|-----|--------------------|
| Fe ²⁺ | 94.330 | 6 | 0.185 |
| Fe ²⁺ | 94.330 | 6.5 | 0.9594 |
| Fe ²⁺ | 94.330 | 6.8 | 1.356 |
| Fe ²⁺ | 94.330 | 7 | 1.596 |
| Fe ²⁺ | 94.330 | 7.5 | 2.134 |
| Fe ²⁺ | 94.330 | 8 | 2.598 |

 Table S-3
 Initial conditions for siderite saturation calculations based on Canyon Lake bottom water.

| Species | Concentration | Units |
|--------------------------------|---------------|---------|
| Al ³⁺ | 0.363 | mg/l |
| B(OH) ₃ | 0.050 | mg/l |
| Ca ²⁺ | 29.000 | mg/l |
| Cr ²⁺ | 0.003 | mg/l |
| Fe ²⁺ | 94.330 | mg/l |
| K ⁺ | 1.787 | mg/l |
| Mn ²⁺ | 3.039 | mg/l |
| $\mathrm{Mg}^{2^{+}}$ | 7.825 | mg/l |
| Na ⁺ | 7.318 | mg/l |
| HPO ₄ ²⁻ | 0.232 | mg/l |
| F- | < 0.1 | mg/l |
| Cl ⁻ | 11.300 | mg/l |
| NO ₂ - | < 0.1 | mg/l |
| Br ⁻ | 0.500 | mg/l |
| SO ₄ ² - | < 0.1 | mg/l |
| NO ₃ - | < 0.1 | mg/l |
| HCO ₃ - | 5.640 | mmol/l |
| O_2 | 0.041 | mg/l |
| рН | 6.8 | H^{+} |
| Temperature | 5.6 | С |
| Siderite | 1.225 | log |
| | | Q/K |

 Table S-4
 Fe XANES Pre-Edge Characteristics for Canyon Lake Samples

| Sample | Height | Position (eV) | FWHM (eV) | Area | Total Area | Centroid (eV) | χ^2 | |
|-------------|-------------|---------------|--------------|-------------|-------------|---------------|-----------------------|--|
| 7.5 m trap | 0.024±0.006 | 7113.03±0.23 | 2.35±0.21 | 0.061±0.020 | | | | |
| | 0.032±0.005 | 7114.83±0.20 | 2.51±0.25 | 0.086±0.021 | 0.147±0.029 | 7114.08±0.04 | 2.88x10 ⁻⁵ | |
| 15 m trap | 0.025±0.003 | 7113.76±0.25 | 3.06±0.28 | 0.080±0.017 | | | | |
| | 0.013±0.005 | 7115.09±0.04 | 1.79±0.25 | 0.024±0.013 | 0.104±0.021 | 7114.06±0.02 | 1.47x10 ⁻⁵ | |
| 20 m trap | 0.032±0.002 | 7113.42±0.13 | 2.67±0.17 | 0.091±0.011 | | | | |
| | 0.018±0.004 | 7115.03±0.09 | 1.87±0.13 | 0.036±0.010 | 0.127±0.015 | 7113.88±0.02 | 2.19x10 ⁻⁵ | |
| 22 cm core | 0.024±0.007 | 7111.84±0.44 | 2.56±0.41 | 0.065±0.029 | | | | |
| | 0.008±0.011 | 7112.54±0.14 | 1.36±0.45 | 0.012±0.020 | 0.148±0.040 | 7112.72±0.02 | 1.02x10 ⁻⁵ | |
| | 0.034±0.007 | 7113.55±0.15 | 1.98±0.17 | 0.071±0.018 | | | | |
| 64 cm core | 0.002±0.001 | 7110.78±0.09 | 0.89±0.36 | 0.002±0.002 | | | | |
| | 0.028±0.020 | 7112.13±1.25 | 3.02±1.00 | 0.090±0.094 | 0.154±0.131 | 7112.64±0.01 | 1.09x10 ⁻⁵ | |
| | 0.026±0.033 | 7113.44±0.21 | 2.19±0.46 | 0.062±0.091 | | | | |
| 110 cm core | 0.027±0.003 | 7111.79±0.21 | 2.50±0.23 | 0.072±0.015 | | | | |
| | 0.005±0.003 | 7112.54±0.07 | 1.01±0.24 | 0.006±0.004 | 0.160±0.020 | 7112.68±0.01 | 1.04x10 ⁻⁵ | |
| | 0.038±0.005 | 7113.47±0.08 | 2.03±0.09 | 0.082±0.013 | | | | |

Table S-5 Results of linear combination fitting for **(a)** EXAFS at the Fe K-edge for Canyon Lake sediments and sediment trap material at 7.5 m depth and **(b)** XANES at the Fe K-edge for Canyon Lake sediments. The lowest R factor for multiple fits is the best fit. The *p*-value indicates the significance.

(a) EXAFS

| | Green Rust | Bio Fe | Greigite | Siderite | Hematite | R-Factor | <i>p</i> -value vs best fit |
|---------|---------------|--------------|--------------|--------------|--------------|----------|--------------------------------|
| 22cm | - | 57.8 ± 4 | 33.2 ± 5 | 9.0 ± 1 | - | 0.0513 | - |
| 64 cm | - | 49.6 ± 3 | 30.6 ± 4 | 19.8 ± 1 | - | 0.0526 | - |
| | - | 58.8 ± 4 | 32.5 ± 5 | 8.7 ± 1 | - | 0.0630 | - |
| 110 cm | 9.3 ± 3 | 57.7 ± 6 | 33.0 ± 7 | - | - | 0.0842 | 0.068 |
| | - | 91.9 ± 3 | - | 8.1 ± 2 | - | 0.0877 | 0.051 |
| 7.5 m | | 95.4 ± 4 | - | 15.5 ± 2 | 15.6 ± 2 | 0.06636 | - |
| 7.5 III | | 72.3 ± 6 | 67.2 ± 8 | 22.1 ± 2 | - | 0.07432 | - |

(b) XANES

| | Green Rust | Magnetite | Bio Fe | Greigite | Siderite | R factor | p-value vs best fit |
|--------|---------------|--------------|----------------|----------------|----------------|----------|------------------------|
| 22 am | 36.3 ± 1 | - | 53.1 ± 0.5 | - | 10.6 ± 0.7 | 0.000456 | - |
| 22 cm | | - | 54.6 ± 0.6 | 25.2 ± 0.8 | 20.2 ± 0.5 | 0.000602 | 0.087 |
| | - | - | 24.2 ± 0.8 | 43.7 ± 1 | 32.1 ± 0.7 | 0.00117 | - |
| 64 cm | - | 46.4 ± 2 | - | 24.3 ± 2 | 29.2 ± 0.7 | 0.00120 | 0.59 |
| | 27.6 ± 3 | 49.2 ± 2 | - | - | 23.2 ± 1 | 0.00158 | 0.19 |
| 110 cm | - | - | 24.2 ± 0.8 | 43.7 ± 1 | 32.1 ± 0.7 | 0.00117 | - |

Supplementary Figures




Figure S-1 Iron speciation data and selected XRF element ratios for the Canyon Lake core. All speciation samples plot in the anoxic ferruginous field (Poulton and Canfield, 2011). The element ratio of Si/Al implies a consistently low flux of siliciclastic materials to the lake, with perhaps intervals of slight increases (or declines in diatom productivity) in the upper most 40 cm of sediments. The ratio of Fe/Ti implies that the increase in Fe concentration observed in the middle of the core (~60 cm) is not derived from an increased flux of siliciclastic or terrigenous Fe. The decline in the Fe/Mn ratio in the same horizon suggests that the siderite present in that interval preferentially incorporates Fe relative to Mn.




Figure S-2 Canyon Lake pH profiles, 2015-2018. Data from Swanner *et al.* (2021).




Figure S-3 Baseline subtracted pre-edge fits of sediment trap samples (a-c) and sediment samples (d-f) from Canyon Lake. The centroid position was 7114.01 ± 0.02 eV for the sediment traps and 7112.68 ± 0.01 eV for sediments.




Figure S-4 Linear combination fitting results of the Fe-K edge EXAFS spectra for sediment trap material at 7.5 m water depth. Data for these results are given in Table S-5.




Figure S-5 Linear combination fit results of the normalized XANES Fe K-edge spectra which could not be readily distinguished at sediment depths (a) 22 cm and (b & c) 64 cm.




Figure S-6 Linear combination fit results of the Fe K-edge EXAFS spectra which could not be readily distinguished at sediment depth 110 cm.




Figure S-7 Linear combination fitting results of the **(a)** Fe K-edge normalized XANES spectra and **(b)** Fe K-edge EXAFS spectra for sediment at 22 cm, 64 cm, and 110 cm depths.

Raw Data including Sample Depths, XRF, XRD, Elementar CS

Attached is our raw data of sample depths, XRF, XRD, and Elementar CS measurements. An Excel version housing all the raw data is available for download from the online version of this article at LINK.

Supplementary Information References

- Calvin, S. (2013) Linear Combination Analysis, In: *XAFS for Everyone*, CRC Press, Taylor & Francis Group, Boca Raton, 427.
- Canfield D. E., Raiswell R., Westrich J. T., Reaves C. M., and Berner R. A. (1986) The use of chromium reduction in the analysis of reduced inorganic sulfur in sediments and shales. *Chemical Geology* 54, 149-155
- Ellison, E. T., Mayhew, L.E., Miller, H.M., and Templeton, A. S. (2020) Quantitative microscale Fe redox imaging by multiple energy X-ray fluorescence mapping at the Fe K pre-edge peak. *American Mineralogist* 105, 1812–1829. https://doi.org/10.2138/am-2020-7359
- Harris, D., Horwáth, W. R., and Van Kessel, C. (2001) Acid fumigation of soils to remove carbonates prior to total organic carbon or carbon-13 isotopic analysis. *Soil Science Society of America Journal* 65(6), 1853-1856
- Islam, R. (2022) Investigating the Formation Mechanisms of Sedimentary Pyrite under Anoxic & Ferruginous Conditions. Iowa State University
- Lambrecht, N., Katsev, S., Wittkop, C., Hall, S. J., Sheilk, C.S., Picarad, A., Fakhraee, M., and Swanner, E. D. (2020) Biogeochemical and physical controls on methane fluxes from two ferruginous meromictic lakes. *Geobiology*, https://doi.org/10.1111/gbi.12365
- Lambrecht, N., Wittkop, C., Katsev, S., Fakhraee, M., and Swanner, E. D. (2018) Geochemical Characterization of Two Ferruginous Meromictic Lakes in the Upper Midwest, USA. *Journal of Geophysical Research: Biogeosciences*, p.1-16
- Ledesma, G., Islam, R., and Swanner, E. D. (2023) Evaluation of preservation protocols for oxygen-sensitive minerals within laminated aquatic sediments. *Limnology and Oceanography Methods*. https://doi.org/10.1002/lom3.10533
- Meyers, P.A., and Ishiwatari. R. (1993) Lacustrine organic geochemistry—an overview of indicators of organic matter sources and diagenesis in lake sediments. *Organic Geochemistry* 20, 867-900.
- Poulton S.W. (2021) The Iron Speciation Paleoredox Proxy (Elements in Geochemical Tracers in Earth System Science), *Cambridge University Press.* https://doi.org/10.1017/9781108847148
- Poulton S. W., and Canfield D. E. (2005) Development of a sequential extraction procedure for iron: implications for iron partitioning in continentally derived particulates. *Chemical Geology 214*, 209-221
- Poulton S. W., and Canfield D. E. (2011) Ferruginous conditions: A dominant feature of the ocean through Earth's history. *Elements* 7, 107-112
- Stookey L. L. (1970) Ferrozine-A new spectrophotometric reagent for iron. Analytical Chemistry 42, 779-781
- Swanner, E.D., Lambrecht, N., Wittkop, C., Katsev, S., Ledesma, G., and Leung, T. (2021) Water properties of Brownie Lake, MN and Canyon Lake, MI from 2015-2019. *Environmental Data Initiative*. https://doi.org/10.6073/PASTA/4EAF698B4EFBAF793B83D95F464D1672
- Webb, S. M. (2005) SIXpack: a graphical user interface for XAS analysis using IFEFFIT. *Physica Scripta*. https://doi.org/10.1238/Physica.Topical.115a01011

- Wilke, M. (2001) Oxidation state and coordination of Fe in minerals: An Fe K-XANES spectroscopic study. *American Mineralogist* 86, 714. https://doi.org/10.2138/am-2001-5-612
- Wright, H.E., Jr. (1980) Coring of soft lake sediments. Boreas 9, 104-114.
- Xiong Y., Guilbaud R., Peacock C. L., Cox R. P., Canfield D. E., Krom M. D., and Poulton S.W. (2019) Phosphorus cycling in Lake Cadagno, Switzerland: A low sulfate euxinic ocean analogue. *Geochimica et Cosmochimica Acta* 251, 116-135
- Zegeye A., Bonneville S., Benning L. G., Sturm A., Fowle D. A., Jones C., Canfield D. E., Ruby C., MacLean L. C., Nomosatryo S., Crowe S. A., and Poulton S. W. (2012) Green rust formation controls nutrient availability in a ferruginous water column. *Geology* 40, 599-602