

YOSM: A NEW YORÙBÁ SENTIMENT CORPUS FOR MOVIE REVIEWS

Iyanuoluwa Shode^{1,3}, David Ifeoluwa Adelani^{2,3}, and Anna Feldman¹

¹ Montclair State University

² Spoken Language Systems (LSV), Saarland University, Saarland Informatics Campus, Germany ³ Masakhane NLP

{shodei1, feldmana}@montclair.edu
didelani@lsv.uni-saarland.de

Sentiment Analysis is a popular text classification task in natural language processing. It involves developing algorithms or machine learning models to determine the sentiment or opinion expressed in a piece of text. The results of this task can be used by business owners and product developers to understand their consumers' perceptions of their products. Asides from customer feedback and product/service analysis, this task can be useful for social media monitoring (Martin et al., 2021). One of the popular applications of sentiment analysis is for classifying and detecting the positive and negative sentiments on movie reviews. Movie reviews enable movie producers to monitor the performances of their movies (Abhishek et al., 2020) and enhance the decision of movie viewers to know whether a movie is good enough and worth investing time to watch (Lakshmi Devi et al., 2020). However, the task has been under-explored for African languages compared to their western counterparts, "*high resource languages*", that are privileged to have received enormous attention due to the large amount of available textual data. African languages fall under the category of the low resource languages which are on the disadvantaged end because of the limited availability of data that gives them a poor representation (Nasim & Ghani, 2020). Recently, sentiment analysis has received attention on African languages in the Twitter domain for Nigerian (Muhammad et al., 2022) and Amharic (Yimam et al., 2020) languages. However, there is no available corpus in the movie domain. We decided to tackle the problem of unavailability of Yorùbá data for movie sentiment analysis by creating the first Yorùbá sentiment corpus for Nollywood movie reviews. Also, we develop sentiment classification models using state-of-the-art pre-trained language models like mBERT (Devlin et al., 2019) and AfriBERTa (Ogueji et al., 2021).

Yorùbá Language is the third most spoken indigenous African language (Eberhard et al., 2020) with over 50 million speakers. Speakers of the Yorùbá language can be found in the South-Western region of Nigeria and across the globe. Yorùbá is a tonal language that comprises 25 letters. Despite its large number of speakers, Yorùbá falls under the category of the low resource languages and few NLP datasets that have been developed for the language (Adelani et al., 2021b). Furthermore, there is no record of sentiment analysis research done on Nigerian movies (i.e. *Nollywood*) or even Yorùbá movie reviews.

Nollywood is the home for Nigerian movies that depict the Nigerian people and reflect the diversities across Nigerian cultures. A Masterclass staff, Foster in 2022 ¹, claims that four to five movies are released daily by Nigerian movie producers for an estimated audience of fifteen million Nigerians and five million in other African countries. As a result, Nollywood is the second-largest movie and film industry in the world. Despite its capacity, Nollywood movie reviews are scarce.

Data: Unlike Hollywood movies that are heavily reviewed with hundreds of thousands of reviews all over the internet, there are fewer reviews about Nigerian movies. Furthermore, there is no online platform dedicated to movie reviews originally written in Yorùbá. Most of the reviews are written in English. We collected 1,500 reviews with a balanced set of positive and negative reviews. These reviews were accompanied with ratings and were sourced from three popular online movie review platforms ² - IMDB, Rotten Tomatoes and, Letterboxd. We also collected reviews and ratings from two Nigerian indigenous movie reviews websites ³ - Cinemapointer and Nollyrated. Our annotation focused on the classification of the reviews based on the ratings that the movie reviewer gave the

¹<https://www.masterclass.com/articles/nollywood-new-nigerian-cinema-explained>

²www.imdb.com, www.rottentomatoes.com, and <https://letterboxd.com/>

³www.cinemapointer.com, and <https://nollyrated.com/>

Sentiment	No. Reviews	Ave. Length (No. words)	IMDB	Rotten Tomatoes	Data source	LetterBoxd	Cinemapoint	Nollyrated
positive	750	73	402	105	81	101	61	
negative	750	63	278	133	101	193	46	

Table 1: Data source, number of movie reviews per source, and average length of reviews

Model	F1-score	Transfer learning setting			
		imdb (en)	en	yo:MT	en+yo:MT
mBERT	83.2 _{±1.8}	61.4	61.9	71.5	74.0
mBERT+LAFT	86.2 _{±1.3}	69.4	71.8	76.5	77.9
AfriBERTa	87.2 _{±0.6}	64.3	69.8	77.1	77.9

(a) Benchmark results

(b) Transfer learning (F1-score)

Table 2: Benchmark and transfer learning results (F1-score). All results are average over 5 runs except transfer from “imdb”.

movie. We used a rating scale to classify the positive or negative reviews and defined ratings between 0-4 under the negative (NEG) category while 7-10 were positive (POS). After collecting the data, native speakers of Yorùbá that work as professional translators were recruited to manually translate the movie reviews from English to Yorùbá. Thus, we have a parallel review dataset in English and Yoruba, and their corresponding ratings.

As an alternative in the absence of human translation for training, we automatically translate the English reviews to Yorùbá using Google Translate machine translation tool, this can be useful for scenarios where there is an absence of training data in Yorùbá language. To evaluate the quality of the automatic translation, we compute BLEU score Papineni et al. (2002) between human translated sentences and output of Google Translate. We obtained 3.36 BLEU, which shows the performance of the English-Yorùbá MT model is very poor, similar to the observation of Adelani et al. (2021a) on Google Translate across several domains. However, we want to evaluate to which extent automatic translations can help when there is an absence of human translations. Table 1 shows the information about the data sources of the curated Yorùbá movie reviews, which we named YOSM. We split YOSM into 800 reviews as training set, 200 reviews as development set and 500 reviews as test set.

Baseline Models We *fine-tune* two pre-trained language models (PLMs) that have been pre-trained on Yorùbá language: mBERT (Devlin et al., 2019) and AfriBERTa (Ogueji et al., 2021). AfriBERTa has been exclusively pre-trained on 11 African languages while mBERT was pre-trained on 104 languages. As an additional baseline model, we make use of a PLM that has been adapted to Yorùbá language using language adaptive fine-tuning (LAFT) – an approach to fine-tune PLM on monolingual texts on a new language using the same masked language model objective as BERT. It has been shown to improve performance on named entity recognition task on Yorùbá (Alabi et al., 2020; Adelani et al., 2021b) and better zero-shot cross-lingual transfer (Pfeiffer et al., 2020).

Transfer Learning Setting We examine four transfer learning experiments, (1) imdb (en): cross-lingual transfer from a large Hollywood movie review dataset (i.e IMDB) with 25,000 samples and zero-shot evaluation on YOSM test set. (2) en: cross-lingual transfer from the English Nollywood movie review – the size is limited to the 800 samples in the untranslated reviews in our dataset. (3) yo:MT: trained on machine translation of 800 English Nollywood reviews to Yorùbá language. (4) en+yo:MT combined data from the English Nollywood reviews and machine translated reviews.

Results Table 2 shows the baseline results on PLMs, we obtained very impressive results (> 83 F1) by training on our small training set (i.e 800 reviews). AfriBERTa and mBERT+LAFT gave better results (more than 86 F1) compared to mBERT (83.2) since they have been trained exclusively on African languages or adapted using LAFT. For the transfer learning results, we obtained a very good cross-lingual transfer of over (61 F1) on all settings. We find the transfer of en to per-form better than imdb(en), an improvement on of 2.4 – 5.5 F1 using mBERT+LAFT or AfriBERTa since en captures better the Nollywood domain than imdb(en) that is based on Hollywood reviews.

The best transfer approach in the absence of humanly written Yorùbá reviews is to train on machine translated reviews (yo:MT) and/or combine with English Nollywood reviews (en+yo:MT), with performance reaching 77.9 F1. Although, there is a small benefit of combining English and automatically translated Yorùbá Nollywood reviews (0.8 – 2.5 F1) to further improve performance over (yo:MT).

Conclusion In this paper, we presented the first Yorùbá sentiment corpus for Nollywood movie reviews - YOSM that was manually translated from English Nollywood reviews. We perform experiments on this dataset by using the state-of-the-art pre-trained language models and transfer learning approaches which gave us impressive results. The YOSM dataset is publicly available on Github⁴.

ACKNOWLEDGMENTS

This material is partially based upon work supported by the National Science Foundation under Grant No. 1704113. Also, we thank Cinemapointer for giving us access to use their movie reviews. David Adelani acknowledges the EU-funded Horizon 2020 projects: ROXANNE under grant number 833635 and COMPRISE (<http://www.compriseh2020.eu/>) under grant agreement No. 3081705. We appreciate the collective efforts of the following people: Ifeoluwa Shode, Mola Oyin-damola, Godwin-Enwere Jefus, Emmanuel Adeyemi, Adeyemi Folusho and Bolutife Kusimo for their assistance during data collection.

REFERENCES

Kumar Abhishek, Mayank Mehiral, and M. S. Sathvik Murthy. Sentimental analysis for movie reviews. *International Journal of Advanced Research in Computer Science*, 11(0):17–22, 2020. ISSN 0976-5697. doi: 10.26483/ijarcs.v11i0.6536. URL <http://www.ijarcs.info/index.php/Ijarcs/article/view/6536>.

David Adelani, Dana Ruiter, Jesujoba Alabi, Damilola Adebomojo, Adesina Ayeni, Mofe Adeyemi, Ayodele Esther Awokoya, and Cristina España-Bonet. The effect of domain and diacritics in Yoruba–English neural machine translation. In *Proceedings of Machine Translation Summit XVIII: Research Track*, pp. 61–75, Virtual, August 2021a. Association for Machine Translation in the Americas. URL <https://aclanthology.org/2021.mtsummit-research.6>.

David Ifeoluwa Adelani, Jade Abbott, Graham Neubig, Daniel D’souza, Julia Kreutzer, Constantine Lignos, Chester Palen-Michel, Happy Buzaaba, Shruti Rijhwani, Sebastian Ruder, Stephen Mayhew, Israel Abebe Azime, Shamsuddeen H. Muhammad, Chris Chinene Emezue, Joyce Nakatumba-Nabende, Perez Ogayo, Aremu Anuoluwapo, Catherine Gitau, Derguene Mbaye, Jesujoba Alabi, Seid Muhie Yimam, Tajuddeen Rabiu Gwadabe, Ignatius Ezeani, Rubungo Andre Niyongabo, Jonathan Mukiibi, Verrah Otiente, Iroro Orife, Davis David, Samba Ngom, Tosin Adewumi, Paul Rayson, Mofetoluwa Adeyemi, Gerald Muriuki, Emmanuel Anebi, Chiamaka Chukwuneke, Nkiruka Odu, Eric Peter Wairagala, Samuel Oyerinde, Clemencia Siro, Tobius Saul Bateesa, Temilola Oloyede, Yvonne Wambui, Victor Akinode, Deborah Nabagereka, Maurice Katusiime, Ayodele Awokoya, Mouhamadane MBOUP, Dib-ora Gebreyohannes, Henok Tilaye, Kelechi Nwaike, Degaga Wolde, Abdoulaye Faye, Bless-ing Sibanda, Oreaoghene Ahia, Bonaventure F. P. Dossou, Kelechi Ogueji, Thierno Ibrahima DIOP, Abdoulaye Diallo, Adewale Akinfaderin, Tendai Marengereke, and Salomey Osei. MasakhaNER: Named entity recognition for African languages. *Transactions of the Association for Computational Linguistics*, 9:1116–1131, 2021b. doi: 10.1162/tacl_a_00416. URL <https://aclanthology.org/2021.tacl-1.66>.

Jesujoba Alabi, Kwabena Amponsah-Kaakyire, David Adelani, and Cristina España-Bonet. Massive vs. curated embeddings for low-resourced languages: the case of Yorùbá and Twi. In *Proceedings of the 12th Language Resources and Evaluation Conference*, pp. 2754–2762, Marseille, France, May 2020. European Language Resources Association. ISBN 979-10-95546-34-4. URL <https://aclanthology.org/2020.lrec-1.335>.

⁴<https://github.com/IyanuSh/YOSM>

Jacob Devlin, Ming-Wei Chang, Kenton Lee, and Kristina Toutanova. BERT: Pre-training of deep bidirectional transformers for language understanding. In *Proceedings of the 2019 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies, Volume 1 (Long and Short Papers)*, pp. 4171–4186, Minneapolis, Minnesota, June 2019. Association for Computational Linguistics. doi: 10.18653/v1/N19-1423. URL <https://aclanthology.org/N19-1423>.

B. Lakshmi Devi, V. Varaswathi Bai, Somula Ramasubbareddy, and K. Govinda. Sentiment analysis on movie reviews. In P. Venkata Krishna and Mohammad S. Obaidat (eds.), *Emerging Research in Data Engineering Systems and Computer Communications*, pp. 321–328, Singapore, 2020. Springer Singapore. ISBN 978-981-15-0135-7.

Gati Lothe Martin, Medard Edmund Mswahili, and Young-Seob Jeong. Sentiment classification in swahili language using multilingual bert. *ArXiv*, abs/2104.09006, 2021.

Shamsuddeen Hassan Muhammad, David Ifeoluwa Adelani, Sebastian Ruder, Ibrahim Said Ahmad, Idris Abdulmumin, Bello Shehu Bello, Monojit Choudhury, Chris Chinanye Emezue, Saheed Abdullahi Salahudeen, Aremu Anuoluwapo, Alípio Jeorge, and Pavel Brazdil. Naijasenti: A nigerian twitter sentiment corpus for multilingual sentiment analysis. *ArXiv*, abs/2201.08277, 2022.

Zarmeen Nasim and Sayeed Ghani. Sentiment analysis on urdu tweets using markov chains. *SN Comput. Sci.*, 1:269, 2020.

Kelechi Ogueji, Yuxin Zhu, and Jimmy Lin. Small data? no problem! exploring the viability of pretrained multilingual language models for low-resourced languages. In *Proceedings of the 1st Workshop on Multilingual Representation Learning*, pp. 116–126, Punta Cana, Dominican Republic, November 2021. Association for Computational Linguistics. doi: 10.18653/v1/2021.mrl-1.11. URL <https://aclanthology.org/2021.mrl-1.11>.

Kishore Papineni, Salim Roukos, Todd Ward, and Wei-Jing Zhu. Bleu: a method for automatic evaluation of machine translation. In *Proceedings of the 40th Annual Meeting of the Association for Computational Linguistics*, pp. 311–318, Philadelphia, Pennsylvania, USA, July 2002. Association for Computational Linguistics. doi: 10.3115/1073083.1073135. URL <https://aclanthology.org/P02-1040>.

Jonas Pfeiffer, Ivan Vulic, Iryna Gurevych, and Sebastian Ruder. MAD-X: An Adapter-Based Framework for Multi-Task Cross-Lingual Transfer. In *Proceedings of the 2020 Conference on Empirical Methods in Natural Language Processing (EMNLP)*, pp. 7654–7673, Online, November 2020. Association for Computational Linguistics. doi: 10.18653/v1/2020.emnlp-main.617. URL <https://aclanthology.org/2020.emnlp-main.617>.

Seid Muhie Yimam, Hizkiel Mitiku Alemayehu, Abinew Ayele, and Chris Biemann. Exploring Amharic sentiment analysis from social media texts: Building annotation tools and classification models. In *Proceedings of the 28th International Conference on Computational Linguistics*, pp. 1048–1060, Barcelona, Spain (Online), December 2020. International Committee on Computational Linguistics. doi: 10.18653/v1/2020.coling-main.91. URL <https://aclanthology.org/2020.coling-main.91>.