Subjective and Objective Quality Assessment of Rendered Hologram Videos in Virtual Reality

Yu-Chih Chen, Avinab Saha, Alexandre Chapiro, Christian Häne, Jean-Charles Bazin, Bo Qiu, Stefano Zanetti, Ioannis Katsavounidis, and Alan C. Bovik, *Fellow, IEEE*

Abstract—We study the visual quality judgments of human subjects on digital "holograms" (as they are called in the parlance of virtual reality [VR] and augmented reality [AR] systems) that have been subjected to distortions. We also study the ability of video quality models to predict human judgments. As streaming human body hologram videos in VR or AR become increasingly common, the need for more advanced hologram video compression protocols will be required to address the tradeoffs between faithfully transmitting high-quality visual representations while adjusting to changeable bandwidth scenarios. During transmission over the internet, the perceived quality of compressed hologram videos can be severely impaired by visual artifacts. To optimize trade-offs between perceptual quality and data volume in practical workflows, video quality assessment (VQA) models are essential tools. However, there are very few VOA algorithms developed specifically to analyze human body hologram videos, due, at least in part, to the dearth of appropriate and comprehensive datasets of adequate size. Towards filling this gap, we introduce the LIVE-Meta Rendered Hologram VQA Database, which contains 720 hologram videos processed using 20 different combinations of encoding parameters, labeled by corresponding human perceptual quality judgments that were collected in six degrees of freedom VR headsets. To demonstrate the usefulness of this new and unique video resource, we use it to study and compare the performances of a variety of state-of-the-art Full Reference and No Reference video quality prediction models, including a new model called HologramQA. As a service to the research community, we will be publicly releasing the metadata of the new database at https://live.ece.utexas.edu/research/Hologram/index.html

Index Terms—virtual reality, video quality assessment, 3D mesh, hologram video, six degrees of freedom

I. Introduction

RECENT advancements in head-mounted displays (HMDs) and extended reality (XR) technologies have made it possible for people to engage in impressive immersive 3D experiences. Among these, virtual reality

Yu-Chih Chen, Avinab Saha and Alan C. Bovik are with the Laboratory for Image and Video Engineering (LIVE), Department of Electrical and Computer Engineering, The University of Texas at Austin, Austin, TX, 78712 USA (email: berriechen@utexas.edu, avinab.saha@utexas.edu, bovik@ece.utexas.edu).

Christian Häne. Jean-Charles Bazin. Alexandre Chapiro, Stefano Zanetti, Ioannis Katsavounidis, are with Bo Qiu, Meta Platforms Inc., 1 Hacker Way, Menlo Park, CA 94025 USA chaene@meta.com. jcbazin@meta.com, (email: achapiro@meta.com. qiub@meta.com, stefanoz@meta.com, ikatsavounidis@meta.com).

The work of Alan C. Bovik was supported by the National Science Foundation AI Institute for Foundations of Machine Learning (IFML) under Grant 2019844. This work was supported by Meta Platforms Inc.

All experiments and data collection and processing activities were conducted by the University of Texas at Austin.

¹data will be made available, pending institutional approval

(VR) applications now allow for virtual work meetings [I], entertainment, gaming, and education. This "metaverse" of virtual possibilities is also envisioned to include rich augmented reality (AR) applications, whereby users can visualize and interact with the real world, supplemented by graphical overlays, inserted objects, realistic 3D avatars or digital twins, and the ability to communicate with one another by sound and sight from afar. A major goal in this direction is to give users the ability to interact more intimately and personally via high-quality wireless communications-enabled shared VR or AR experiences.

In one promising scenario relevant to both workplace and social scenarios, two or more users can visually and remotely interact in a virtual space, each person represented by an animated avatar, or "hologram," having facial expressions, body movements, and hand gestures that replicate those of the actual participants. Indeed, as computing hardware, image capture, and graphical processing technologies have advanced, methods for creating high quality, realistic holograms have significantly improved [2], [3]. 3D hologram videos are normally represented as dynamic 3D meshes with textured color surfaces. Holographic model creation involves capturing multiple images from different viewpoints of real world objects or people using high-speed cameras, then reconstructing them into mesh or point cloud geometric and color representations that can be rapidly rendered for 3D visualization. Here we focus on textured mesh data, although point clouds are easily converted into 3D polygonal mesh formats. As 3D digital twins or holograms become increasingly realistic and data heavy, and HMDs continue to have improved space-time resolutions, visual data streams having much higher bandwidths will require perceptually optimized compression tools to ensure efficient, high quality throughput and visualizations.

The possibility of practical holographic data transmission over the wireless internet presents significant practical challenges. To be able to communicate high quality 3D hologram videos in real time, volumetric compression is required, which can adversely impact the perceived visual quality of immersive 3D experiences. Since real-time communication is required to enable seamless human interactions, the compression and transmission protocols must minimize temporal and rotational latencies to minimize sensations of lag. Indeed, proposed metaverse infrastructures typically aim to constrain the end-to-end delay (from cloud to client) to less than 20 ms [4].

Further, visual artifacts arising from compression and rendering can significantly degrade the visual quality of hologram videos. Motivated by the successes of streaming and social

media platforms that perceptually optimize video throughput using video quality prediction models, it is highly desirable to be able to quantitatively model holographic video quality. Given models, video quality prediction algorithms may be devised to measure and control tradeoffs between perceptual hologram quality and data bandwidth, by providing feedback that can be used to adjust encoder settings.

VQA research encompasses two general categories of study: subjective and objective video quality. Subjective studies involve the collection of substantial amounts of human subjective judgments of video quality. Subjective quality datasets can be used to create, compare, and benchmark objective video quality models. However, existing databases of volumetric picture data are quite limited in terms of their sizes, content varieties, and varieties of realistic distortions. Many of these have deployed 2D displays when conducting human subjective studies, thereby restricting viewpoint, depth sensation, and immersion. Few studies have employed HMDs which allow the study participants to experience immersion in VR or AR [5]-[12].

Conducting studies of VR or AR using modern headsets is important, because the effects of experiencing immersion, six degrees of freedom (6DoF) of movement, and wide-field video compositions can be accounted for. The developments of modern VOA models suitable for analyzing and predicting the quality of VR and AR videos, including "hologram" videos, requires the creation of subjective quality databases that capture these aspects. Towards overcoming these limitations and helping to advance immersive "holographic" video streaming, we have created a new psychometric resource called the LIVE-Meta Rendered Hologram VQA database. It contains 720 videos derived from 36 source sequences of dynamic human hologram videos, rendered with varying degrees of spatial and temporal distortions, which were viewed and quality rated by 78 human subjects in an immersive 6DoF VR environment. To demonstrate the value of the new subjective dataset, we also evaluated the performances of a variety of state-of-the-art (SOTA) VQA models on it. We also describe new holographic video quality predictors of our own design, and test and compare them on the new dataset.

The remainder of the paper is organized as follows. Section III provides an overview of previous subjective and objective VQA quality studies on 3D point clouds and meshes. Sections IIII and IV introduce the processes of content creation for the new hologram VQA database, and explain the study design protocol and subjective data acquisition processes, respectively. Section V shows the value of the new psychometric resource by comparing the performance of a variety of SOTA VQA models on it. We also describe and analyze new models. Finally, Section VI concludes the paper and discusses potential directions for future work.

This paper has evolved from a conference paper [13]. It provides expanded insights into related works, comprehensive coverage of the subjective study, detailed analysis of the post-study questionnaire, an in-depth examination of human ratings, and a thorough evaluation of various state-of-the-art Full Reference and No Reference video quality prediction models.

II. RELATED WORKS

A. Subjective 3D Graphics Quality Assessment

Since 2014, several datasets have been developed and utilized for evaluating the quality of 3D graphics, represented as 3D meshes and point clouds, with and without appearance attributes. A number of research groups have conducted subjective quality assessment tests involving these types of 3D data. Early studies focused on evaluating static object contents displayed on 2D screens [14], [15], [27]—[29]. Some users of these datasets [28], [29] converted the original point clouds into polygonal meshes via surface reconstruction methods prior to using them, or vice-versa.

Previous studies primarily concentrated on colorless point clouds and only explored human responses to a limited range of degradations, such as downsampling and noise generation. The SJTU-PCQA database [22] introduced additional relevant compression/distortion types, including geometric distortions, Gaussian noise, and octree-pruning. Later, Geo-Metric [30] introduced more geometric distortions, including 4 types of noise, smoothing, and simplification.

The emergence of a real-time point cloud codec for 3D immersive video [31] in 2017 helped drive research into the development of point cloud quality assessement (PCQA) methodologies. This codec found applications in immersive and augmented communication scenarios, and was later considered as a standardized point-cloud compression solution by MPEG. The Video-based PCC (V-PCC) quality prediction model, which targeted dynamic point clouds, was applicable to colored and rendered point clouds [16], leading to its use in evaluating advanced point cloud codecs in subjective PCQA studies. These studies revealed that texture distortions generally had a greater impact on perceived quality than geometric distortions, particularly when evaluating images of human figures.

Later, many databases incorporated dynamic 3D graphics to represent the movement of 3D objects, resulting in temporal content variations and temporal artifacts [16]-[19], and including moving human figures [9], [16]-[18], [22], [23], [26].

Subjective comparisons between point clouds and their corresponding reconstructed meshes were first studied in [29], but no definitive conclusions were drawn regarding the superiority of either representation. A later study [18] was the first attempt to compare textured meshes and colored point clouds in the context of compression. This study found that textured meshes tend to exhibit superior quality at higher bitrates, whereas colored point clouds demonstrate enhanced performance in scenarios involving limited bandwidth and storage capacity. Another study [19] investigated the combined impacts of viewing distance and bitrate on the perceptual quality of compressed 3D human figure sequences. Their findings suggested that viewers preferred meshes at viewing distances of 1.5 meters, while point clouds were generally favored at lower bitrates.

Another subjective database, named IRPC [21], was published to investigate the effects of coding and rendering on the perceptual quality of point clouds, without considering color attributes. These datasets were limited in terms of con-

TABLE I
A SUMMARY OF EXISTING PUBLICLY AVAILABLE 3D GRAPHICS IQA/VQA DATABASES INCLUDING HUMAN FIGURES WITH SUBJECTIVE SCORES
OBTAINED USING MONITORS

Dataset name	# Stimulus		# Ratings per Video	Resolution	Model	Degradation type		Display Device	Interaction method	Rendering mode
Alexiou et al., 2017 14	99	9 (4 objects + 5 humans)	20	147K - 14M points	Static	V-PCC, G-PCC	N/A	27" monitor	Interactive	Point
Torlig et al., 2018 15	63	7 (4 objects + 3 humans)	20	482K - 857K points	Static	Octree-based compression + JPEG	N/A	27" Monitor	Interactive	Point
vsenseVVDB, 2019 16	32	2 humans	19	62K-495K points	Dynamic	V-PCC, downsampling	6.6 sec	2D monitor	Interactive	Point
M-PCCD, 2019 17	244	8 (7 objects + 1 humans)	10+7+15	150K - 73.8M points	Dynamic	Octree pruning, 3DTK compression	24 sec	49", 55" monitors	Passive	Point
vsenseVVDB2, 2020 18	136	8 humans	23	VVs: 402K - 406K points 8i: 729K - 1.06M points	Static & Dynamic	Mesh: Draco+JPEG Point Clouds: G-PCC, V-PCC	10 sec	24" monitor	Passive	Point, Mesh
Cao et al., 2020 19	120	4 humans	22	2048×2048 (texture)	Dynamic	Mesh: TFAN+FFmpeg+distance Point Clouds: V-PCC+FFmpeg+distance		24" monitor	Passive	Point, Mesh
Perry et al., 2020 20	90	6 humans	16+15+ 15+27	1M points	Static	G-PCC, V-PCC		31", 49", 55" monitors	Passive	Point
IRPC, 2021 21	54	6 (4 objects + 2 humans)	18-20	272K - 4.8M points	Static	PCL, G-PCC, V-PCC	10 sec	23" monitor	Passive	Point
SJTU-PCQA, 2021 22	420	10 (4 objects + 6 humans)	16	N/A	Static	Octree-based compression, downsampling, color noise, geometry noise	15 sec	21.5" monitor	Interactive	Point
LS-PCQA, 2022 23	1240	104 (76 objects + 28 humans)	16	N/A	Static & Dynamic	Color noise, geometry noise, V-PCC, G-PCC, AVS, Octree-based compression	20 sec	21.5" monitor	Interactive	Point
SJTU-H3D, 2023 24	1120	40 humans	40	2048×2048 (texture)	Static	Position, UV map, and texture compression, geometry/color noise, face simplification, and texture downsampling	8 sec	4K iMac monitor	Passive	Mesh
DHHQA, 2023 25	1540	55 humans (heads)	20	4096×4096 (texture)	Static	Surface simplification, position compression, UV compression, texture sub-sampling, texture compression, color noise, geometry noise		4K iMac monitor	Passive	Mesh
DDH-QA, 2023 26	800	2 humans	41	2048×2048 (texture)	Dynamic	Color noise, geometry noise, texture compression, texture downsampling, position compression, UV map compression, skeleton binding error, motion range unnaturalness		4K iMac monitor	Passive	Mesh

TABLE II A summary of existing publicly available 3D graphics IQA/VQA databases rated with subjective scores obtained using HMDs

Dataset name	# Stimulus	#Source contents	# Ratings per Video	Resolution	Model	Distortion type	Duration	Display Device	Interaction method	Rendering mode
Alexious et al., 2017 [5], [6]	40	5 objects	21	22K - 36K points	Static	Gaussian noise, octree-pruning	N/A	AR (Occipital Bridge)	Interactive	Point
Nehmé et al., 2019 7	80	5 objects	30	250K - 600K points	Static	Geometric quantization, color quantization, color distortions	6, 10 sec	VR (HTC Vive Pro)	Passive	Mesh
Gutiérrez et al., 2020 8	28	4 objects	24	N/A	Static	Geometry quantization, JPEG compression 15 sec		MR/AR (Microsoft HoloLens)	Interactive	Mesh
Subramanyam et al., 2020 9	72	8 humans	27+25	N/A	Dynamic	the MPEG anchor, V-PCC	5 sec	VR (Oculus Rift)	Interactive	Point, Mesh
PointXR, 2020 [10]	40	5 objects	20	4096×4096	Static	G-PCC	13.7, 23 sec	VR (HTC Vive Pro)	Interactive	Point
SIAT-PCQD, 2021 11	340	20 (10 objects + 10 humans)	38	145K - 1.6M points	Static	V-PCC	20 sec	VR (HTC Vive)	Interactive	Point
Nehmé et al., 2021 [12]	480	5 objects	24	216K - 1.3M points	Static	Geometric quantization, color quantization, color distortions	10 sec	VR (HTC Vive Pro)	Interactive	Mesh
LIVE-Meta Rendered Hologram VQA Database, 2023	720	36 humans	26	2048×2048 (texture)	Dynamic	Temporal artifacts, reduced texture resolution, reduced frame rate	15 sec	VR (Oculus Quest Pro)	Interactive	Mesh

tent, distortion types, and representation of prevailing codecs, making them inadequate for developing learning-based PCQA algorithms.

Different subjective evaluation methods, including the Absolute Category Rating with Hidden Reference (ACR-HR), and Double Stimulus Impairment Scale (DSIS) were considered and compared for subjective VR studies [7], [12]. Their results suggested that DSIS led to better accuracy than ACR-HR, while DSIS participants required more time to rate the videos.

One novel quality evaluation methodology proposed by Torlig *et al.* [15] allowed the human subjects to interact with the viewed content by zooming, rotating, and translating, using a mouse. Some subsequent studies continued to have subjects passively view and assess perceptual quality [17]–[21], [24]–[26], other studies allowed subjects to manipulate 3D graphical content on 2D monitors [14], [16], [22], [23]. However, these interactive datasets usually only encompassed static objects.

Towards providing more realistically immersive user experiences in human studies, several researchers employed 3D visualization tools, including HMDs, with subjects operating in VR and AR environments [5]—[12], including 3DoF and 6DoF VR environments [11]. Subramanyam *et al.* [9] compared viewing conditions enabling 3DoF and 6DoF VR and developed the PointXR toolbox for conducting PCQA in VR environments [10]. These studies explored different aspects of subject mobility, fixed positioning, navigation using head movements alone with 3DoF [9], and free body navigation in a

room with 6DoF [10]. One study focused on subjective PCQA in 6DoF VR environments [11], resulting in a subjective database called SIAT-PCQD [11] with compression-induced combinations of geometric and texture distortions. They also proposed two projection-based objective quality evaluation methods.

To our knowledge, just seven previous 3D graphical human studies have been conducted using VR and AR HMDs [5]-[12], and only one of them includes dynamic human figures [9], as indicated in Table III. There are no 3D graphical subjective quality datasets that include rendered human figure holograms impaired by spatial and temporal distortions, viewed by human subjects in a 6DoF VR environment. Currently available datasets are insufficient to conduct studies of such deep, immersive experiences. Therefore, there is a need for such datasets, which are the kind of important scientific tools that are needed to develop AR/VR quality prediction models, which in turn are needed to perceptually optimize processing protocols such as rendering, scaling, and compression. Towards addressing these needs, we have created such a perceptual resource, which we call the LIVE-Meta Rendered Hologram VQA Database. We describe the details of construction, content, and experimental design of this new dataset in the following sections. However, Table I supplies a basic comparison of existing 3D graphics datasets in terms of size, content, distortion types, and display devices.

B. Objective 3D Graphics Quality Assessment

Over the last decade, numerous PCQA and mesh compression datasets have been developed, leading to the introduction of several objective quality assessment models specifically designed for 3D graphics. Next we discuss objective video quality assessment models designed specifically for the analysis of point cloud and mesh videos.

1) Objective Point Cloud Quality Assessment Models: Full Reference (FR) VQA models are commonly used to evaluate the quality of point clouds. These FR models can in turn be classified as point-based models or as projection-based models [15]. They can also be further categorized by the type of distortion type being evaluated, whether geometric texture-based, or some combination.

Point-based FR VQA models have been proposed to evaluate specific types of point cloud distortions, such as geometry and color. While these models offer the advantage of computing explicit information that can be stored in point cloud formats and have been utilized in recent studies, they have been found to poorly predict visual quality across different types of content [32].

Projection-based models project both reference and test point clouds onto six planes. This allows the application of conventional 2D objective video quality models to directly measure geometric and color artifacts [15]. The processes of real-time voxelization and projection also reduce the computational complexity of VQA.

For example, in [22], a projection-based approach was employed where 3D point clouds were projected onto six perpendicular cubic faces. Weights were then computed and applied on color texture and depth images from the different projection planes, then summed to generate the final quality index. Excluding pixels that belong to the background can improve the accuracy of quality prediction [33]. Increasing the number of projected views only moderately improves predictions, while incorporating user interactivity information can enhance performance [33]. When viewing inanimate objects, viewers take longer to access the content; when viewing human body models, frontal and face views consistently receive more attention [34].

Consequently, frontal views are often deemed the optimal configuration in human body datasets, while a greater variety of perspectives better represents scenes containing inanimate objects. However, models based on these premises tend to be viewpoint-dependent [35].

In point cloud applications, it is often impractical to obtain original point clouds because of storage limitations and inadequate communication bandwidths. In such instances, using FR VQA models may be infeasible. No Reference (NR) quality assessment models, which estimate point cloud quality without the availability of original point clouds, are the necessary instruments in such applications.

When evaluating the visual quality of point clouds, it is important to consider both static and dynamic aspects, as humans visualize point clouds simultaneously in space and time. Consequently, VQA models that can account spatiotemporal content/distortions offer the greatest potential quality

prediction power. One such model called VQA-PC [36] utilizes a trainable 2D-CNN and pre-trained 3D-CNN modules to extract spatial and temporal features. By treating point clouds as moving camera videos, VQA-PC advanced the field of projection-based PCQA, leveraging both static and dynamic views.

2) Objective Mesh Quality Assessment Models: Algorithms that have been designed to evaluate the visual quality of 3D meshes can be generally categorized into two types: model-based ones, which operate directly on the 3D models [37]–[39], and IQA models which operate on rendered snapshots of 3D models [40], [41]. Most model-based approaches lead to FR models, and are inspired by successful IQA models. Model-based NR mesh quality algorithms [42]–[44] are generally able to predict the quality of 3D meshes when there are geometric distortions, but usually do not address color distortions. However, the NR model in [45] operates on 3D color meshes by extracting quality-aware geometric and color features which are integrated into quality scores using a support vector regressor (SVR).

A variety of deep learning-based models trained to analyze the quality of 3D meshes have been proposed. Abouelaziz *et al.* [44] train a CNN using hand-crafted perceptual geometric features extracted from 3D meshes. They also proposed a later model that extracts feature vectors along 3 different CNN paths, then combines them [46]. However, these deep models only consider geometric meshes without analyzing color/texture attributes. The authors of [47] trained a learning-based NR model for predicting the quality of textured meshes, using a large-scale dataset of more than 343k textured meshes. Their NR models are image-based; hence their approach takes the approach of transferring the complex task of mesh quality prediction to the simpler one of IQA.

III. LIVE-META RENDERED HOLOGRAM VQA DATABASE

The LIVE-Meta Rendered Hologram VQA Database consists of 720 video sequences created by adding compression artifacts to 36 pristine hologram videos using 20 different encoding parameter settings. These videos were used as stimuli in a laboratory-based human subjective study of hologram video quality. Several sample frames depicting standing and sitting poses from the hologram videos are shown in Fig. 1. Next, we provide a detailed description of the dataset preparation, including obtaining the source sequences, protocol for adding artifacts, and the volumetric simulation-rendering pipeline.

A. Source Sequences

We purchased 36 pristine hologram videos from the Metastage shop, tabulated by title in Table [III] Metastage recorded individuals from various angles using 106 cameras and reconstructed their actions and emotions into 3D Unity assets at a texture resolution of 2048×2048 wrapped with MP4 mesh textures. Each hologram has a mesh polycount of approximately 20,000 triangles.

The original durations of the 36 reference videos, which ranged from 14 to 32 seconds, was clipped to 14 to 15

TABLE III
GROUPINGS OF METASTAGE SHOP HOLOGRAM VIDEOS WITH TITLES


Study G	roup A	Study C	Group B	Study Group C			
Video Group 1	Video Group 2	Video Group 3	Video Group 4	Video Group 5	Video Group 6		
Natasha Serious Talking	Jim Listening Business	Natasha Seated Listening	Jim Standing Business	Jim Serious Talking	Deena Presentation		
Jim Listening Casual	Deena Listening Casual	Robyn Listening Casual	Deena Listening Business	Robyn Casual Talking	Luke Seated Small Talk		
Robyn Seated Talking	Julia Serious Talking	Frank Casual Talking	Luke Study Chart	Wendy Listening Business	Carl Standing Business		
Wendy Listening Casual	Luke Seated Listening	Deena Casual Talking	Carl Serious Talking	Terence Seated Talking	Amanda Listening		
Terence Seated Listening	Carl Listening Business	Luke Seated Listening	Jenny Seated Listening	Frank Standing Casual	Jenny Casual Talking		
Frank Listening Casual	Jenny Sitting Casual	Amanda Seated Listening	Sophie Typing	Julia Seated Talking	Sophie Seated Typing		





(a) Carl Standing Business





(c) Julia Seated Talking

(d) Luke Seated Small Talk

Fig. 1. Sample frames of (a) (b) standing and (c) (d) sitting hologram videos from the LIVE-Meta Rendered Hologram VQA Database.

seconds to facilitate practical use in the human study. Through a trial study involving three participants familiar with VR headsets, and two more participants unfamiliar with them, we determined that 15 second durations are sufficient to enable subjects to rate the video quality. Two of the participants experienced dizziness after approximately 30 minutes of viewing, so we avoided sessions longer than this to prevent feelings of discomfort caused by using the VR headsets.

To ensure a balanced representation, the 36 videos were selected based on demographic characteristics, attire colors, and poses including standing and sitting but excluding walking and dancing. Subjects having distracting accessories, such as doctor's stethoscope, were excluded. As shown in Table III, the set of pristine videos were divided into six video groups, each containing a diverse mix of genders, skin colors, poses, and clothing colors. Videos of the same individual were allocated to different groups, to prevent repetition in any of the sessions of the human study, as described in Section IV-C.

B. Video Distortions

Table IV tabulates the 20 different distortion settings that are meant to simulate events that might occur during cloud streaming, yielding a total of 720 videos. These were generated using a special-purpose application tool which we will introduce in Section IV The Table shows that the distortions are indexed from 1 to 20. This includes the 36 pristine reference videos

(index = 1), each of which was processed with eight single distortions (index = 2 to 9) and 11 combinations of multiple distortions (index = 10 to 20).

Among the single distortions, delay artifacts arise when the presumed viewing angle at which the mesh is generated differs from the viewer's actual current viewing angle because of processing or communication latencies. The delays ranged from 100ms to 300 ms. Distortions from color resolution/scaling ranged from 480p to 2048p (pristine), while frame rates were varied over 10 fps to 30 fps.

The delay distortions present visually as temporal selfocclusions, resulting in unnatural visual overlaps. Distortions from color resolution/scaling manifest as blur or blockiness. Frame rate distortions cause visual sensations of temporal discontinuity or "statter," especially when there is rapid motion.

The combinations of multiple distortions are divided into three categories: "moderately limited bandwidth conditions," (MLBC) "heavily limited bandwidth conditions," (HLBC) and "severely limited bandwidth conditions" (SLBC), as shown in Table [IV] These are combinations of the single distortions, but also include distortions from reduced depth resolution. Our choice of parameters resulted in a diverse and wide range of perceptual distortions and contents.

Due to limitations of the Metastage capture system, hologram reference videos were reconstructed into 3D Unity assets with a texture resolution of 2048×2048 and mesh polycounts of around 20,000 triangles. Although these reference videos still cannot be considered as perfect due to their limited resolutions, their quality is quite good.

C. Volumetric Simulation-Rendering Pipeline

The conversion from Metastage raw mesh data to RGB-D was accomplished via a volumetric simulation-rendering pipeline, a simplified model of which is shown in Fig. [2].

Initially, the Metastage mesh was loaded via the Metastage Unity plugin which we will introduce in Section V-B. The input .mp4 video data was processed by the GPU and loaded into vertex and index buffers. This process was internally controlled by the Metastage plugin. The .mp4 format used by Metastage is a proprietary extension that includes vertices, indices, and texture. Once the data was loaded into GPU buffers by the plugin, we could render it. The bitrate was relatively high, as Metastage decoded and read every vertex and triangle per frame of the capture. The reconstructed mesh typically consisted of 15,000 to 30,000 vertices and 20,000 to 40,000 triangles per frame, with a standard framerate of 30fps.

Subsequently, the GPU buffers containing the mesh, as filled by Metastage, were rendered using a simple unlit shader.




Fig. 2. A simplified flow diagram of the volumetric simulation-rendering pipeline used in the privately released Unity tool provided by the Meta platform.

TABLE IV

Index	Dalan	Depth	Depth	Color	Framerate Mean	Distantian Ton-
maex	Delay	Error (m)	Resolution	Resolution	±Variance (fps)	Distortion Type
1	0	0	1000p	2048p	30	pristine
2	100/200	0	1000p	2048p	30	delay
3	300/400	0	1000p	2048p	30	delay
4	0	0	1000p	1600p/1280p	30	color resolution/scaling
5	0	0	1000p	1080p/720p	30	color resolution/scaling
6	0	0	1000p	640p/480p	30	color resolution/scaling
7	0	0	1000p	2048p	20	frame rate reduced
8	0	0	1000p	2048p	10	frame rate reduced
9	0	0	1000p	2048p	random 15±10	frame rate reduced
10	100	0.025	480p	1600p	30	MLBC
11	200	0.025	480p	1920p	30	MLBC
12	300	0.025	480p	1600p	30	MLBC
13	100	0.05	360p	1280p	30	HLBC
14	100	0.05	360p	1080p	30	HLBC
15	100	0.05	360p	1080p	15	HLBC
16	400	0.05	360p	1280p	30	HLBC
17	400	0.05	360p	1080p	30	HLBC
18	400	0.05	360p	1080p	15	HLBC
19	100	0.075	120p	720p	15	SLBC
20	300	0.075	120p	720p	15	SLBC

We rendered the mesh from the perspective of the sensor to simulate various artifacts in a later stage. This render pass generated two textures: color and depth. The color texture simulated what the sensor would observe, while the depth texture simulated what an ideal depth sensor would perceive. Both color and depth resolutions could be toggled.

Finally, with the color and depth textures available, we rendered the Metastage mesh again from the headset's point of view. We utilized a custom shader that reprojected the previously produced color and depth textures onto the mesh, taking into account the sensor's perspective. Additionally, noise could be added to the sampled depth data to simulate a physical depth sensor. This data was then used to modify the Metastage mesh to conform to the sampled depth data. The depth texture was also employed to calculate self-occlusion from the sensor's perspective. Instead of using the original high-fidelity Metastage texture, the color texture was sampled to simulate lower resolution and edge color transfer. It is important to note that if we wish to simulate any topical artifacts or treatments, we must provide data to the shader so that it can identify areas of interest in 3D space (UV space is not useful due to Metastage encoding technology jitter).

IV. HUMAN STUDY DESIGN

This section provides a comprehensive description of the subjective quality assessment study, including details about the test environment, the interface of the assessment tool, the experimental protocol, the evaluation methodology, the post-study questionnaire, and analysis and processing of the subjective scores.

A. Subjective Study Environment

The subjective quality assessment study was conducted in two separate rooms at the Laboratory of Image and Video Engineering at The University of Texas at Austin. The study utilized two Oculus Quest Pro headsets having resolutions of 1800×1920 for each eye, using LCDs with a refresh rate of 72 Hz, and a field of view of 106 degrees horizontally and 96 degrees vertically. The participants used two controllers to interact with the holograms during the study. The choice of the Oculus Quest Pro headset was based on its SOTA capabilities, relative affordability, and compatibility with many Metaverse applications, making it a suitable representative device presenting immersive experiences to human subjects.

The VR headsets were interfaced with two desktop computers equipped with an AMD Ryzen Threadripper PRO 5975WX 32-core CPU@3.60GHz, 256GB RAM, and two GeForce RTX 3090 Ti Graphics Cards. This setup allowed for simultaneous participation of two subjects. There was no distinguishable difference between the two desktop computers and the two Quest Pro headsets, ensuring a consistent experience between the two setups.

B. Tool Design and Interface

Hologram videos offer a suitable means to visualize objects and scenes within immersive applications that involve 6DoF. To enable subjects to observe human hologram videos in a 6DoF environment, a privately released Unity tool provided by the Meta platform was utilized. The Unity tool, code will be made available, pending institutional approval, offered two modes of operation. The first mode allows live driving, enabling users to play hologram videos while adjusting parameter configurations that control the appearance of artifacts. The second mode allows the playback of camera coordinates from a live HMD driving session, then dumps frames of ground truth and target. Users could monitor the tool using either a PC or a VR headset.

In the PC view mode, users had the freedom to explore a room and observe the hologram from different viewing angles.

TABLE V DIVISIONS OF HUMAN SUBJECTS AND VIDEOS INTO MATCHED GROUPS

Group	Participants	Session 1	Session 2
I	13 subjects	Subject Group A - Video Group 1	Subject Group A - Video Group 2
II	13 subjects	Subject Group A - Video Group 2	Subject Group A - Video Group 1
III	13 subjects	Subject Group B - Video Group 3	Subject Group B - Video Group 4
IV	13 subjects	Subject Group B - Video Group 4	Subject Group B - Video Group 3
V	13 subjects	Subject Group C - Video Group 5	Subject Group C - Video Group 6
VI	13 subjects	Subject Group C - Video Group 6	Subject Group C - Video Group 5

The HMD provided observers with a synchronized display that accurately matched their body and head movements, creating a seamless and immersive perception of the virtual environment. In the VR view mode, a reminder window with a start button was provided to the users, allowing them to initiate the study using the controllers. The hologram videos were then displayed, and after each video finished, a continuous rating bar was displayed, with a movable cursor initially positioned at the leftmost end. The quality bar was marked with five evenly-spaced Likert indicators, ranging from "Bad" to "Excellent." The ratings were then sampled as floating point numbers to one decimal place on [1, 5], with 1 indicating the lowest quality and 5 denoting the highest quality. Subjects adjusted the cursor position using the controller, then pressed the "Next" button to proceed to the next video sequence. The ratings were automatically recorded and saved in a CSV file. The application continued to play the subsequent videos in the playlist. Upon completion of all sequences, the subject was informed that the study was over.

To reduce any background distractions, a simple synthetic scene of a conference room was chosen and not varied across all the videos, with the exception of Video Group 1 (Table ∇), which had a different background as a control. This created a focused environment that allowed the participants to concentrate their efforts on providing accurate reports of the visual quality of the rendered avatar objects.

C. Subjects and Training

A total of 78 subjects (48 male and 30 female) from The University of Texas at Austin participated in the subjective human study. Their ages ranged from 18 to 33 years, with a majority falling between 20 and 25 years, as shown in Section I of the Supplementary Material. The participants had only limited or no familiarity with concepts of image and video processing. Some participants used only one of the two desktop computers, while others used both in two sessions. The computational power of the two PCs was very similar. The subjects were divided into six groups, and each participant completed two sessions as shown in Table V. As mentioned earlier, and explained in Table IIII, the videos were also divided into groups. Organizing the data in this way allowed every video to be viewed and rated by 26 subjects, but divided into two groups who viewed two video groups but in opposite order. Hence, Subject Groups I and II both viewed and rated Video Groups 1 and 2, but in reverse-ordered sessions. Similar protocol was applied for Subjects Group III and IV, and V and VI.

Prior to the first session, the subjects signed a consent form and received a general introduction to the study, informing them that they would be watching two different sets of videos in two separate sessions. The vision of each participant probed and recorded using the Snellen visual acuity test and the Ishihara color perception test, but no restrictions were placed on participation based on any visual deficiencies.

The subjects were asked to maintain a fixed sitting position at a distance of about 1.2 meters from the display. This distance aligns with the default separation between subjects and holograms presented in HMDs. The prescribed distance aimed to afford participants adequate space to explore the holograms from different angles, while also ensuring their comfort. The participants underwent a brief training session to acquaint them with the rating system and to provide instructions on how to assess and rate each video. The training session included six sequences generated from two contents, William Casual Talking and Tony, each presented at different qualities (pristine, slight distortion, severe distortion). These training sequences were not included in the test dataset.

During the testing sessions, a single-stimulus testing protocol was followed, as recommended by ITU-R BT 500.13 [48]. The ACR-HR methodology was employed to collect subjective scores, meaning that only one hologram video was displayed during each rating. As mentioned in Section [III-B] due to limitations of the capture device and reconstruction technology, it was not possible to include the true pristine reference videos. However, proxy reference videos were purchased from Metastage, which closely resembled the original source hologram videos, and these were included. These were included in the human study, but the subjects were unaware of which videos were references.

A randomized sequence of 120 hologram videos, each with a duration of 14 or 15 seconds, was presented in each session. Consecutive videos from the same content were not played back-to-back to minimize visual memory effects. The participants were instructed to evaluate the perceived quality of the videos without considering aspects of the content, whether exciting, appealing, boring, or un/attractive. The randomized ordering aimed to minimize biases related to content preferences or relative ordering. Each subject spent approximately 5 to 10 seconds manipulating the cursor and rating each video, resulting in a total session time of 40 to 50 minutes. To avoid fatigue and biases, the subjects were instructed to participate in the second session more than 24 hours after the first.

D. Post Study Questionnaire

After completing each session, each participant was requested to provide feedback on the study via a post-survey questionnaire. This subsection offers an outline of the post-survey questionnaire and presents relevant demographic information pertaining to the participants.

To assess the adequacy of the durations of the displayed videos that the subjects rated the quality of, a specific question was included. Among the 156 sessions conducted (comprising 78 subjects, two sessions per subject), the subjects reported that in 155 sessions (99.3%) that the 15-second duration was sufficient to rate overall video quality. Another question examined the perception of the overall distribution of the video

TABLE VI SUBJECT CONSISTENCY OF SIX VIDEO GROUPS

	Inter-Subject	Consistency	Intra-Subject Consistency		
Video Group	SRCC	PLCC	SRCC	PLCC	
1	0.9420	0.9748	0.8444	0.8833	
2	0.9524	0.9798	0.8729	0.9084	
3	0.9611	0.9763	0.8759	0.8809	
4	0.9591	0.9780	0.8706	0.8855	
5	0.9382	0.9711	0.8353	0.8774	
6	0.9436	0.9736	0.8363	0.8726	

TABLE VII
SUBJECT CONSISTENCY BEFORE AND AFTER CHANGING THE
BACKGROUND

	Inter-Subject Consistency		
Video Group	SRCC	PLCC	
1 (before: 12 ratings / after: 15 ratings)	0.9293	0.9746	
2 (before: 13 ratings / after: 14 ratings)	0.9590	0.9804	

quality of the videos. In 128 sessions (81.8%), the participants reported that the distribution was uniform, indicating an equal representation of videos across quality levels. However, in some sessions the participants generally perceived the majority of the videos to be either of above average quality or of below average quality.

To evaluate the difficulty experienced by the subjects when rating the perceptual quality of the videos, another question requested them to rate the difficulty (after each session) on a scale of 0 to 5, with 0 indicating very difficult and 5 indicating reasonably easy to make quality judgments. Among the 156 sessions, only one session was reported as generally difficult to make subjective quality ratings, indicating that the majority of participants were able to rate subjective quality without encountering significant difficulty. This observation is supported by the mean difficulty score of 3.48 and the median difficulty score of 4, indicating only a moderate level of difficulty.

Section I of the Supplementary material summarizes the answers given to the questions regarding any experiences of dizziness or uneasiness. Generally, only a very small number of videos elicited these feelings, and none caused any of the subjects to stop their participation.

E. Subject-Consistency Analysis

To study the internal consistency of the collected data, we analyzed inter-subject and intra-subject correlations of the raw data collected from the participants. As previously mentioned, the 78 participants were evenly divided into six groups, as outlined in Table IIII To compute the inter-subject consistency scores, each video group's subject ratings of every video were divided into two separate and non-overlapping subsets of equal size. This procedure was repeated 100 times with random splits. The median values of the Spearman's rank-ordered correlation coefficient (SRCC) and the Pearson linear correlation coefficient (PLCC) between the MOS of the two subsets were computed and are presented in Table VII Across all subject groups, the average SRCC and PLCC values representing inter-subject consistency were determined to be 0.9494 and 0.9756, respectively.

Intra-subject consistency measurements were also calculated to assess the level of consistency exhibited by the individual subjects when rating the videos. For each subject group, the SRCC and PLCC were calculated between the individual opinion scores and MOS. This procedure was repeated for all 78 subjects across all subject groups. Table VI presents the median SRCC and PLCC values for each subject group. The overall average SRCC and PLCC across all subject groups were determined to be 0.8559 and 0.8847, respectively. These scores encourage a high level of confidence in the acquired opinion scores.

To further investigate the reliability of the data, an intersubject consistency check was conducted on Video Groups 1 and 2 to determine whether changing the background influenced the subjects' ratings and to assess the consistency of their responses. The SRCC and PLCC between the two sets of ratings were computed between the two sets of ratings for each video group. The results of this analysis are presented in Table VII. For Video Group 1, which had the different background, the SRCC and PLCC values between the two sets of ratings were found to be 0.9293 and 0.9746, respectively. In the case of Video Group 2, characterized by a distinct background, the ratings exhibited a strong positive correlation before and after the background change, as indicated by the high SRCC (0.9590) and PLCC (0.9804) values. The high correlation scores between the two sets of ratings for both video groups suggest that changing the background did not significantly impact the subjects' perception of video quality.

The analysis of subject consistency also revealed strong agreement among the subjects, both within subjects and across different backgrounds, lending credibility to the subjective ratings collected in this study.


F. Processing of the Subjective Scores

We applied the SUREAL MLE-MOS method [49] to recover reliable subjective quality scores on the hologram videos using the P.910 model [50]. This method utilizes a maximum likelihood estimate (MLE) approach to compute MOS, offering advantages over prior subject rejection protocols [48], [51]. We will refer to MOS processed in this way as MLE-MOS. These include decreased susceptibility to subject bias, narrower confidence intervals, robust handling of missing data, and the ability to provide insights into video contents and test subjects.

In SUREAL, the raw video ratings are represented as random variables $X_{e,s}$:

$$X_{e,s} = x_e + B_{e,s} + A_{e,s},$$
 (1)
 $B_{e,s} \sim \mathcal{N}(b_s, v_s^2),$
 $A_{e,s} \sim \mathcal{N}(0, a_{c:c(e)=c}^2).$

for e=1,2,3,...,720 and s=1,2,3,...,78. Let x_e denote the perceived quality of video e as assessed by an impartial and consistent hypothetical viewer. The bias (b_s) and inconsistency (v_s^2) associated with human subject s are represented by i.i.d. Gaussian variables $B_{e,s}$. Assume that the bias and inconsistency of human subjects are consistent across all rated videos. The ambiguity (a_c^2) associated with a specific video content c is modeled by i.i.d. Gaussian variables $A_{e,s}$. In this database, the unique source sequences are denoted as



(a) Recovered quality scores using SUREAL.




Fig. 3. The MLE formulation provides (a) estimated final opinion scores, along with (b) subject bias and inconsistency figures and (c) content ambiguity. Each of these results includes the estimated parameters and their 95% confidence intervals.




Fig. 4. Histograms of (a) MLE-MOS and (b) DMOS from the LIVE-Meta Rendered Hologram VQA Database.

c=1,2,...,36. Also assume that all distorted videos from same video source exhibit a uniform level of ambiguity, and that this ambiguity remains consistent across all users and video content. To estimate the parameters $\theta=(x_e,b_s,v_s,a_c)$ which represent the variables of the model, MLE is utilized, and the log-likelihood function L is formulated as follows:

$$L = \log P(\{x_{e,s}\}|\theta). \tag{2}$$

Estimation of the optimal solution $\hat{\theta} = \arg \max_{\theta} L$ is performed using data collected from the psychometric study, utilizing the Belief Propagation algorithm described in [49].

Figure 3 visually illustrates the estimated parameters. Figure 3a plots the recovered quality scores of the 720 videos in the database created with the 20 different distortion parameter settings listed in Table V As expected, the mean predicted video quality scores noticeably decline as the color resolution is increased.

From the parameter estimates, subject #58 had the bias value $b_s = -0.64$, the lowest among all the subjects, indicating

that their quality scores tended to be lower than those of the other subjects. Conversely, subject #39 had the highest bias value ($b_s=0.55$), suggesting that their quality scores tended to be higher. The median bias value obtained was -0.03, reflecting a moderate overall bias. In terms of inconsistency, subject #55 exhibited the highest value ($v_s=0.89$), indicating greater variability of their quality scores, while subject #52 exhibited the lowest inconsistency ($v_s=0.29$). The median inconsistency across subjects was 0.53. The level of ambiguity of the 36 source hologram videos is depicted in Fig. 3c. Among these videos, the hologram video from the *Natasha Serious Talking* content exhibited the highest ambiguity with a value of $a_c=0.40$, whereas the hologram video from the *Jenny Sitting Casual* content displayed the lowest ambiguity with a value of $a_c=0.25$.

MLE-MOS has established itself as a dependable subjective data processing protocol, especially in scenarios where reference pristine videos are absent, making it particularly valuable in the advancement and assessment of NR VQA algorithms. Conversely, Differential Mean Opinion Scores (DMOS) are commonly employed in the development of FR VQA algorithms, reducing the dependence of quality labels on the content. Here, the original hologram videos provided by Metastage serve as proxy reference videos for the calculation of DMOS. The DMOS of the i^{th} video sequence is determined as:

$$DMOS(i) = 5 - (MOS(ref(i)) - MOS(i)).$$
 (3)

In this context, MOS(i) denotes the i^{th} video that has undergone distortion, determined via the MLE formulation. The proxy reference video is denoted as ref(i).

TABLE VIII

MEDIAN SRCC, KRCC, PLCC AND RMSE OF THE COMPARED FR VIDEO QUALITY MODELS AGAINST HUMAN JUDGMENTS OF QUALITY OF THE VIDEOS IN THE LIVE-META RENDERED HOLOGRAM VQA DATABASE OVER 1000-TRAIN-TEST SPLITS. THE <u>UNDERLINED</u> AND **BOLDFACED** ITEMS REPRESENT THE BEST AND TOP THREE PERFORMERS, RESPECTIVELY.

Metrics		Body	only			Face	only	
Wettes	SRCC(↑)	KRCC(↑)	PLCC(↑)	RMSE(↓)	SRCC(↑)	KRCC(↑)	PLCC(↑)	RMSE(↓)
PSNR-RGB	0.7219	0.5223	0.7562	0.5750	0.7129	0.5111	0.7405	0.5924
PSNR-Y	0.7167	0.5192	0.7505	0.5798	0.6983	0.4987	0.7285	0.6026
SSIM	0.7694	0.5618	0.7755	0.5537	0.8001	0.5929	0.8264	0.4917
LPIPS (AlexNet)	-0.8616	-0.6573	0.8815	0.4131	-0.8790	-0.6835	0.9069	0.3703
LPIPS (VGG)	-0.8441	-0.6356	0.8535	0.4558	-0.8764	-0.6803	0.9047	0.3734
DLM	0.8599	0.6601	0.8919	0.3995	0.8716	0.6762	0.9106	0.3624
VIF	0.7184	0.5200	0.7499	0.5819	0.8154	0.6085	0.8513	0.4621
VMAF (v0.6.1)	0.8179	0.6085	0.8367	0.4789	0.8695	0.6716	0.8949	0.3905
FovVideoVDP (v1.2.0)	0.7763	0.5750	0.8103	0.5168	0.8810	0.6888	0.9155	0.3527
ST-GREED	0.8543	0.6619	0.8800	0.4162	0.8946	0.7154	0.9148	0.3552
CONTRIQUE-FR	0.9024	0.7205	0.9470	0.2816	0.8991	0.7138	0.9403	0.2976
CONVIQT-FR	0.9065	0.7289	0.9526	0.2673	0.8834	0.6903	0.9273	0.3283
HologramQA	0.9104	0.7369	0.9402	0.2997	0.9166	0.7505	0.9569	0.2547
HologramQA with Frame Tracking	0.9150	0.7482	0.9530	0.2660	0.9291	0.7702	0.9625	0.2378

TABLE IX

MEDIAN SRCC, KRCC, PLCC AND RMSE OF THE COMPARED NR VIDEO QUALITY MODELS AGAINST HUMAN JUDGMENTS OF QUALITY OF THE VIDEOS IN THE LIVE-META RENDERED HOLOGRAM VQA DATABASE OVER 100-TRAIN-TEST SPLITS. THE <u>UNDERLINED</u> AND **BOLDFACED** ITEMS REPRESENT THE BEST AND TOP THREE PERFORMERS, RESPECTIVELY.

Metrics	Pre-training Dataset		Body	only		Face only			
Wietries	Tie-training Dataset	SRCC(†)	$KRCC(\uparrow)$	PLCC(↑)	$RMSE(\downarrow)$	SRCC(↑)	$KRCC(\uparrow)$	PLCC(↑)	$RMSE(\downarrow)$
BRISQUE	N/A (pure handcraft)	0.8461	0.6440	0.8934	0.3973	0.8673	0.6792	0.9135	0.3641
CONTRIQUE	KADIS-700k + AVA + COCO + CERTH-Blur + VOC	0.9092	0.7426	0.9593	0.2511	0.8953	0.7102	0.9370	0.3125
TLVQM	N/A (pure handcraft)	0.5104	0.3527	0.5966	0.7109	0.6587	0.4719	0.7452	0.5997
VIDEVAL	N/A (pure handcraft)	0.8497	0.6567	0.8979	0.3914	0.8817	0.6966	0.9220	0.3404
ChipQA	N/A (pure handcraft)	0.8404	0.6431	0.8853	0.4193	0.8813	0.6967	0.9164	0.3527
FAVER	N/A (pure handcraft)	0.8194	0.6277	0.8794	0.4233	0.9106	0.7391	0.9410	0.3027
VSFA	ImageNet	0.8670	0.6720	0.9135	0.4079	0.8328	0.6401	0.8904	0.4339
RAPIQUE	handcraft + ImageNet	0.8469	0.6472	0.8985	0.3933	0.9108	0.7425	0.9505	0.2754
CONVIQT	Kinetics-400 + Waterloo1k + dareful + REDS + MCML + UVG	0.8930	0.7120	0.9532	0.2705	0.8834	0.6943	0.9287	0.3285
GAMIVAL	handcraft + ImageNet + GVSET + KUGVD + GISET	0.8842	0.6973	0.9251	0.3404	0.9203	0.7539	0.9515	0.2719

G. Data Analysis

Figure 4a displays the MLE-MOS histogram obtained using SUREAL. The MLE-MOS values spanned the range [1.162, 4.391]. The distribution exhibits a slight right-skew, consistent with patterns observed in other VQA databases. The majority of the videos are of good quality, but few videos fall into the category of excellent quality. The histogram in Figure 4b plots the distribution of DMOS calculated using Equation 3 The DMOS values spanned the range [1.968, 5.302]. The distribution of the DMOS closely resembles that of the MLE-MOS, albeit with a slight rightward shift. We provide additional analysis of MLE-MOS in section II of the Supplementary material.

V. EVALUATION FRAMEWORK

A. Evaluation Dataset Processing

As mentioned in Section IV-B, the Unity tool enabled us to extract frames of both the ground truth and target videos based on user log files. Considering that users may view hologram videos from various angles, previous research [33] has shown that increasing the number of projected views has little correlation to improved quality predictions. Therefore, we adopted a fixed viewing angle when capturing the log files used to generate each frame of the hologram videos. An example of a dumped frame is depicted in Fig. [5].

Since the background region occupies a large proportion of the displayed content, and may impact the performance



Fig. 5. Exemplar of a dumped frame from the hologram video *Natasha Serious Talking* having original dimension of 1832×1920 pixels. Within this frame, the yellow bounding box captures the avatar's body (320×1088), while the green box surrounds the avatar's face (94×133).

of IQA/VQA algorithms, we adopted the method presented in [33], which excludes the background pixels. Likewise, we used the simple expedient of applying the YOLO-v7 model [52] to extract of bounding boxes around each human avatar. Prior research has demonstrated the significance of frontal views of human bodies and faces as attractors of visual attention [34]. To further investigate the impact of facial features and expressions on video quality, we applied the YOLO-v8 face model [53] to extract tight bounding boxes around each human avatar's face, within the previously cropped body bounding

boxes, as exemplified in Figure 5.

B. Model Evaluation protocol

To demonstrate the usefulness of the new LIVE-Meta Rendered Hologram VQA Database, we used it to evaluate a variety of leading IQA/VQA algorithms using various standard metrics, including the SRCC, Kendall Rank Correlation Coefficient (KRCC), PLCC, and Root Mean Square Error (RMSE). The SRCC and KRCC measure the degree of monotonicity between the objective model predictions and the human subjective scores, while the PLCC and RMSE gauge the accuracy of the predictions. As usual, a logistic non-linearity function was applied to the predicted quality scores prior to computing the correlations [54].

For each split, 80% of the videos were randomly selected from all the contents to form the training and validation sets, while the remaining 20% were used as the test set. To maintain fairness of assessment and prevent any model from learning content, we ensured that the subsets did not share any original content.

C. Performance of FR IQA/VQA Models

In this section, we examine the performance of SOTA FR VQA models on the new LIVE-Meta Rendered Hologram VQA Database. As mentioned in Sec. II-BI most existing quality assessment models designed for meshes are FR models, and can be further classified into two types: model-based methods and IQA algorithms that operate on individual frames. The latter are well-suited when only 2D mesh rendering snapshots are to be quality-analyzed. Since there exist few developed FR VQA models designed for 2D mesh projections, we included FR VQA models originally designed to analyze natural videos and for generic VQA tasks.

We comprehensively compared the performance of 13 FR VQA algorithms: PSNR-RGB, PSNR-Y, SSIM [55], LPIPS (AlexNet) [56], LPIPS (VGG), DLM [57], VIF [58], [59], VMAF [60], FovVideoVDP [61], ST-GREED [62], CONTRIQUE [63], CONVIQT [64], and HologramQA [65] on the new LIVE-Meta database. We calculated the DMOS using Equation [3] when computing the performance of the FR VQA models.

Since they do not utilize multiple frames to make VQA predictions at a given moment, PSNR-RGB, PSNR-Y, SSIM, DLM, VIF, and CONTRIQUE were calculated on a per-frame basis between the reference videos and corresponding distorted counterparts. These frame-level measurements were subsequently averaged across all frames to obtain aggregate global scores. Among the FR VQA models, PSNR-RGB, PSNR-Y, SSIM, DLM, and VIF are not ordinarily trained and were thus applied directly on all 1000 test sets. We used the pre-trained open-source version of VMAF (v0.6.1) originally designed for general-purpose VQA tasks. Likewise, we report the results obtained with the publicly available calibrated FovVideoVDP model. When implementing ST-GREED, CONTRIQUE-FR, CONVIQT-FR, and HologramQA, features were extracted and an SVR was trained using 80%/20% train/test sets.

CONTRIQUE-FR and CONVIQT-FR are full-reference implementations of established unsupervised NR models, while Hologram QA is a new hybrid model. The optimal parameters of the SVR were determined using a five-fold cross-validation procedure on the training and validation sets.

D. Performance of NR IQA/VQA Models

Table VIII provides an overview of the median performance of the above FR IQA/VQA algorithms on the LIVE-Meta Rendered Hologram VQA Database. The standout performers were CONTRIQUE-FR and CONVICT-FR, which generalize well since they are unsupervised, and the two versions of Hologram QA, which were designed to analyze Hologram content.

We also conducted a comprehensive evaluation to gauge the performances of existing NR IQA/VQA algorithms on the new LIVE-Meta database. A selection of prominent generic NR IQA/VQA models, namely BRISQUE [66], CONTRIQUE, TLVOM [67], VIDEVAL [68], ChipQA [69], FAVER [70], VSFA [71], RAPIQUE [72], CONVIQT, and GAMIVAL [73], were tested. BRISQUE, TLVQM, VIDEVAL, ChipQA, and FAVER are primary based on quality-aware neurostatistic distortion models, while RAPIQUE and GAMIVAL fuse neurostatistical features with deep learning-based features. CON-TRIQUE derives from a self-supervised learning framework that aims to learn quality-aware representations without the need to train on human opinion scores. The VSFA model leverages deep learning to extract features, which are subsequently mapped to MLE-MOS. CONVIQT combines spatial CONTRIQUE features with temporal quality features, also without supervision.

The extraction of quality-aware features in frame-based models like BRISQUE and CONTRIQUE was performed on a per-frame basis, which were then pooled over frames to obtain quality predictions. The supervised methods, including BRISQUE, CONTRIQUE, TLVQM, VIDEVAL, ChipQA, FAVER, RAPIQUE, CONVIQT, and GAMIVAL, all employed an SVR to map the pooled and combined quality-aware features to MLE-MOS. GAMIVAL, which was designed for conducting VQA on gaming videos, modifies RAPIQUE by employing deep pre-trained gaming content model called NDNet-Gaming [74]. We followed the same evaluation protocol using 80%/20% train/test splits.

Table IX summarizes the median performances of the compared NR IQA/VQA algorithms on the new VQA database. TLVQM, which relies on multiple hand-tuned hyperparameters optimized for predicting generic video quality, was unable to generalize to hologram videos.

However, algorithms leveraging neurostatistical video distortion features, including BRISQUE, VIDEVAL, ChipQA, FAVER, RAPIQUE, and GAMIVAL, all performed well. Incorporating deep learning techniques in models such as CONTRIQUE, VSFA, RAPIQUE, CONVIQT, and GAMIVAL yielded substantial performance improvements. This underscores the ability of learning-based approaches to capture the inherent statistical structure of synthetically generated hologram videos and their distortions.

60

VI. CONCLUSION AND DISCUSSION

We have presented the LIVE-Meta Rendered Hologram VQA database, which is a new resource for the development and evaluation of FR and NR VQA algorithms that are specifically designed for VR textured mesh content. Although we cannot make the proprietary Metastage videos freely available, other users may also purchase them. To facilitate such efforts, we will be also making the metadata of the database publicly available at https://live.ece.utexas.edu/research/Hologram/index.html. We showed the usefulness of the new database for analyzing, benchmarking, and designing for FR and NR IQA/VQA algorithms. Future investigations may concentrate on the development of deep learning methodologies to enhance the performance of FR and NR IQA/VQA algorithms for avatar analysis.

ACKNOWLEDGMENTS

The authors extend their gratitude to the human study participants for their valuable contributions and time in the human study. They also thank The University of Texas at Austin for their support and resources. Special appreciation is expressed to Metastage for providing the dataset, which was essential for conducting the study and obtaining valuable insights. The authors are grateful for Metastage's contribution and support in advancing the field of VR hologram video research.

REFERENCES

- J. McVeigh-Schultz and K. Isbister, "A "beyond being" there for VR meetings: Envisioning the future of remote work," *Human-Computer Interaction*, vol. 37, no. 5, pp. 433–453, 2022.
- [2] Z. Li, L. Chen, C. Liu, Y. Gao, Y. Ha, C. Xu, S. Quan, and Y. Xu, "3D human avatar digitization from a single image," in *The 17th International Conference on Virtual-Reality Continuum and its Applications in Industry*, 2019, pp. 1–8.
- [3] T. Bagautdinov, C. Wu, T. Simon, F. Prada, T. Shiratori, S.-E. Wei, W. Xu, Y. Sheikh, and J. Saragih, "Driving-signal aware full-body avatars," ACM Transactions on Graphics (TOG), vol. 40, no. 4, pp. 1–17, 2021.
- [4] Y. Sun, Z. Chen, M. Tao, and H. Liu, "Communications, caching, and computing for mobile virtual reality: Modeling and tradeoff," *IEEE Transactions on Communications*, vol. 67, no. 11, pp. 7573–7586, 2019.
- [5] E. Alexiou, E. Upenik, and T. Ebrahimi, "Towards subjective quality assessment of point cloud imaging in augmented reality," in 2017 IEEE 19th International Workshop on Multimedia Signal Processing (MMSP), 2017, pp. 1–6.
- [6] E. Alexiou and T. Ebrahimi, "Impact of visualisation strategy for subjective quality assessment of point clouds," in 2018 IEEE International Conference on Multimedia Expo Workshops (ICMEW), 2018, pp. 1–6.
- [7] Y. NehmÉ, J.-P. Farrugia, F. Dupont, P. LeCallet, and G. LavouÉ, "Comparison of subjective methods, with and without explicit reference, for quality assessment of 3D graphics," in ACM Symposium on Applied Perception 2019, ser. SAP '19. New York, NY, USA: Association for Computing Machinery, 2019. [Online]. Available: https://doi.org/10.1145/3343036.3352493
- [8] J. Gutiérrez, T. Vigier, and P. L. Callet, "Quality evaluation of 3D objects in mixed reality for different lighting conditions," *Electronic Imaging*, vol. 2020, no. 11, pp. 128–1, 2020.
- [9] S. Subramanyam, J. Li, I. Viola, and P. Cesar, "Comparing the quality of highly realistic digital humans in 3Dof and 6DoF: A volumetric video case study," in 2020 IEEE Conference on Virtual Reality and 3D User Interfaces (VR), 2020, pp. 127–136.
- [10] E. Alexiou, N. Yang, and T. Ebrahimi, "PointXR: A toolbox for visualization and subjective evaluation of point clouds in virtual reality," in 2020 Twelfth International Conference on Quality of Multimedia Experience (QoMEX), 2020, pp. 1–6.

- [11] X. Wu, Y. Zhang, C. Fan, J. Hou, and S. Kwong, "Subjective quality database and objective study of compressed point clouds with 6DoF head-mounted display," *IEEE Transactions on Circuits and Systems for Video Technology*, vol. 31, no. 12, pp. 4630–4644, 2021.
- [12] Y. Nehmé, F. Dupont, J.-P. Farrugia, P. Le Callet, and G. Lavoué, "Visual quality of 3D meshes with diffuse colors in virtual reality: Subjective and objective evaluation," *IEEE Transactions on Visualization and Computer Graphics*, vol. 27, no. 3, pp. 2202–2219, 2021.
- [13] Y.-C. Chen, A. Saha, A. C. Bovik, Alexandre, J.-C. Häne, Christian Bazin, B. Qiu, S. Zanetti, and I. Katsavounidis, "Subjective quality assessment of rendered hologram videos in virtual reality," in 2024 IEEE International Conference on Image Processing (ICIP), submitted.
- [14] E. Alexiou and T. Ebrahimi, "On the performance of metrics to predict quality in point cloud representations," in *Applications of Digital Image Processing XL*, A. G. Tescher, Ed., vol. 10396, International Society for Optics and Photonics. SPIE, 2017, p. 103961H. [Online]. Available: https://doi.org/10.1117/12.2275142
- [15] E. M. Torlig, E. Alexiou, T. A. Fonseca, R. L. de Queiroz, and T. Ebrahimi, "A novel methodology for quality assessment of voxelized point clouds," in *Applications of Digital Image Processing XLI*, vol. 10752. SPIE, 2018, pp. 174–190.
- [16] E. Zerman, P. Gao, C. Ozcinar, and A. Smolic, "Subjective and objective quality assessment for volumetric video compression," *Electronic Imaging*, vol. 2019, no. 10, pp. 323–1, 2019.
- [17] L. A. da Silva Cruz, E. Dumić, E. Alexiou, J. Prazeres, R. Duarte, M. Pereira, A. Pinheiro, and T. Ebrahimi, "Point cloud quality evaluation: Towards a definition for test conditions," in 2019 Eleventh International Conference on Quality of Multimedia Experience (QoMEX), 2019, pp. 1–6.
- [18] E. Zerman, C. Ozcinar, P. Gao, and A. Smolic, "Textured mesh vs coloured point cloud: A subjective study for volumetric video compression," in 2020 Twelfth International Conference on Quality of Multimedia Experience (QoMEX), 2020, pp. 1–6.
- [19] K. Cao, Y. Xu, and P. Cosman, "Visual quality of compressed mesh and point cloud sequences," *IEEE Access*, vol. 8, pp. 171 203–171 217, 2020.
- [20] S. Perry, H. P. Cong, L. A. da Silva Cruz, J. Prazeres, M. Pereira, A. Pinheiro, E. Dumic, E. Alexiou, and T. Ebrahimi, "Quality evaluation of static point clouds encoded using mpeg codecs," in 2020 IEEE International Conference on Image Processing (ICIP), 2020, pp. 3428– 3432.
- [21] A. Javaheri, C. Brites, F. Pereira, and J. Ascenso, "Point cloud rendering after coding: Impacts on subjective and objective quality," *IEEE Transactions on Multimedia*, vol. 23, pp. 4049–4064, 2021.
- [22] Q. Yang, H. Chen, Z. Ma, Y. Xu, R. Tang, and J. Sun, "Predicting the perceptual quality of point cloud: A 3D-to-2D projection-based exploration," *IEEE Transactions on Multimedia*, vol. 23, pp. 3877–3891, 2021.
- [23] Y. Liu, Q. Yang, Y. Xu, and L. Yang, "Point cloud quality assessment: Dataset construction and learning-based no-reference metric," ACM Trans. Multimedia Comput. Commun. Appl., vol. 19, no. 2s, Feb 2023. [Online]. Available: https://doi.org/10.1145/3550274
- [24] Z. Zhang, W. Sun, Y. Zhou, H. Wu, C. Li, X. Min, X. Liu, G. Zhai, and W. Lin, "Advancing zero-shot digital human quality assessment through text-prompted evaluation," 2023.
- [25] Z. Zhang, Y. Zhou, W. Sun, X. Min, Y. Wu, and G. Zhai, "Perceptual quality assessment for digital human heads," in ICASSP 2023 - 2023 IEEE International Conference on Acoustics, Speech and Signal Processing (ICASSP), 2023, pp. 1–5.
- [26] Z. Zhang, Y. Zhou, W. Sun, W. Lu, X. Min, Y. Wang, and G. Zhai, "DDH-QA: A dynamic digital humans quality assessment database," in 2023 IEEE International Conference on Multimedia and Expo (ICME), 2023, pp. 2519–2524.
- [27] J. Zhang, W. Huang, X. Zhu, and J.-N. Hwang, "A subjective quality evaluation for 3D point cloud models," in 2014 International Conference on Audio, Language and Image Processing, 2014, pp. 827–831.
- [28] A. Javaheri, C. Brites, F. Pereira, and J. Ascenso, "Subjective and objective quality evaluation of 3D point cloud denoising algorithms," in 2017 IEEE International Conference on Multimedia Expo Workshops (ICMEW), 2017, pp. 1–6.
- [29] E. Alexiou, T. Ebrahimi, M. V. Bernardo, M. Pereira, A. Pinheiro, L. A. Da Silva Cruz, C. Duarte, L. G. Dmitrovic, E. Dumic, D. Matkovics, and A. Skodras, "Point cloud subjective evaluation methodology based on 2D rendering," in 2018 Tenth International Conference on Quality of Multimedia Experience (QoMEX), 2018, pp. 1–6.
- [30] K. Wolski, L. Trutoiu, Z. Dong, Z. Shen, K. Mackenzie, and A. Chapiro, "Geo-Metric: A perceptual dataset of distortions on faces,"

- *ACM Trans. Graph.*, vol. 41, no. 6, nov 2022. [Online]. Available: https://doi.org/10.1145/3550454.3555475
- [31] R. Mekuria, K. Blom, and P. Cesar, "Design, implementation, and evaluation of a point cloud codec for tele-immersive video," *IEEE Transactions on Circuits and Systems for Video Technology*, vol. 27, no. 4, pp. 828–842, 2017.
- [32] Z. Zhang, W. Sun, X. Min, Q. Zhou, J. He, Q. Wang, and G. Zhai, "MM-PCQA: Multi-modal learning for no-reference point cloud quality assessment," arXiv preprint arXiv:2209.00244, 2022.
- [33] E. Alexiou and T. Ebrahimi, "Exploiting user interactivity in quality assessment of point cloud imaging," in 2019 Eleventh International Conference on Quality of Multimedia Experience (QoMEX), 2019, pp. 1–6.
- [34] H. Dutagaci, C. P. Cheung, and A. Godil, "A benchmark for best view selection of 3D objects," ser. 3DOR '10. New York, NY, USA: Association for Computing Machinery, 2010, p. 45–50. [Online]. Available: https://doi.org/10.1145/1877808.1877819
- [35] G. Lavoué, M. C. Larabi, and L. Váša, "On the efficiency of image metrics for evaluating the visual quality of 3D models," *IEEE Transactions on Visualization and Computer Graphics*, vol. 22, no. 8, pp. 1987–1999, 2016.
- [36] Z. Zhang, W. Sun, Y. Zhu, X. Min, W. Wu, Y. Chen, and G. Zhai, "Treating point cloud as moving camera videos: A no-reference quality assessment metric," 2022.
- [37] L. Dong, Y. Fang, W. Lin, and H. S. Seah, "Perceptual quality assessment for 3D triangle mesh based on curvature," *IEEE Transactions on Multimedia*, vol. 17, no. 12, pp. 2174–2184, 2015.
- [38] K. Wang, F. Torkhani, and A. Montanvert, "A fast roughness-based approach to the assessment of 3D mesh visual quality," *Computers & Graphics*, vol. 36, no. 7, pp. 808–818, 2012.
- [39] G. Lavoué, "A multiscale metric for 3D mesh visual quality assessment," in *Computer graphics forum*, vol. 30, no. 5. Wiley Online Library, 2011, pp. 1427–1437.
- [40] S. Yang, C.-H. Lee, and C.-C. J. Kuo, "Optimized mesh and texture multiplexing for progressive textured model transmission," in *Proceedings of the 12th annual ACM international conference on Multimedia*, 2004, pp. 676–683.
- [41] F. Caillaud, V. Vidal, F. Dupont, and G. Lavoué, "Progressive compression of arbitrary textured meshes," in *Computer Graphics Forum*, vol. 35, no. 7. Wiley Online Library, 2016, pp. 475–484.
- [42] I. Abouelaziz, M. El Hassouni, and H. Cherifi, "No-reference 3D mesh quality assessment based on dihedral angles model and support vector regression," in *Image and Signal Processing: 7th International Conference, ICISP 2016, Trois-Rivières, QC, Canada, May 30-June 1, 2016, Proceedings 7.* Springer, 2016, pp. 369–377.
- [43] ——, "A curvature based method for blind mesh visual quality assessment using a general regression neural network," in 2016 12th International Conference on Signal-Image Technology Internet-Based Systems (SITIS), 2016, pp. 793–797.
- [44] I. Abouelaziz, M. E. Hassouni, and H. Cherifi, "A convolutional neural network framework for blind mesh visual quality assessment," in 2017 IEEE International Conference on Image Processing (ICIP), 2017, pp. 755–759.
- [45] Z. Zhang, W. Sun, X. Min, T. Wang, W. Lu, W. Zhu, and G. Zhai, "A no-reference visual quality metric for 3D color meshes," in 2021 IEEE International Conference on Multimedia Expo Workshops (ICMEW), 2021, pp. 1–6.
- [46] I. Abouelaziz, A. Chetouani, M. El Hassouni, L. J. Latecki, and H. Cherifi, "No-reference mesh visual quality assessment via ensemble of convolutional neural networks and compact multi-linear pooling," *Pattern Recognition*, vol. 100, p. 107174, 2020.
- [47] Y. NehmÉ, J. Delanoy, F. Dupont, J.-P. Farrugia, P. Le Callet, and G. LavouÉ, "Textured mesh quality assessment: Large-scale dataset and deep learning-based quality metric," ACM Trans. Graph., vol. 42, no. 3, jun 2023. [Online]. Available: https://doi.org/10.1145/3592786
- [48] Methodology for the Subjective Assessment of the Quality of Television Pictures, document ITU-R Recommendation BT. 500-13, 2012.
- [49] Z. Li and C. G. Bampis, "Recover subjective quality scores from noisy measurements," in 2017 Data Compression Conference (DCC), 2017, pp. 52–61.
- [50] Z. Li, C. G. Bampis, L. Krasula, L. Janowski, and I. Katsavounidis, "A simple model for subject behavior in subjective experiments," arXiv preprint arXiv:2004.02067, 2020.
- [51] K. Seshadrinathan, R. Soundararajan, A. C. Bovik, and L. K. Cormack, "Study of subjective and objective quality assessment of video," *IEEE Transactions on Image Processing*, vol. 19, no. 6, pp. 1427–1441, 2010.

- [52] C.-Y. Wang, A. Bochkovskiy, and H.-Y. M. Liao, "YOLOv7: Trainable bag-of-freebies sets new state-of-the-art for real-time object detectors," 2022
- [53] G. Jocher, A. Chaurasia, and J. Qiu, "YOLO by Ultralytics," Jan. 2023.
 [Online]. Available: https://github.com/ultralytics/ultralytics
- [54] J. Antkowiak, T. J. Baina, F. V. Baroncini, N. Chateau, F. FranceTelecom, A. C. F. Pessoa, F. S. Colonnese, I. L. Contin, J. Caviedes, and F. Philips, "Final report from the video quality experts group on the validation of objective quality metrics for video quality assessment," 2000
- [55] Z. Wang, A. Bovik, H. Sheikh, and E. Simoncelli, "Image quality assessment: from error visibility to structural similarity," *IEEE Transactions* on *Image Processing*, vol. 13, no. 4, pp. 600–612, 2004.
- [56] R. Zhang, P. Isola, A. A. Efros, E. Shechtman, and O. Wang, "The unreasonable effectiveness of deep features as a perceptual metric," in Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition (CVPR), June 2018.
- [57] S. Li, F. Zhang, L. Ma, and K. N. Ngan, "Image quality assessment by separately evaluating detail losses and additive impairments," *IEEE Transactions on Multimedia*, vol. 13, no. 5, pp. 935–949, 2011.
- [58] H. Sheikh, A. Bovik, and G. de Veciana, "An information fidelity criterion for image quality assessment using natural scene statistics," *IEEE Transactions on Image Processing*, vol. 14, no. 12, pp. 2117– 2128, 2005.
- [59] H. Sheikh and A. Bovik, "Image information and visual quality," *IEEE Transactions on Image Processing*, vol. 15, no. 2, pp. 430–444, 2006.
- [60] Z. Li, A. Aaron, I. Katsavounidis, A. Moorthy, and M. Manohara, "Toward a practical perceptual video quality metric," *The Netflix Tech Blog*, vol. 6, no. 2, 2016.
- [61] R. K. Mantiuk, G. Denes, A. Chapiro, A. Kaplanyan, G. Rufo, R. Bachy, T. Lian, and A. Patney, "FovVideoVDP: A visible difference predictor for wide field-of-view video," ACM Transactions on Graphics (TOG), vol. 40, no. 4, pp. 1–19, 2021.
- [62] P. C. Madhusudana, N. Birkbeck, Y. Wang, B. Adsumilli, and A. C. Bovik, "ST-GREED: Space-time generalized entropic differences for frame rate dependent video quality prediction," *IEEE Transactions on Image Processing*, vol. 30, pp. 7446–7457, 2021. [Online]. Available: https://doi.org/10.1109%2Ftip.2021.3106801
- [63] —, "Image quality assessment using contrastive learning," *IEEE Transactions on Image Processing*, vol. 31, pp. 4149–4161, 2022.
- [64] —, "CONVIQT: Contrastive video quality estimator," 2022.
- [65] A. Saha, Y.-C. Chen, A. Chapiro, C. Häne, I. Katsavounidis, and A. C. Bovik, "HologramQA: Full reference video quality assessment for rendered holograms in virtual reality," in *IEEE Transactions on Image Processing*, in preparation.
- [66] A. Mittal, A. K. Moorthy, and A. C. Bovik, "No-reference image quality assessment in the spatial domain," *IEEE Transactions on Image Processing*, vol. 21, no. 12, pp. 4695–4708, 2012.
- [67] J. Korhonen, "Two-level approach for no-reference consumer video quality assessment," *IEEE Transactions on Image Processing*, vol. 28, no. 12, pp. 5923–5938, 2019.
- [68] Z. Tu, Y. Wang, N. Birkbeck, B. Adsumilli, and A. C. Bovik, "UGC-VQA: Benchmarking blind video quality assessment for user generated content," *IEEE Transactions on Image Processing*, vol. 30, pp. 4449–4464, 2021.
- [69] J. P. Ebenezer, Z. Shang, Y. Wu, H. Wei, S. Sethuraman, and A. C. Bovik, "ChipQA: No-reference video quality prediction via space-time chips," *IEEE Transactions on Image Processing*, vol. 30, pp. 8059–8074, 2021
- [70] Q. Zheng, Z. Tu, P. C. Madhusudana, X. Zeng, A. C. Bovik, and Y. Fan, "FAVER: Blind quality prediction of variable frame rate videos," 2022.
- [71] D. Li, T. Jiang, and M. Jiang, "Quality assessment of in-the-wild videos," in *Proceedings of the 27th ACM International Conference on Multimedia*, 2019, pp. 2351–2359.
- [72] Z. Tu, X. Yu, Y. Wang, N. Birkbeck, B. Adsumilli, and A. C. Bovik, "RAPIQUE: Rapid and accurate video quality prediction of user generated content," *IEEE Open Journal of Signal Processing*, vol. 2, pp. 425–440, 2021.
- [73] Y.-C. Chen, A. Saha, C. Davis, B. Qiu, X. Wang, R. Gowda, I. Kat-savounidis, and A. C. Bovik, "GAMIVAL: Video quality prediction on mobile cloud gaming content," *IEEE Signal Processing Letters*, vol. 30, pp. 324–328, 2023.
- 74] M. Utke, S. Zadtootaghaj, S. Schmidt, S. Bosse, and S. Möller, "NDNetGaming-development of a no-reference deep CNN for gaming video quality prediction," *Multimedia Tools and Applications*, pp. 1–23, 2020.

Supplementary material –

Subjective and Objective Quality Assessment of Rendered Hologram Videos in Virtual Reality

TABLE I: Participant feedback on the proportion of hologram videos that elicited feelings of dizziness or discomfort.

# of hologram videos inducing uneasiness/dizziness	None	<10	10-19	20-39	40-100	>100	Didn't remember when
uncasiness/uizziness							WIICH
% of sessions	56%	6.7%	4%	8.1%	2.7%	4.7%	17.5%




Fig. 1: Demographics of human study participants based on age (a) and gender (b).

I. ADDITIONAL POST STUDY QUESTIONNAIRE

Participants were also queried about any experiences of dizziness or uneasiness during the viewing and rating of the videos. Approximately 44% of sessions reported some degree of dizziness or uneasiness, but this generally occurred only on a small percentage of the videos, as shown in Table [I].

At the conclusion of each session, demographic information, including age and gender, was collected. The mean age of the

participants was 23.03, with a median age of 22 and a standard deviation of 2.69. Visualizations depicting the age and gender distributions are provided in Fig. 1.

II. ADDITIONAL ANALYSIS AND VISUALIZATION OF OPINION SCORES

A. Impact of Delays on MLE-MOS

To investigate the impact of delays on MLE-MOS, we analyzed the MLE-MOS of videos with different content IDs for various delay values. Fig. 2a presents the MLE-MOS curves for videos with odd content IDs, while Fig. 2b displays the MLE-MOS curves for videos with even content IDs. It can be observed that there are no significant separation between curves for MLE-MOS across different delay values. This suggests that the delay parameter has minimal influence on the perceived quality of the videos.

B. MLE-MOS Content Dependence

In order to investigate the relationship between the source video contents, single distortions of color resolution, and their combined impact on MLE-MOS, we analyzed the results presented in Fig. 2c and Fig. 2d Fig. 2c illustrates the MLE-MOS curves corresponding to videos with odd content IDs, while Fig. 2d shows those with even content IDs. These figures depict distinct demarcations between the MLE-MOS curves associated with different color resolutions, highlighting the influence of color resolution on perceptual quality assessment.


C. Rate Distortion Curves


The impact of varying framerates on MLE-MOS was examined by analyzing the MLE-MOS curves shown in Fig. 2e. Notably, distinct separations can be observed between curves of MLE-MOS of videos with framerates of 30 fps, 20 fps, and 10 fps. However, the curves for videos with a framerate of 15±10 fps exhibit inconsistent placement. At times, these curves fell between the curves of 20 fps and 10fps, while in other instances, they surpassed the 20 fps curve or align closely with the 10fps curve. This finding indicates that the introduction of variance in framerate across different content may hinder individuals' ability to perceive changes in perceptual quality, as the content may consist of varying levels of static or dynamic movements. The observed decrease in MLE-MOS values at a lower framerate (10 fps) highlights the significant influence of temporal distortions on the perceived quality of hologram videos.


D. Distortion Type Analysis

Figure 2f provides an analysis of the influence of distortion type on the MLE-MOS across different content IDs. It may be observed that the curves for contents with odd and even IDs exhibit consistency, except for a distinct difference observed in the curves corresponding to distortion indices 4, 5, and 6, which represent color resolution distortions. As discussed in Section III-B of the Main paper, video content with odd IDs was assigned color resolution distortions of 1600p, 1080p, and 640p, while video content with even IDs was assigned resolutions of 1280p, 720p, and 480p, respectively. Thus, the curves depicted in Figure 2f effectively reflect this assignment strategy and its impact on the MLE-MOS.

These analyses highlight several key findings regarding the impact of different factors on the visual perception of video quality, particularly in the context of hologram videos. Among these factors, color resolution and varying frame rate had a stronger impact on video quality perception of hologram videos compared to different delay values. These findings suggest that adjusting delay can lead to data efficiencies in VR hologram video streaming without significant perceptual loss.









(a) Videos with odd IDs were assigned distorted videos with delays of $100 \mathrm{ms}$ and $300 \mathrm{ms}$


(b) Videos with even IDs were assigned distorted videos with delays of $200 \mathrm{ms}$ and $400 \mathrm{ms}$






(c) Videos with odd IDs were assigned distorted videos with color resolutions of 1600p, 1080p, and 640p

(d) Videos with even IDs were assigned distorted videos with color resolutions of 1280p, 720p, and 480p



(e) Rate distortion curves for video with different frame rates = 30fps, 20fps, 10fps, and 15 ± 10 fps



(f) Variation of MLE-MOS with distortion index across contents with odd IDs and even IDs

Fig. 2: (a)-(e) Variation of MLE-MOS against content for varying delays, color resolutions, and framerates, (f) Variation of MLE-MOS with distortion index across contents with odd IDs and even IDs