

# Planning with Trust for Human-Robot Collaboration

Min Chen\*

National University of Singapore  
chenmin@comp.nus.edu.sg

Stefanos Nikolaidis

Carnegie Mellon University  
snikolai@andrew.cmu.edu

Harold Soh

National University of Singapore  
harold@comp.nus.edu.sg

David Hsu

National University of Singapore  
dyhsu@comp.nus.edu.sg

Siddhartha Srinivasa

University of Washington  
siddh@cs.uw.edu

## ABSTRACT

Trust is essential for human-robot collaboration and user adoption of autonomous systems, such as robot assistants. This paper introduces a computational model which integrates trust into robot decision-making. Specifically, we learn from data a partially observable Markov decision process (POMDP) with human trust as a latent variable. The trust-POMDP model provides a principled approach for the robot to (i) infer the trust of a human teammate through interaction, (ii) reason about the effect of its own actions on human behaviors, and (iii) choose actions that maximize team performance over the long term. We validated the model through human subject experiments on a table-clearing task in simulation (201 participants) and with a real robot (20 participants). The results show that the trust-POMDP improves human-robot team performance in this task. They further suggest that maximizing trust in itself may not improve team performance.

## CCS CONCEPTS

- Human-centered computing → Collaborative interaction;
- Computing methodologies → Planning under uncertainty;

## KEYWORDS

Trust models, Human-robot collaboration, Partially observable Markov decision process (POMDP)

### ACM Reference Format:

Min Chen, Stefanos Nikolaidis, Harold Soh, David Hsu, and Siddhartha Srinivasa. 2018. Planning with Trust for Human-Robot Collaboration. In *Proceedings of 2018 ACM/IEEE International Conference on Human-Robot Interaction, Chicago, IL, USA, March 5–8, 2018 (HRI '18)*, 9 pages.  
<https://doi.org/10.1145/3171221.3171264>

\*Chen and Nikolaidis contributed equally to the work.

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for components of this work owned by others than ACM must be honored. Abstracting with credit is permitted. To copy otherwise, or republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee. Request permissions from [permissions@acm.org](mailto:permissions@acm.org).

*HRI '18, March 5–8, 2018, Chicago, IL, USA*  
© 2018 Association for Computing Machinery.  
ACM ISBN 978-1-4503-4953-6/18/03...\$15.00  
<https://doi.org/10.1145/3171221.3171264>




**Figure 1: A robot and a human collaborate to clear a table. The human, with low initial trust in the robot, intervenes to stop the robot from moving the wine glass.**

## 1 INTRODUCTION

Trust is essential for seamless human-robot collaboration and user adoption of autonomous systems, such as robot assistants. Misguided trust in robot autonomy may lead to over-reliance or under-reliance with negative effects on task performance [20]. For example, in our study, a human participant and a robot collaborated to clear a table (Figure 1). Although the robot was fully capable of handling all objects on the table, inexperienced participants often stopped the robot from moving the wine glass initially. They did not trust the robot and felt that it was too risky to let the robot move the glass. Clearly human trust in the robot directly affected the perception of risk [30] and consequently, the interaction.

To enable more fluent human-robot collaboration, we propose a computational model that integrates human trust into robot decision making. Since human trust is not directly observable to the robot, we model it as a latent variable in a partially observable Markov decision process (POMDP) [16]. Our trust-POMDP model contains two key components: (i) a trust dynamics model, which captures the evolution of human trust in the robot, and (ii) a human decision model, which connects trust with human actions. Our POMDP formulation can accommodate a variety of trust dynamics and human decision models. Here, we adopt a data-driven approach and learn these models from data.

Although prior work has studied human trust elicitation and modeling [9, 19, 31, 32], we close the loop between trust modeling



**Figure 2: Sample runs of the trust-POMDP strategy and the myopic strategy on a collaborative table-clearing task. The top row shows the probabilistic estimates of human trust over time on a 7-point Likert scale. The trust-POMDP strategy starts by moving the plastic bottles to build trust ( $T = 1, 2, 3$ ) and moves the wine glass only when the estimated trust is high enough ( $T = 5$ ). The myopic strategy does not account for trust and starts with the wine glass, causing the human with low initial trust to intervene ( $T = 1$ ).**

and robot decision-making. The trust-POMDP enables the robot to systematically infer and influence the human collaborator’s trust, and leverage trust for improved human-robot collaboration and long-term task performance. Consider again the table clearing example (Figure 2). The trust-POMDP strategy first removes the three plastic water bottles to build up trust and only attempts to remove the wine glass afterwards. In contrast, a baseline myopic strategy maximizes short-term task performance and does not account for human trust in choosing the robot actions. It first removes the wine glass, which offers the highest reward, resulting in unnecessary interventions by human collaborators with low initial trust.

We validated the trust-POMDP model through human subject experiments on the collaborative table-clearing task both online in simulation (201 participants) and with a real robot (20 participants). Compared with the myopic strategy, the trust-POMDP strategy significantly reduced participants’ intervention rate, indicating improved team collaboration and task performance. While our experiments are specific to the table-clearing task, the trust-POMDP approach is general and applicable to a broad range of human-robot collaborative tasks.

Integrating trust modeling and robot decision-making enables robot behaviors that leverage human trust and actively *modulate* it for seamless human-robot collaboration. Under the trust-POMDP model, the robot may deliberately choose to fail in order to reduce the trust of an overly trusting user and achieve better task performance over the long term. Further, embedding trust in a reward-based POMDP framework makes our robot task-driven: when the human collaboration is unnecessary, the robot may set aside trust building and act to maximize the team task performance directly. All these diverse behaviors emerge automatically from the trust-POMDP model, without explicit manual robot programming.

## 2 RELATED WORK

Trust has been studied extensively in the social science research literature [11, 17], with Mayer et al., suggesting that three general levels summarize the bases of trust: ability, integrity, and benevolence [22]. Trust in automation differs from trust between people in that automation lacks intentionality [20]. Additionally, in a human-robot collaboration task, human and robot share the same objective metric of task performance. Therefore, similar to previous work [6, 27, 28, 31, 33], we assume that human teammates will not expect the robot to deceive them on purpose, and their trust will depend mainly on the *perceived robot ability* to complete the task successfully.

Binary measures of trust [12], as well as continuous measures [6, 19, 33], and ordinal scales [13, 23] have been proposed. For real-time measurement, Desai [6] proposed the Area Under Trust Curve (AUTC) measure, which was recently used to account for one’s entire interactive experience with the robot [34].

Researchers have also studied the temporal dynamics of trust conditioned on the task performance: Lee and Moray [19] proposed an autoregressive moving average vector form of time series analysis; Floyd et al. [9] used case-based reasoning; Xu and Dudek [32] proposed an online probabilistic trust inference model to estimate a robot’s trustworthiness; Wang et al. [31] showed that adding transparency in the robot model by generating explanations improved trust and performance in human teams. While previous works have focused on either quantifying or maximizing trust in human-robot interaction, our work enables the robot to leverage upon a model of human trust and choose actions to maximize task performance.

In human-robot collaborative tasks, the robot often needs to reason over the human’s hidden mental state in its decision-making. The POMDP provides a principled general framework for such reasoning. It has enabled robotic teammates to coordinate through communication [3] and software agents to infer the intention of

human players in game AI applications [21]. The model has been successfully applied to real-world tasks, such as autonomous driving where the robot car interacts with pedestrians and human drivers [1, 2, 10]. When the state and action space of the POMDP model become continuous, one can use hindsight optimization [14], or value of information heuristics [29], which generate approximate solutions but are computationally more efficient.

Nikolaidis et al. [26] proposed to infer the human type or preference online using models learned from joint-action demonstrations. This formalism recently extended from one-way adaptation (from robot to human) to human-robot *mutual* adaptation [24, 25], where the human may choose to change their preference and follow a policy demonstrated by the robot in the recent history. In this work, we provide a general way to link the whole interaction history with the human policy, by incorporating human trust dynamics into the planning framework.

### 3 TRUST-POMDP

#### 3.1 Human-robot team model

We formalize the human-robot team as a Markov Decision Process (MDP), with world state  $x \in X$ , robot action  $a^R \in A^R$ , and human action  $a^H \in A^H$ . The system evolves according to a probabilistic state transition function  $p(x'|x, a^R, a^H)$  which specifies the probability of transitioning from state  $x$  to state  $x'$  when actions  $a^R$  and  $a^H$  are applied in state  $x$ . After transitioning, the team receives a real-valued reward  $r(x, a^R, a^H, x')$ , which is constructed to elicit the desirable team behaviors.

We denote by  $h_t = \{x_0, a_0^R, a_0^H, x_1, r_1, \dots, x_{t-1}, a_{t-1}^R, a_{t-1}^H, x_t, r_t\} \in H_t$  as the history of interaction between robot and human until time step  $t$ . In this paper, we assume that the human observes the robot's current action and then decides his own action. In the most general setting, the human uses the entire interaction history  $h_t$  to decide the action. Thus, we can write the human's (possibly stochastic) policy as  $\pi^H(a_t^H|x_t, a_t^R, h_t)$  which outputs the probability of each human action  $a_t^H$ .

Given a robot policy  $\pi^R$ , the *value*, i.e., the expected total discounted reward of starting at a state  $x_0$  and following the robot and human policies is

$$v(x_0|\pi^R, \pi^H) = \mathbb{E}_{a_t^R \sim \pi^R, a_t^H \sim \pi^H} \sum_{t=0}^{\infty} \gamma^t r(x_t, a_t^R, a_t^H), \quad (1)$$

and the robot's optimal policy  $\pi_*^R$  can be computed as

$$\pi_*^R = \arg \max_{\pi^R} v(x_0|\pi^R, \pi^H). \quad (2)$$

In our case, however, the robot does not know the human policy in advance. It computes the optimal policy under expectation over the human policy:

$$\pi_*^R = \arg \max_{\pi^R} \mathbb{E}_{\pi^H} v(x_0|\pi^R, \pi^H). \quad (3)$$

Key to solving Eq. 3 is for the robot to model the human policy, which potentially depends on the entire history  $h_t$ . The history  $h_t$  may grow arbitrary long and make the optimization extremely difficult.

#### 3.2 Trust-dependent human behaviors

Our insight is that in a number of human-robot collaboration scenarios, *trust is a compact approximation of the interaction history  $h_t$* . This allows us to condition human behavior on the inferred trust level and in turn find the optimal policy that maximizes team performance.

Following previous work on trust modeling [32], we assume that trust can be represented as a single scalar random variable  $\theta$ . Thus, the human policy is rewritten as

$$\pi^H(a_t^H|x_t, a_t^R, \theta_t) = \pi^H(a_t^H|x_t, a_t^R, h_t). \quad (4)$$

#### 3.3 Trust dynamics

Human trust changes over time. We adopt a common assumption on the trust dynamics: trust evolves based on the robot's performance  $e_t$  [19, 32]. Performance can depend not just on the current and transitioned world state but also the human and robot's actions

$$e_{t+1} = \text{performance}(x_{t+1}, x_t, a_t^R, a_t^H). \quad (5)$$

For example, performance may indicate success or failure of the robot to accomplish a task. This allows us to write our trust dynamics equation as

$$\theta_{t+1} \sim p(\theta_{t+1}|\theta_t, e_{t+1}). \quad (6)$$

We detail in Section 4 how trust dynamics is learned via interaction.

#### 3.4 Maximizing team performance

Trust cannot be directly observed by the robot and therefore must be inferred from the human's actions. In addition, armed with a model, the robot may actively modulate the human's trust for the team's long-term reward.

We achieve this behavior by modeling the interaction as a partially observable Markov decision process (POMDP), which provides a principled general framework for sequential decision making under uncertainty. A graphical model of the Trust-POMDP and a flowchart of the interaction are shown in Figure 3.

To build trust-POMDP, we create an augmented state space with the augmented state  $s = (x, \theta)$  composed of the fully-observed world state  $x$  and the *partially-observed* human trust  $\theta$ . We maintain a belief  $b$  over the human's trust. The trust dynamics and human behavioral policy are embedded in the transition dynamics of trust-POMDP. We describe in Section 4 how we learn the trust dynamics and the human behavioral policy.


The robot now has two distinct objectives through its actions:

- *Exploitation*. Maximize the team's reward
- *Exploration*. Reveal and change the human's trust so that future actions are rewarded better.

The solution to a Trust-POMDP is a policy that maps belief states to robot actions, i.e.,  $a^R = \pi^R(b_t, x_t)$ . To compute the optimal policy, we use the SARSOP algorithm [18], which is computationally efficient and has been previously used in various robotic tasks [2].

### 4 LEARNING TRUST DYNAMICS AND HUMAN BEHAVIORAL POLICIES

Nested within the trust-POMDP is a model of human trust dynamics  $p(\theta_{t+1}|\theta_t, e_{t+1})$ , and behavioral policy  $\pi^H(a_t^H|x_t, a_t^R, \theta_t)$ . We



**Figure 3: The trust-POMDP graphical model (left) and the team interaction flowchart (right). The robot’s action  $a_t^R$  depends on the world state  $x_t$  and its belief over trust  $\theta_t$ .**

adopted a data-driven approach and built the two models for the table clearing task from data collected in an online AMT experiment. Suitable probabilistic models derived via alternative approaches can be substituted for these learned models (e.g., for other tasks and domains).

#### 4.1 Data Collection

**Table clearing task.** A human and a robot collaborate to clear objects off a table. The objects include three water bottles, one fish can, and one wine glass. At each time step, the robot picks up one of the remaining objects. Once the robot starts moving towards the intended object, the human can choose between two actions: {intervene and pick up the object that the robot is moving towards, stay put and let the robot pick the object by itself}. This process is repeated until all the objects are cleared from the table.

Each object is associated with a different reward, based on whether the robot successfully clears it from the table (which we call SP-success), the robot fails in clearing it (SP-fail), or the human intervenes and puts it on the tray (IT). Table 1 shows the rewards for each object and outcome. We assume that a robot success is always better than a human intervention, since it reduces human effort. Additionally, there is no penalty if the robot fails by dropping one of the sealed water bottles, since the human can pick it up. On the other hand, dropping the fish can results in some penalty, since its contents will be spilled on the floor. Breaking the glass results in the highest penalty. We see that staying put when the robot attempts to pick up the bottle has the lowest risk, since there is no penalty if the robot fails. On the other hand, staying put in the case of the glass object has the largest risk-return trade off. We expect the human to let the robot pick up the bottle even if their trust is low, since there is no penalty if the robot fails. On the other hand, if the human does not trust the robot, we expect them to likely intervene on glass or can, rather than risking a high penalty in case of robot failure. When we conduct the experiment, we assume that the robot never fails in the table clearing task, and this information is unknown to the participants. One can use the same approach as described to learn trust dynamics for robot failures as well.

**Table 1: The reward function  $R$  for the table-clearing task.**

	Bottle	Fish Can	Wine Glass
SP-success	1	2	3
SP-fail	0	-4	-9
IT	0	0	0

**Table 2: Muir’s questionnaire.**

1. To what extent can the robot’s behavior be predicted from moment to moment?
2. To what extent can you count on the robot to do its job?
3. What degree of faith do you have that the robot will be able to cope with similar situations in the future?
4. Overall how much do you trust the robot?

In this work, we choose the table clearing task to test our trust-POMDP model, because it is simple and allows us to analyze experimentally the core technical issues on human trust without interference from confounding factors. Note that the primary objective and contribution of this work are to develop a mathematical model of trust embedded in a decision framework, and to show that this model improves human robot collaboration. In addition, we believe that the overall technical approach in our work is general and not restricted to this particular simplified task. What we learned here on the trust-POMDP for a simplified task will be a stepstone towards more complex, large-scale applications.

**Participants.** For the data collection, we recruited 81 participants through Amazon’s Mechanical Turk (AMT). The participants are all from United States, aged 18–65 and with approval rate higher than 95%. Each participant was compensated \$1 for completing the study. To ensure the quality of the recorded data, we asked all participants an attention check question that tested their attention to the task. We removed 5 data points either because the participants failed on the attention check question or their data were incomplete. This left us 76 valid data points for model learning.

**Procedure.** Each participant is asked to perform an online table clearing task together with a robot. Before the task starts, the participant is informed of the reward function in Table 1. We first collect the participant’s initial trust in the robot. We used Muir’s questionnaire [23], with a seven-point Likert scale as a human trust metric, *i.e.*, trust ranges from 1 to 7. The Muir’s questionnaire we used is listed in Table 2. At each time step, the participant watches a video of the robot attempting to pick up an object, and are asked to choose to intervene or stay put. They then watch a video of either the robot picking up the object, or them intervening based on their action selection. Then, they report their updated trust in the robot.

We are interested in learning the trust dynamics and the human behavioral policies for any state and robot action. However, the number of open-loop<sup>1</sup> robot policies is  $O(K!)$ , where  $K$  is the number of objects on the table. In order to focus the learning on a few interesting robot policies (*i.e.* picking up the glass in the beginning vs in the end), while still covering a large space of policies, we split the data collection process, so that in one half of the trials

<sup>1</sup>When collecting data from AMT, the robot follows an open-loop policy, *i.e.*, it does not adapt to the human behavior.

the robot randomly chooses a policy out of a set of pre-specified policies, while in the other half the robot follows a random policy.

**Data Format.** The data we collected from each participant has the following format:

$$d_i = \{\theta_0^M, a_0^R, a_0^H, e_1, \theta_1^M, \dots, a_{K-1}^R, a_{K-1}^H, e_K, \theta_K^M\}$$

where  $K$  is the number of objects on the table.  $\theta_t^M$  is the estimated human trust at time  $t$  by averaging the participants' responses to the Muir's questionnaire to a single rating between 1 and 7.  $a_t^R$  is the action taken by the robot at time step  $t$ .  $a_t^H$  is the action taken by the human at time step  $t$ .  $e_{t+1}$  is the performance of the robot that indicates whether the robot succeeded at picking up the object or the human intervened.

## 4.2 Trust dynamics model

We model human trust evolution as a linear Gaussian system. Our trust dynamics model relates the human trust causally to the robot task performance  $e_{t+1}$ .

$$P(\theta_{t+1} | \theta_t, e_{t+1}) = \mathcal{N}(\alpha_{e_{t+1}} \theta_t + \beta_{e_{t+1}}, \sigma_{e_{t+1}}) \quad (7)$$

$$\theta_t^M \sim \mathcal{N}(\theta_t, \sigma^2), \theta_{t+1}^M \sim \mathcal{N}(\theta_{t+1}, \sigma^2) \quad (8)$$


where  $\mathcal{N}(\mu, \sigma)$  denotes a Gaussian distribution with mean  $\mu$  and standard deviation  $\sigma$ .  $\alpha_{e_{t+1}}$  and  $\beta_{e_{t+1}}$  are linear coefficients for the trust dynamics, given the robot task performance  $e_{t+1}$ . In the table clearing task,  $e_{t+1}$  indicates whether the robot succeeded at picking up an object or the human intervened, e.g.,  $e_{t+1}$  can represent that the robot succeeded at picking a water bottle, or that the human intervened at the wine glass.  $\theta_t^M$  and  $\theta_{t+1}^M$  are the observed human trust (Muir's questionnaire) at time step  $t$  and time step  $t+1$ .

The unknown parameters in the trust dynamics model include  $\alpha_{e_{t+1}}$ ,  $\beta_{e_{t+1}}$ ,  $\sigma_{e_{t+1}}$  and  $\sigma$ . We performed full Bayesian inference on the model through Hamiltonian Monte Carlo sampling using the Stan probabilistic programming platform [4]. Figure 4 shows the trust transition matrices for all possible robot performance in the table clearing task. As we can see, human trust in the robot gradually increased with observations of successful robot actions (as indicated by transitions to higher trust levels when the participants stayed put and robot succeeded). On the other hand, trust tended to remain constant or decrease slightly when interventions occurred. These results matched our expectations that successful robot performance positively influenced trust.

## 4.3 Human behavioral policies

Our key intuition in the human model is that human's behavior depends on the trust in the robot. To support our intuition, we consider two types of human behavioral models. The first model is a trust-free human behavioral model that ignores human trust, while the second is a trust-based human behavioral model that explicitly models human trust. In both human models, we assume humans follow the *softmax rule*<sup>2</sup> when they make decisions in an uncertain environment [5]. More explicitly,

<sup>2</sup>According to the *softmax rule*, the human's decision of which action to take is determined probabilistically on the actions' relative expected values.



**Figure 4: Trust transition matrices, which represent the change of trust given the robot performance. In general, trust stays constant or decreases slightly when the human intervenes (top row), and increases when the human stays put (bottom row).**

- Trust-free human behavioral model: At each time step, the human selects an action probabilistically based on the actions' relative expected values. The expected value of an action depends on the human's belief on the robot to succeed and the risk of letting robot to do the task. In the trust-free human model, the human's belief on the robot success on a particular task does not change over time.
- Trust-based human behavioral model: Similar to the model above, the human follows the *softmax rule* at each time step. However, the trust-based human model assumes that human's belief on the robot success changes over time, and it depends on human's trust in the robot.

Before we introduce the models, we start with some notations. Let  $j$  denote the object that the robot tries to pick at time step  $t$ . Let  $r_j^S$  be the reward if the human stays put and the robot succeeds, and  $r_j^F$  be the reward if the human stays put and the robot fails. Let  $\theta_t$  be the human trust in the robot at time step  $t$ .  $\mathcal{S}(x) = \frac{1}{1+e^{-x}}$  is the sigmoid function, which is equivalent to the softmax function in the case of binary human actions.  $\mathcal{B}(p)$  is the Bernoulli distribution that takes action stay put with probability  $p$ .


The trust-free human behavioral model is as follows,

$$P_t = \mathcal{S}(b_j r_j^S + (1 - b_j) r_j^F) \quad (9)$$

$$a_t^H \sim \mathcal{B}(P_t) \quad (10)$$

where,  $b_j$  is the human's belief on the robot successfully picking up object  $j$ , and it remains constant.  $0 < P_t < 1$  is the probability that human stays put at time step  $t$ .  $a_t^H$  is the action human taken at time step  $t$ .

Next, we introduce the trust-based human behavioral model:



**Figure 5: The model prediction on the mean of human intervention rate with respect to trust. Under the trust-free human behavioral model, which does not account for trust, the human intervention rate stays constant. Under the trust-based human behavioral model, the intervention rate decreases with increasing trust. The rate of decrease depends on the object; it is more sensitive to the risker objects.**

$$b_j^t = \mathcal{S}(\gamma_j \theta_t + \eta_j) \quad (11)$$

$$P_t = \mathcal{S}(b_j^t r_j^S + (1 - b_j^t) r_j^F) \quad (12)$$

$$\theta_t^M \sim \mathcal{N}(\theta_t, \sigma^2), a_t^H \sim \mathcal{B}(P_t) \quad (13)$$

where  $b_j^t$  is the human's belief on robot success on object  $j$  at time step  $t$ , and it depends on the human's trust in the robot.  $\gamma_j$  and  $\eta_j$  are the linear coefficients for object  $j$ .  $0 < P_t < 1$  is the probability that the human stays put at time step  $t$ .  $\theta_t^M$  is the observed human trust from Muir's questionnaire at time step  $t$ , and we assume it follows a Gaussian distribution with mean  $\theta_t$  and standard deviation  $\sigma$ .  $a_t^H$  is the action human taken at time step  $t$ .

The unknown parameters here include  $b_j$  in the trust-free human model, and  $\gamma_j$ ,  $\eta_j$ ,  $\sigma$  in the trust-based human model. We performed Bayesian inference on the two models above using Hamiltonian Monte Carlo sampling [4]. The trust-based human model (log-likelihood =  $-153.37$ ) fit the collected AMT data better than the trust-free human model (log-likelihood =  $-156.40$ ). The log-likelihood values are relatively low in both two models due to the large variance among different users. Nevertheless, this result supports our notion that the prediction on human behavior is improved when we explicitly model human trust.

Figure 5 shows the mean probability of human interventions with respect to human's trust in the robot. For both two models, the human tends to intervene more on objects with higher risk, *i.e.*, the human intervention rate on glass is higher than can, which is again higher than bottle. The trust-free human behavioral model ignores human trust, thus the human intervention rate does not change. On the other hand, the trust-based human behavioral model has a general falling trend, which indicates that participants are less likely to intervene when their trust in the robot is high. This is observed particularly for the highest-risk object (glass), where the object intervention rate drops significantly when human trust score is maximum.

To summarize, the results of Sec. 4.2 and Section 4.3 indicate that

- Human trust is affected by robot performance: human trust can be built up by successfully picking up objects (Figure 4). In addition, it is a good strategy for the robot to start with low risk objects (bottle), since the human is less likely to intervene even if the trust in the robot is low (Figure 5).
- Human trust affects human behaviors: the intervention rate on the high risk objects could be reduced by building up human trust (Figure 5).

## 5 EXPERIMENTS

We conducted two human subjects experiments, one on AMT with human participants interacting with recorded videos and one in our lab with human participants interacting with a real robot. The purpose of our study was to test whether the trust-POMDP robot policy would result in better team performance than a policy that did not account for human trust.

We had two experimental conditions, which we refer to as “trust-POMDP” and “myopic”.

- In the trust-POMDP condition, the robot uses human trust as a means to optimize the long term team performance. It follows the policy computed from the trust-POMDP described in Section 3.4, where the robot's perceived human policy is modeled via the trust-based human behavioral model described in Section 4.3.
- In the myopic condition, the robot ignores human trust. It follows a myopic policy by optimizing Eq. 3, where the robot's perceived human policy is modeled via the trust-free human behavioral model described in Section 4.3.

### 5.1 Online AMT experiment

**Hypothesis 1.** *In the online experiment, the performance of teams in the trust-POMDP condition will be better than of the teams in the myopic condition.*

We evaluated team performance by the accumulated reward over the task. We expected the trust-POMDP robot to reason over the probability of human interventions, and act so as to minimize the intervention rate for the highest reward objects. The robot would do so by actively building up human trust before it goes for high risk objects. On the contrary, the myopic robot policy was agnostic to how the human policy may change from the robot and human actions.

**Procedure.** The procedure is similar to the one for data collection (Sec. 4.1), with the difference that, rather than executing random sequences, the robot executes the policy associated with each condition. While we kept the Muir's questionnaire in the experiment as a groundtruth measure of trust, the robot *did not use the score*, but estimated trust solely from the trust dynamics model as described in Sec. 4.2.

**Model parameters.** In the formulation of Section 3.4, the observable state variable  $x$  represents the state of each object (on the table or removed). We assume a discrete set of values of trust  $\theta : \{1, 2, 3, 4, 5, 6, 7\}$ . The transition function incorporates the learned trust dynamics and human behavioral policies, as described in Sec. 4.




Figure 6: Comparison of the Trust-POMDP and the myopic policies in the AMT experiment and the real-robot experiment.

The reward function  $R$  is given by Table 1. We used a discount factor of  $\gamma = 0.99$ , which favors immediate rewards over future rewards.

**Subject Allocation** We chose a between-subjects design in order to not bias the users with policies from previous conditions. We recruited 208 participants through Amazon Mechanical Turk, aged 18 – 65 and with approval rate higher than 95%. Each participant was compensated \$1 for completing the study. We removed 7 wrong (participants failed on the attention check question) or incomplete data points. In the end, we had 101 data points for the trust-POMDP condition, and 100 data points for the myopic condition.

## 5.2 Real-robot experiment

In the real-robot experiment we followed the same robot policies, model parameters and procedures as the online AMT experiment, with that the participants interacted with an actual robot in person.

**Hypothesis 2.** *In the real-robot experiment, the performance of teams in the trust-POMDP condition will be better than of the teams in the myopic condition.*

**Subject Allocation.** We recruited 20 participants from our university, aged 21–65. Each participant was compensated \$10 for completing the study. All data points were kept for analysis, *i.e.*, 10 data points for the trust-POMDP condition and 10 data points for the myopic condition.

## 5.3 Team performance

We performed an one-way ANOVA test of the accumulated rewards (team performance). In the online AMT experiment, the accumulated rewards of trust-based condition was significantly larger than

the myopic condition ( $F(1, 199) = 7.81, p = 0.006$ ). This result supports Hypothesis 1.


Similarly, the accumulated rewards of the trust-based condition was significantly larger than the myopic condition ( $F(1, 18) = 11.22, p = 0.004$ ). This result supports Hypothesis 2.

The difference in performance occurred because participants' intervention rate in the trust-POMDP condition was significantly lower than myopic condition (Figure 6 - left column). In the online AMT experiment, the intervention rate in the trust-POMDP condition was 54% and 31% lower in the can and glass object. In the real-robot experiment, the intervention rate in the trust-POMDP condition dropped to zero (100% lower) in the can object and 71% lower in the glass object.

In the myopic condition, the robot picked the objects in the order of highest to lowest reward (Glass, Can, Bottle, Bottle, Bottle). In contrast, the trust-based human behavior model influenced the trust-POMDP robot policy by capturing the fact that interventions on high-risk objects were more likely if trust in the robot was insufficient. Therefore, the trust-POMDP robot reasoned that it was better to start with the low risk objects (bottles), build human trust (Figure 6 - center column) and go for high risk object (glass) last. In this way, the trust-POMDP robot minimized the human intervention ratio on the glass and can object, which significantly improved the team performance.

## 5.4 Trust evolution

Figure 6 (center column) shows the participants' trust evolution. We make two key observations. First, successfully completing a task increased participants' trust in the robot. This is consistent with the human trust dynamics model we learned in Section 4.2. Second, there is a lack of significant difference in the *average* trust evolution



**Figure 7: Time-dependent nonlinear effects of trust dynamics. The same outcome has greater effect on trust when it occurs earlier than later.**

between the two conditions (Figure 6, center column), especially given that fewer human interventions occurred under the trust-POMDP policy. This can be partially explained by a combination of averaging and nonlinear trust dynamics, specifically that robot performance in the earlier part of the task has a more pronounced impact on trust [6]. This is a specific manifestation of the “primacy effect”, a cognitive bias that results in a subject crediting a performer more if the performer succeeds earlier in time [15]. Figure 7 shows this time-dependent aspect of trust dynamics in our experiment; the change in the mean of trust was larger if the robot succeeded earlier, most clearly seen for the Can and Glass objects in the real-robot experiment. As such, in the myopic condition, although there were more interventions on the glass/can at the beginning, this was averaged out by a larger increase in the human trust.

### 5.5 Human behavioral policy

Figure 6 (right column) shows the observed human behaviors given different trust levels. Consistent with the trust-based human behavioral model (Section 4.3), participants were less likely to intervene as their trust in the robot increased. The human’s action also depended on the type of object. For low risk objects (e.g. bottles), participants allowed the robot’s attempt to complete the task even if their trust in the robot was low. However, for a high risk object (glass), participants intervened unless they trusted the robot more.

## 6 DISCUSSION

The experimental results show that the trust-POMDP policy significantly outperforms the myopic policy that ignores trust in robot decision-making. The trust-POMDP robot was able to make good decisions on whether to pick up the low risk object to increase human trust, or to go directly to the high risk object when trust is high enough. This is one main advantage that trust-POMDP robot has over the myopic robot.

The trust-POMDP policy differs from approaches that focus on trust maximization [31, 32], *i.e.*, the trust-POMDP uses trust as the means to maximize task performance and builds up human trust only when necessary. In the table-clearing task, the behaviors of trust-POMDP and trust maximization strategies are similar, and it

is hard to observe a statistically significant difference in the AMT or the real-robot experiments due to the limited sample size. We performed  $10^4$  simulation runs to compare the two strategies on the table-clearing task. An one-way ANOVA shows that the trust-POMDP strategy achieved significantly higher reward ( $F(1, 9998) = 26.03, p < 0.001$ ). We find this result promising. Additionally, we hypothesize that in a repeated task with a long time horizon, the two strategies behave similarly at the beginning of the interaction duration, as building human trust at the beginning tends to benefit team performance in the future.

There are several limitations in our current work. The experiment design explored one mode of the trust-POMDP framework in which the robot always succeeded in the task. In the future, we plan to incorporate robot failures as well. Similar to previous works [6, 32], we modeled trust as a single real-valued latent variable dependent only on robot performance. However, a multi-dimensional parameterization of trust could be a more accurate representation. In addition, the evolution of trust might also depend on the type of motion executed by the robot (*e.g.*, for expressive or deceptive motions [7, 8]). The current trust-POMDP model also assumes static robot capabilities, but a robot’s true capabilities may change over time. In fact, the trust-POMDP can be extended to model robot capabilities via additional state variables that affect the state transition dynamics. Finally, the reward function is manually specified in this work. However, the reward function may be difficult to specify in practice. One possible way to resolve this is to learn the reward function from human demonstrations (*e.g.*, [26]).

## 7 CONCLUSION

This paper presents the trust-POMDP, a computational model for integrating human trust into robot decision making. The trust-POMDP closes the loop between trust models and robot decision making. It enables the robot to infer and influence human trust systematically and to leverage trust for fluid collaboration.

This work points to several directions for further investigation. In addition to addressing the limitations aforementioned, we consider two particularly promising topics. First, over-trust may sometimes degrade task performance, as it causes the human to over-rely on robot autonomy. We believe that by modeling human trust and connecting it with human and robot decision-making, the trust-POMDP will be able to detect human over-reliance and intervene to engage the human when necessary. Second, the trust-POMDP is a generative decision model conditioned explicitly on trust. Explicit trust modeling provides several advantages: it fits better to experimental data (see Section 4.3), and potentially improves the efficiency of learning by reducing sample complexity. Most importantly, the trust model learned on one task may transfer to a related task. This last aspect is another interesting direction for future work.

## 8 ACKNOWLEDGEMENTS

This work was funded in part by the Singapore Ministry of Education (grant MOE2016-T2-2-068), the National University of Singapore (grant R-252-000-587-112), US National Institute of Health R01 (grant R01EB019335), US National Science Foundation CPS (grant 1544797), US National Science Foundation NRI (grant 1637748), and the Office of Naval Research.

## REFERENCES

[1] Haoyu Bai, Shaojun Cai, Nan Ye, David Hsu, and Wee Sun Lee. 2015. Intention-aware online POMDP planning for autonomous driving in a crowd. In *2015 IEEE International Conference on Robotics and Automation (ICRA)*. IEEE, 454–460.

[2] Tirthankar Bandyopadhyay, Kok Sung Won, Emilio Frazzoli, David Hsu, Wee Sun Lee, and Daniela Rus. 2013. Intention-aware motion planning. In *Algorithmic Foundations of Robotics X*. Springer, 475–491.

[3] Samuel Barrett, Noa Agmon, Noam Hazon, Sarit Kraus, and Peter Stone. 2014. Communicating with unknown teamates. In *Proceedings of the twenty-first european conference on artificial intelligence*. IOS Press, 45–50.

[4] Bob Carpenter, Andrew Gelman, Matt Hoffman, Daniel Lee, Ben Goodrich, Michael Betancourt, Michael A Brubaker, Jiqiang Guo, Peter Li, and Allen Riddell. 2016. Stan: A probabilistic programming language. *Journal of Statistical Software* 20 (2016), 1–37.

[5] Nathaniel D Daw, John P O'doherty, Peter Dayan, Ben Seymour, and Raymond J Dolan. 2006. Cortical substrates for exploratory decisions in humans. *Nature* 441, 7095 (2006), 876–879.

[6] Munjal Desai. 2012. Modeling trust to improve human-robot interaction. (2012).

[7] Anca D Dragan, Rachel M Holladay, and Siddhartha S Srinivasa. 2014. An Analysis of Deceptive Robot Motion.. In *Robotics: science and systems*. 10.

[8] Anca D Dragan, Kenton CT Lee, and Siddhartha S Srinivasa. 2013. Legibility and predictability of robot motion. In *Human-Robot Interaction (HRI), 2013 8th ACM/IEEE International Conference on*. IEEE, 301–308.

[9] Michael W Floyd, Michael Drinkwater, and David W Aha. 2015. Trust-Guided Behavior Adaptation Using Case-Based Reasoning. In *Proceedings of the Twenty-Fourth International Joint Conference on Artificial Intelligence*. 4261–4267.

[10] Enric Galceran, Alexander G Cunningham, Ryan M Eustice, and Edwin Olson. 2015. Multipolicy decision-making for autonomous driving via changepoint-based behavior prediction. In *Proc. Robot.: Sci. & Syst. Conf.* 2.

[11] Robert T Golembiewski and Mark McConkie. 1975. The centrality of interpersonal trust in group processes. *Theories of group processes* 131 (1975), 185.

[12] Robert J Hall. 1996. Trusting your assistant. In *Knowledge-Based Software Engineering Conference, 1996., Proceedings of the 11th*. IEEE, 42–51.

[13] Guy Hoffman. 2013. Evaluating fluency in human-robot collaboration. In *International conference on human-robot interaction (HRI), workshop on human robot collaboration*, Vol. 381. 1–8.

[14] Shervin Javdani, Siddhartha S Srinivasa, and J Andrew Bagnell. 2015. Shared autonomy via hindsight optimization. *arXiv preprint arXiv:1503.07619* (2015).

[15] Edward E Jones, Leslie Rock, Kelly G Shaver, George R Goethals, and Lawrence M Ward. 1968. Pattern of performance and ability attribution: An unexpected primacy effect. *Journal of Personality and Social Psychology* 10, 4 (1968), 317.

[16] L.P. Kaelbling, M.L. Littman, and A.R. Cassandra. 1998. Planning and acting in partially observable stochastic domains. *Artificial Intelligence* 101, 1–2 (1998), 99–134.

[17] Roderick M Kramer and Tom R Tyler. 1995. *Trust in organizations: Frontiers of theory and research*. Sage Publications.

[18] Hanna Kurniawati, David Hsu, and Wee Sun Lee. 2008. SARSOP: Efficient Point-Based POMDP Planning by Approximating Optimally Reachable Belief Spaces.. In *Robotics: Science and Systems*, Vol. 2008. Zurich, Switzerland.

[19] John Lee and Neville Moray. 1992. Trust, control strategies and allocation of function in human-machine systems. *Ergonomics* 35, 10 (1992), 1243–1270.

[20] John D Lee and Katrina A See. 2004. Trust in automation: Designing for appropriate reliance. *Human Factors: The Journal of the Human Factors and Ergonomics Society* 46, 1 (2004), 50–80.

[21] Owen Macindoe, Leslie Pack Kaelbling, and Tomás Lozano-Pérez. 2012. Pompoc: Belief space planning for sidekicks in cooperative games. (2012).

[22] Roger C Mayer, James H Davis, and F David Schoorman. 1995. An integrative model of organizational trust. *Academy of management review* 20, 3 (1995), 709–734.

[23] Bonnie Marlene Muir. 1990. *Operators' trust in and use of automatic controllers in a supervisory process control task*. University of Toronto.

[24] Stefanos Nikolaidis, David Hsu, and Siddhartha Srinivasa. 2017. Human-robot mutual adaptation in collaborative tasks: Models and experiments. *International Journal of Robotics Research* 36, 5–7 (2017), 618–634.

[25] Stefanos Nikolaidis, Anton Kuznetsov, David Hsu, and Siddhartha Srinivasa. 2016. Formalizing Human-Robot Mutual Adaptation: A Bounded Memory Model. In *HRI*. IEEE Press, 75–82.

[26] Stefanos Nikolaidis, Ramya Ramakrishnan, Keren Gu, and Julie Shah. 2015. Efficient model learning from joint-action demonstrations for human-robot collaborative tasks. In *HRI*. ACM, 189–196.

[27] Alyssa Pierson and Mac Schwager. 2016. Adaptive inter-robot trust for robust multi-robot sensor coverage. In *Robotics Research*. Springer, 167–183.

[28] Charles Pippin and Henrik Christensen. 2014. Trust modeling in multi-robot patrolling. In *2014 IEEE International Conference on Robotics and Automation (ICRA)*. IEEE, 59–66.

[29] Dorsa Sadigh, Shankar Sastry, Sanjit A Seshia, and Anca D Dragan. 2016. Planning for autonomous cars that leverages effects on human actions. In *Proceedings of the Robotics: Science and Systems Conference (RSS)*.

[30] Michael Siegrist. 2000. The influence of trust and perceptions of risks and benefits on the acceptance of gene technology. *Risk analysis* 20, 2 (2000), 195–204.

[31] Ning Wang, David V Pynadath, and Susan G Hill. 2016. Trust calibration within a human-robot team: Comparing automatically generated explanations. In *2016 11th ACM/IEEE International Conference on Human-Robot Interaction (HRI)*. IEEE, 109–116.

[32] Anqi Xu and Gregory Dudek. 2015. Optimo: Online probabilistic trust inference model for asymmetric human-robot collaborations. In *HRI*. ACM, 221–228.

[33] Anqi Xu and Gregory Dudek. 2016. Towards Modeling Real-Time Trust in Asymmetric Human–Robot Collaborations. In *Robotics Research*. Springer, 113–129.

[34] Jessie Yang, Vaibhav Unhelkar, Kevin Li, and Julie Shah. 2017. Evaluating Effects of User Experience and System Transparency on Trust in Automation. In *HRI*.