

Article

Choreographic and Somatic Approaches for the Development of Expressive Robotic Systems

Amy LaViers ^{1,*} , Catie Cuan ^{2,†}, Catherine Maguire ^{3,4,5,†}, Karen Bradley ^{4,6,7,‡}, Kim Brooks Mata ^{8,9,‡}, Alexandra Nilles ^{10,‡}, Ilya Vidrin ^{11,12,‡}, Novoneel Chakraborty ¹³, Madison Heimerdinger ¹, Umer Huzaifa ¹, Reika McNish ¹⁴, Ishaan Pakrasi ¹ and Alexander Zurawski ¹

¹ Mechanical Science and Engineering Department, University of Illinois at Urbana-Champaign, Champaign, IL 61801, USA; heimerd2@illinois.edu (M.H.); Mhuzaif2@illinois.edu (U.H.); pakrasi2@illinois.edu (I.P.); azuraws2@illinois.edu (A.Z.)

² Independent dance artist/professional, Brooklyn, NY 11238, USA; crcuan@gmail.com

³ Independent dance artist/professional, Palmyra, VA 22963, USA; catmaguire@embarqmail.com

⁴ Laban/Bartenieff Institute of Movement Studies, New York, NY 10018, USA; kbradley608@msn.com

⁵ McGuffey Art Center, Charlottesville, VA 22902, USA

⁶ Independent dance artist/professional, Musquodoboit Harbour, NS B0J 2L0, Canada

⁷ School of Theater, Dance, and Performance Studies, University of Maryland, College Park, MD 20742, USA

⁸ Dance Program, University of Virginia, Charlottesville, VA 22904, USA; kbm2n@virginia.edu

⁹ Integrated Movement Studies (Certification) Program, Santa Barbara, CA 93108, USA

¹⁰ Computer Science Department, University of Illinois at Urbana-Champaign, Champaign, IL 61801, USA; nilles2@illinois.edu

¹¹ Centre for Dance Research, Coventry University, Coventry CV1 2NE, UK; ilya_vidrin@mail.harvard.edu

¹² Theatre, Dance, and Media, Harvard University, Cambridge, MA 02138, USA

¹³ Aerospace Engineering Department, University of Illinois at Urbana-Champaign, Champaign, IL 61801, USA; nchkrbr2@illinois.edu

¹⁴ Kinesiology and Community Health Department, University of Illinois at Urbana-Champaign, Champaign, IL 61801, USA; rmcnish2@illinois.edu

* Correspondence: alaviers@illinois.edu; Tel.: +1-217-300-1486

† These authors contributed equally to this work.

‡ These authors contributed equally to this work.

Received: 21 December 2017; Accepted: 14 March 2018; Published: 23 March 2018



Abstract: As robotic systems are moved out of factory work cells into human-facing environments questions of choreography become central to their design, placement, and application. With a human viewer or counterpart present, a system will automatically be interpreted within context, style of movement, and form factor by human beings as animate elements of their environment. The interpretation by this human counterpart is critical to the success of the system's integration: "knobs" on the system need to make sense to a human counterpart; an artificial agent should have a way of notifying a human counterpart of a change in system state, possibly through motion profiles; and the motion of a human counterpart may have important contextual clues for task completion. Thus, professional choreographers, dance practitioners, and movement analysts are critical to research in robotics. They have design methods for movement that align with human audience perception; they can help identify simplified features of movement that will effectively accomplish human-robot interaction goals; and they have detailed knowledge of the capacity of human movement. This article provides approaches employed by one research lab, specific impacts on technical and artistic projects within, and principles that may guide future such work. The background section reports on choreography, somatic perspectives, improvisation, the Laban/Bartenieff Movement System, and robotics. From this context methods including embodied exercises, writing prompts, and community building activities have been developed to facilitate interdisciplinary research. The results of this work are presented as an overview of a

smattering of projects in areas like high-level motion planning, software development for rapid prototyping of movement, artistic output, and user studies that help understand how people interpret movement. Finally, guiding principles for other groups to adopt are posited.

Keywords: robotics; choreography; Laban/Bartenieff Movement System; interdisciplinary collaboration; expressivity; HRI; somatics; expressive robotic systems

1. Introduction

Domin: ...Man is a being that does things such as feeling happiness, plays the violin, likes to go for a walk, and all sorts of other things which are simply not needed. No, wait. Which are simply not needed for activities such as weaving or calculating. A petrol engine doesn't have any ornaments or tassels on it, and making an artificial worker is just like making a petrol engine. The simpler you make production the better you make the product. What sort of worker do you think is the best?

Helena: The best sort of worker? I suppose one who is honest and dedicated.

Domin: No. The best sort of worker is the cheapest worker. The one that has the least needs. What young Rossum invented was a worker with the least needs possible. He had to make him simpler. He threw out everything that wasn't of direct use in his work, that's to say, he threw out the man and put in the robot. Miss Glory, robots are not people. They are mechanically much better than we are, they have an amazing ability to understand things, but they don't have a soul. Young Rossum created something much more sophisticated than Nature ever did—technically at least!

—RUR (Rossums' Universal Robots) Čapek (2004)

Bringing together choreography and engineering raises a question about whether both fields are concerned with the same academic values and inquiries. That is, are they motivated by the same organizing principles and can their practices be complementary, and further mutually beneficial, when brought together? In the above excerpt from the play where the term “robot” was coined, the immediate intertwining of robotics and the arts can be observed. From the first moment the concept of a “robot” was conceived there was an idea injected that movement could be divided between its efficient, functional parts and its extraneous, expressive parts. Thus, the idea of efficiency and function has permeated robotics since the word was introduced in a 1920 play (Čapek 2004). Long before they were called robots, automatic mechanical machines, automata, have existed since antiquity and as Truitt writes “are mimetic objects that dramatize the structure of the cosmos and humankind's role in it” Truitt (2015), pointing to the long held mysticism and romance associated with complex machines. These concepts of efficiency and mysticism create a contradictory dichotomy that continues to influence the field of robotics today that may be resolved by considering the vastness of human motion as investigated through body-based methods in this paper.

At the same time, a choreographer Rudolf Laban (1879–1958) was working to establish a system for movement, now called the Laban/Bartenieff Movement System (LBMS), that helped codify learning from work in the arts and helped frame a rejection of industrialization and return to nature (Bradley 2008). Thus, both the *idea* of a robot and this somatic body-based movement system that will be leveraged heavily in the methods presented here are in part a reaction to the industrial revolution where mechanical efficiency—and its abstract ideal—was taken to hyperbolic levels not previously seen. Dancers' technique and training often reflects the ethos of developing efficiency through iteration of motor tasks, continually refined and streamlined. But, dance performance requires the use of something “more”—maybe the same thing Domin and Helena discuss as missing from the concept of a robot.

Thus, as much as physical phenomenon, the distinction between human and robot movement is a philosophical distinction. In broad, reductive strokes, we argue that both roboticists and choreographers aim to do the same thing: to understand and convey subtle choices in movement

within a given context. One of the fundamental emergent questions from this categorization is about the lens through which constituents in each field methodologically approach how to generate, interpret, and reproduce different movement from the idiosyncratic to the robotic. Consider two branches of inquiry, one concerned with internal experience and the other with external measurement as a model for understanding the differences in assumptions generated from each field.

Different branches of philosophical inquiry provide critical, albeit artificial, lenses by which to address this complex question. Two such branches, rhetoric and phenomenology, are useful in understanding subjective and objective experience, though notably from different angles. Rhetoric, at least in the classical (Aristotelian) sense, investigates “the available means of persuasion” in any given situation (Kennedy et al. 2006). Outside of ancient Greek life, contemporary rhetoric can be understood as a practice to examine the function, efficiency, and efficacy of persuasive communication—starting with linguistic, and moving to the visual, bodily, energetic, posthuman, and so on (Barnett and Boyle 2016). Alternatively, phenomenology provides a lens through which to understand subjective, first-person experience. Championed by Edmund Husserl at the turn of the twentieth century, phenomenology urges a “bracketing” of experience such that an individual approaches stimuli as if for the first time (Husserl 2012). Phenomenology and rhetoric are not, strictly speaking, incongruous. One can approach the creation of rhetorical artifacts (i.e., speeches, visualizations, choreographies, etc.) phenomenologically, just as one can probe first-person experience rhetorically. These lenses are artificial constructs—they offer a way by which to view the world but their limitations are neither absolute nor universal (Hawhee 2004).

Returning to the questions of engineers and choreographers, a problem can occur when either one becomes too beholden to their value systems. For engineers, the problem occurs when valuing efficiency and function (i.e., rhetoric) trump user experience (i.e., phenomenology). Conversely, for choreographers, the problem occurs when first-person experience (of the performers) is not observable by an external viewer (and therefore, maybe one day, quantified). As with any practice, balance is imperative. To be able to address complex questions pertaining to generating, interpreting, and reproducing movement, relying too heavily on rhetorical or phenomenological aims can be limiting in a way that may be invisible or simply not salient for the agents. This is one reason, among many, to support bringing engineers and choreographers together into one shared space, and, for a robotics lab, to employ phenomenologically motivated practice in our research.

In the largest sense, the purpose of the methods presented here is to explore what human bodies can express in movement, what ideas machines can express in movement and whether they are the same things. Can a robot expressively communicate? If we assert that all movement is expressive (which we do), then can a robot express the same set of things as a human? The other big idea is to utilize the choreography of the body itself, and its expressive capabilities, to “move” engineers into an embodied experience that could inform their work both in design and context creation. Meaning making through movement—engineering through body. Thus, our approach is pragmatic: we want to understand the phenomenon of how people create such vastly varied motion profiles that communicate complex intent. This knowledge is contained inside body-based movement training and somatic practice¹ where practitioners hone their own movement capabilities by expanding their array of choices. External methods, typically employed in the sciences and in engineering such as motion capture, photography, force plates, and the like, can work to document the result of a movement pattern but do not have access to choices made by a human in focus, motivation, sensation, memory, prior muscle patterning (and re-patterning), etc. The practice of honing these choices is one of *embodiment*—a body of knowledge that cannot be *known* but only *moved*.

¹ Somatic approaches, being distinguished from a broad category of body-based approaches, allow us to extract knowledge from experience of the body from an internal perspective, which is called “soma”, a distinct idea from the body itself (Eddy 2009).

1.1. Systems of Embodied Motion

There are a multitude of body-based practices (Foster 2004), including very well known ones, such as Alexander Technique (Alexander 1990), Feldenkrais Technique (Feldenkrais 1972), Body Mind Centering (Cohen et al. 2012), Pilates Method (Latey 2001) and Contact Improvisation (Pallant 2006) to name just a few, but they all share some commonalities in their approach to experiencing the body from an internal, rather than external, perspective (Hanna 1980). Indeed in philosophy and research in the arts a question can be posed of what kinds of ideas can be expressed through movement (Elgin 2010) and what kind of learning is inherently kinesthetic (Abrahamson 2004; Goldman Schuyler 2010; Lindgren and Johnson-Glenberg 2013). A field of work known as choreology (Hall 1964; Sutil 2015) defines methodology that enables deeper thinking about what defines movement. In robotics, a separation between functional, task-based movement and “expressive motion” profiles (only useful for the purposes of human responses) has been motivated. LBMS frames efficiency as the process of selecting from all that is possible, the clearest choices for the richness of human physical expression to occur. Recognize the word play that happens when one considers “the efficiency of enjoying the task and being in relationship with another” or “the expressiveness of a clear, decisive, precise movement through space”. Thus, *all* movement is “expressive” and “functional”—and the tools honed through time spent in a dance studio will help to create more expressive robotic *systems* that have broader, more successful functionality in dynamic environments.

The LBMS system of embodied motion (Bartenieff and Lewis 1980; Hutchinson and Guest 1996; Hackney 1998; Maletic 1987; Laban and Ullmann 1966, 1971; Studd and Cox 2013) is mainly communicated through certification programs through the Laban/Bartenieff Institute of Movement Studies (LIMS) and Integrated Movement Studies (IMS), where successful participants become Certified Movement Analysts (CMAs) and Certified Laban/Bartenieff Movement Analysts (CLMAs), respectively. The emphasis on in-person training is part of the programs’ philosophy: the material cannot be “understood” without bodily, or embodied, participation. A system of movement analysis taught in these programs and initiated by Laban and his student Irmgard Bartenieff, LBMS is utilized in many professional contexts, such as therapy, consulting, and research, in addition to dance and choreography. Unlike other academic disciplines, this field does not publish regularly (Groves et al. 2007) and does not offer doctoral degrees. Nevertheless, this body-based approach to research has much to offer the field of robotics.

The work in LBMS takes into account the larger patterns of human movement identified as Thematic Dualities. One such theme is Function/Expression (F/E), which clarifies that the need for expressive robotic systems is a practical, functional pursuit. It is important to note that finding patterns is in fact the primary experience of our body moving in relationship to our environment. It is a process of differentiation that ultimately allows for synthesis—understanding that while function and expression can be perceived as opposites, they are in fact inseparable. In the LBMS curriculum, these themes are described with a mobius strip topology, indicating that the ideas are one and the same. This is a primary influence on our point of view regarding expressive robotic systems.

Further, LBMS provides a series of interrelated, qualitative lenses, termed Body (answering “What?” about movement), Effort (“How?”), Space (“Where?”), and Shape (“Why?”), which contribute to notation systems, for practitioners to use in finding pattern and meaning in movement. The overlaps in these categories are explicated through Affinities (part of the theory of Space Harmony (Laban and Ullmann 1971)). The idea of Affinities is simply that there are large patterns that can be identified through relationships among Body, Effort, Shape, and Space. For example, certain kinds of expression tend to occur in particular directions in Space. This relationship is actually rooted in the body’s design, (once again foregrounding the idea of body-based movement as a form of knowing) for example Light Weight Effort is linked to the Center of Levity, located in the Upper Body—(up)—and Strong Weight Effort is linked to the Center of Gravity located in the Lower Body—(down). As humans we associate particular movement expression with certain tasks and series of changes in spatial location that allows us to create and contextualize meaningful communication. Note, that this context,

most generally, is comprised of the summative experience of a lived life—thus, meaning making in movement is a function of culture, prior experience, as well as immediate situational context.

1.2. Choreography as Body-Based Research

Collaboration with dance practitioners brings largely universal movement principles into the coterie of source inspiration and awareness for engineers. Movement knowledge empowers lab students to find context and meaning in seemingly commonplace movements. How does a hand wave meaning “hello” differ from a hand wave of “move out of the way”? When tempo and frequency change, is the movement “the same”? Importantly, movement awareness shows how narrative is drawn from any scale of movement in space. For instance, a Roomba floor robot skids along the floor in a continuous motion. Possible assigned narratives include subservience, a snake-like creep, and a treadmill. How does this type of movement and resulting narrative affect the perception of the robot overall? The Roomba takes up space within an owner’s home, and this new addition necessarily alters their daily story. How will that owner move differently or rearrange their space as a result of the robot? What feelings or moods will it impart in its human counterparts? It is critical engineers are given tools to understand the perceptions and influence that stem from human-facing machines.

The methods utilized by choreographers help create meaningful movement² and organize the execution of large-scale performances, which may not take on citations in academic journals, but are nonetheless important ways in which society organizes knowledge and makes sense of experience. For example, Rainer’s “Trio A” initially didn’t look like a dance because she used pedestrian-style movements that do not have the typical virtuosic leg extensions, etc. associated with dance (Lambert-Beatty 2008; Rainer 1966); this work was heavily influenced by the context of the larger social movements connected with her and others working at the Judson Memorial Church at the same time (Banes 1983 2011). Thus, the innovative, groundbreaking movement profiles put forth by Rainer puzzled the dance community and audiences but revealed that pedestrian movement is already expressive and masterful (Elgin 2010). Innovation in any discipline is often associated with disorientation of existing patterns; here it is specifically new movement patterns that help express a greater variety of ideas. Moreover, the philosophy embodied by her work (Rainer 2006) informed minimalism in other art forms like fashion, music, and theater (Copeland 1993; Lambert 1999).

1.3. Improvisational Technology

Improvisation is an important process used to support choreography (movement design) and dance training and utilized in performance that is distinct enough to be called out on its own. It also employs a large role in the somatic approaches taken by the RAD Lab—activities such as movement hour incorporate individual and group improvisation activities (described in Section 2). These activities are tools for improvising *in the body*, each highlighting different aspects of movement and providing important opportunities to explore and learn about movement. Just as we can improvise with external technologies—such as musical instruments or software programs—we can improvise using the body. Forsythe has worked extensively to explicate these strategies, which he employs in training, choreography, and performance (Forsythe 2012).

One improvisational technique from dance is contact improvisation. As the name suggests, this form of dance is improvised, sometimes to music, and emphasizes contact (with other humans, walls, floors, etc.) This embodied approach to studying movement improvisation can provide valuable experience to roboticists interested in the spontaneous design of movement for bodies which interact with their environment. Further, a mature improvisational practice develops deep understanding of what choices are available and which may be generated in response to an exigency or problem Goehr (2014). As roboticists, improvisational techniques are useful at two levels. First, if a human is

² Note that meaningful movement may not necessarily be narrative.

designing robot motion (such as a gait, or the path a robot should take through a warehouse), it is useful to be able to *improvise* instructions to the robot—allowing the designer to quickly iterate on their instructions and get feedback immediately about how their instructions are interpreted on the robot platform. On the other hand, we are moving toward robots that need to “improvise” their own movement—for example, autonomous vehicles that must react to the actions of human drivers around them. One exercise in contact improvisation is to walk in a group around a room, with each person improvising their path, and gradually increasing the speed until everyone is running around the room and must manage to avoid collisions by dodging other people at the last second, or making contact with them in a way that avoids injury. As an exercise for roboticists, this helps us understand and analyze techniques for communicating intent, and using momentum to maintain control and avoid damage—techniques very relevant to problems studied by roboticists.

Another important concept from improvised dance is an embodied understanding of creative flow and an appreciation for the complexity of the human body. As most people have experienced, improvising dance is difficult. It does not feel natural at first. But with practice, it becomes easier to slip into a mental state where there is no self-consciousness and the dance is done as an instinctive reaction to music, previous movement, or the movements of other people around you. Setting an intention to move beyond known or familiar movement patterns supplements this work (Peters 2009). This embodied experience often leads to a deep appreciation of the complexity of the human body and movement: when improvising, we choose naturally from an extremely large set of possible movements. The calculations done by the human nervous system clearly outpace our best digital optimizers and controllers. A practice in improvisation also gives an appreciation for the usefulness of constraints: trying to improvise a completely unconstrained dance is much more difficult than improvising “walking forward as if you are moving through knee-high water,” for example. In robotics constraints are similarly useful: general-purpose robots are much more difficult to engineer than ones which only perform or respond in specific contexts. Indeed, after careful consideration of the body the task of creating a robot which compares in expressivity begins to seem nearly impossible. Analytical models, which acknowledge the nonlinearity of something as complex as improvisation, have been used to try and describe this behavior inside structured improvisations in performance as in Özcimder et al. (2016) or to generate diverse movement through chaotic models (Bradley and Stuart 1998). Our goal in this article is to extract embodied understanding that can guide in the development of expressive tools, rather than debating the possibility of biological processes in machines.

1.4. Tools for Creators

Creativity is a varied process even within the arts (Kaufman et al. 2005). It’s also a topic that computers have helped facilitate (Isaacson 2014; Lubart 2005), even in sensory fields like cooking (Pinel et al. 2015). Similarly, external technologies can augment human movement designers, providing tools such as randomness, or immediate visualization, which can inspire new creative directions as described in LaViers (2018). One well-known adopter of such external technologies to aid in motion design was Merce Cunningham (Copeland 2004). For instance, he would use coin flips and the I Ching to randomly determine the sequence of movement in his choreography, and said of this technique, “the feeling that I have when I compose in this way is that I am in touch with a natural resource far greater than my own personal inventiveness could ever be” (Cunningham 1997). Similarly, Cunningham also adopted computer technology, such as the LifeForms software (Calvert et al. 1993; Schiphorst 1993) which is a graphical tool for choreographers to compose dances using animated representations of human dancers.

Robot programming methods for inexperienced users use several techniques to make the process more approachable, with an emphasis on reconfigurability of programs for industrial applications (Rossano et al. 2013). These include visual (icon and data flow) languages, tangible interfaces (Sefidgar et al. 2017), CAD and VR interfaces (Whitney et al. 2017a), natural language instructions (Tellex et al. 2011), as well as lead-through or “learning by demonstration” (Argall et al. 2009). Research

into human-robot collaboration often combines natural language commands with social cues such as direction of gaze and posturing of the body (such as pointing) (Whitney et al. 2017b) and processes from the arts (El-Jiz and Rodrigues 2017). In general, there is a trade-off between the simplicity and ease-of-use of a language or interface and its expressivity—the size of the sets of robot configurations and/or paths that it can specify.

Abstractions, such as instructions about repeating movements and modifying stored movements in time, space, and resulting style, can help increase the expressivity of a language or interface while maintaining a compact, understandable specification. Similarly, in choreographic notation, there is a range of media and languages used for specifying movement—from raw video, to Motif and the more explicit full Labanotation (Guest 1977), to style modifiers such as level and Effort changes. Robot programming similarly requires a range of tools for different use cases, informed by an understanding of the choreographic (aka movement design) context and task requirements. Somatic methods can help roboticists understand the subtleties of movement differences (for example, between a chop and a point gesture), and to help define design criteria for robotics tools (for example, the desire for a tight development loop to encourage improvisation and fast prototyping of robot motion). To this end, commercial solutions for robotic prototyping have been developed, including by a startup spin-off of the RAD Lab, AE Machines, shown in Figure 1, as well as by LabView, Google Blockly, Scratch, and Lego Mindstorms, Technic, and Boost Blocks.




Figure 1. Easy-to-use hardware coding interface developed by AE Machines, Inc., which leverages choreographic abstractions regarding movement design and enables creators.

1.5. Expressive Robotics

Motion for robots that is termed “expressive” has been used to describe movement used in social and human-facing settings. Breazeal’s Kismet (Breazeal 2004), one of the first socially expressive robots, employed imitations of facial features in order to create engaging interactions through a mechanical system. On the other hand, Knight’s candy delivering systems (Knight et al. 2015) focused on engagement between human and robots can be created through contextual interaction (situated in this case around the Halloween holiday). Other work has attempted to recreate autonomous behavior around musicality (de Sousa Junior and Campos 2011; Michalowski et al. 2007; Weinberg et al. 2009; Schoellig et al. 2014) (even in functional tasks like surgery (Siu et al. 2010)). Inside social robotics, the idea of dance is a strong abstraction for connection through movement (Okamoto et al. 2014; Peng et al. 2015). Such dance-inspired motion is often described with affective

labels (Breazeal and Scassellati 1999; Knight and Gray 2012; Knight and Simmons 2014) or, similar to Domin in the play that spawned the term “robot”, as motion features orthogonal to function (Knight and Simmons 2015). Extensive work in animation has explored similar veins of work (Bradley and Stuart 1998; Brand and Hertzmann 2000; Gillies 2009; Liu et al. 2005; Torresani et al. 2007). For example, Etemad and Arya (2016) validates motion profiles via lay viewers under labels of “happy”, “sad”, “tired”, “energetic”, “feminine”, and “masculine”. LBMS has also been utilized in several such academic publications in the field of robotics (Knight and Simmons 2014, 2015; Patla 1982; Barakova et al. 2015; Huang and Hudak 2003; Knight and Simmons 2016; Lourens et al. 2010; Masuda and Kato 2010; Masuda et al. 2009; Rett and Dias 2007; Rett et al. 2008). Work in Gielniak et al. (2010) has shown that just adding *variation* to movement makes it seem more human-like to human viewers. Other work has focused on functional interpretation, termed *legibility* and *predictability*, in narrow contexts (Dragan et al. 2013).

Studies in the psychology of adoption of robotic technologies in the household outline the importance of social intelligence and perceived animacy. These studies show that by expressing character traits, a robotic system can imply levels of social intelligence that increases the likelihood of adoption. Hendriks et al. (2011) and Young et al. (2011) tell us that it is natural for humans to try and extract information from robotic actions, subsequently attributing intentionality to robot movement characteristics and decision making. In Forlizzi and DiSalvo (2006), for instance, user study participants describe the movements of a robot vacuum cleaning system, the Roomba as “cute” or “pathetic”, even though such a correlation may not have been intentioned. There are also instances where people name their Roomba robot, thus giving it an added social identity. The achievement of social assimilation albeit by coincidence and not by intention, prompts the user to associate decisions made by the robot to its personality traits, as opposed to the functional algorithm that determines its movements. In Darling et al. (2015) researchers explore the relationship between empathic concern and the effect of stories in the interaction with robotic systems. This is done through a user study, where participants are asked to strike and destroy a robot insect, with a mallet. Some of the miniature robot insects are given a backstory as described to participants, and some are not. Results of the study show that people are less likely to strike the insects with a backstory, thus proposing a relationship between empathy towards robots and the existence of a priming backstory. This indicates that constructing the design, movement, and context surrounding future robots could lead to increased social acceptance. Similarly, choreographers leverage and create elements, e.g., a program note, to manipulate audience experience.

2. Methods: Embodied Practices for Roboticists Developed from Choreography and Somatics

Members of the RAD Lab are exposed to the different aspects of choreography, improvisation, and LBMS as a tool for meaning making through recognizing patterns, reconciling paradox, contexting (meaning-making), and gaining respect for the complexity of human movement. We approach these ideas through both functional and expressive movement experiences that can illuminate the body as basis for our “knowing” of the world in order to inform our engineering work. This section highlights a small subsection of the activities in the lab with choreographic tools and often a somatic perspective, which have become important, foundational *methods* for our research.

2.1. Bringing Movement to the Foreground

Humans move all day everyday. So, unless one is trained to isolate and inspect it, as dancers and choreographers and somatic practitioners are, it is invisible. This activity brings movement to the foreground, even for engineers and inexperienced movement practitioners; at the same time, participants in a new group setting will learn each others names. The activity is a good way to begin a new project or workshop on embodied methods.

The exercise is a twist on a standard, simple name game. In the classic version of this game, participants stand in a circle (as in Figure 2) and go around the circle, saying their name at the same time as making a personal movement. The first participant (usually a facilitator) will say: “Hi, I’m

Amy,” and in time with their name will make a move, which can be a combination of postural and gestural change and may involve weight shift. Typically the stakes of the room and length of the workshop can determine how involved or complex this first movement is. It should both invite participants to move more than they are expecting, but also respect the boundaries implied by the context of the workshop. For example, if participants are in business suits and skirts, a large jumping jack movement will only serve to alienate participants. Typically a large gesture mixed with a more subtle postural change sets an easy tone for future participants to match—they can exaggerate and choose a more athletic movement for their name or they can use a familiar, pedestrian gesture like a wave.



Figure 2. Two images of the beginning of a movement workshop.

Next, the facilitator instructs the whole room to repeat their name and their movement in unison. This is a magical moment for group building. The facilitator sets the tone by breaking the “movement taboo” that can exist in engineering and now the whole group will follow suit. It can be helpful for the facilitator to have people in the group that they know will be comfortable with the action and join in—this will help along participants who may be resistant to such an odd request for their context. The exercise now shifts to the next participant who will repeat the actions of the facilitator. This time the group will repeat the facilitator and the first participant’s name in sequence, forcing memory and building the shared movement experience of the group. This repeats until everyone in the room has had a turn, and a seemingly impossible feat has been accomplished: an entire room of engineers is dancing together.

If time allows, the twist on this exercise illuminates this feat further. Now the facilitator allows each participant to go around the room in turn and correct their fellow participants in the execution of their personal movement. To keep plausible deniability, the facilitator may not want to demonstrate, but simply choose an eager participant to go first, offering encouragement or asking questions about how the movement should be done to spur corrections. Now the participants are engaging in iterative choreography. Often, they’ll need to work hard to articulate how a movement should be done, particularly as questions arise. This offers the facilitator a chance to foreground taxonomies (like LBMS) which may help in this process, e.g., by using their own expertise to highlight and articulate more nuanced differences in execution. Eventually, this provides a point of comparison that brings the focus back to an engineering perspective: how can everyone be doing the same thing if we all have different shaped bodies? Indeed, it is a high-level notion of movement that is needed to make such a claim, and the tools inside LBMS provide ways to improve and highlight successful replication.

2.2. *Weight, Flow, Breath, and Group Sensing*

Standing in a circle, the facilitator begins by activating weight in relationship to gravity by bouncing, jiggling, and vibrating both core and limbs standing with two feet on the ground. As the movement range increases the facilitator invites the participants to activate a conscious awareness of their breath, activating flow through sounding and allowing a connection with the others in the room.

Focusing on breath allows an Inner/Outer (I/O) relationship to be established in which participants are feeling their body's inner space in relationship to the general space. The intensity, speed, and space of the movements continue to increase by adding weight shifting from the core not only up and down, but also forward and backward and sideways. This establishes the ability to locomote and move in a shared rhythm. In doing this the group is literally "warming up"—core body temperature is raised, and mobilization and oxygenation of muscles occur. Breath support is activated and helps to establish a shared space and connection between participants. This attuning to inner sensation can be effective preparation for a shared, embodied research session.

A second exercise allows participants to go into a deeper relationship with one's own body and breath. Beginning with a partner seated on the floor back to back, participants are instructed to close their eyes and bring their attention to their breath as they sit in relationship to another person. After several breaths and a prompt to observe their natural breathing rhythms participants are asked to bring their attention to Lengthening and Shortening in their torso, investing in the Vertical dimension with their breath. After a few breaths here, they are encouraged to place their hands on their abdomens and with each breath focus on Bulging and Hollowing in the Sagittal dimension. Finally, with hands on either side of their torso, to send breath into their side space as they invest in Widening and Narrowing in the Horizontal dimension. By attending to breath in relationship to another person and with the addition of self touch for kinesthetic and proprioceptive awareness, participants begin to sense more deeply into the shaping of their torsos and the role of breath.

Another short exercise can further develop the sense of the group as a whole, bringing a sense of play as well. One participant, a volunteer, exchanges eye contact with the participant to their left. Using this eye contact as a nonverbal line of communication, the pair attempts to clap at the same time. This is trickier than it sounds because there is a tendency to lose eye contact, which can feel culturally awkward, initially, and undervaluing the complexity of simultaneous action, participants tend not to give the task their full attention. However, after passing this around the circle a few times, most participants receive the satisfaction of simultaneous action, emphasized with the sound of clapping, and the energy in the room will invariably change. The participants are ready for more. Next, to increase the complexity of the task, participants are instructed to add the possibility of locking focus with others across the circle and increasing speed of the exercise. This warmup builds shared focus, group sensing, prolonged awareness during the exercise (you never know when the focus will be directed to you). It also demonstrates how synchrony in dance is temporal, spatial, and qualitative. Dancers who synchronize well attend to many factors, can observe them, and have a range of choices in their body movement repertoire to adapt, adjust, and, thus, synchronize. This training is additive and not reductive. The abstraction of synchrony (it's an abstraction, not an absolute truth as in same physical behavior) needs additive choice in order to exist on the multiplicity of morphologies of human bodies.

2.3. Kinesphere Exploration Through Spatial Pulls

Laban defined the Kinesphere as "... the sphere around the body whose periphery can be reached by easily extended limbs without stepping away from that place which is the point of support when standing on one foot, which we shall call the stance/place." (Von Laban 1966). This idea includes more than a roboticist's notion of workspace, but it is similar. There are many ways to explore the dynamic space around which humans move. Primarily, in the study of the Kinesphere, LBMS maps an approach to Kinesphere that includes Zones, Levels, Reach Space, Pathways, Forms, and Directions. Patterns of Body Organization which are underlying movement pattern identification based on human motor development that support relationship of part to whole provide another way to internally organize movement within the Kinesphere. "Our form, with its upright vertical stance, and bilateral symmetry, is organized through relationships among upper and lower body, right and left sides of the body, front and back, core and periphery" (Studd and Cox 2013).

One exercise in particular highlights spatial organization keyed around a room versus a body reference frame—exploration through Spatial Pulls. To explore the Kinesphere through Spatial Pulls,

participants, moving around in a dance studio, are instructed to move while attending to specific directions within the room, e.g., “Place High”, “Place Middle”, and “Place Low”. Initially, these directions are the same for every participant, keyed off the room, and using the hand, or another body part available to all participants, comfortably extended, as the body part drawn to each direction. Gradually, the notion of a space centered around each mover individually, allows for instructions keyed from each participant’s body, e.g., “Forward Right”, which will result in more varied movement for participants with different facings. Another changing condition can be the extent to which the hand moves into the space: a shorter extension is in Near-Reach Space, while, conversely, full extension of the hand is in Far-Reach Space, which can also invite locomotion. Finally, the body part which initiates the movement can change: elbow, hip, top of the head, nose, etc. Inviting participants to debrief the exercise, e.g., answering “When do you do these actions in your daily life? or “How did different spatial prompts make you feel?”, reveals commonalities and differences in experience that highlight the complexity and malleability of meaning-making through movement.

These changing conditions highlight several lessons: (1) the body is an adaptable and accommodating phenomenon to changing requests, (2) what delineates a particular body part is not always clear, and (3) space has meaning. This framework abstracts away the physical properties of the moving parts, focusing on high-level movement ideas common to all movers. “Place High” is a different place for every mover based on different heights, shoulder flexibility, and ability to rise onto the ball of the foot. Moreover, each mover has different prior experiences—maybe positive or negative or something complexly in between—with this kind of movement, which may create strong or subtle emotional responses to the components of the activity. That is why, for understanding this framework, one cannot just rely on going through the related literature that covers these details. Instead, one has to get inside a movement studio, experience the different spatial pulls, move through different spatial levels, and imagine the different spatial instructions while moving around.

2.4. Written and Embodied Movement Observation

A short exercise in movement observation might simply involve bringing up a YouTube video of some movement and having participants write descriptively about the video, communicating it to someone who has never seen it. A sentence might read as follows (this one was written about Mikhail Baryshnikov in Twyla Tharp’s “Push Comes to Shove”): *The dancer enters a foggy spotlight emerging from shadows upstage. He deftly flips a tan hat into the air and pops it on his head with a nonchalant air. Holding his hands limp, softly locked in a spatial location while creating a myriad of choices with his core underneath.* This description requires participants to watch movement in great detail and make sense of the pattern. To take the exercise a level deeper, participants can write about distinct movement examples and switch samples to see if a naive reader can determine what the original movement sequence entailed.

To continue to work on participants listening and movement observation skills—from an embodied perspective—participants are placed in pairs and prompted to engage in what is often referred to as a mirroring exercise. With partners facing each other, one is directed to improvise various movements which can include pedestrian movements, weight shifts, and arm and leg movements, while their partner is working real time to mirror/imitate the exact movements that they are observing. This tool is used to hone movement observation skills and the ability to make movement choices in the moment. Replicating exactly is not possible—because both participants have different bodies (different ranges of motion different lengths of bones)—and this brings up a chance to describe strategies and choice in motion creation.

Labanotation is a well-known toolset that utilizes Laban’s work to record movement sequences—mostly for archival purposes [Guest \(1977\)](#). A more common shorthand notation system is called Motif, which is useful in practice for applying (and learning) the tools in LBMS. While Labanotation is a precise record of a specific movement phrase, often recorded for posterity, Motif is a description of a gross movement idea or pattern. Each form utilizes its symbols in slightly different ways. Utilizing these notation schemes can clarify observations and record executions of movement.

Given the inability to perfectly recreate motion between two distinct platforms, as in the mirroring exercise described previously, our group favors use of Motif as a flexible shorthand that allows certain movement features to be foregrounded over others. The tool of Motif helps designers consider which features or broad patterns of a movement are most important for a given context; the mechanics of the tool are described through the diagrams in Figure 3.




Figure 3. The diagram at left shows the structure of a vertical Motif (shown at right). The center column of a Motif denotes the main action. The length of a stroke indicates relative duration. These generic strokes may be replaced with more complex symbols (shown in center). The green area to the right, which may also be called a theme bow, allows for the main action to be modified, possibly highlighting overarching themes in the phrase. The sequence of action moves from bottom to top.

Another useful investigation revolves around the LBMS component of Effort (Laban and Lawrence 1947); Studd and Cox (2013) and reading/interpreting Effort Motifs. Effort can be simply described as the “quality” of a movement—the mover’s inner attitude, motivation, and intention as revealed in observable movement. Activities designed to allow participants to explore the choices in this space can evolve as follows:

1. Engage in free movement improvisation in response to the stimuli of varying musical selections
2. Engage in free movement improvisation in response to words (adjectives) that evoke qualitative movement responses
3. Playing children’s games, like Red Rover, Ring-Around-The-Rosey, and Duck-Duck-Goose, which naturally elicit playful, dynamic motion profiles (which easily produce short moments of complex Effort constellations, such as States and Drives, providing fodder for discussion)
4. Break into groups that are each given an Effort Motif, e.g., three symbols describing distinct motion quality, and have the group create a phrase of movement that uses them, explicating a context (note that it’s unlikely, bordering on impossible, that two groups will come up with the same motion sequence)
5. Show movement sequences that are generated from the same Motif side-by-side
6. Discuss as a group: What is essential about the movements and their commonalities? How is this revealed through the quality descriptors in the Motif? What makes the sequences different and “mean” different things?

2.5. Establishing the Malleability of Meaning in Movement

This scale of “meaning” in movement—whether narrative (“Romeo loves Juliet”), emotional (“that part seemed sad”), or aesthetic (“that reminds me of a flower blooming”)—is utilized to the choreographer’s discretion and this utility impacts the audience’s subjective experience and interpretation. To illustrate this, an exercise described here allows students to create mini-narratives and manipulate contexts from the pedestrian (“a shopping trip to the mall”) to the surreal (“swimming through Saturn’s rings”) with a single gesture.

All participants sit against one wall of a large, open studio. One person is selected to begin the exercise. The person is then directed to “pick a scene, place, idea, event, dream, etc. It can be an

atom floating across the universe, it can be a dragon lying in an abandoned mythical forest, or it can be a monk sitting atop a hill. There are no limitations to the who, what, where, when, why. Decide what or who you will be within this scene. Are you the heat coming off a loaf of fresh bread? Are you Cleopatra on her throne? Now when you stand up and enter the large open area of the space, you will be this. No speaking or verbal clues. You will move like it and commit to it. Go.” Now this first participant, the “scene leader” goes into the space without revealing their internal image or desired role; they simply begin moving in the space. After the scene leader begins, the facilitator selects students at random and instructs them to, “Decide what you think this is. What scene/what action/what is happening? What space is being created? And then select how you will insert yourself into this.” This participant now enters the space, similarly without revealing what they think is going on or talking in anyway; they simply begin moving, in earnest, their role. This continues for all of the participants until a dynamic, moving scene has been created.

In one example, the scene leader laid on their stomach with arms outstretched, holding an imaginary item, and keeping one eye closed. They rolled back and forth on their stomach with constrained breathing and bound overall flow. It was revealed later that they were a World War I soldier fighting in the trenches. Without this knowledge, other members of the class cohort decided for themselves what was happening and joined the scene. The first “joiner” began moving in a curved path, on their hands and feet with hips in the air, similar to a children’s camp “bear walk”. They would occasionally pause and switch their focus up from side to side. This was a labored movement pattern, with dramatic weight shifting and a strong energy. It was revealed later that the first joiner believed the scene to be a safari and inserted themselves as a large hunter-target.

In each case, the participants are told, “once you join, continue what you are doing until the exercise ends”. At the end of the exercise, each participant had joined the scene and committed to their interpretation. After a few minutes, the facilitator ends the exercise and participants stop moving, and then each individual revealed what they believed the scene to be. The interpretations of one single scene can be varied: from “gas along Saturn’s rings” to “children on Easter” or rather unified: “journalist reporting on war”, “soldier patrolling an area”, and “medic caring for the wounded”. Participants altered between joining early in the scene and later in the scene. Additionally, as a further variation, a subset of participants can exit a scene once it had been “finalized”, and then asked to reinterpret the scene from their original image. This creates a cycle of constantly deciding and participating based on the new visual representation, examples are shown in Figure 4.



Figure 4. The same prompt can create distinct resultant compositions; here, two very different takes on an initial seed of walking.

The lessons learned can be numerous. For example, one person is a “hunter” when another is the “buffalo”. How does this change when the hunter disappears? Relationships created through movement and space are altered through perspectives, additions, and subtractions. Confirmation bias exists in performance as audience members process what may be purposefully ambiguous or unstructured. One scene leader might choose a very specific theatrical action, like the scene leader on their stomach, while the joiner may use an entirely improvisational, constant, and freeform movement

pattern. This exercise illustrates the malleability of meaning in movement. In real time, participants can observe how movement patterns reorganize into new narratives, for individual performers and for the performance area as a whole.

3. Results: Progress and Principles in Developing Expressive Robotic Systems

The methods described above have been utilized in a myriad of robotic projects, in the RAD Lab and outside it. Moreover, in successful funding proposals, these methods have been explicitly touted for their potential for dramatic leaps forward inside robotic control and human-robot interaction. Through this work, a few guiding themes have emerged, which are discussed here.

3.1. Irreplaceable Body-Based Research in Robotics

The understanding gained from the exercises described in the previous section cannot be learned from a textbook. This work is of the body, not just the mind, and is necessarily passed on through embodied practice. What role does breath play in movement? As most motion capture systems ignore this aspect of motion, one way to answer is through the exercises described in Section 2.2. From this work, researchers have worked to include the notion of breath in virtual and robotic agents, including work in Pakrasi and LaViers (2018). A bodily understanding of the role of improvisation (Section 1.3) and spatial commands (Section 2.3) in movement design has led to new languages for robotic motion specification (Jang Sher et al. 2018; Nilles et al. 2018). Further, as seen in Huzaifa et al. (2016); Huzaifa and LaViers (2016), body-based exploration can lead to novel robot designs. Just as biomedical researchers collaborate with medical practitioners and visit hospitals to understand the activities and stakeholders within, roboticists building expressive systems for human interaction can gain much spending time in a dance studio working with and learning from choreographers and dance professionals. In our case, artistic output of the lab has stretched performance of robotic systems and helped us better understand how changing the context around a given physical machine can change perception of it (Cuan et al. 2018).

3.2. The Case for Manual Movement Design

Spending time in a dance studio with a choreographer illuminates how malleable motion interpretation can be (as in Section 2.5). For example, contrary to work where specific models are given for movement that is “happy” and “sad”, our follow on work (Heimerdinger and LaViers 2017) has shown that these models are limited. Thus, tools that allow human movement designers choice in developing motion profiles, as in Huang and Hudak (2003), are critical to this intersection of work. Yet, robotics venues have balked at creative tools and methodologies as being too “ad-hoc” with reviewers offering constructive feedback like “The key postures are also manually provided for different styles—this does not sound very scientific. I think it is necessary to automate such process to claim a contribution on stylizing the movements” and “if a different designer had done the transformation, very different characters might have emerged. The design process is highly subjective and does not generalise”. However, when viewed as a creative tool, these are *strengths* of such “ad-hoc” methods. Again, the many myriad of ways human motion may be translated to a set of fewer or distinct degree of freedom system guarantees choice in the process. Premature automation and restrictive optimization may end up limiting the exhibited behavior of robotic systems. On the other hand, think of the many myriad ways motion as simple as a Roomba has been interpreted in the inherently varied contexts it inhabits in human homes. Offering this choice to a human is not only the way to empower collaborators in dance but also a reasonable step toward making useful tools.

3.3. Objective, Qualitative Movement Observation (to Support Subjective Conclusions)

In pursuit of automation that is sensitive to movement expression, then, we motivate the need for a pipeline of activity which starts with observation of movement. Only through noticing the objective mechanisms at play with qualitative methods (e.g., written description) can we begin to quantify and

automate aspects of expression through movement. The diagram in Figure 5 highlights this take away, motivating the need for two areas of future work: qualitative methods for the description of objective movement phenomena and quantitative methods for the analysis of subjective phenomena. The former is a way of characterizing all of the methods presented in Section 2, while the latter describes the results presented in Section 3. For example, every conversation spurred on by the embodied practices employed here is a chance for engineers and dancers to describe the experience of moving in their own bodies and viewing movement in others. On the other hand, every output of expression through movement that interfaces with some technological element or another requires quantification.

	<i>Quantitative</i>	<i>Qualitative</i>
<i>Objective</i>	Traditionally emphasized in engineering	Emphasized in exercises in movement observation, description, and generation – like the one presented in Section 2, which are designed for engineers working to produce expressive robotic systems
<i>Subjective</i>	Emphasized in tools for expressive robotic systems – like the ones presented in Section 3, many of which are working toward being accessible to dance collaborators	Traditionally emphasized in dance

Figure 5. Qualitative and quantitative methods are needed to explain and design objective and subjective phenomena. This diagram frames how the methods and results presented here aid in this need, bringing balance to the upper right and lower left quadrant of the diagram.

These lenses also reveal how important objective description is to seeing mechanisms in movement that can be translated to automated systems. It is tempting for engineers to watch an animate character that may serve inspiration for a robot companion and say: “I’m going to replicate this happy movement in my robot design”. As seen in Pakrasi and LaViers (2018), this lacks objective explication of movement phenomena that can be translated to an engineered system. Instead engineers need to break down the behaviors that are contributing to that character’s “happy” affect within its given context (Heimerdinger and LaViers 2017, 2018). In this light, an engineer can then see: “Ah, the frequency of motion in the vertical dimension is modulated when the character’s internal state varies, and an increased frequency of the period of the motion correlates with a happier seeming character”. This can be translated into quantitative design elements: period of oscillations. Moreover, it motivates an important separation between “style” (how a platform is moving) and “affect” (how a human responds to motion). Expressive robotic systems will have wide capacity for a range of motion styles that, when aspects of context and characteristics of a human counterpart are accounted for, can communicate a desired affect to a human counterpart.

4. Conclusions: Toward Widespread Collaboration between Dancers and Roboticists

...the truest creativity of the digital age came from those who connected the arts and sciences.

—The Innovators (Isaacson 2014)

There is inherent excitement around collaborations between engineering and the arts—as evidenced by the quote above. The sum of the embodied, relational work presented here implies that, no, a machine cannot express all the things a human can express, but that humans themselves *can express more things alongside and in relation to machines*. To this end, this paper has provided background on tools and techniques from choreography and somatics and how those have been used in the development of more expressive robotic systems. We’ve posited that a missing piece from much of the prior work in robotics is embodied practice alongside artistic practitioners. To that end, we’ve presented methods developed in the RAD Lab with our many collaborators to provide embodied experiences for an interdisciplinary group working in robotics. To show that these approaches can be

effective and spur innovation, we've shared connections to projects that have benefited within our group. Finally, framing principles that have resulted from this work have been shared.

Robotics is at a critical point where researchers are working to bring complex mechanical machines outside of controlled factory environments, where they are walled-away from human counterparts. This demands new understanding of how humans view and create movement that experts like dance artists, choreographers, and somatic practitioners already understand. Broadly speaking, the methods highlighted in this paper work toward the production of expressive robotic systems: systems that have a greater variety of choice in the generated motion profiles. This makes it easier for humans to design movement. It makes it easier for humans to interpret movement. Is such a system more life-like? Yes, because it's more expressive. Is it dancing? No, that's the humans operating it, designing it, selecting moving patterns over time, and extending themselves through technology. Thus, as a more refined paintbrush or a camera with better dynamic range, with improved, more expressive robotic technology, the machine *extends the artist* into the 21st century.

Acknowledgments: The work in this paper was sponsored by NSF grant numbers 1528036 and 1701295, DARPA grant number D16AP00001, a grant from the Jefferson Trust, a grant from the UVA Data Science Institute, and start up funds from UVA and UIUC. We thank all of our collaborators, including those who could not contribute directly to this paper, who have helped us along the way.

Author Contributions: Catie Cuan and Catherine Maguire have helped design and conduct many activities over a sustained period in the lab and wrote one or more sections of the paper; Karen Bradley, Kim Brooks Mata, Alexandra Nilles and Ilya Vidrin contributed significant chunks of text, heavy edits, and important main ideas toward the core material of the paper. The rest of the authors have participated in activities and translated them to disciplinary work in robotics and helped contribute to the paper. The lead author organized, compiled, and wrote several sections of the paper. Please see the list in the Appendix A for further detail about author roles.

Conflicts of Interest: The authors declare no conflict of interest.

Appendix A. Detailed Activity List

This approach has been adopted through several diverse activities organized through the Robotics, Automation, and Dance (RAD) Lab. This lab was at the University of Virginia (UVA) from 2013–2015 and is now at the University of Illinois at Urbana-Champaign (UIUC) since 2015. In this article, the author group writes as one body (although we are from multiple perspectives and experiences) for clarity. A list of specific activities, along with the names of collaborators, is given here in order for the reader to see examples and details about author roles.

- Between 2013 and 2017 Catherine Maguire offered five workshops in LBMS for the RAD Lab. These ranged from one-on-one sessions to group sessions with all lab members and sponsored from the lab start up packages at UVA and UIUC as well as a grant from the UVA Data Science Institute.
- In Fall 2014 Kim Brooks Mata and Amy LaViers co-developed and co-taught DAN 3559/ENG 3501 Electronic Identity and Embodied Technology Atelier, cross-listed between the dance and engineering programs at the University of Virginia and funded by the Jefferson Trust.
- As part of a research project, "Choreography of Platform-Invariant Motion Primitives" Amy LaViers organized two three day training workshops at UIUC. The first, in June 2016, was co-developed and co-taught with Catherine Maguire and Karen Studd; the second, in June 2017, was co-developed and co-taught with Catherine Maguire, Catie Cuan, and Riley Watts. In addition to travel expenses covered, the facilitators were paid at one of two hourly rates (one for consulting and a higher rate for teaching). These workshops were sponsored by DARPA grant number D16AP00001.
- Karen Bradley advised Amy LaViers' CMA thesis project entitled "Preparing to Cook with Eric: Function and Expression Within Recipe", which was completed in August 2016 through the Laban/Bartenieff Institute of Movement Studies (LIMS).
- Amy LaViers organized a workshop at Robotics: Science and Systems (RSS) in 2016 entitled "Let's Move: Embodied Experience and Movement Observation for Roboticists". The workshop

featured Elizabeth Jochum, Heather Knight, and Kayhan Ozcimder as speakers. Attendees included participants from industry and academia including CMU, JPL, U Mich, Duke, WPI, Google, Sphero, UIUC, Princeton, and Aalborg University.

- Amy LaViers co-organized an invited, follow on workshop in 2017 for RSS with Kayhan Ozcimder entitled “Experimenting with Movement Observation”. Attendees included participants from MIT, UIUC, Princeton, and U Mich.
- In April 2017 Amy LaViers attended Art, Tech, Psyche III at Harvard University where she also spent extended time meeting with Ilya Vidrin and Riley Watts discussing the phenomena of partnering in dance; these conversations have led to an inprogress independent study project for a master’s student in mechanical engineering at UIUC.
- In June 2017 Catie Cuan, a New York based choreographer, spent a month in residence at the RAD Lab in Urbana, IL. As part of this residency she taught classes to lab members and developed an artistic piece alongside Amy LaViers, Ishaan Pakrasi, and Novoneel Chakraborty. The piece “Time to Compile”, and was presented as a work in progress on 30 June 2017. This work is sponsored by the lab start up package and NSF grant number 1528036. User studies are in progress using this material to modulate perception of in home robots.
- In addition to training and education for lab members, Catherine Maguire has consulted on two research projects where her expertise in movement theory and observation have been integral parts of the technical output in the lab. In addition to co-authoring resulting papers, she has been paid an hourly consulting rate on these projects, funded by NSF grant numbers 1528036 and 1701295.
- In Spring 2017 a new course ME 598: High-level Robotic Control and Movement Representation was offered at UIUC. The course emphasized embodied movement exploration, writing, and interdisciplinary research. An “Expressivity Expansion Pack” for the Robot Design Game³ was produced as a formal output of this class.
- Over the years two regular lab activities have been developed that support this line of work in the group in addition to the group’s weekly lab meeting. We call them “writing hour” and “movement hour”. In each, we take time to practice descriptive writing and embodied movement exploration (led by Amy LaViers or a guest facilitator like Catie Cuan who helped establish “movement hour”) in order to supplement the traditional education students receive in engineering. Students in the group who have contributed as co-authors here are Novoneel Chakraborty, Madison Heimerdinger, Umer Huzaifa, Reika McNish, Alexandra Nilles, Ishaan Pakrasi, and Alexander Zurawski.
- Lab outreach activities also benefit from these workshops. The lab holds outreach activities for students in age ranges from elementary to high school. All of these activities work to showcase robotics in an accessible manner and feature embodied movement exploration as well as quantitative *and* qualitative objective description of movement of machines *and* humans.
- A commercial spin off of the lab, start up AE Machines, was founded by Eric Minnick and Amy LaViers. The start up has received seed funding from the NSF grant #1621861 and won Product Design of the Year at the 4th Revolution Awards in Chicago, IL.

References

- Abrahamson, Dor. 2004. Embodied Spatial Articulation: A Gesture Perspective on Student Negotiation Between Kinesthetic Schemas and Epistemic Forms in Learning Mathematics. Paper presented at the Twenty Sixth Annual Meeting of the North American Chapter of the International Group for the Psychology of Mathematics Education, Toronto, ON, Canada. October 21–24, vol. 2, pp. 791–97.
- Alexander, Frederick Matthias. 1990. *The Alexander Technique: The Essential Writings of F. Matthias Alexander*. Edited by Edward Maisel. New York: Carol Publishing Group.

³ <http://radlab.mechse.illinois.edu/2017/06/14/robot-card-game/>.

- Argall, Brenna D., Sonia Chernova, Manuela Veloso, and Brett Browning. 2009. A survey of robot learning from demonstration. *Robotics and Autonomous Systems* 57: 469–83.
- Banes, Sally. 1983. *Democracy's Body: Judson Dance Theater, 1962–1964*. Number 43. Durham: Duke University Press.
- Banes, Sally. 2011. *Terpsichore in Sneakers: Post-Modern Dance*. Middletown: Wesleyan University Press.
- Barakova, Emilia I., Roos van Berkel, Liang Hiah, Yu-Fang Teh, and Ceil Werts. 2015. Observation Scheme for Interaction With Embodied Intelligent Agents Based on Laban Notation. Paper presented at 2015 IEEE International Conference on Robotics and Biomimetics (ROBIO), Zhuhai, China, December 6–9, pp. 2525–30.
- Barnett, Scot, and Casey Boyle. 2016. *Rhetoric, Through Everyday Things*. Tuscaloosa: University of Alabama Press.
- Bartenieff, Irmgard, and Dori Lewis. 1980. *Body Movement: Coping with the Environment*. New York: Routledge.
- Bradley, E., and J. Stuart. 1998. Using chaos to generate variations on movement sequences. *Chaos: An Interdisciplinary Journal of Nonlinear Science* 8: 800–7.
- Bradley, Karen. Kohn. 2008. *Rudolf Laban*. New York: Routledge.
- Brand, Matthew, and Aaron Hertzmann. 2000. Style Machines. Paper presented at the 27th Annual Conference on Computer Graphics and Interactive Techniques. New Orleans, LA, USA. July 23–28. New York: ACM Press/Addison-Wesley Publishing Co., pp. 183–92.
- Breazeal, Cynthia, and Brian Scassellati. 1999. A context-dependent attention system for a social robot. *rn* 255: 3.
- Breazeal, C. L. 2004. *Designing Sociable Robots*. Cambridge: MIT Press.
- Calvert, Tom W., Armin Bruderlin, Sang Mah, Thecla Schiphorst, and Chris Welman. 1993. The Evolution of an Interface for Choreographers. Paper presented at the INTERACT'93 and CHI'93 Conference on Human Factors in Computing Systems, Amsterdam, The Netherlands, April 24–29, pp. 115–22.
- Čapek, Karel. 2004. *RUR (Rossum's Universal Robots)*. New York: Penguin.
- Cuan, Catie, Ishaan Pakrasi, and Amy LaViers. 2018. Time to Compile: An Interactive Art Installation. Paper presented at Intersections: The Ammerman Center for Arts and Technology 16th Biennial Symposium. New London, CT, USA. February 15–17.
- Cohen, Bonnie Bainbridge, Lisa Nelson, and Nancy Stark Smith. 2012. *Sensing, Feeling, and Action: The Experiential Anatomy of Body-Mind Centering®*. Toronto: Contact editions.
- Copeland, Roger. 1993. Dance, Feminism, and the Critique of the Visual. In *Dance, Gender and Culture*. London: Palgrave Macmillan, pp. 139–50.
- Copeland, R. 2004. *Merce Cunningham: The Modernizing of Modern Dance*. New York: Routledge.
- Cunningham, M. 1997. The impermanent art. In *Vaughn, Merce Cunningham: Fifty Years*. New York: Aperture.
- Darling, Kate, Palash Nandy, and Cynthia Breazeal. 2015. Empathic Concern and the Effect of Stories in Human-Robot Interaction. Paper presented at 2015 24th IEEE International Symposium on Robot and Human Interactive Communication (RO-MAN), Kobe, Japan, August 31–September 4, pp. 770–75.
- De Sousa Junior, Samuel Felix, and Mario Fernando Montenegro Campos. 2011. Shall We Dance? a Music-Driven Approach for Mobile Robots Choreography. Paper presented at 2011 IEEE/RSJ International Conference on Intelligent Robots and Systems (IROS), San Francisco, CA, USA, September 25–30, pp. 1974–79.
- Dragan, Anca D., Kenton C. T. Lee, and Siddhartha S. Srinivasa. 2013. Legibility and Predictability of Robot Motion. Paper presented at 2013 8th ACM/IEEE International Conference on Human-Robot Interaction (HRI), Tokyo, Japan, March 3–6, pp. 301–8.
- Eddy, Martha. 2009. A brief history of somatic practices and dance: Historical development of the field of somatic education and its relationship to dance. *Journal of Dance & Somatic Practices* 1: 5–27.
- El-Jiz, Michael, and Luis Rodrigues. 2017. Trajectory Planning and Control of a Quadrotor Choreography for Real-Time Artist-in-the-Loop Performances. *Unmanned Systems* 1–13. doi:10.1142/S2301385018500012.
- Elgin, Catherine Z. 2010. Exemplification and the Dance. In *Philosophie de la Dance*. Edited by Roger Pouivet. Rennes: Presses Universitaire de Rennes.
- Etemad, S. Ali, and Ali Arya. 2016. Expert-Driven Perceptual Features for Modeling Style and Affect in Human Motion. *IEEE Transactions on Human-Machine Systems* 46: 534–45.
- Feldenkrais, Moshé. 1972. *Awareness through Movement*. New York: Harper & Row, vol. 1977.
- Forlizzi, Jodi, and Carl DiSalvo. 2006. Service Robots in the Domestic Environment: A Study of the Roomba Vacuum in the Home. Paper presented at the 1st ACM SIGCHI/SIGART conference on Human-robot interaction, Salt Lake City, UT, USA, March 2–3, pp. 258–65.
- Forsythe, William. 2012. *Improvisation Technologies: A Tool for the Analytical Dance Eye*. Berlin: Hatje Cantz.
- Foster, Mary Ann. 2004. *Somatic Patterning: How to Improve Posture and Movement and Ease Pain*. London: Pearson.

- Gielniak, Michael, C. Karen Liu, and Andrea L. Thomaz. 2010. Stylized Motion Generalization Through Adaptation of Velocity Profiles. Paper presented at 2010 IEEE RO-MAN, Viareggio, Italy, September 13–15, pp. 304–9.
- Gillies, M. 2009. Learning finite-state machine controllers from motion capture data. *IEEE Transactions on Computational Intelligence and AI in Games* 1: 63–72.
- Goehr, Lydia. 2014. Improvising impromptu, or, what to do with a broken string. In *The Oxford Handbook of Critical Improvisation Studies*. New York: Oxford University Press, vol. 1.
- Goldman Schuyler, Kathryn. 2010. Increasing leadership integrity through mind training and embodied learning. *Consulting Psychology Journal: Practice and Research* 62: 21.
- Groves, Rebecca, Norah Zuniga Shaw, and Scott DeLahunta. 2007. *Talking about Scores: William Forsythe's Vision for a New Form of "Dance Literature"*. Berlin: Transcript Verlag.
- Guest, Ann Hutchinson. 1977. *Labanotation: Or, Kinetography Laban: The System of Analyzing and Recording Movement*. TAB paperback, Theatre Arts Books. New York: Taylor and Francis.
- Guest, Ann Hutchinson. 1996. *Labanotation, or, Kinetography Laban: The System of Analyzing and Recording Movement*. New York: Oxford University Press.
- Hackney, Peggy. 1998. *Making Connections: Total Body Integration through Bartenieff Fundamentals*. New York: Routledge.
- Hall, Fernau. 1964. Dance notation and choreology. *The British Journal of Aesthetics* 4: 58.
- Hanna, Thomas. 1980. *The Body of Life*. New York: Knopf.
- Hawhee, Debra. 2004. *Bodily Arts: Rhetoric and Athletics in Ancient Greece*. Austin: University of Texas Press.
- Heimerdinger, Madison, and Amy LaViers. 2018. Modeling the Interactions of Context and Style on Affect in Motion Perception: Stylized Gaits Across Multiple Environmental Contexts. Under review.
- Heimerdinger, Madison, and Amy LaViers. 2017. Influence of Environmental Context on Recognition Rates of Stylized Walking Sequences. Paper presented at 9th International Conference on Social Robotics (ICSR) Tsubuka, Japan November 22–24, pp. 272–82.
- Hendriks, Bram, Bernt Meerbeek, Stella Boess, Steffen Pauws, and Marieke Sonneveld. 2011. Robot vacuum cleaner personality and behavior. *International Journal of Social Robotics* 3: 187–95.
- Huang, L., and P. Hudak. 2003. *Dance: A Declarative Language for the Control of Humanoid Robots*. Technical report. Yale: Department of Computer Science, Yale University New Haven.
- Husserl, Edmund. 2012. *Ideas: General Introduction to Pure Phenomenology*. New York: Routledge.
- Huzaifa, Umer, and Amy Laviers. 2016. Control Design for Planar Model of a Core-located Actuation Walker. Paper presented at 6th IEEE International Conference on Biomedical Robotics and Biomechatronics (BioRob), Singapore, June 26–29.
- Huzaifa, Umer, Crispin Bernier, Zachary Calhoun, Gerald Heddy, Colleen Kohout, Brett Libowitz, Anne Moenning, Jason Ye, Catherine Maguire, and Amy Laviers. 2016. Embodied Movement Strategies for Development of a Core-located Actuation Walker. Paper presented at Biomedical Robotics and Biomechatronics (BioRob), Singapore, June 26–29.
- Isaacson, Walter. 2014. *The Innovators: How a Group of Hackers, Geniuses, and Geeks Created the Digital Revolution*. New York: Simon and Schuster.
- Jang Sher, Anum. Umer Huzaifa, Jialu Li, Varun Jain, Alexander Zurawski, and Amy LaViers. 2018. An Embodied, Platform-invariant Architecture for Connecting High-level Spatial Commands to Platform Articulation. *Robotics and Autonomous Systems. Special Issue on Human Movement Understanding*, under review.
- Kaufman, James C., and John Baer. 2005. *Creativity Across Domains: Faces of the Muse*. Mahwah: Lawrence Erlbaum Associates.
- Kennedy, George A., and Aristotle. 2006. *On Rhetoric: A Theory of Civic Discourse*. Oxford: Oxford University Press.
- Knight, Heather, and Matthew Gray. 2012. Acting lesson with robot: Emotional gestures. Paper presented at 2012 7th ACM/IEEE International Conference on Human-Robot Interaction (HRI), Boston, MA, USA, March 5–8, pp. 407–7.
- Knight, Heather, and Reid Simmons. 2014. Expressive motion with x, y and theta: Laban effort features for mobile robots. Paper presented at the 23rd IEEE International Symposium on Robot and Human Interactive Communication, Edinburgh, UK, August 25–29, pp. 267–73.
- Knight, Heather, and Reid Simmons. 2015. Layering Laban Effort Features on Robot Task Motions. Paper presented at the Tenth Annual ACM/IEEE International Conference on Human-Robot Interaction Extended Abstracts, Portland, OR, USA, March 2–5, pp. 135–36.

- Knight, Heather, and Reid Simmons. 2016. Laban head-motions convey robot state: A call for robot body language. Paper presented at 2016 IEEE International Conference on Robotics and Automation (ICRA), Stockholm, Sweden, May 16–21, pp. 2881–88.
- Knight, Heather, Manuela Veloso, and Reid Simmons. 2015. Taking candy from a robot: Speed features and candy accessibility predict human response. Paper presented at 2015 24th IEEE International Symposium on Robot and Human Interactive Communication (RO-MAN), Kobe, Japan, August 31–September 4, pp. 355–62.
- Laban, R., and F. C. Lawrence. 1947. *Effort*. New York: Macdonald and Evans.
- Laban, Rudolf, and Lisa Ullmann. 1966. *Choreutics*. New York: Macdonald and Evans.
- Laban, Rudolf, and Lisa Ullmann. 1971. *The Mastery of Movement*. New York: Macdonald and Evans.
- Lambert, Carrie. 1999. Moving Still: Mediating Yvonne Rainer's "Trio A". *October* 89: 87–112.
- Lambert-Beatty, Carrie. 2008. *Being Watched: Yvonne Rainer and the 1960s*. Cambridge: MIT Press.
- Latey, Penelope. 2001. The Pilates method: History and philosophy. *Journal of Bodywork and Movement Therapies* 5: 275–82.
- LaViers, Amy. 2018. Programmed Improvisation Inspired from Autonomous Humanoids. In *Handbook on Improvisation in Dance*. New York: Oxford University Press, (to appear).
- Lindgren, Robb, and Mina Johnson-Glenberg. 2013. Emboldened by embodiment: Six precepts for research on embodied learning and mixed reality. *Educational Researcher* 42: 445–52.
- Liu, C. Karen, Aaron Hertzmann, and Zoran Popović. 2005. Learning physics-based motion style with nonlinear inverse optimization. *ACM Transactions on Graphics (TOG)* 24: 1071–81.
- Lourens, Tino, Roos van Berkel, and Emilia Barakova. 2010. Communicating emotions and mental states to robots in a real time parallel framework using Laban movement analysis. *Robotics and Autonomous Systems* 58, 1256–65.
- Lubart, T. 2005. How can computers be partners in the creative process: Classification and commentary on the special issue. *International Journal of Human-Computer Studies* 63: 365–69.
- Maletic, Vera. 1987. *Body, Space, Expression*. Berlin: Walter de Gruyter & Co.
- Masuda, Megumi, and Shohei Kato. 2010. Motion Rendering System for Emotion Expression of Human Form Robots Based on Laban Movement Analysis. Paper presented at 19th International Symposium in Robot and Human Interactive Communication, Viareggio, Italy, September 13–15, pp. 324–29.
- Masuda, Megumi, Shohei Kato, and Hidenori Itoh. 2009. Emotion Detection From Body Motion of Human Form Robot Based on Laban Movement Analysis. Paper presented at International Conference on Principles and Practice of Multi-Agent Systems, Nagoya, Japan, December 14–16, pp. 322–34.
- Michalowski, Marek P., Selma Sabanovic, and Hideki Kozima. 2007. A Dancing Robot for Rhythmic Social Interaction. Paper presented at 2007 2nd ACM/IEEE International Conference on Human-Robot Interaction (HRI), Arlington, VA, USA, March 9–11, pp. 89–96.
- Nilles, Alexandra, Chase Gladish, Mattox Beckman, and Amy LaViers. 2018. Improv: Live Coding for Robot Motion Design. Paper present at the 5th International Conference on Movement and Computing (MOCO), Genoa, Italy. June 28–30, under review.
- Okamoto, Takahiro, Takaaki Shiratori, Shunsuke Kudoh, Shin'ichiro Nakaoka, and Katsushi Ikeuchi. 2014. Toward a dancing robot with listening capability: Keypose-based integration of lower-, middle-, and upper-body motions for varying music tempos. *IEEE Transactions on Robotics* 30: 771–78.
- Özcimder, Kayhan, Biswadip Dey, Rebecca J. Lazier, Daniel Trueman, and Naomi E. Leonard. 2016. Investigating Group Behavior in Dance: An Evolutionary Dynamics Approach. Paper presented at American Control Conference (ACC), Boston, MA, USA, July 6–8, pp. 6465–70.
- Pakrasi, Ishaan, and Amy LaViers. 2018. A Design Methodology for Abstracting Character Archetypes onto Robotic Systems. Paper present at the 5th International Conference on Movement and Computing (MOCO), Genoa, Italy. June 28–30, under review.
- Pallant, Cheryl. 2006. *Contact Improvisation: An Introduction to a Vitalizing Dance Form*. Jefferson: McFarland.
- Patla, A. 1982. Aspects of the Kinematic Simulation of Human Movement. *IEEE Computer Graphics and Applications* 2: 41–50.
- Peng, Hua, Changle Zhou, Huosheng Hu, Fei Chao, and Jing Li. 2015. Robotic dance in social robotics—A taxonomy. *IEEE Transactions on Human-Machine Systems* 45: 281–93.
- Peters, G. 2009. *The Philosophy of Improvisation*. Chicago: University of Chicago Press.

- Pinel, Florian, Lav R. Varshney, and Debarun Bhattacharjya. 2015. A culinary computational creativity system. In *Computational Creativity Research: Towards Creative Machines*. Paris: Atlantis Press, pp. 327–46.
- Rainer, Yvonne. 1966. A quasi survey of some 'Minimalist' tendencies in the quantitatively Minimal dance activity midst the plethora, or an analysis of trio A. In *What's Dance*. Edited by Roger Copeland and Marshall Cohen. London: Routledge, pp. 325–32.
- Rainer, Yvonne. 2006. No Manifesto. Available online: <https://conversations.e-flux.com/t/yvonne-rainer-no-manifesto/1454> (accessed on 31 October 2017)
- Rett, Jorg, and Jorge Dias. 2007. Human-Robot Interface With Anticipatory Characteristics Based On Laban Movement Analysis and Bayesian Models. Paper presented at 2007 IEEE 10th International Conference on Rehabilitation Robotics, Noordwijk, The Netherlands, June 13–15, pp. 257–68.
- Rett, Joerg, Jorge Dias, and Juan-Manuel Ahuactzin. 2008. *Laban Movement Analysis Using a Bayesian Model and Perspective Projections*. London: INTECH Open Access Publisher.
- Rossano, Gregory F., Carlos Martinez, Mikael Hedelind, Steve Murphy, and Thomas A. Fuhlbrigge. 2013. Easy Robot Programming Concepts: An Industrial Perspective. Paper presented at 2013 IEEE International Conference on Automation Science and Engineering (CASE), Madison, WI, USA, August 17–20, pp. 1119–26.
- Schiphorst, Thecla. 1993. A Case Study of Merce Cunningham's Use of the Lifeforms Computer Choreographic System in the Making of Trackers. PhD thesis, Arts and Social Sciences: Special Arrangements, Simon Fraser University, Burnaby, BC, Canada.
- Schoellig, Angela P., Hallie Siegel, Federico Augugliaro, and Raffaello D'Andrea. 2014. So you think you can dance? Rhythmic flight performances with quadcopters. In *Controls and Art*. London: Springer, pp. 73–105.
- Sefidgar, Yasaman S., Prerna Agarwal, and Maya Cakmak. 2017. Situated Tangible Robot Programming. Paper presented at the 2017 ACM/IEEE International Conference on Human-Robot Interaction, Vienna, Austria, March 6–9, pp. 473–82.
- Siu, Ka-Chun, Irene H. Suh, Mukul Mukherjee, Dmitry Oleynikov, and Nick Stergiou. 2010. The effect of music on robot-assisted laparoscopic surgical performance. *Surgical Innovation* 17: 306–11.
- Studd, Karen A., and Laura L. Cox. 2013. *Everybody is a Body*. Indianapolis: Dog Ear Publishing.
- Sutil, Nicolas Salazar. 2015. *Motion and Representation: The Language of Human Movement*. Cambridge: MIT Press.
- Tellex, Stefanie, Thomas Kollar, Steven Dickerson, Matthew R. Walter, Ashis Gopal Banerjee, Seth Teller, and Nicholas Roy. 2011. Understanding Natural Language Commands for Robotic Navigation and Mobile Manipulation. Paper presented at Twenty-Fifth AAAI Conference on Artificial Intelligence, San Francisco, CA, USA, August 7–11, vol. 1, p. 2.
- Torresani, Lorenzo, Peggy Hackney, and Christoph Bregler. 2007. Learning motion style synthesis from perceptual observations. *Advances in Neural Information Processing Systems* 20: 1393–400.
- Truitt, Elly R. 2015. *Medieval Robots: Mechanism, Magic, Nature, and Art*. Philadelphia: University of Pennsylvania Press.
- Von Laban, R. 1966. *The Language of Movement: A guidebook to Choreutics*. New York: Plays, inc..
- Weinberg, Brian Blosser, Trishul Mallikarjuna, and Aparna Raman. 2009. The Creation of a Multi-Human, Multi-Robot Interactive Jam Session. Presented at the New Interfaces for Musical Expression Conference NIME. Pittsburg, PA, USA, June 4–6, pp. 70–73.
- Whitney, David, Eric Rosen, Elizabeth Phillips, George Konidaris, and Stefanie Tellex. 2017a. *Comparing Robot Grasping Teleoperation across Desktop and Virtual Reality with ROS Reality*. Technical report, Providence: Department of Computer Science, Brown University.
- Whitney, David, Eric Rosen, James MacGlashan, Lawson Wong, and Stefanie Tellex. 2017b. Reducing Errors in Object-Fetching Interactions through Social Feedback. Paper presented at International Conference on Robotics and Automation, Singapore, May 29–June 3.
- Young, James E., JaYoung Sung, Amy Volda, Ehud Sharlin, Takeo Igarashi, Henrik I. Christensen, and Rebecca E. Grinter. 2011. Evaluating human-robot interaction. *International Journal of Social Robotics* 3: 53–67.

