

On geometric complexity theory: Multiplicity obstructions are stronger than occurrence obstructions

Julian Dörfler*, Christian Ikenmeyer†, Greta Panova‡

March 18, 2020

Abstract

Geometric Complexity Theory is an approach towards the separation of fundamental algebraic complexity classes. Two papers by Mulmuley and Sohoni (SIAM J Comput 2001, 2008) pursue this goal via representation theoretic multiplicities in coordinate rings of specific group varieties. The papers also conjecture that the vanishing behavior of these multiplicities would be sufficient to separate complexity classes (so-called *occurrence obstructions*). The existence of such strong occurrence obstructions has been recently disproven in 2016 in two successive papers, Ikenmeyer-Panova (Adv. Math.) and Bürgisser-Ikenmeyer-Panova (J. AMS).

This raises the question whether separating group varieties via representation theoretic multiplicities is stronger than separating them via occurrences. This paper provides for the first time a setting where separating with multiplicities can be achieved, while the separation with occurrences is provably impossible. Our setting is surprisingly simple and natural: We study the variety of products of homogeneous linear forms (the so-called Chow variety) and the variety of polynomials of bounded border Waring rank (i.e. a higher secant variety of the Veronese variety).

As a side result we prove a slight generalization of Hermite’s reciprocity theorem, which proves Foulkes’ conjecture for a new infinite family of cases.

An extended abstract of this paper was published in the conference proceedings of the 46th International Colloquium on Automata, Languages, and Programming (ICALP 2019).

Mathematics Subject Classification 68Q17, 05E10

Keywords: Geometric complexity theory, representation theoretic multiplicity, Chow variety, plethysm, Foulkes conjecture, factorization

Acknowledgements: This work was done in part while CI and GP were visiting the Simons Institute for the Theory of Computing. CI and JD were partially supported by DFG grant IK 116/2-1, GP was partially supported by NSF grants DMS-1500834 and DMS-1800423.

1 Introduction

In two landmark papers on geometric complexity theory [MS01, MS08] Mulmuley and Sohoni suggested the use of representation theoretic multiplicities to separate group varieties that correspond to complexity classes. The goal of this approach is to achieve complexity lower bounds that lead to the separation of algebraic complexity classes such as VP and VNP (see [BCS97] or [Sap17] for the precise definitions, which will not be important in this paper). At the heart of the approach was the hope that so-called *occurrence obstructions* (see Section 2) would be sufficient to separate VP and VNP. In [IP17, BIP19] it was shown that occurrence obstructions are too weak to provide the necessary separation, at least for the group varieties that were originally proposed by Mulmuley and Sohoni.

*Saarland University, s8judoer@stud.uni-saarland.de

†University of Liverpool, Max Planck Institute for Software Systems, Max Planck Institute for Informatics, Simons Institute for the Theory of Computing, christian.ikenmeyer@liverpool.ac.uk

‡University of Southern California, University of Pennsylvania, Simons Institute for the Theory of Computing, gpanova@usc.edu

But representation theoretic multiplicities might still be able to separate VP and VNP when we look at the finer separation criterion via *multiplicity obstructions* (see also Section 2). Unfortunately, so far all known separations of group varieties via multiplicity obstructions could also in fact be obtained via occurrence obstructions, or at least there was no setting in which multiplicity obstructions were provably stronger than occurrence obstructions, see e.g., [BI11, BI13]. Indeed, little is known about multiplicity obstructions in general, as the required multiplicities are often #P-hard to compute, see e.g., [Nar06, BI08, BOR09], which implies that a polynomial time algorithm for their computation can only exist if P=NP.

Scott Aaronson raised the question about the existence of a setting where multiplicity obstructions are provably more powerful than occurrence obstructions. In this paper we give the first example of such a situation in a finite setting, see Theorem 2.3 below.

Theorem 2.3 is not only about finite settings: For the first time multiplicity obstructions are used to separate families of polynomials, even though the separation is extremely modest. Prior work on obstructions focused on tensors instead of polynomials ([BI11, BI13]).

As a side result we prove a slight generalization of Hermite's reciprocity theorem, which proves Foulkes' conjecture (see (2.1)) for a new infinite family of cases, see Theorem 3.5.

2 Representation theoretic obstructions

In this section we review how to separate group varieties via representation theoretic multiplicities. The setup is in complete analogy to the geometric complexity theory approach of Mulmuley and Sohoni. We then list our main result, see Theorem 2.3.

Consider the space $\mathbb{A}_m^n := \mathbb{C}[x_1, \dots, x_m]_n$ of complex homogeneous polynomials of degree n in m variables. Let $V := \mathbb{A}_m^1$ be the space of homogeneous degree 1 polynomials. In this paper we compare two subvarieties of $\mathbb{A}_m^n$. The first is the so-called *Chow variety*

$$\text{Ch}_m^n := \{\ell_1 \cdots \ell_n \mid \ell_i \in V\} \subseteq \mathbb{A}_m^n,$$

which is the set of polynomials that can be written as a product of homogeneous linear forms, see e.g., [Lan11, §8.6]. In algebraic complexity theory this set is known as the set of polynomials that have homogeneous depth-two algebraic circuits of the form $\Pi^n \Sigma$, i.e., circuits that consists of an n -ary top product gate of linear combinations of variables. The second variety is called a *higher secant variety of the Veronese variety* and can be written as

$$\text{Pow}_{m,k}^n := \overline{\{\ell_1^n + \cdots + \ell_k^n \mid \ell_i \in V\}} \subseteq \mathbb{A}_m^n,$$

which is the closure of the set of all sums of k powers of homogeneous linear forms. Note that from a general principle it follows that the Zariski closure equals the Euclidean closure in this case, see e.g., [Mum95, §2.C] where this is shown for every constructible set. The polynomials in $\text{Pow}_{m,k}^n$ are exactly those that have *border Waring rank at most k* , see e.g., [Lan11, §5.4]. In algebraic complexity theory this set is known as the set of polynomials that can be approximated arbitrarily closely by homogeneous depth-three powering circuits of the form $\Sigma^k \Lambda^n \Sigma$, i.e., a k -ary sum of n -th powers of linear combinations of variables.

$\mathbb{A}_m^n$ is generated as a vector space by the powers v^n , $v \in V$, see e.g., [Lan11, Ex. 2.6.6.2]. Given two elements $g_1, g_2 \in \text{GL}_m := \text{GL}(V)$, and given $v \in V$, we clearly have $g_1(g_2 v) = (g_1 g_2) v$. Thus we say that V admits a GL_m -action. This natural action of GL_m on V lifts canonically to $\mathbb{A}_m^n$ via $g(v^n) := (gv)^n$, $g \in \text{GL}_m$, $v \in V$, and linear continuation. Both varieties Ch_m^n and $\text{Pow}_{m,k}^n$ are closed under this action, i.e., for $g \in \text{GL}_m$ and $v \in \text{Ch}_m^n$ we have $gv \in \text{Ch}_m^n$, and analogously $v \in \text{Pow}_{m,k}^n$ implies $gv \in \text{Pow}_{m,k}^n$. A variety that is closed under the action of GL_m is called a GL_m -variety.

Let $\mathbb{C}[\mathbb{A}_m^n]$ denote the coordinate ring of $\mathbb{A}_m^n$, i.e., the polynomial ring in $\dim \mathbb{A}_m^n = \binom{n+m-1}{n}$ many variables, where these variables are in 1:1 correspondence to the monomials in $\mathbb{A}_m^n$. The action of GL_m on $\mathbb{A}_m^n$ lifts to a linear action of GL_m on $\mathbb{C}[\mathbb{A}_m^n]$ via the canonical pullback as follows:

$$(gf)(h) := f(g^{-1}h), \quad g \in \text{GL}_m, \quad f \in \mathbb{C}[\mathbb{A}_m^n], \quad h \in \mathbb{A}_m^n.$$

Moreover, the action respects the natural grading of $\mathbb{C}[\mathbb{A}_m^n]$, so that each homogeneous degree d part $\mathbb{C}[\mathbb{A}_m^n]_d$ is a finite dimensional vector space that is closed under the action of GL_m .

Recall that a finite dimensional vector space W that is closed under a linear action of GL_m is called a GL_m -representation. This is equivalent to the existence of a group homomorphism $\varrho : \mathrm{GL}_m \rightarrow \mathrm{GL}(W)$. If we choose bases, then we can interpret $\mathrm{GL}_m \subseteq \mathbb{C}^{m \times m}$ and $\mathrm{GL}(W) \subseteq \mathbb{C}^{\dim W \times \dim W}$ and ϱ is described by $(\dim W)^2$ many coordinate functions, which are functions in m^2 many variables. If these functions are polynomials, then we call W a *polynomial representation*. Our main representation of interest, $\mathbb{C}[\mathbb{A}_m^n]_d$, is a polynomial representation. A linear subspace of W that is closed under the action of GL_m is called a subrepresentation. Subrepresentations of polynomial representations are clearly polynomial representations again. For every GL_m -representation W we have that W and 0 are two trivial subrepresentations. If W has no other subrepresentations, then we call W *irreducible*. A linear map $\varphi : W_1 \rightarrow W_2$ between two GL_m -representations is called *equivariant* if $g\varphi(f) = \varphi(gf)$ for all $f \in W_1, g \in \mathrm{GL}_m$. If there exists an equivariant vector space isomorphism from W_1 to W_2 , then we say that W_1 and W_2 are *isomorphic* GL_m -representations. An m -partition of $D \in \mathbb{N}$ is a nonincreasing list of m nonnegative integers that sum up to D . Every irreducible polynomial GL_m -representation has an associated isomorphism type, which is an m -partition, see e.g., [Ful97, Ch. 8]. Two irreducible GL_m -representations are isomorphic iff their isomorphism types coincide. We denote by $\{\lambda\}_m$ the irreducible GL_m -representation corresponding to the m -partition λ . We write $\{\lambda\} = \{\lambda\}_m$ if m is clear from the context.

The group GL_m is *linearly reductive*, which means that every GL_m -representation W decomposes into a direct sum of irreducible GL_m -representations, see e.g., [Kra85, AII.5, Satz 4]. The number of times an irreducible representation of type λ occurs in the decomposition is called the *multiplicity* of λ in W , written $\mathrm{mult}_\lambda(W)$. Even though this decomposition is usually not unique, the notation $\mathrm{mult}_\lambda(W)$ makes sense, because the multiplicities are independent of the actual decompositions.

The multiplicity $a_\lambda(d[n]) := \mathrm{mult}_\lambda(\mathbb{C}[\mathbb{A}_m^n]_d)$ is the infamous *plethysm coefficient*, which is the object of study in Foulkes' conjecture and also in Problem 9 in Stanley's famous list of open problems [Sta00]. If we pad an m -partition λ with $m' - m$ many zeros to obtain the m' -partitions $\lambda' = (\lambda_1, \dots, \lambda_m, 0, \dots, 0)$, then $\mathrm{mult}_\lambda(\mathbb{C}[\mathbb{A}_m^n]_d) = \mathrm{mult}_{\lambda'}(\mathbb{C}[\mathbb{A}_{m'}^n]_d)$, see e.g., [Ike12, Lem. 4.3.2]. For the sake of simplicity we identify m -partitions with m' -partitions that arise from padding zeros. This justifies leaving out the parameter m in the notation $a_\lambda(d[n])$ by assuming that m is large enough. Foulkes' conjecture states that

$$\text{Conjecture : } a_\lambda(n[d]) \leq a_\lambda(d[n]) \text{ for all } d \geq n. \quad (2.1)$$

Conjecture (2.1) is known to be true (moreover, equality holds: $a_\lambda(d[n]) = a_\lambda(n[d])$) for all 2-partitions λ , which is often called *Hermite reciprocity* [Her54]. We make modest progress on this conjecture by proving it for many families of 3-partitions, see Corollary 4.10.

Let Z be a GL_m -variety, e.g., $Z = \mathrm{Ch}_m^n$ or $Z = \mathrm{Pow}_{m,k}^n$. Then the vanishing ideal $I(Z) := \{f \in \mathbb{C}[\mathbb{A}_m^n] \mid \forall h \in Z : f(h) = 0\}$ is also closed under the action of GL_m , which is easy to verify: If $f(h) = 0$ for all $h \in Z$, then also $(gf)(h) = f(g^{-1}h) = 0$, because $g^{-1}h \in Z$. Since the action respects the grading, each homogeneous degree d part $I(Z)_d$ is a GL_m -representation. The coordinate ring $\mathbb{C}[Z]$ is defined as the quotient algebra $\mathbb{C}[\mathbb{A}_m^n]/I(Z)$ and each homogeneous part $\mathbb{C}[Z]_d = \mathbb{C}[\mathbb{A}_m^n]_d/I(Z)_d$ is a GL_m -representation. Equivalently, we can define $\mathbb{C}[Z]$ as the set of restrictions of functions in $\mathbb{C}[\mathbb{A}_m^n]$ to Z .

For most sets of parameters we have $\mathrm{Pow}_{m,k}^n \not\subseteq \mathrm{Ch}_m^n$, but there are some exceptions. Clearly $\mathrm{Pow}_{m,1}^n \subseteq \mathrm{Ch}_m^n$. Moreover, $\mathrm{Pow}_{1,k}^n = \mathrm{Ch}_1^n$ for all $n \geq 1, k \geq 1$; and $\mathrm{Pow}_{m,k}^1 = \mathrm{Ch}_m^1$ for all $m \geq 1, k \geq 1$. It is also easy to see that $\mathrm{Pow}_{2,2}^2 \subseteq \mathrm{Ch}_2^2$, because $\ell_1^2 + \ell_2^2 = (\ell_1 + i\ell_2)(\ell_1 - i\ell_2)$, where $i^2 = -1$. More generally, $(\ell_1 + \zeta\ell_2)(\ell_1 + \zeta^2\ell_2) \cdots (\ell_1 + \zeta^n\ell_2) = \ell_1^n + \zeta^{\frac{n(n+1)}{2}}\ell_2^n$ for $\zeta^n = 1$, which implies $\mathrm{Pow}_{m,2}^n \subseteq \mathrm{Ch}_m^n$. For $m = 2, k \geq 1, n \geq 1$, we have $\mathrm{Pow}_{m,k}^n \subseteq \mathrm{Ch}_m^n$ by the fundamental theorem of algebra. These are the only exceptions, as for $n \geq 2, m \geq 3, k \geq 3$ we have $\mathrm{Pow}_{m,k}^n \not\subseteq \mathrm{Ch}_m^n$: the polynomial $x^n + y^n + z^n$ of the Fermat curve is in $\mathrm{Pow}_{m,k}^n$ and its irreducibility implies (since $n \geq 2$) that $x^n + y^n + z^n \notin \mathrm{Ch}_m^n$.

We will see that for specific settings of parameters there exist *multiplicity obstructions* that prove

$\text{Pow}_{m,k}^n \not\subseteq \text{Ch}_m^n$, but there do not exist *occurrence obstructions* that prove this fact (see the definitions below). Our approach works as follows and is in complete analogy to the approach proposed in [MS01, MS08] to separate group varieties arising from algebraic complexity theory. If $\text{Pow}_{m,k}^n \subseteq \text{Ch}_m^n$, then the restriction of functions gives a canonical GL_m -equivariant surjection

$$\mathbb{C}[\text{Ch}_m^n]_d \twoheadrightarrow \mathbb{C}[\text{Pow}_{m,k}^n]_d.$$

In this case, Schur's lemma (e.g., [GW09, Lemma 4.1.4]) implies that

$$\text{mult}_\lambda(\mathbb{C}[\text{Ch}_m^n]_d) \geq \text{mult}_\lambda(\mathbb{C}[\text{Pow}_{m,k}^n]_d). \quad (2.2)$$

for all m -partitions λ . Therefore, a partition λ that violates (2.2) proves that $\text{Pow}_{m,k}^n \not\subseteq \text{Ch}_m^n$. Such a λ is called a *multiplicity obstruction*. If additionally $\text{mult}_\lambda(\mathbb{C}[\text{Ch}_m^n]_d) = 0$, then λ is called an *occurrence obstruction*.

Since Ch_m^n and $\text{Pow}_{m,k}^n$ are subvarieties of $\mathbb{A}_m^n$ and since all λ for which $\text{mult}_\lambda(\mathbb{C}[\mathbb{A}_m^n]_d) > 0$ are m -partitions of dn , it follows that if $\text{mult}_\lambda(\mathbb{C}[\text{Ch}_m^n]_d) > 0$ or $\text{mult}_\lambda(\mathbb{C}[\text{Pow}_{m,k}^n]_d) > 0$, then λ is an m -partition of dn .

2.3 Theorem (Main Theorem).

(1) Asymptotic result: Let $m \geq 3$, $n \geq 2$, $k = d = n+1$, $\lambda = (n^2-2, n, 2)$. We have $\text{mult}_\lambda(\mathbb{C}[\text{Ch}_m^n]_d) < \text{mult}_\lambda(\mathbb{C}[\text{Pow}_{m,k}^n]_d)$, i.e., λ is a multiplicity obstruction that shows $\text{Pow}_{m,k}^n \not\subseteq \text{Ch}_m^n$.

(2) Finite result: In two finite settings we can show a slightly stronger separation:

(a) Let $k = 4$, $n = 6$, $m = 3$, $d = 7$, $\lambda = (n^2-2, n, 2) = (34, 6, 2)$. Then $\text{mult}_\lambda(\mathbb{C}[\text{Ch}_m^n]_d) = 7 < 8 = \text{mult}_\lambda(\mathbb{C}[\text{Pow}_{m,k}^n]_d)$, i.e., λ is a multiplicity obstruction that shows $\text{Pow}_{m,k}^n \not\subseteq \text{Ch}_m^n$.

(b) Similarly, for $k = 4$, $n = 7$, $m = 4$, $d = 8$, $\lambda = (n^2-2, n, 2) = (47, 7, 2)$ we have $\text{mult}_\lambda(\mathbb{C}[\text{Ch}_m^n]_d) < 11 = \text{mult}_\lambda(\mathbb{C}[\text{Pow}_{m,k}^n]_d)$, i.e., λ is a multiplicity obstruction that shows $\text{Pow}_{m,k}^n \not\subseteq \text{Ch}_m^n$.

Both separations (a) and (b) cannot be achieved using occurrence obstructions, even for arbitrary k : for all m -partitions μ that satisfy $a_\mu(d[n]) > 0$ we have $\text{mult}_\lambda(\mathbb{C}[\text{Ch}_m^n]_{d'}) > 0$ in these settings.

One would like to show that there are no occurrence obstructions in all cases (1), but this is wrong if n is not large enough with respect to m , see Prop. 3.15. Even for $m = 3$ or $m = 4$ ruling out occurrence obstructions as in (2) is done by a large-scale computer calculation which is only suitable for a finite case, but not for sequences as in (1). The papers [IP17, BIP19] rule out occurrence obstructions for families, but only in ranges where they would give very strong new algebraic circuit lower bounds, so that we expect it to be difficult to find multiplicity obstructions in those cases. Note also that [IP17, BIP19] are only dealing with *padded polynomials*, for which [KL14] guarantees λ to have a very restricted shape.

We expect multiplicity obstructions to be more powerful than occurrence obstructions in most cases relevant for geometric complexity theory, and Theorem 2.3 resolves the challenge of finding a setting in which the corresponding multiplicities and occurrences could actually be computed in a reasonable amount of time, while the setting is also involved enough so that a difference between occurrence obstructions and multiplicity obstructions could be witnessed.

2.4 Remark. The partition $(n^2-2, n, 2)$ is known to be the type of one of Brill's classical set-theoretic equations for Ch_m^n , see [Gua18].

3 Proof of the main theorem

The main theorem (Theorem 2.3) makes a statement about the finite situations $k = 4$, $n = 6$, $m = 3$, $d = 7$ and $k = 4$, $n = 7$, $m = 4$, $d = 8$, as well as the general situation $m \geq 3$, $n \geq 2$, $k = d = n+1$. As a first step, in all these cases we show that

$$\text{mult}_\lambda(\mathbb{C}[\text{Pow}_{m,k}^n]_d) = a_\lambda(d[n]). \quad (3.1)$$

In the finite cases the following computer calculation suffices to prove (3.1).

3.2 Proposition. $\text{mult}_{(34,6,2)}(\mathbb{C}[\text{Pow}_{3,4}^6]_7) = 8 = a_{(34,6,2)}(7[6])$ and $\text{mult}_{(47,7,2)}(\mathbb{C}[\text{Pow}_{3,4}^7]_8) = 11 = a_{(47,7,2)}(8[7])$.

Proof. The plethysm coefficient computations were performed with the LIE software. The rest is a small computer calculation completely analogous to the ones in [BIP19, Sec. 6]. The details can be found in Section 6. $\square$

For the general situation the equality (3.1) is a consequence of the following result on power sums proved in [BIP19, Prop. 3.2]:

3.3 Proposition. *If λ is an m -partition of dn and $k \geq d$, then $\text{mult}_\lambda(\mathbb{C}[\text{Pow}_{m,k}^n]_d) = a_\lambda(d[n])$.*

As a second step we will use the following lemma for $\lambda = (n^2 - 2, n, 2)$.

3.4 Lemma (see also [Lan17, Sec. 9.2.3]). *Let λ be an m -partition and $n \geq m$. Then $\text{mult}_\lambda(\mathbb{C}[\text{Ch}_m^n]_d) \leq a_\lambda(n[d])$.*

Proof. Let $\text{GL}_n(x_1 \cdots x_n) := \{g(x_1 \cdots x_n) \mid g \in \text{GL}_n\} \subseteq \mathbb{A}_n^n$ denote the GL_n -orbit of $x_1 \cdots x_n$. We denote by $\overline{\text{GL}_n(x_1 \cdots x_n)}$ the Zariski closure of this orbit, which equals its Euclidean closure by the same principles as in Section 2. Choose bases and embed $\mathbb{A}_m^n \subseteq \mathbb{A}_n^n$, so that Ch_m^n is the intersection of $\mathbb{A}_m^n$ and $\overline{\text{GL}_n(x_1 \cdots x_n)}$. This implies (via arguments analogous to that for the plethysm coefficient ([Ike12, Lem. 4.3.2])) that the multiplicity of the irreducible GL_m -representation $\{\lambda\}_m$ in $\mathbb{C}[\text{Ch}_m^n]_d$ equals the multiplicity of the irreducible GL_n -representation $\{\lambda\}_n$ in $\mathbb{C}[\overline{\text{GL}_n(x_1 \cdots x_n)}]_d$. In other words

$$\text{mult}_\lambda(\mathbb{C}[\text{Ch}_m^n]_d) = \text{mult}_\lambda(\mathbb{C}[\overline{\text{GL}_n(x_1 \cdots x_n)}]_d).$$

The vector space $\mathbb{C}[\overline{\text{GL}_n(x_1 \cdots x_n)}]_d$ consists of exactly the restrictions of polynomials in $\mathbb{C}[\mathbb{A}_n^n]_d$ to the orbit $\text{GL}_n(x_1 \cdots x_n)$. The coordinate ring $\mathbb{C}[\text{GL}_n(x_1 \cdots x_n)]$ is also graded and its homogeneous degree d part $\mathbb{C}[\text{GL}_n(x_1 \cdots x_n)]_d$ consists of *all* homogeneous degree d regular functions on $\text{GL}_n(x_1 \cdots x_n)$, in particular

$$\text{mult}_\lambda(\mathbb{C}[\overline{\text{GL}_n(x_1 \cdots x_n)}]_d) \leq \text{mult}_\lambda(\mathbb{C}[\text{GL}_n(x_1 \cdots x_n)]_d).$$

The right-hand side can be understood via geometric invariant theory as follows (see [Ike12, Sec. 3.4(A)]):

$$\text{mult}_\lambda(\mathbb{C}[\text{GL}_n(x_1 \cdots x_n)]_d) = \text{mult}_{\lambda^*}(\mathbb{C}[\text{GL}_n]_d^H),$$

where $H = \{\text{diag}(\alpha_1, \dots, \alpha_n) \mid \prod_{i=1}^n \alpha_i = 1\} \rtimes \mathfrak{S}_n \subseteq \text{GL}_n$ is the stabilizer of $x_1 \cdots x_n$, and λ^* is the isomorphism type of the dual (i.e., contragredient) representation of $\{\lambda\}$, i.e., $\{\lambda^*\} = \{\lambda\}^*$. The algebraic Peter-Weyl theorem (see e.g., [Kra85, II.3.1 Satz 3], [GW09, Thm. 4.2.7], or [Pro07, Ch. 7, 3.1 Thm.]) states that

$$\mathbb{C}[\text{GL}_n] = \bigoplus_{\lambda} \{\lambda\} \otimes \{\lambda^*\}$$

and we conclude

$$\text{mult}_{\lambda^*}(\mathbb{C}[\text{GL}_n]_d^H) = \dim\{\lambda\}^H.$$

There are several ways of seeing that $\dim\{\lambda\}^H = a_\lambda(n[d])$, see e.g., [Lan17, Sec. 9.2.3] or [Ike18, Prop. 3.3]. This proves the lemma. $\square$

Now an argument using symmetric functions is used to prove the following theorem.

3.5 Theorem. $a_{(n^2-2, n, 2)}((n+1)[n]) = 1 + a_{(n^2-2, n, 2)}(n[n+1])$.

Theorem 3.5 is a corollary of more general results, see Corollary 4.10.

This finishes the proof that $(n^2 - 2, n, 2)$ is a multiplicity obstruction in all cases of Theorem 2.3.

No occurrence obstructions

To finish the proof of Theorem 2.3(2), it remains to show that there are no occurrence obstructions in the finite situation $n = 6$, $m = 3$ and $n = 7$, $m = 4$. We will primarily go into more detail for the first case and the second one will be proven similarly. We will do this by showing that

$$\text{for } n = 6, m = 3, \text{ and for all } m\text{-partitions } \mu \text{ of } dn : \quad a_\mu(d[n]) > 0 \text{ implies } \text{mult}_\mu(\mathbb{C}[\text{Ch}_m^n]_d) > 0 \quad (3.6)$$

Note that this claim is independent of k . We start proving (3.6) by giving a complete classification of when $a_\mu(d[n]) > 0$ for the case $n = 6$, $m = 3$.

First, the following lemma states that for a few special μ the plethysm coefficient always vanishes.

3.7 Lemma. *Let $\bar{\lambda} := (\lambda_2, \lambda_3, \dots)$ denote λ without its first row. If λ is an m -partition of dn and $\bar{\lambda} \in \{(3, 3), (3, 1), (2, 1), (1, 1), (1)\}$, then $a_\lambda(d[n]) = 0$.*

Proof. This is proved by a finite calculation for all cases but $(3, 3)$ as Thm 1.10(a) in [IP17]. Exactly the same calculation can be used to also prove the result for the additional partition $(3, 3)$. $\square$

For characterizing the set of all μ for which $a_\mu(d[n])$ is positive, we observe that they form a finitely generated *semigroup* and hence we only need to find the semigroup's generators:

$$\text{If } a_\mu(d[n]) > 0 \text{ and } a_\nu(d'[n]) > 0, \text{ then } a_{\mu+\nu}(d+d'[n]) > 0. \quad (3.8)$$

A detailed proof of (3.8) can be found for example in [BI18, Prop. 21.2.6].

3.9 Proposition. Define the set

$X := \{(6), (6, 6), (8, 4), (10, 2), (6, 6, 6), (8, 6, 4), (10, 4, 4), (9, 6, 3), (8, 8, 2), (10, 6, 2), (11, 5, 2), (10, 7, 1), (12, 4, 2), (11, 6, 1), (10, 8), (14, 2, 2), (13, 4, 1), (13, 5), (15, 3), (8, 8, 8), (10, 8, 6), (11, 7, 6), (10, 9, 5), (11, 8, 5), (10, 10, 4), (12, 7, 5), (11, 9, 4), (13, 6, 5), (12, 8, 4), (11, 10, 3), (13, 7, 4), (12, 9, 3), (13, 8, 3), (12, 10, 2), (15, 5, 4), (14, 7, 3), (13, 9, 2), (13, 10, 1), (16, 5, 3), (15, 7, 2), (14, 9, 1), (17, 4, 3), (15, 8, 1), (15, 9), (19, 3, 2), (18, 5, 1), (17, 7), (10, 10, 10), (11, 10, 9), (12, 10, 8), (13, 9, 8), (12, 11, 7), (13, 10, 7), (14, 9, 7), (13, 11, 6), (15, 8, 7), (13, 12, 5), (16, 7, 7), (15, 9, 6), (14, 11, 5), (13, 13, 4), (15, 10, 5), (15, 11, 4), (14, 13, 3), (16, 11, 3), (15, 13, 2), (15, 14, 1), (17, 13), (13, 12, 11), (14, 11, 11), (13, 13, 10), (15, 11, 10), (14, 13, 9), (16, 11, 9), (15, 13, 8), (15, 14, 7), (18, 9, 9), (15, 15, 6), (17, 17, 2), (18, 17, 1), (26, 5, 5), (15, 14, 13), (16, 13, 13), (15, 15, 12), (17, 17, 8), (18, 15, 15), (17, 17, 14), (25, 23), (45, 45)\}.$

Here we truncated trailing zeros from the 3-partitions. The set X is the set of minimal generators of the semigroup of 3-partitions μ that have $a_\mu(d[6]) > 0$.

The proof of Proposition 3.9 proceeds in several steps.

A direct computation with the LiE software verifies $a_\mu(d[6]) > 0$ for all $\mu \in X \setminus \{(45, 45)\}$ such that $d = |\mu|/6$. The case $d = 15$ runs into memory problems when using LiE. Other software such as SCHUR stops working when $d = 8$. We used the formula [Stu08, Cor. 4.2.8] to verify $a_{(45, 45)}(15[6]) > 0$.

We call the number of nonzero parts the *length* of a partition. We use a brute-force computer verification and a direct computation with LiE to show that for $d \leq 26$ every partition μ of length ≤ 2 with $a_\mu(d[6]) > 0$ is a sum of partitions from the set X . The same computation is done for all 3-partitions, but only up to $d \leq 14$. The following proposition states that these finite computations completely describe all cases.

3.10 Proposition. *If λ is a 3-partition of $6d$, $d \geq 15$, and $\bar{\lambda} \notin \{(3, 3), (3, 1), (2, 1), (1, 1), (1)\}$, then λ is a sum of partitions from X .*

Proof. For $15 \leq d \leq 17$ we use a computer calculation to show that we can write every such partition λ as a sum of partitions from X . For $d > 17$ we prove this inductively by showing that we can write every 3-partition λ of $6d$ with $\bar{\lambda} \notin \{(3, 3), (3, 1), (2, 1), (1, 1), (1)\}$ as a sum of one of the partitions $(6), (6, 6)$ or $(6, 6, 6)$ and a smaller λ' with again $\bar{\lambda}' \notin \{(3, 3), (3, 1), (2, 1), (1, 1), (1)\}$.

Let c_i denote the number of columns in λ with exactly i boxes for $i \in \{1, 2, 3\}$. Since we have at least 108 boxes in λ , the pigeonhole principle implies that at least one must be true: $c_1 \geq 6$, $c_2 \geq 10$ or $c_3 \geq 10$.

In the case $c_1 \geq 6$ we have $\lambda = \lambda' + (6)$ with, by induction, λ' being a sum of elements from X since $\bar{\lambda}' = \bar{\lambda}$. In the case $c_2 \geq 10$ we have $\lambda = \lambda' + (6, 6)$ with λ' being a sum of elements from X as $\lambda'_2 \geq 4$. In the case $c_3 \geq 10$ we have $\lambda = \lambda' + (6, 6, 6)$ with λ' being a sum of elements from X as $\lambda'_3 \geq 4$. $\square$

This finishes the proof of Proposition 3.9.

To prove (3.6) it is sufficient (and necessary) to show that $\text{mult}_\mu(\mathbb{C}[\text{Ch}_m^n]_d) > 0$ for all $\mu \in X$, because a semigroup property analogous to (3.8) holds (the same proof applies, e.g., [BI18, Prop. 21.2.6]):

$$\text{If } \text{mult}_\mu(\mathbb{C}[\text{Ch}_m^n]_d) > 0 \text{ and } \text{mult}_\nu(\mathbb{C}[\text{Ch}_m^n]_{d'}) > 0, \text{ then } \text{mult}_{\mu+\nu}(\mathbb{C}[\text{Ch}_m^n]_{d+d'}) > 0. \quad (3.11)$$

If the length of μ is at most 2, we use the following general result.

3.12 Proposition. *Let μ be a 3-partition of length at most 2. If $a_\mu(d[n]) > 0$, then $\text{mult}_\mu(\mathbb{C}[\text{Ch}_m^n]_d) > 0$.*

Proof. We use an inheritance result: If for a 2-partition μ we have $\text{mult}_\mu(\mathbb{C}[\text{Ch}_2^n]_d) > 0$, and ν is the 3-partition that arises from μ by adding a single 0, then $\text{mult}_\nu(\mathbb{C}[\text{Ch}_3^n]_d) > 0$. The proof is completely analogous to other inheritance results, see e.g., [Ike12, Lemma 4.3.2 or Sec. 5.3]. Now for 2-partitions μ we have $a_\mu(d[n]) = \text{mult}_\mu(\mathbb{C}[\text{Ch}_2^n]_d)$, because every homogeneous polynomial in 2 variables decomposes as a product of homogeneous linear polynomials by the fundamental theorem of algebra, see also e.g., [Lan17, Exa. 9.1.1.8]. This is how the Hermite reciprocity can be proved. An even simpler argument works if μ has length 1. $\square$

We finish the proof of (3.6) by using a computer calculation to verify that for all 3-partitions $\mu \in X$ of length 3 we have $\text{mult}_\mu(\mathbb{C}[\text{Ch}_3^6]_d) > 0$, see Proposition 5.1.

This finishes the proof of Theorem 2.3(2a). The proof of Theorem 2.3(2b) is completely analogous as follows. Let $m = 4$, $n = 7$.

3.13 Lemma. *Let $\bar{\lambda} := (\lambda_2, \lambda_3, \dots)$ denote λ without its first row. If λ is an m -partition of dn and $\bar{\lambda} \in Y$ for $Y := \{(1), (1, 1), (1, 1, 1), (2, 1), (2, 1, 1), (2, 2, 1), (3, 1), (3, 1, 1), (3, 2, 1), (3, 3), (3, 3, 1), (3, 3, 2), (3, 3, 3), (4, 1, 1), (4, 3, 3), (5, 1, 1), (5, 5, 5), (6, 1, 1)\}$, then $a_\lambda(d[n]) = 0$.*

Proof. This is proven exactly like Lemma 3.7. $\square$

The semigroup of 4-partitions λ that have $a_\lambda(d[7]) > 0$ has 948 generators, listed in Proposition 7.1. They form a set that we again call X .

We again use a direct computation with the LiE software to verify $a_\mu(d[7]) > 0$ for all $\mu \in X \setminus \{(49, 49), (24, 24, 23, 23)\}$. For both the remaining partitions $\mu \in \{(49, 49), (24, 24, 23, 23)\}$ we prove $\text{mult}_\mu(\mathbb{C}[\text{Ch}_4^7]_d) > 0$ using our computer calculations which also implies $a_\mu(d[7]) > 0$.

To prove those are all the generators we use the following proposition which is proved completely analogously to Proposition 3.10.

3.14 Proposition. *If λ is a 4-partition of $7d$, $d \geq 14$, and $\bar{\lambda} \notin Y$, then λ is a sum of partitions from X .*

For the next finite case ($n = 7$, $k = d = 8$, $m = 5$) we reached the computational limit of our implementation. Here we were able to find 5016 generating partitions of the semigroup of 4-partitions μ that have $a_\mu(d[7]) > 0$. Unfortunately these do not generate everything excluding the exceptions yet. We were able to verify for 5000 generating partitions μ that $\text{mult}_\mu(\mathbb{C}[\text{Ch}_m^n]_d) > 0$. For the remaining ones, we used up to 200 GB of RAM, but this was not sufficient.

Some occurrence obstructions

As we degenerate the parameter settings and let n get closer to m , multiplicity obstructions tend to become occurrence obstructions. More precisely, for $m = 3$ and values of $n < 6$, and for $(m, n) = (4, 6)$, some multiplicity obstructions are actually also occurrence obstructions, as the following proposition shows.

3.15 Proposition. *The following partitions give occurrence obstructions that show $\text{Pow}_{m,d}^n \not\subseteq \text{Ch}_m^n$.*

m	n	λ	d	$a_\lambda(d[n])$	$a_\lambda(n[d])$
3	2	(2, 2, 2)	3	1	0
3	3	(7, 3, 2)	4	1	0
3	4	(11, 9, 8)	7	1	0
3	5	(12, 9, 9)	6	1	0
4	6	(14, 14, 13, 13)	9	11	0

Proof. The plethysm coefficient computations were performed with the LiE software. Lemma 3.4 implies that $\text{mult}_\lambda(\mathbb{C}[\text{Ch}_m^n]_d) \leq a_\lambda(n[d]) = 0$. Proposition 3.3 implies $\text{mult}_\lambda(\mathbb{C}[\text{Pow}_{m,d}^n]_d) > 0$. $\square$

See [BHI17, Prop. 4] for additional occurrence obstructions in the case $n = 3$.

4 Plethysm inequalities

We are interested in the plethysm coefficients $a_\lambda(d[m])$ for certain values of λ and d, m . Here we compute such values for infinite families of parameters and in particular, prove Theorem 3.5.

We will work over the ring of symmetric functions Λ , defined as the ring of formal power series (in finitely or infinitely many variables) which are invariant under any transposition of the variables. For the definitions and main identities see e.g., [Sta99]. Plethysms of symmetric functions are described also there in Appendix 2 of Chapter 7, here we review the necessary definitions.

The characters of the irreducible GL_r -module W_λ are the Schur functions $s_\lambda(x_1, \dots, x_r)$, where $x_1, \dots, x_r$ correspond to the eigenvalues of the conjugacy class representative from GL_r . Their combinatorial interpretation is as the generating function over all semi-standard Young tableaux with entries $1, \dots, r$, but we will use certain determinantal formulas as described below. The complete homogeneous symmetric functions h_ℓ are defined as $s_{(\ell)}$ and are the characters of the Sym^ℓ module. The $\text{Sym}^d(\text{Sym}^n(\mathbb{C}^r))$ module is obtained as the composition of the two representations. The image in $\text{Sym}^n(\mathbb{C}^r)$ of a diagonal matrix from GL_r with entries (i.e. eigenvalues) $x_1, \dots, x_r$ on the diagonal has eigenvalues all the $N := \binom{n+r-1}{r-1}$ degree n monomials in $x_1, \dots, x_r$. Hence, the character of the representation $\text{Sym}^d(\text{Sym}^n(\mathbb{C}^r))$ of GL_N can be obtained by evaluating the character h_d of Sym^d at the monomials, i.e. the eigenvalues above. This gives us the definition of the *symmetric function plethysm* $h_d[h_n(x_1, \dots, x_r)]$, that is, the evaluation of h_d on the variables consisting of all degree n monomials, i.e.,

$$h_d[h_n(x_1, \dots, x_r)] := h_d(x_1^n, x_1^{n-1}x_2, x_1^{n-1}x_3, \dots, x_1^{\alpha_1} \cdots x_r^{\alpha_r}, \dots),$$

where $\alpha = (\alpha_1, \dots, \alpha_r)$ runs over all compositions of n , i.e., finite sequences of r nonnegative numbers that sum up to n .

In general, knowing the character of a representation contains all the information to obtain the multiplicities of the irreducible decomposition via the inner product of characters. As the Schur functions s_λ are the irreducible characters for GL_r , the inner product is equivalent to an inner product in the ring Λ , where $\{s_\lambda\}_\lambda$ is an orthonormal basis. In other words, the multiplicity of the Weyl module of weight λ is given by the multiplicity of the Schur function s_λ in the expansion of $h_d[h_n]$. We will now compute this via the inner product in the ring Λ of symmetric functions, using some basic properties of this ring as found in [Sta99] and [Mac95].

We have that $a_\lambda(d[n])$ is the multiplicity of $\{\lambda\}$ in $\text{Sym}^d \text{Sym}^n$, translated into characters this is also the coefficient at s_λ of the expansion of $h_d[h_n]$ in Schur function. By their orthonormality, this is the same as

$$a_\lambda(d[n]) = \langle s_\lambda, h_d[h_n] \rangle \quad (4.1)$$

We now invoke various symmetric function identities in order to compute the above inner product. The Schur functions s_λ can be expressed via the Jacobi-Trudi formula (see again [Sta99, Ch. 7]) as a signed sums of homogeneous symmetric functions, namely

$$s_\lambda = \det [h_{\lambda_i - i + j}]_{i,j=1}^{\ell(\lambda)}, \quad (4.2)$$

the inner product (4.1) can then be computed via a signed sum of inner products of the form $\langle h_\mu, h_d[h_n] \rangle$. We remark that the orthogonal dual basis for the complete homogeneous symmetric functions is the monomial symmetric functions, i.e.

$$\langle h_\mu, m_\nu \rangle = \delta_{\mu, \nu},$$

so we need to express $h_d[h_n]$ in terms of the monomial symmetric functions, defined by

$$m_\nu(x_1, \dots, x_r) := \sum_{\sigma \in S_r} x_1^{\nu_{\sigma(1)}} x_2^{\nu_{\sigma(2)}} \cdots x_r^{\nu_{\sigma(r)}},$$

where the sum ranges over all distinct permutations of $(1, 2, \dots, r)$ and ν is completed with 0s to the length r . Since the monomial symmetric functions form a basis for Λ , we can expand any symmetric function in it uniquely. Let

$$h_d[h_n] = \sum_{\nu} c_\nu m_\nu,$$

for some constants c_ν (i.e. the coefficients in this expansion). Since each m_ν has a unique leading monomial (in the lexicographic order) $x_1^{\nu_1} x_2^{\nu_2} \cdots$, finding c_ν is equivalent to extracting the coefficient at the single monomial $x_1^{\nu_1} \cdots$ from the monomial expansion of the corresponding symmetric function as a polynomial, i.e.

$$c_\nu = (x_1^{\nu_1} x_2^{\nu_2} \cdots) @ h_d[h_n(x_1, x_2, \dots)],$$

where to avoid confusion with the plethysm notation we denote by $(X)@f$ the coefficient of the monomial X in the monomial expansion of the polynomial f .

Let ν be a partition of length ℓ . By the above remarks we need to consider only the truncated expansion $h_d[h_n(x_1, \dots, x_\ell)]$ as only the monomials in $x_1, \dots, x_\ell$ will be relevant.

As a service to the reader we provide here a short list of the main objects for reference:

- m_λ : the monomial symmetric functions
- h_λ : the complete homogeneous symmetric functions
- s_λ : the Schur functions
- $a_\lambda(d[m])$: the coefficient of s_λ in the Schur expansion of the plethysm $h_d[h_m]$
- $p_r(a, b)$: the number of partitions of r which fit inside an $a \times b$ rectangle
- $(X)@f$: The coefficient of the monomial X in the monomial expansion of the polynomial f

We have the following formula for the h 's, see e.g., [Sta99]:

$$h_N(x_1, \dots, x_r) = \sum_{(b): b_1 + b_2 + \cdots = N} x_1^{b_1} x_2^{b_2} \cdots,$$

where $(b) = (b_1, b_2, \dots, b_r)$ runs over all (weak) compositions of N . Hence, assuming some total ordering for compositions α^i of n , we have

$$h_d[h_n(x_1, \dots, x_r)] = h_d[\dots, x^{\alpha^i}, \dots] = \sum_{(b): |b|=d} x^{\sum_i b_i \alpha^i}.$$

Thus for the coefficients c_ν we have:

$$c_\nu(d, n) := (x^\nu) @ h_d[h_n] = \langle h_\nu, h_d[h_n] \rangle = \#\{(b) : |b| = d, \sum_i b_i \alpha^i = \nu\}. \quad (4.3)$$

By the Jacobi-Trudi identity (4.2) this gives a formula for computing the plethysm coefficients as

$$a_\lambda(d[n]) = \langle \det[h_{\lambda_i - i + j}]_{i,j=1}^{\ell(\lambda)}, h_d[h_n] \rangle = \sum_{\pi \in S_{\ell(\lambda)}} \text{sgn}(\pi) c_{\lambda + \pi - (1, 2, \dots)}(d, n), \quad (4.4)$$

where the permutations π are viewed as vectors with entries $1, 2, \dots, \ell(\lambda)$.

We now turn towards the proof of Theorem 3.5 and consider s_λ for $\lambda = (\lambda_1, \lambda_2, 2)$ for some $k \geq 2$. By the Jacobi-Trudi identity (4.4) we need to compute only c_ν for ν having at most 3 parts, with $\nu_3 = 0, 1, 2$. Let $p_r(a, b)$ denote the number of partitions of r which fit inside an $a \times b$ rectangle, its generating function is the q -binomial coefficient (see [Sta11]):

$$\binom{a+b}{a}_q = \frac{(1-q) \cdots (1-q^{a+b})}{(1-q) \cdots (1-q^a)(1-q) \cdots (1-q^b)} = \sum_{r=0}^{ab} p_r(a, b) q^r$$

4.5 Proposition. *We have the following generating function identities for $c_\nu(d, n)$, where $\ell(\nu) \leq 3$ and $\nu_3 \leq 2$ (we omit the argument (d, n) of $c_\nu(d, n)$ below):*

$$\begin{aligned} c_{(L,k,2)} &= (q^k) @ \left(\binom{n}{1}_q \binom{n+d-2}{n}_q + \binom{n-1}{1}_q \binom{n+d-1}{n}_q + q \binom{n}{2}_q \binom{n+d-2}{n}_q \right) \\ c_{(L,k,1)} &= (q^k) @ \binom{n}{1}_q \binom{n+d-1}{n}_q \\ c_{(L,k,0)} &= (q^k) @ \binom{n+d}{n}_q = p_k(n, d) \end{aligned}$$

Proof. By formula (4.3), we have

$$c_{(L,k,0)} = \#\{(b) : |b| = d, \sum b_i \alpha^i = (L, k)\}.$$

Hence, the only α^i involved are of the form $\alpha^i = (n - a_i, a_i)$, and after renumeration, we can assume $a_i = i$. So we are counting compositions b of d , s.t. $\sum_i b_i i = k$ for $i = 0 \dots n$. This is exactly the same as specifying an integer partition γ of k by the number of its parts, i.e. $\gamma = (0^{b_0}, 1^{b_1}, \dots, n^{b_n})$, such that $b_0 + \dots + b_n = d$. These restrictions are equivalent to γ fitting inside an $n \times d$ box, and the number of such γ is exactly $p_k(d, n)$.

Next, when the second part in ν is 1, we have the following. Since $\nu_3 = 1$, the condition $\sum_i b_i \alpha_3^i = \nu_3 = 1$ implies that there is a single i , such that $b_i \alpha_3^i \neq 0$, and in fact must be 1, so $b_i = \alpha_3^i = 1$. After renumeration, we can assume that $i = 0$ (for separation purposes) with $b_0 = \alpha_3^0 = 1$ and $\alpha^0 = (n - 1 - r, r, 1)$ for $r = 0 \dots n - 1$. For the remaining b s and α s we have

$$\sum_i b_i \alpha^i = (L, k) - (n - 1 - r, r) = (L + r - n + 1, k - r)$$

with $b_1 + \dots = d - 1$, and $|\alpha^i| = n$. This number is now, by the previous case, $(q^{k-r}) @ \binom{n+d-1}{n}_q$. The total number is thus

$$c_{(L,k,1)} = \sum_{r=0}^{n-1} (q^{k-r}) @ \binom{n+d-1}{n}_q = (q^k) @ \sum_{r=0}^{n-1} q^r \binom{n+d-1}{n}_q = (q^k) @ \binom{n}{1}_q \binom{n+d-1}{n}_q.$$

Finally, when $\nu_3 = 2$ we have the following two distinct options:

Either there is an index i , such that $b_i \alpha_3^i = \nu_3 = 2$, or $i < j$ with $b_i \alpha_3^i = 1$ and $b_j \alpha_3^j = 1$.

In the first case we have $b_i \alpha_3^i = 2$ - either $b_i = 2$, in which case $\alpha^i = (n - 1 - r, 1)$ and the rest of the b 's sum to $d - b_i = d - 2$, which brings us to the previous case (of $(L, k, 1)$), so the number is

$$(q^k) @ \binom{n}{1}_q \binom{n+d-2}{n}_q.$$

Otherwise, $b_i = 1$ and $\alpha_3^i = 2$. As in the case $\nu_3 = 1$, let $i = 0$ and $\alpha^0 = (n - 2 - r, r, 2)$, $b_0 = 1$, so we are looking for the number of $(b_1, \dots)$ with $|b| = d - 1$ and such that $\sum_i b_i \alpha^i = (L - n + r + 2, k - r)$ for all possible $r = 0, \dots, n - 2$. So this is

$$\sum_{r=0}^{n-2} (q^{k-r}) @ \binom{n+d-1}{n}_q = (q^k) @ \binom{n-1}{1}_q \binom{n+d-1}{n}_q$$

Last, when there are $i < j$ with $b_i \alpha_3^i = 1$ and $b_j \alpha_3^j = 1$, let $i = -1$, $j = 0$ (again, renumbering for simplicity), with $\alpha^{-1} = (n-1-r_1, r_1, 1)$ and $\alpha^0 = (n-1-r_2, r_2, 1)$ with $0 \leq r_1 < r_2 \leq n-1$. We thus have for the remaining α and b s that $b_1 + \dots = d-2$, and $\sum_i b_i \alpha^i = (L - (n-1-r_1) - (n-1-r_2), k-r_1-r_2)$. By the first case, this is

$(q^{k-r_1-r_2}) @ \binom{n+d-2}{n}_q$. Summing over all possible $0 < r_1 < r_2 \leq n-1$, we have

$$\begin{aligned} (q^k) @ \sum_{0 \leq r_1 < r_2 \leq n-1} q^{r_1+r_2} \binom{n+d-2}{n}_q &= (q^k) @ q \sum_{0 \leq r_1 \leq r_2-1 \leq n-2} q^{r_1+(r_2-1)} \binom{n+d-2}{n}_q \\ &= (q^k) @ q \binom{n-2+2}{2}_q \binom{n+d-2}{n}_q, \end{aligned}$$

where the last identity follows from interpreting (r_2-1, r_1) as a partition in the $2 \times n-2$ rectangle. Summing over all the cases considered here, we get the desired total coefficient. $\square$

As an application of the above formulas, and an example, we first compute some easier cases, the first one being well known and classical (see e.g., [Stu93, Cor. 4.2.8]).

4.6 Proposition. *The plethysm coefficient for a two-row partition $\lambda = (L, k)$ is equal to*

$$a_{(L,k)}(d[n]) = (q^k) @ (1-q) \binom{n+d}{d}_q = p_k(d, n) - p_{k-1}(d, n).$$

The plethysm coefficient for the three-row partition $\lambda = (L, k, 1)$ is equal to

$$\begin{aligned} a_{(L,k,1)}(d[n]) &= (q^k) @ \left((1-q^n) \binom{n+d-1}{n}_q \right) - (q^{k+1}) @ (1-q^2) \binom{n+d}{n}_q \\ &= p_k(d-1, n) - p_{k+1}(n, d) + p_{k-1}(n, d) - p_k(d, n) + p_k(d, n-1) \end{aligned}$$

Proof. Following equation (4.4), and applying the formulas from Proposition 4.5 we have that

$$a_{(L,k)}(d[n]) = c_{(L,k,0)} - c_{(L+1,k-1,0)} = (q^k) @ \binom{n+d}{n}_q - (q^{k-1}) @ \binom{n+d}{n}_q = p_k(d, n) - p_{k-1}(d, n).$$

The formula in the statement follows from the fact that $(q^{k-1}) @ F = (q^k) @ qF$ for any Laurent polynomial F in q . For the second case, we follow the same formulas and derive

$$\begin{aligned} a_{(L,k,1)}(d[n]) &= c_{(L,k,1)} - c_{(L,k+1,0)} - c_{(L+1,k-1,1)} + c_{(L+2,k-1,0)} \\ &= (q^k) @ \binom{n}{1}_q \binom{n+d-1}{n}_q - (q^{k+1}) @ \binom{n+d}{n}_q - (q^{k-1}) @ \binom{n}{1}_q \binom{n+d-1}{n}_q + (q^{k-1}) @ \binom{n+d}{n}_q \\ &= (q^k) @ \left((1-q) \frac{1-q^n}{1-q} \binom{n+d-1}{n}_q \right) - (q^{k+1}) @ (1-q^2) \binom{n+d}{n}_q \\ &= (q^k) @ (1-q^n) \binom{n+d-1}{n}_q - (q^{k+1}) @ (1-q^2) \binom{n+d}{n}_q, \end{aligned}$$

which establishes the first expression for $a_{(L,k,1)}(d[n])$. For the second one we observe that

$$\binom{d+n}{n}_q - \binom{d+n-1}{d}_q = \binom{d+n-1}{n-1}_q \left(\frac{1-q^{d+n}}{1-q^n} - 1 \right) = q^n \frac{1-q^d}{1-q^n} \frac{[d+n-1]_q!}{[d]_q! [n-1]_q!} = q^n \binom{d+n-1}{n}_q$$

and then take the corresponding coefficients of the q -binomials via their combinatorial interpretation as number of partitions inside a rectangle. $\square$

4.7 Corollary. For every two-row partition (L, k) of dn we have $a_{(L, k)}(d[n]) = a_{(L, k)}(n[d])$ (which is the well-known Hermite reciprocity) and also $a_{(L, k, 1)}(d[n]) = a_{(L, k, 1)}(n[d])$.

Proof. The first equality is obvious by the combinatorial interpretation – partitions inside $d \times n$ rectangle are in one-to-one correspondence with partitions inside a $n \times d$ rectangle by diagonal flip. So $p_k(d, n) = p_k(n, d)$ and $p_{k-1}(d, n) = p_{k-1}(n, d)$, and by the first equation in Proposition 4.6 the equality follows.

To see the case of the three-row partition $(L, k, 1)$ from Proposition 4.6 we just compare all the terms using the symmetry again

$$\begin{aligned} a_{(L, k, 1)}(d[n]) - a_{(L, k, 1)}(n[d]) &= p_k(d-1, n) + p_k(d, n-1) - p_{k+1}(n, d) + p_{k-1}(n, d) - p_k(d, n) \\ &\quad - p_k(n-1, d) - p_k(n, d-1) + p_{k+1}(d, n) - p_{k-1}(d, n) + p_k(n, d) = 0. \end{aligned}$$

□

4.8 Proposition. The plethysm coefficient for $\lambda = (L, k, 2)$ is equal to

$$\begin{aligned} a_\lambda(d[n]) &= (q^{k+1}) @ \left(\binom{n+d-2}{n}_q \frac{q(1-q^n)(1-q^2+q-q^n)}{1-q^2} \right. \\ &\quad \left. + \binom{n+d-1}{n}_q (q^{n+1}-1) + (1-q) \binom{n+d}{n}_q \right) \end{aligned}$$

Proof. Following equation (4.4), we have that

$$a_\lambda(d[n]) = c_{(L, k, 2)} - c_{(L, k+1, 1)} - c_{(L+1, k-1, 2)} + c_{(L+1, k+1, 0)} + c_{(L+2, k-1, 1)} - c_{(L+2, k, 0)}.$$

Substituting the formulas for the c 's from Proposition 4.5, and observing that $(q^{k+j}) @ f = (q^k) @ q^{-j} f$ for any j , we have that

$$\begin{aligned} a_\lambda(d[n]) &= (q^{k+1}) @ \left((q-q^2) \left(\binom{n}{1}_q \binom{n+d-2}{n}_q + \binom{n-1}{1}_q \binom{n+d-1}{n}_q + q \binom{n}{2}_q \binom{n+d-2}{n}_q \right) \right. \\ &\quad \left. + (q^2-1) \binom{n}{1}_q \binom{n+d-1}{n}_q + (1-q) \binom{n+d}{n}_q \right) \end{aligned}$$

Simplifying the above expression by grouping terms for the same binomial coefficients together we obtain

$$\begin{aligned} a_\lambda(d[n]) &= (q^{k+1}) @ \left(\binom{n+d-2}{n}_q \frac{q(1-q^n)(1-q^2+q-q^n)}{1-q^2} \right. \\ &\quad \left. + \binom{n+d-1}{n}_q (q^{n+1}-1) + (1-q) \binom{n+d}{n}_q \right) \end{aligned}$$

□

4.9 Proposition. Let $\lambda = (L, k, 2)$. We have that

$$a_\lambda(d[n]) - a_\lambda(n[d]) = (q^k) @ \binom{n+d-2}{n-1}_q (q^n - q^d) \frac{(1-q^{d-1})(1-q^{n-1})}{(1-q^d)(1-q^n)}.$$

Proof. Set $[a]!_q := (1 - q) \cdots (1 - q^a)$, a variant of the usual factorial q -analogue but multiplied by $(1 - q)^a$, and consider the desired difference via the formula in Proposition 4.8:

$$\begin{aligned}
a_\lambda(d[n]) - a_\lambda(n[d]) &= (q^{k+1}) @ \\
&= \left\{ \left(\binom{n+d-2}{n}_q \frac{q(1-q^n)(1-q^2+q-q^n)}{1-q^2} + \binom{n+d-1}{n}_q (q^{n+1}-1) \right. \right. \\
&\quad \left. \left. - \binom{n+d-2}{d}_q \frac{q(1-q^d)(1-q^2+q-q^d)}{1-q^2} - \binom{n+d-1}{d}_q (q^{d+1}-1) \right) \right\} \\
&= \frac{[n+d-2]!_q}{[n-2]!_q[d-2]!_q} \frac{q(q^{n-1}-q^{d-1})}{(1-q^{n-1})(1-q^{d-1})} - \frac{[n+d-1]!_q}{[n-1]!_q[d-1]!_q} \frac{(1-q)(q^n-q^d)}{(1-q^n)(1-q^d)} \\
&= \binom{n+d-2}{n-1}_q (q^n-q^d) \left(1 - \frac{(1-q^{n+d-1})(1-q)}{(1-q^n)(1-q^d)} \right) \\
&= \binom{n+d-2}{n-1}_q (q^n-q^d) \frac{q(1-q^{d-1})(1-q^{n-1})}{(1-q^d)(1-q^n)} \Big\}
\end{aligned}$$

Finally, observe that the RHS is a polynomial divisible by q , so the coefficient at q^{k+1} is the same as the coefficient at q^k after dividing by q . $\square$

We are now ready to prove Theorem 3.5 as a corollary of the above computations. This verifies Foulkes' conjecture for an infinite family of cases:

4.10 Corollary. [Theorem 3.5] Let $d = n + 1$ and $\lambda = (n^2 + n - 2 - k, k, 2)$. Then $a_\lambda((n+1)[n]) - a_\lambda(n[n+1]) \geq 0$, with

$$a_\lambda((n+1)[n]) - a_\lambda(n[n+1]) = \begin{cases} 0, & \text{when } k < n, \\ 1, & \text{when } k = n, \\ > 0, & \text{when } k > n \text{ and } n \geq 7, \end{cases}$$

with the exception in the last case when $n = 8$, and $k = 35$ when $a_{(35,35,2)}(9[8]) = a_{(35,35,2)}(8[9])$.

Proof. Then by the Proposition 4.9 we have

$$\begin{aligned}
a_\lambda((n+1)[n]) - a_\lambda(n[n+1]) &= (q^k) @ \binom{2n-1}{n-1}_q (q^n - q^{n+1}) \frac{(1-q^n)(1-q^{n-1})}{(1-q^{n+1})(1-q^n)} \\
&= (q^k) @ \binom{2n-1}{n-1}_q (q^n - q^{n+1}) \frac{(1-q^{n-1})}{1-q^{n+1}} = (q^k) @ \binom{2n-1}{n-2}_q (q^n - q^{n+1})
\end{aligned}$$

The last line follows by absorbing the fraction into the q -binomial coefficient. It is now evident, that since the q -binomial coefficient expands into a polynomial of q (with coefficients given by $p_*(n-2, n+1)$), multiplying it with q^n or q^{n+1} gives two polynomials whose lowest order terms are q^n and q^{n+1} respectively. So if $k < n$, there is no term of such degree, and the coefficient is 0. When $k = n$ we see that such term can only come from the first polynomial's first (lowest order) term, which is exactly q^n since $\binom{2n-1}{n-2}_q q^n = q^n(1+q+2q^2+\cdots) = q^n + O(q^{n+1})$. Therefore we obtain the case $k = n$.

Let now $k > n$, and set $k = n + r + 1$ for some $r \geq 0$. We have that

$$\begin{aligned}
a_\lambda((n+1)[n]) - a_\lambda(n[n+1]) &= (q^{r+1}) @ \binom{2n-1}{n-2}_q - (q^r) @ \binom{2n-1}{n-2}_q \\
&= p_{r+1}(n+1, n-2) - p_r(n+1, n-2) \\
&= g((n^2 - n - 3 - r, r+1), (n+1)^{n-2}, (n+1)^{n-2}) > 0,
\end{aligned}$$

where g denotes the Kronecker coefficient for the symmetric group $\mathfrak{S}_n$ for the 3 given partitions, and the last identity and the strict positivity are shown to hold for $n \geq 9$ in [PP13], and the other cases are verified by direct expansion of the q -binomial coefficients. In particular, we have that $p_{26}(9, 6) = 227 = p_{27}(9, 6)$ which gives the only exceptional 0 plethysm. $\square$

5 Computer calculations

The following computer calculation for Proposition 5.1 is a refinement and speedup of the computation performed in [CIM16]. Indeed, a run of the method from [CIM16] would take significantly too long to prove Proposition 5.1 in any reasonable time. Our new method makes extensive use of memory resources, while the method from [CIM16] uses almost no memory.

5.1 Proposition. *If X is defined as in Proposition 3.9, then for all $\mu \in X$ of length 3 we have $\text{mult}_\mu(\mathbb{C}[\text{Ch}_3^6]) > 0$.*

If X is defined as in Proposition 7.1, then for all $\mu \in X$ we have $\text{mult}_\mu(\mathbb{C}[\text{Ch}_4^7]) > 0$.

Proof. For a vector space U let $\bigotimes^\delta U$ denote its δ -th tensor power. The computation that verifies Proposition 5.1 is based on the famous Schur-Weyl duality (see e.g., [Pro07, Ch. 9, eq. (3.1.4)] or [GW09, eq. (9.1)]):

$$\bigotimes^{dn} \mathbb{C}^m \simeq \bigoplus_{\lambda} \{\lambda\} \otimes [\lambda], \quad (5.2)$$

where the sum is over all m -partitions of dn , $\{\lambda\}$ is the irreducible GL_m -representation of type λ , and $[\lambda]$ is the irreducible $\mathfrak{S}_{dn}$ -representation of type λ , which is called the Specht module.

For a GL_m -representation W , a highest weight vector of type λ is a vector $f \in W$ such that two properties hold: (1) $\text{diag}(\alpha_1, \alpha_2, \dots, \alpha_m)f = \alpha_1^{\lambda_1} \cdots \alpha_m^{\lambda_m} f$, where $\text{diag}(\alpha_1, \alpha_2, \dots, \alpha_m)$ denotes the diagonal matrix with α_i on the main diagonal, and (2) $gf = f$ for every upper triangular matrix $g \in \text{GL}_m$ with 1s on the main diagonal. The highest weight vectors of type λ in W form a vector space, which we call $\text{HWV}_\lambda(W)$. Its dimension conveniently coincides with the multiplicity of λ in W (see e.g., [BI18, Prop 12.2.5]):

$$\text{mult}_\lambda(W) = \dim \text{HWV}_\lambda(W). \quad (5.3)$$

Let $\text{Sym}^\delta U \subseteq \bigotimes^\delta U$ denote the $\mathfrak{S}_\delta$ -invariant subspace and let U^* denote the vector space dual to U . There are canonical isomorphisms $\mathbb{C}[U]_d \simeq \text{Sym}^d(U^*) \simeq (\text{Sym}^d U)^*$. Observe that there are canonical GL_m -equivariant surjections:

$$\bigotimes^{dn} \mathbb{C}^m \simeq \bigotimes^d (\bigotimes^n \mathbb{C}^{m*})^* \rightarrow \underbrace{\text{Sym}^d(\text{Sym}^n(\mathbb{C}^{m*}))^*}_{=\mathbb{C}[\mathbb{A}_m^n]_d} \rightarrow \mathbb{C}[\text{Ch}_m^n]_d,$$

where the first surjection is the symmetrization $S_{d,n} := \frac{1}{d!(n!)^d} \sum_{\sigma \in \mathfrak{S}_n \wr \mathfrak{S}_d} \sigma$ over the wreath product $\mathfrak{S}_n \wr \mathfrak{S}_d$ and the second surjection is the restriction of functions from $\mathbb{A}_m^n$ to the subvariety Ch_m^n . Now, restricting to the highest weight vector space of type λ , we obtain surjections

$$\text{HWV}_\lambda(\bigotimes^{dn} \mathbb{C}^m) \rightarrow \text{HWV}_\lambda(\mathbb{C}[\mathbb{A}_m^n]_d) \rightarrow \text{HWV}_\lambda(\mathbb{C}[\text{Ch}_m^n]_d). \quad (5.4)$$

To prove that $\text{mult}_\lambda(\mathbb{C}[\text{Ch}_m^n]_d) > 0$ we combine (5.3) with (5.4), so our goal is to find a nonzero vector in $\text{HWV}_\lambda(\bigotimes^{dn} \mathbb{C}^m)$ that does not vanish under the composition of both surjections in (5.4). The vector space $\text{HWV}_\lambda(\bigotimes^{dn} \mathbb{C}^m)$ is well known and we construct its elements as follows. For a partition $\lambda = (\lambda_1, \dots, \lambda_m)$ let μ be its transposed partition, i.e., $\mu_i := |\{j \mid \lambda_j \geq i\}|$. If we depict a partition by its Young diagram, which is a top-left justified array of boxes, λ_i in each row, then μ is obtained by reflecting λ at its diagonal, hence the name “transposed partition”. It is straightforward to verify that the following vector v_λ is contained in $\text{HWV}_\lambda(\bigotimes^{dn} \mathbb{C}^m)$:

$$v_\lambda := v_{\mu_1} \otimes v_{\mu_2} \otimes \cdots \otimes v_{\mu_{\lambda_1}},$$

where $v_i := e_1 \wedge e_2 \wedge \cdots \wedge e_i := \frac{1}{i!} \sum_{\sigma \in \mathfrak{S}_i} \text{sgn}(\sigma) e_{\sigma(1)} \otimes \cdots \otimes e_{\sigma(i)}$ is a highest weight vector of type $\underbrace{(1, 1, \dots, 1)}_{i \text{ times}}$. Equation (5.2) combined with the fact that $\{\lambda\}$ contains a single highest weight vector

line of type λ and no highest weight vector of any other type (see e.g., [Kra85, III.1.4, Satz 1]) implies that $\{\pi v_\lambda \mid \pi \in \mathfrak{S}_{dn}\}$ is a generating set of the vector space $\text{HWV}_\lambda(\bigotimes^{dn} \mathbb{C}^m)$ (cp. [Ike12, Claim 4.2.13]). Thus $\{S_{d,n} \pi v_\lambda \mid \pi \in \mathfrak{S}_{dn}\}$ is a generating set of $\text{HWV}_\lambda(\mathbb{C}[\mathbb{A}_m^n]_d)$. The evaluation of $S_{d,n} \pi v_\lambda$ at a point $p \in \mathbb{A}_m^n = \text{Sym}^n \mathbb{C}^{m*}$ is known to equal the tensor contraction

$$(p^{\otimes d}) S_{d,n} \pi v_\lambda, \quad (5.5)$$

see e.g., [Ike12, Sec. 4.2(A)]. Since $p^{\otimes d} S_{d,n} = p^{\otimes d}$, (5.5) equals

$$(p^{\otimes d}) \pi v_\lambda, \quad (5.6)$$

as observed e.g., in [Ike12, p. 39]. Therefore, the statement $\dim \text{HWV}_\lambda(\mathbb{C}[\text{Ch}_m^n]_d) > 0$ is equivalent to the existence of a $\pi \in \mathfrak{S}_{dn}$ and a $p \in \text{Ch}_m^n$ such that (5.6) is nonzero. The search for (π, p) is an algorithmic challenge that we tackle as follows. We choose a random $p \in \text{Ch}_m^n$, i.e., $p = \ell_1 \cdots \ell_n = \frac{1}{n!} \sum_{\sigma \in \mathfrak{S}_n} \ell_{\sigma(1)} \otimes \cdots \otimes \ell_{\sigma(i)}$, $\ell_i \in \mathbb{C}^{m*}$. To compute (5.6) we aim to *not* expand πv_λ , because a tensor contraction

$$(\ell_{i_1} \otimes \ell_{i_2} \otimes \cdots \otimes \ell_{i_{dn}}) \pi v_\lambda \quad (5.7)$$

is just a product of determinants of matrices of size $\leq m$, and such determinants are efficiently computable. If we expand $p^{\otimes d}$ into a sum of summands of the form $\ell_{i_1} \otimes \ell_{i_2} \otimes \cdots \otimes \ell_{i_{dn}}$, then we obtain $(n!)^d$ many summands, which for $n = 6$ quickly exceeds our computational resources, even for reasonably low d . Therefore we use a *dynamic programming* approach that is based on the combinatorial interpretation of the summation (5.6) from [CIM16], which we describe next.

We identify λ with its Young diagram, which we interpret as a cardinality $|\lambda|$ subset of $\mathbb{N} \times \mathbb{N}$. Let μ be the transpose of λ , so μ_i denotes the length of the i -th column of λ . A *placement* ϑ on λ is a map $\lambda \rightarrow \{1, \dots, n\}$. To each placement ϑ and each column index i the corresponding determinant $\det_{\vartheta, i}$ is defined as the determinant of the top $\mu_i \times \mu_i$ submatrix of the $m \times \mu_i$ matrix that is given by the linear forms $\ell_{\vartheta(1,i)}, \ell_{\vartheta(2,i)}, \dots, \ell_{\vartheta(\mu_i,i)}$. We number the positions in λ columnwise from left to right, top to bottom, so that each position $b \in \lambda$ gets a number $j(b) \in \{1, \dots, nd\}$. Given $\pi \in \mathfrak{S}_{nd}$ we construct the Young tableau T of shape λ by filling λ at position b with the number $T(b) := \lceil \pi(j(b))/n \rceil$. For example, if $\lambda = (2, 2)$, $d = n = 2$, and π is the transposition $(2\ 3)$, then $T = \begin{bmatrix} 1 & 1 \\ 2 & 2 \end{bmatrix}$. The tableau T contains each number from $\{1, \dots, d\}$ exactly n times (and each tableau T which contains each number from 1 to d exactly n times can be obtained from some π). A short calculation, which for example is done in [CIM16], shows that (5.6) equals

$$\sum_{\text{proper } \vartheta} \prod_{i=1}^{\lambda_1} \det_{\vartheta, i}, \quad (5.8)$$

where a placement ϑ is *proper* if ϑ places each number onto each number in T exactly once, i.e., for every $i \in \{1, \dots, n\}$ and $j \in \{1, \dots, d\}$ there exists exactly one $b \in \lambda$ with $(\vartheta(b), T(b)) = (i, j)$.

The above description was used to perform the computations in [CIM16]. We now discuss some adjustments for the computations that we use. For a placement ϑ on λ and for a partition $\nu \subseteq \lambda$ we denote by $\vartheta|_\nu$ the restriction of ϑ to ν . We say that a placement ϑ on λ *extends* a placement ψ on $\nu \subseteq \lambda$ iff $\vartheta|_\nu = \psi$. Let $\lambda^{\leq k}$ denote the set of boxes in the first k columns of the Young diagram λ , and $\lambda^{> k}$ denote the set of boxes of λ that are in columns $> k$. For a placement ψ on $\lambda^{\leq k}$ and a placement φ on $\lambda^{> k}$ let $\psi\varphi$ denote the unique placement on λ that extends both ψ and φ .

Our algorithm constructs all proper placements ϑ on λ using a standard breadth-first search in a columnwise manner from left to right, top to bottom. In this way we first obtain $\vartheta|_{\lambda^{\leq 1}}$, then $\vartheta|_{\lambda^{\leq 2}}$,

and so on. For each placement ψ on $\lambda^{\leq k}$ we observe that

$$\sum_{\text{proper } \vartheta \text{ extending } \psi} \prod_{i=1}^{\lambda_1} \det_{\vartheta,i} = \left(\prod_{i=1}^k \det_{\psi,i} \right) \underbrace{\left(\sum_{\text{proper } \vartheta \text{ extending } \psi} \prod_{i=k+1}^{\lambda_1} \det_{\vartheta,i} \right)}_{=: \alpha(\psi)}. \quad (5.9)$$

Two placements ψ and ψ' on $\lambda^{\leq k}$ are called *equivalent* if they can be obtained from each other by permuting entries between positions that have the same number in T . The crucial observation is that $\alpha(\psi) = \alpha(\psi')$ if ψ is equivalent to ψ' . Therefore we can store and reuse each $\alpha(\psi)$ that we encounter throughout the algorithm without computing it again. Although this requires a significant amount of memory, it enables us to crucially cut down the computation time.¹

Define $\kappa_i(T^{\leq k})$ as the number of times the number i appears in the first k columns of T . Then the number of non-equivalent ψ can easily be calculated as

$$\sum_{k=1}^{\lambda_1} \prod_{i=1}^d \binom{n}{\kappa_i(T^{\leq k})} \quad (5.10)$$

Note that depending on T the number of non-equivalent ψ can wildly vary and with it also our running time and memory usage. Generally, it seems that semistandard tableaux, i.e., tableaux with non-decreasing rows and strictly increasing columns, can be evaluated faster. It is sufficient to restrict our attention to semistandard T only, see e.g., [Ike12, Sec. 4.3(A)]. For many partitions there were too many semistandard tableaux in order to generate all of them, so a set of random semistandard tableaux was chosen in these cases. In either case we tested the chosen tableaux by increasing value of (5.10). Additionally, as soon as we find $\prod_{i=1}^k \det_{\psi,i}$ to be zero we do not have to evaluate the corresponding $\alpha(\psi)$. Numerical problems were avoided by working over a finite field. $\square$

The actual tableaux found in both these calculations can be found in Section 8.

6 Tableau computation results for Proposition 3.2

Proof of Proposition 3.2. We computed the following 8 tableaux that index a basis of $\text{HWV}_{34,6,2}(\mathbb{C}[\mathbb{A}_3^6]_7)$, in complete analogy to [BIP19, Sec. 6]. The corresponding functions can be readily evaluated at 8 random points in $\text{Pow}_{3,4}^6$ to obtain an 8×8 matrix whose non-singularity proves the first part of Proposition 3.2.

1	1	1	1	1	1	2	2	2	2	2	3	3	4	4	4	4	5	5	5	5	5	6	6	6	6	6	7	7	7	7	7
2	3	3	3	4	5																										
3	4																														
1	1	1	1	1	1	2	2	2	2	3	3	3	3	3	4	4	4	4	4	5	5	5	5	6	6	6	7	7	7	7	7
2	2	4	4	5	5																										
6	6																														
1	1	1	1	1	1	2	2	2	3	3	3	3	3	4	4	4	4	5	5	5	5	6	6	6	6	6	7	7	7	7	7
2	2	2	5	5	5																										
4	4																														
1	1	1	1	1	1	2	2	2	2	3	3	3	3	3	4	4	4	5	5	5	5	6	6	6	6	6	7	7	7	7	7
2	4	4	4	4	7																										
5	5																														
1	1	1	1	1	1	2	2	2	3	3	3	3	3	4	4	4	4	5	5	5	5	6	6	6	6	7	7	7	7	7	7
2	2	2	2	4	4																										
3	6																														
1	1	1	1	1	1	2	2	2	2	3	3	3	3	3	4	4	4	4	5	5	5	5	6	6	6	7	7	7	7	7	7
2	3	5	6	6	6																										
4	4																														
1	1	1	1	1	1	2	2	2	2	2	3	3	3	3	4	4	4	4	5	5	5	5	6	6	6	7	7	7	7	7	7
3	3	4	5	5	7																										
4	6																														
1	1	1	1	1	1	2	2	2	2	3	3	3	3	4	4	4	4	4	5	5	5	5	6	6	6	7	7	7	7	7	7
2	2	3	3	6	7																										
4	5																														

¹Since $\alpha(\psi)$ for any placement ψ on $\lambda^{\leq k}$ only depends on $\alpha(\psi')$ for some placements ψ' on $\lambda^{\leq k+1}$ we don't have to keep the results for all k at the same point in time, which again cuts down our memory usage by a small factor. This was especially relevant for the case $m = 4, n = 7$, although not sufficient for all partitions.

The second part is proved analogously by studying $\text{HWV}_{47,2}(\mathbb{C}[A_3^7]_8)$ and using the following 11 tableaux.

1	1	1	1	1	1	2	2	2	2	2	3	3	3	3	3	3	4	4	4	4	4	4	5	5	5	5	5	5	6	6	6	6	6	6	7	7	7	8	8	8	8	8	
2	2	4	7	7	8																																						
5	7																																										
1	1	1	1	1	1	2	2	2	2	3	3	3	3	3	3	3	4	4	4	4	4	4	5	5	5	5	5	5	6	6	6	6	6	6	7	7	7	7	8	8	8	8	8
2	2	2	5	5	7																																						
4	6																																										
1	1	1	1	1	1	2	2	2	3	3	3	3	3	3	3	4	4	4	4	4	4	5	5	5	5	5	5	6	6	6	6	6	6	7	7	7	7	7	8	8	8	8	
2	2	2	2	4	6	8																																					
8	8																																										
1	1	1	1	1	1	2	2	2	3	3	3	3	3	3	3	4	4	4	4	4	4	5	5	5	5	5	5	6	6	6	6	6	6	7	7	7	7	7	8	8	8	8	
2	2	2	2	3	3	8																																					
5	8																																										
1	1	1	1	1	1	2	2	2	2	3	3	3	3	3	3	4	4	4	4	4	4	5	5	5	5	5	5	6	6	6	6	6	6	7	7	7	7	7	8	8	8	8	
2	2	4	8	8	8																																						
4	5																																										
1	1	1	1	1	1	2	2	2	2	2	2	3	3	3	3	3	4	4	4	4	4	4	5	5	5	5	5	6	6	6	6	6	6	7	7	7	7	8	8	8	8	8	
3	3	3	3	5	5																																						
5	7																																										
1	1	1	1	1	1	2	2	2	2	2	2	2	3	3	3	3	3	4	4	4	4	4	4	5	5	5	5	5	6	6	6	6	6	7	7	7	8	8	8	8	8	8	
3	3	6	6	7	7	7																																					
7	8																																										
1	1	1	1	1	1	2	2	2	2	2	2	2	3	3	3	3	3	4	4	4	4	4	4	5	5	5	5	5	6	6	6	6	6	7	7	7	7	8	8	8	8	8	
4	4	4	5	5	8	8																																					
8	8																																										
1	1	1	1	1	1	2	2	2	2	2	3	3	3	3	3	3	4	4	4	4	4	4	5	5	5	5	5	6	6	6	6	6	7	7	7	8	8	8	8	8	8		
2	2	4	4	5	5	7																																					
7	8																																										
1	1	1	1	1	1	2	2	2	2	2	2	3	3	3	3	3	4	4	4	4	4	4	5	5	5	5	5	6	6	6	6	6	7	7	7	8	8	8	8	8	8		
2	2	3	3	5	7	8																																					
4	6																																										
1	1	1	1	1	1	2	2	2	2	2	2	3	3	3	3	3	4	4	4	4	4	4	5	5	5	5	5	6	6	6	6	6	7	7	7	8	8	8	8	8	8		
2	3	3	4	5	7	8																																					
3	6																																										

□

7 Generators for $m = 4$, $n = 7$

7.1 Proposition. Define the set

$X := \{(7, (8, 6)), (10, 4), (12, 2), (8, 8, 5), (9, 6, 6), (10, 7, 4), (10, 8, 3), (10, 10, 1), (11, 6, 4), (11, 8, 2), (12, 6, 3), (12, 7, 2), (12, 8, 1), (12, 9), (13, 4, 4), (13, 6, 2), (13, 7, 1), (13, 8), (14, 5, 2), (14, 6, 1), (14, 7), (15, 4, 2), (16, 4, 1), (16, 5), (17, 2, 2), (18, 3), (10, 6, 6, 6), (9, 8, 6, 5), (8, 8, 8, 4), (10, 8, 6, 4), (10, 10, 4, 4), (11, 7, 6, 4), (11, 8, 5, 4), (10, 8, 7, 3), (10, 9, 6, 3), (12, 6, 6, 4), (12, 8, 4, 4), (11, 8, 6, 3), (11, 9, 5, 3), (10, 8, 8, 2), (11, 10, 4, 3), (10, 10, 6, 2), (13, 7, 4, 4), (12, 7, 6, 3), (12, 8, 5, 3), (12, 9, 4, 3), (11, 8, 7, 2), (11, 9, 6, 2), (11, 10, 5, 2), (10, 10, 7, 1), (14, 6, 4, 4), (13, 6, 6, 3), (13, 7, 5, 3), (13, 8, 4, 3), (13, 9, 3, 3), (12, 8, 6, 2), (12, 9, 5, 2), (11, 8, 8, 1), (12, 10, 4, 2), (11, 9, 7, 1), (12, 11, 3, 2), (11, 10, 6, 1), (12, 12, 2, 2), (11, 11, 5, 1), (10, 10, 8), (14, 7, 4, 3), (13, 7, 6, 2), (13, 8, 5, 2), (13, 9, 4, 2), (12, 8, 7, 1), (13, 10, 3, 2), (12, 9, 6, 1), (12, 10, 5, 1), (12, 11, 4, 1), (11, 10, 7), (16, 4, 4, 4), (15, 6, 4, 3), (14, 6, 6, 2), (14, 7, 5, 2), (14, 8, 4, 2), (13, 7, 7, 1), (14, 9, 3, 2), (13, 8, 6, 1), (14, 10, 2, 2), (13, 9, 5, 1), (12, 8, 8), (13, 10, 4, 1), (12, 9, 7), (13, 11, 3, 1), (12, 10, 6), (13, 12, 2, 1), (12, 11, 5), (13, 13, 1, 1), (12, 12, 4), (15, 6, 5, 2), (15, 7, 4, 2), (15, 8, 3, 2), (14, 7, 6, 1), (15, 9, 2, 2), (14, 8, 5, 1), (14, 9, 4, 1), (13, 8, 7), (14, 10, 3, 1), (13, 9, 6), (14, 11, 2, 1), (13, 10, 5), (13, 11, 4), (13, 12, 3), (16, 6, 4, 2), (16, 7, 3, 2), (15, 6, 6, 1), (16, 8, 2, 2), (15, 7, 5, 1), (15, 8, 4, 1), (15, 9, 3, 1), (14, 8, 6), (15, 10, 2, 1), (14, 9, 5), (15, 11, 1, 1), (14, 10, 4), (14, 11, 3), (14, 12, 2), (14, 13, 1), (14, 14), (17, 5, 4, 2), (17, 6, 3, 2), (17, 7, 2, 2), (16, 6, 5, 1), (16, 7, 4, 1), (16, 8, 3, 1), (15, 7, 6), (16, 9, 2, 1), (16, 10, 1, 1), (15, 9, 4), (15, 10, 3), (15, 11, 2), (15, 12, 1), (18, 4, 4, 2), (18, 6, 2, 2), (17, 6, 4, 1), (17, 7, 3, 1), (17, 8, 2, 1), (16, 7, 5), (17, 9, 1, 1), (16, 8, 4), (16, 9, 3), (16, 10, 2), (16, 11, 1), (19, 5, 2, 2), (18, 5, 4, 1), (18, 6, 3, 1), (18, 7, 2, 1), (17, 6, 5), (17, 9, 2), (17, 11), (20, 4, 2, 2), (19, 4, 4, 1), (19, 5, 3, 1), (19, 6, 2, 1), (19, 7, 1, 1), (18, 7, 3), (18, 9, 1), (20, 5, 2, 1), (19, 5, 4), (22, 2, 2, 2), (21, 4, 2, 1), (20, 5, 3), (21, 4, 3), (22, 5, 1), (23, 3, 2), (11, 8, 8, 8), (10, 10, 8, 7), (11, 9, 8, 7), (11, 10, 7, 7), (10, 10, 9, 6), (12, 8, 8, 7), (11, 10, 8, 6), (11, 11, 7, 6), (10, 10, 10, 5), (13, 8, 7, 7), (12, 9, 8, 6), (12, 10, 7, 6), (12, 11, 6, 6), (11, 10, 9, 5), (11, 11, 8, 5), (13, 8, 8, 6), (13, 9, 7, 6), (13, 10, 6, 6), (12, 9, 9, 5), (12, 10, 8, 5), (12, 11, 7, 5), (11, 10, 10, 4), (12, 12, 6, 5), (11, 11, 9, 4), (14, 8, 7, 6), (14, 9, 6, 6), (13, 9, 8, 5), (13, 10, 7, 5), (13, 11, 6, 5), (12, 10, 9, 4), (13, 12, 5, 5), (12, 11, 8, 4), (12, 12, 7, 4), (11, 11, 10, 3), (15, 7, 7, 6), (15, 8, 6, 6), (14, 8, 8, 5), (14, 9, 7, 5), (14, 10, 6, 5), (13, 9, 9, 4), (14, 11, 5, 5), (13, 10, 8, 4), (13, 11, 7, 4), (12, 10, 10, 3), (13, 12, 6, 4), (12, 11, 9, 3), (13, 13, 5, 4), (12, 12, 8, 3), (16, 7, 6, 6), (15, 8, 7, 5), (15, 9, 6, 5), (15, 10, 5, 5), (14, 9, 8, 4), (14, 10, 7, 4), (14, 11, 6, 4), (13, 10, 9, 3), (14, 12, 5, 4), (13, 11, 8, 3), (14, 13, 4, 4), (13, 12, 7, 3), (12, 11, 10, 2), (13, 13, 6, 3), (12, 12, 9, 2), (16, 7, 7, 5), (16, 9, 5, 5), (15, 9, 7, 4), (15, 10, 6, 4), (14, 9, 9, 3), (15, 11, 5, 4), (14, 10, 8, 3), (15, 12, 4, 4), (14, 11, 7, 3), (13, 10, 10, 2), (14, 12, 6, 3), (13, 11, 9, 2), (14, 13, 5, 3), (13, 12, 8, 2), (14, 14, 4, 3), (13, 13, 7, 2), (12, 12, 10, 1), (17, 7, 6, 5), (17, 8, 5, 5), (16, 8, 7, 4), (16, 9, 6, 4), (16, 10, 5, 4), (15, 9, 8, 3), (16, 11, 4, 4), (15, 10, 7, 3), (15, 11, 6, 3), (14, 10, 9, 2), (15, 12, 5, 3), (14, 11, 8, 2), (15, 13, 4, 3), (14, 12, 7, 2), (13, 11, 10, 1), (15, 14, 3, 3), (14, 13, 6, 2), (13, 12, 9, 1), (14, 14, 5, 2), (13, 13, 8, 1), (12, 12, 11), (18, 6, 6, 5), (18, 7, 5, 5), (17, 7, 7, 4), (17, 9, 5, 4), (16, 8, 8, 3), (16, 9, 7, 3), (16, 10, 6, 3), (15, 9, 9, 2), (16, 11, 5, 3), (15, 10, 8, 2), (16, 12, 4, 3), (15, 11, 7, 2), (14, 10, 10, 1), (16, 13, 3, 3), (15, 12, 6, 2), (14, 11, 9, 1), (15, 13, 5, 2), (14, 12, 8, 1), (15, 14, 2, 2), (14, 13, 7, 1), (13, 12, 10), (15, 15, 3, 2), (14, 14, 6, 1), (13, 13, 9), (18, 9, 4, 4), (17, 10, 5, 3), (16, 9, 8, 2), (17, 11, 4, 3), (16, 10, 7, 2), (17, 12, 3, 3), (16, 11, 6, 2), (15, 10, 9, 1), (16, 12, 5, 2), (15, 11, 8, 1), (16, 13, 4, 2), (15, 12, 7, 1), (14, 11, 10), (16, 14, 3, 2), (15, 13, 6, 1), (14, 12, 9), (16, 15, 2, 2), (15, 14, 5, 1), (14, 13, 8), (15, 15, 4, 1), (14, 14, 7), (19, 7, 5, 4), (18, 7, 7, 3), (17, 9, 7, 2), (18, 11, 3, 3), (16, 9, 9, 1), (17, 11, 5, 2), (16, 10, 8, 1), (17, 12, 4, 2), (16, 11, 7, 1), (15, 10, 10), (17, 13, 3, 2), (16, 12, 6, 1), (15, 11, 9), (17, 14, 2, 2), (16, 13, 5, 1), (15, 12, 8), (16, 14, 4, 1), (15, 13, 7), (16, 15, 3, 1), (15, 14, 6), (16, 16, 2, 1), (15, 15, 5), (20, 6, 5, 4), (19, 10, 3, 3), (17, 9, 8, 1), (18, 11, 4, 2), (18, 12, 3, 2), (17, 11, 6, 1), (16, 10, 9), (18, 13, 2, 2), (17, 12, 5, 1), (16, 11, 8), (17, 13, 4, 1), (16, 12, 7), (17, 14, 3, 1), (16, 13, 6), (17, 15, 2, 1), (17, 16, 1, 1), (16, 15, 4), (16, 16, 3), (19, 7, 7, 2), (17, 9, 9), (18, 12, 4, 1), (17, 11, 7), (18, 13, 3, 1), (18, 14, 2, 1), (17, 13, 5), (18, 15, 1, 1), (17, 14, 4), (17, 15, 3), (17, 16, 2), (22, 5, 4, 4), (21, 6, 5, 3), (21, 8, 3, 3), (20, 11, 2, 2), (18, 9, 8), (19, 12, 3, 1), (18, 11, 6), (19, 13, 2, 1), (19, 14, 1, 1), (18, 15, 2), (18, 17), (22, 7, 3, 3), (19, 13, 3), (19, 15, 1), (19, 16), (23, 5, 4, 3), (23, 6, 3, 3), (21, 12, 1, 1), (24, 4, 4, 3), (23, 5, 5, 2), (21, 7, 7), (25, 5, 3, 2), (24, 5, 5, 1), (26, 4, 3, 2), (25, 8, 1, 1), (28, 3, 2, 2), (27, 4, 3, 1), (12, 10, 10, 10), (11, 11, 11, 9), (12, 11, 10, 9), (12, 12, 9, 9), (13,$

(15, 14, 13), (18, 18, 3, 3), (17, 17, 6, 2), (16, 16, 9, 1), (15, 15, 12), (18, 11, 11, 2), (19, 13, 7, 3), (18, 12, 10, 2), (18, 13, 9, 2), (17, 12, 12, 1), (17, 13, 11, 1), (18, 15, 7, 2), (17, 14, 10, 1), (16, 13, 13), (19, 17, 3, 3), (17, 15, 9, 1), (16, 14, 12), (18, 17, 5, 2), (17, 16, 8, 1), (16, 15, 11), (18, 18, 4, 2), (17, 17, 7, 1), (19, 13, 8, 2), (18, 12, 11, 1), (18, 13, 10, 1), (20, 16, 3, 3), (18, 14, 9, 1), (17, 13, 12), (18, 15, 8, 1), (19, 17, 4, 2), (17, 15, 10), (19, 18, 3, 2), (18, 17, 6, 1), (17, 16, 9), (19, 19, 2, 2), (18, 18, 5, 1), (17, 17, 8), (19, 11, 11, 1), (19, 13, 9, 1), (18, 13, 11), (18, 14, 10), (19, 18, 4, 1), (18, 17, 7), (19, 19, 3, 1), (21, 17, 2, 2), (19, 15, 8), (20, 18, 3, 1), (19, 17, 6), (20, 19, 2, 1), (19, 18, 5), (19, 19, 4), (20, 11, 11), (20, 19, 3), (26, 6, 5, 5), (22, 18, 1, 1), (21, 19, 2), (21, 20, 1), (23, 19), (28, 5, 5, 4), (29, 5, 5, 3), (31, 5, 3, 3), (32, 5, 5), (13, 12, 12, 12), (13, 13, 12, 11), (14, 12, 12, 11), (14, 13, 11, 11), (13, 13, 13, 10), (15, 12, 11, 11), (14, 13, 12, 10), (14, 14, 11, 10), (16, 11, 11, 11), (15, 12, 12, 10), (15, 13, 11, 10), (15, 14, 10, 10), (14, 13, 13, 9), (14, 14, 12, 9), (16, 12, 11, 10), (16, 13, 10, 10), (15, 13, 12, 9), (15, 14, 11, 9), (15, 15, 10, 9), (14, 14, 13, 8), (17, 11, 11, 10), (17, 12, 10, 10), (16, 12, 12, 9), (16, 13, 11, 9), (16, 14, 10, 9), (15, 13, 13, 8), (16, 15, 9, 9), (15, 14, 12, 8), (15, 15, 11, 8), (14, 14, 14, 7), (18, 11, 10, 10), (17, 12, 11, 9), (17, 13, 10, 9), (17, 14, 9, 9), (16, 13, 12, 8), (16, 14, 11, 8), (16, 15, 10, 8), (15, 14, 13, 7), (16, 16, 9, 8), (15, 15, 12, 7), (18, 12, 10, 9), (18, 13, 9, 9), (17, 12, 12, 8), (17, 13, 11, 8), (17, 14, 10, 8), (16, 13, 13, 7), (17, 15, 9, 8), (16, 14, 12, 7), (17, 16, 8, 8), (16, 15, 11, 7), (15, 14, 14, 6), (16, 16, 10, 7), (15, 15, 13, 6), (18, 12, 11, 8), (18, 13, 10, 8), (18, 14, 9, 8), (17, 13, 12, 7), (18, 15, 8, 8), (17, 14, 11, 7), (17, 15, 10, 7), (16, 14, 13, 6), (17, 16, 9, 7), (16, 15, 12, 6), (17, 17, 8, 7), (16, 16, 11, 6), (15, 15, 14, 5), (19, 13, 9, 8), (18, 12, 12, 7), (18, 13, 11, 7), (18, 14, 10, 7), (17, 13, 13, 6), (18, 15, 9, 7), (17, 14, 12, 6), (17, 15, 11, 6), (16, 14, 14, 5), (18, 17, 7, 7), (17, 16, 10, 6), (16, 15, 13, 5), (17, 17, 9, 6), (16, 16, 12, 5), (15, 15, 15, 4), (19, 13, 10, 7), (19, 14, 9, 7), (18, 13, 12, 6), (18, 15, 10, 6), (17, 14, 13, 5), (17, 15, 12, 5), (18, 17, 8, 6), (16, 15, 14, 4), (18, 18, 7, 6), (17, 17, 10, 5), (19, 13, 11, 6), (20, 15, 7, 7), (19, 14, 10, 6), (18, 13, 13, 5), (19, 15, 9, 6), (18, 15, 11, 5), (17, 15, 13, 4), (19, 18, 6, 6), (18, 17, 9, 5), (17, 16, 12, 4), (16, 15, 15, 3), (18, 18, 8, 5), (17, 17, 11, 4), (16, 16, 14, 3), (19, 13, 12, 5), (19, 14, 11, 5), (18, 14, 13, 4), (17, 15, 14, 3), (18, 17, 10, 4), (17, 16, 13, 3), (19, 19, 6, 5), (17, 17, 12, 3), (16, 16, 15, 2), (19, 13, 13, 4), (18, 14, 14, 3), (18, 15, 13, 3), (17, 15, 15, 2), (20, 19, 5, 5), (19, 18, 8, 4), (17, 16, 14, 2), (19, 19, 7, 4), (18, 18, 10, 3), (17, 17, 13, 2), (16, 16, 16, 1), (18, 15, 14, 2), (20, 19, 6, 4), (18, 17, 12, 2), (17, 16, 15, 1), (19, 19, 8, 3), (17, 17, 14, 1), (19, 15, 13, 2), (18, 15, 15, 1), (18, 16, 14, 1), (21, 20, 4, 4), (18, 17, 13, 1), (17, 16, 16), (20, 20, 6, 3), (19, 19, 9, 2), (17, 17, 15), (19, 15, 14, 1), (18, 16, 15), (18, 17, 14), (21, 21, 4, 3), (19, 15, 15), (19, 17, 13), (22, 21, 3, 3), (21, 21, 5, 2), (19, 19, 11), (20, 15, 14), (23, 22, 2, 2), (22, 22, 4, 1), (21, 21, 7), (24, 23, 1, 1), (23, 23, 3), (25, 23, 1), (25, 24), (14, 14, 14, 14), (15, 14, 14, 13), (15, 15, 13, 13), (16, 14, 13, 13), (15, 15, 14, 12), (17, 13, 13, 13), (16, 14, 14, 12), (16, 15, 13, 12), (16, 16, 12, 12), (15, 15, 15, 11), (17, 14, 13, 12), (17, 15, 12, 12), (16, 15, 14, 11), (16, 16, 13, 11), (18, 13, 13, 12), (18, 14, 12, 12), (17, 14, 14, 11), (17, 15, 13, 11), (17, 16, 12, 11), (16, 15, 15, 10), (17, 17, 11, 11), (16, 16, 14, 10), (19, 13, 12, 12), (18, 14, 13, 11), (18, 15, 12, 11), (18, 16, 11, 11), (17, 15, 14, 10), (17, 16, 13, 10), (17, 17, 12, 10), (16, 16, 15, 9), (19, 13, 13, 11), (19, 15, 11, 11), (18, 15, 13, 10), (17, 15, 15, 9), (18, 17, 11, 10), (18, 18, 10, 10), (17, 17, 13, 9), (20, 14, 11, 11), (19, 14, 13, 10), (19, 15, 12, 10), (19, 16, 11, 10), (18, 15, 14, 9), (19, 17, 10, 10), (18, 16, 13, 9), (18, 17, 12, 9), (17, 16, 15, 8), (18, 18, 11, 9), (17, 17, 14, 8), (20, 15, 11, 10), (19, 14, 14, 9), (19, 15, 13, 9), (18, 15, 15, 8), (18, 17, 13, 8), (17, 16, 16, 7), (19, 19, 9, 9), (17, 17, 15, 7), (21, 15, 10, 10), (19, 18, 11, 8), (19, 19, 10, 8), (17, 17, 16, 6), (20, 15, 13, 8), (19, 15, 15, 7), (20, 19, 9, 8), (18, 17, 15, 6), (19, 19, 11, 7), (17, 17, 17, 5), (18, 17, 16, 5), (20, 15, 16, 6), (18, 17, 17, 4), (21, 21, 7, 7), (19, 17, 16, 4), (18, 18, 17, 3), (19, 17, 17, 3), (19, 18, 16, 3), (18, 18, 18, 2), (19, 18, 17, 2), (19, 19, 16, 2), (20, 17, 17, 2), (19, 18, 18, 1), (19, 19, 17, 1), (20, 18, 17, 1), (20, 19, 16, 1), (19, 19, 18), (21, 17, 17, 1), (20, 18, 18), (20, 19, 17), (21, 19, 16), (22, 17, 17), (28, 26, 1, 1), (27, 27, 2), (29, 27), (16, 16, 16, 15), (17, 16, 15, 15), (18, 15, 15, 15), (17, 16, 16, 14), (17, 17, 15, 14), (18, 16, 15, 14), (18, 17, 14, 14), (17, 17, 16, 13), (19, 15, 15, 14), (19, 16, 14, 14), (18, 16, 16, 13), (18, 17, 15, 13), (18, 18, 14, 13), (17, 17, 17, 12), (20, 15, 14, 14), (19, 16, 15, 13), (19, 17, 14, 13), (19, 18, 13, 13), (18, 17, 16, 12), (18, 18, 15, 12), (20, 15, 15, 13), (20, 17, 13, 13), (19, 17, 15, 12), (18, 17, 17, 11), (19, 19, 13, 12), (20, 19, 12, 12), (19, 19, 14, 11), (21, 15, 15, 12), (20, 17, 15, 11), (19, 17, 17, 10), (19, 19, 19, 6), (20, 19, 19, 5), (21, 19, 19, 4), (20, 20, 20, 3), (21, 20, 19, 3), (21, 20, 20, 2), (21, 21, 19, 2), (21, 21, 20, 1), (22, 20, 20, 1), (22, 21, 19, 1), (21, 21, 21), (22, 21, 20), (23, 21, 19), (31, 31, 1), (18, 18, 17, 17), (19, 17, 17, 17), (18, 18, 18, 16), (19, 18, 17, 16), (19, 19, 16, 16), (20, 17, 17, 16), (20, 18, 16, 16), (19, 18, 18, 15), (19, 19, 17, 15), (21, 17, 16, 16), (20, 18, 17, 15), (20, 19, 16, 15), (20, 20, 15, 15), (19, 19, 18, 14), (21, 19, 15, 15), (21, 21, 14, 14), (23, 22, 22, 3), (23, 23, 22, 2), (23, 23, 23, 1), (24, 23, 22, 1), (24, 23, 23), (25, 23, 22), (34, 34, 1, 1), (20, 19, 19, 19), (20, 20, 19, 18), (21, 19, 18, 18), (21, 20, 18, 18), (22, 19, 18, 18), (21, 20, 19, 17), (21, 21, 18, 17), (22, 21, 17, 17), (25, 25, 25, 2), (26, 25, 25, 1), (27, 25, 25), (21, 21, 21, 21), (22, 21, 21, 20), (22, 22, 20, 20), (23, 21, 20, 20), (22, 22, 21, 19), (23, 23, 19, 19), (23, 23, 23, 22), (24, 23, 22, 22), (25, 24, 24), (24, 49), (49, 49)}.

Here we truncated trailing zeros from the 4-partitions. The set X is the set of minimal generators of the semigroup of 4-partitions μ that have $a_\mu(d[7]) > 0$.

8 Tableau computation results for Proposition 5.1

In the following we list the actual tableaux from our computer computations described in the proof of Proposition 5.1.

We start with the case $n = 6, m = 3$. The only partition where we were not able to generate all the semistandard tableaux was $\lambda = (45, 45)$, so we generated random semistandard tableaux and tested only those which guaranteed fast evaluation.

(6)	$\begin{array}{ c c c c c c } \hline 1 & 1 & 1 & 1 & 1 & 1 \\ \hline \end{array}$	(6, 6)	$\begin{array}{ c c c c c c } \hline 1 & 1 & 1 & 1 & 1 & 1 \\ \hline 2 & 2 & 2 & 2 & 2 & 2 \\ \hline \end{array}$	(8, 4)	$\begin{array}{ c c c c c c c c } \hline 1 & 1 & 1 & 1 & 1 & 1 & 1 & 2 \\ \hline 2 & 2 & 2 & 2 & & & & \\ \hline \end{array}$
(10, 2)	$\begin{array}{ c c c c c c c c c c } \hline 1 & 1 & 1 & 1 & 1 & 1 & 2 & 2 & 2 & 2 \\ \hline 2 & 2 & & & & & & & & \\ \hline \end{array}$	(6, 6, 6)	$\begin{array}{ c c c c c c } \hline 1 & 1 & 1 & 1 & 1 & 1 \\ \hline 2 & 2 & 2 & 2 & 2 & 2 \\ \hline 3 & 3 & 3 & 3 & 3 & 3 \\ \hline \end{array}$	(8, 6, 4)	$\begin{array}{ c c c c c c c c } \hline 1 & 1 & 1 & 1 & 1 & 1 & 2 & 2 \\ \hline 2 & 2 & 2 & 2 & 3 & 3 & & \\ \hline 3 & 3 & 3 & 3 & & & & \\ \hline \end{array}$
(10, 4, 4)	$\begin{array}{ c c c c c c c c c c } \hline 1 & 1 & 1 & 1 & 1 & 1 & 2 & 2 & 3 & 3 \\ \hline 2 & 2 & 2 & 2 & & & & & & \\ \hline 3 & 3 & 3 & 3 & & & & & & \\ \hline \end{array}$	(9, 6, 3)	$\begin{array}{ c c c c c c c c } \hline 1 & 1 & 1 & 1 & 1 & 1 & 2 & 2 \\ \hline 2 & 2 & 2 & 3 & 3 & 3 & & \\ \hline 3 & 3 & 3 & & & & & \\ \hline \end{array}$	(8, 8, 2)	$\begin{array}{ c c c c c c c c c c } \hline 1 & 1 & 1 & 1 & 1 & 1 & 2 & 2 \\ \hline 2 & 2 & 2 & 2 & 3 & 3 & 3 & 3 & & \\ \hline 3 & 3 & & & & & & & & \\ \hline \end{array}$
(10, 6, 2)	$\begin{array}{ c c c c c c c c c c } \hline 1 & 1 & 1 & 1 & 1 & 1 & 2 & 2 & 2 & 2 \\ \hline 2 & 2 & 3 & 3 & 3 & 3 & & & & \\ \hline 3 & 3 & & & & & & & & \\ \hline \end{array}$	(11, 5, 2)	$\begin{array}{ c c c c c c c c } \hline 1 & 1 & 1 & 1 & 1 & 1 & 2 & 2 \\ \hline 2 & 2 & 2 & 2 & 3 & & & \\ \hline 3 & 3 & & & & & & \\ \hline \end{array}$	(10, 7, 1)	$\begin{array}{ c c c c c c c c c c } \hline 1 & 1 & 1 & 1 & 1 & 1 & 2 & 2 & 3 & 3 \\ \hline 2 & 2 & 2 & 2 & 3 & 3 & 3 & & & \\ \hline 3 & & & & & & & & & \\ \hline \end{array}$
(12, 4, 2)	$\begin{array}{ c c c c c c c c c c } \hline 1 & 1 & 1 & 1 & 1 & 1 & 2 & 2 & 2 & 2 & 3 & 3 \\ \hline 2 & 2 & 3 & 3 & & & & & & & \\ \hline 3 & 3 & & & & & & & & & \\ \hline \end{array}$	(11, 6, 1)	$\begin{array}{ c c c c c c c c c c } \hline 1 & 1 & 1 & 1 & 1 & 1 & 2 & 2 & 2 & 2 & 2 \\ \hline 2 & 3 & 3 & 3 & 3 & 3 & & & & & \\ \hline 3 & & & & & & & & & & \\ \hline \end{array}$	(10, 8)	$\begin{array}{ c c c c c c c c c c } \hline 1 & 1 & 1 & 1 & 1 & 1 & 2 & 2 & 3 & 3 \\ \hline 2 & 2 & 2 & 2 & 3 & 3 & 3 & 3 & & \\ \hline \end{array}$
(14, 2, 2)	$\begin{array}{ c c c c c c c c c c c c } \hline 1 & 1 & 1 & 1 & 1 & 1 & 2 & 2 & 2 & 2 & 3 & 3 & 3 & 3 \\ \hline 2 & 2 & & & & & & & & & & & \\ \hline 3 & 3 & & & & & & & & & & & \\ \hline \end{array}$	(13, 4, 1)	$\begin{array}{ c c c c c c c c c c } \hline 1 & 1 & 1 & 1 & 1 & 1 & 2 & 2 & 2 & 2 & 3 & 3 \\ \hline 2 & 3 & 3 & 3 & & & & & & & & \\ \hline 3 & & & & & & & & & & & \\ \hline \end{array}$	(13, 5)	$\begin{array}{ c c c c c c c c c c c c } \hline 1 & 1 & 1 & 1 & 1 & 1 & 2 & 2 & 3 & 3 & 3 & 3 & 3 \\ \hline 2 & 2 & 2 & 2 & 3 & & & & & & & & \\ \hline \end{array}$
(15, 3)	$\begin{array}{ c c c c c c c c c c c c } \hline 1 & 1 & 1 & 1 & 1 & 1 & 2 & 2 & 2 & 2 & 3 & 3 & 3 & 3 & 3 \\ \hline 2 & 2 & 3 & & & & & & & & & & & \\ \hline \end{array}$	(8, 8, 8)	$\begin{array}{ c c c c c c c c c c c c } \hline 1 & 1 & 1 & 1 & 1 & 1 & 2 & 2 \\ \hline 2 & 2 & 2 & 3 & 3 & 3 & 3 & & & & & & \\ \hline 3 & 3 & 4 & 4 & 4 & 4 & 4 & 4 & & & & & \\ \hline \end{array}$	(10, 8, 6)	$\begin{array}{ c c c c c c c c c c c c } \hline 1 & 1 & 1 & 1 & 1 & 1 & 2 & 2 & 3 & 3 \\ \hline 2 & 2 & 2 & 3 & 3 & 3 & 3 & & & & & & \\ \hline 4 & 4 & 4 & 4 & 4 & 4 & & & & & & & \\ \hline \end{array}$
(11, 7, 6)	$\begin{array}{ c c c c c c c c c c c c } \hline 1 & 1 & 1 & 1 & 1 & 1 & 2 & 2 & 3 & 3 & 3 & 3 \\ \hline 2 & 2 & 2 & 3 & 3 & 3 & & & & & & \\ \hline 4 & 4 & 4 & 4 & 4 & 4 & & & & & & \\ \hline \end{array}$	(10, 9, 5)	$\begin{array}{ c c c c c c c c c c c c } \hline 1 & 1 & 1 & 1 & 1 & 1 & 2 & 2 & 2 & 3 \\ \hline 2 & 2 & 2 & 3 & 3 & 4 & 4 & 4 & 4 & & & & \\ \hline 3 & 3 & 3 & 4 & & & & & & & & \\ \hline \end{array}$	(11, 8, 5)	$\begin{array}{ c c c c c c c c c c c c } \hline 1 & 1 & 1 & 1 & 1 & 1 & 2 & 2 & 3 & 3 & 3 & 4 \\ \hline 2 & 2 & 2 & 3 & 3 & 3 & 4 & & & & & \\ \hline 3 & 3 & 3 & 3 & 4 & & & & & & & \\ \hline \end{array}$
(10, 10, 4)	$\begin{array}{ c c c c c c c c c c c c } \hline 1 & 1 & 1 & 1 & 1 & 1 & 2 & 2 & 3 & 3 & 3 & 3 \\ \hline 2 & 2 & 2 & 3 & 3 & 3 & 3 & 4 & 4 & & & \\ \hline 4 & 4 & 4 & 4 & & & & & & & & \\ \hline \end{array}$	(12, 7, 5)	$\begin{array}{ c c c c c c c c c c c c } \hline 1 & 1 & 1 & 1 & 1 & 1 & 2 & 2 & 3 & 3 & 3 & 3 \\ \hline 2 & 2 & 2 & 2 & 3 & 3 & 4 & & & & & \\ \hline 4 & 4 & 4 & 4 & 4 & & & & & & & \\ \hline \end{array}$	(11, 9, 4)	$\begin{array}{ c c c c c c c c c c c c } \hline 1 & 1 & 1 & 1 & 1 & 1 & 2 & 2 & 3 & 3 & 3 & 4 \\ \hline 2 & 2 & 2 & 3 & 3 & 3 & 3 & 4 & & & & \\ \hline 4 & 4 & 4 & 4 & & & & & & & & \\ \hline \end{array}$
(13, 6, 5)	$\begin{array}{ c c c c c c c c c c c c } \hline 1 & 1 & 1 & 1 & 1 & 1 & 2 & 2 & 3 & 3 & 3 & 3 & 3 \\ \hline 2 & 2 & 2 & 3 & 4 & & & & & & & \\ \hline 4 & 4 & 4 & 4 & 4 & & & & & & & \\ \hline \end{array}$	(12, 8, 4)	$\begin{array}{ c c c c c c c c c c c c } \hline 1 & 1 & 1 & 1 & 1 & 1 & 2 & 2 & 2 & 2 & 2 & 2 \\ \hline 3 & 3 & 3 & 3 & 3 & 4 & 4 & & & & & \\ \hline 4 & 4 & 4 & 4 & & & & & & & & \\ \hline \end{array}$	(11, 10, 3)	$\begin{array}{ c c c c c c c c c c c c } \hline 1 & 1 & 1 & 1 & 1 & 1 & 2 & 2 & 2 & 2 & 2 & 2 & 4 \\ \hline 2 & 2 & 3 & 3 & 3 & 3 & 4 & 4 & 4 & 4 & & & \\ \hline 3 & 3 & 4 & & & & & & & & & \\ \hline \end{array}$
(13, 7, 4)	$\begin{array}{ c c c c c c c c c c c c } \hline 1 & 1 & 1 & 1 & 1 & 1 & 2 & 2 & 2 & 2 & 2 & 2 & 4 \\ \hline 3 & 3 & 3 & 3 & 3 & 4 & & & & & & \\ \hline 4 & 4 & 4 & 4 & & & & & & & & \\ \hline \end{array}$	(12, 9, 3)	$\begin{array}{ c c c c c c c c c c c c } \hline 1 & 1 & 1 & 1 & 1 & 1 & 2 & 2 & 2 & 2 & 2 & 2 \\ \hline 3 & 3 & 3 & 3 & 3 & 4 & 4 & 4 & & & & \\ \hline 4 & 4 & 4 & & & & & & & & & \\ \hline \end{array}$	(13, 8, 3)	$\begin{array}{ c c c c c c c c c c c c } \hline 1 & 1 & 1 & 1 & 1 & 1 & 2 & 2 & 2 & 2 & 2 & 2 & 4 \\ \hline 3 & 3 & 3 & 3 & 3 & 4 & 4 & & & & & \\ \hline 4 & 4 & 4 & & & &$

We now give the tableaux for the case $n = 7, m = 4$. We list them in short notation, using row-wise encoding and a dot to separate rows. Commas separate the tableaux. Furthermore, we write A instead of 10, B instead of 11, etc. Repeated letters are written in short form, e.g., instead of 111 we write 1^3 .

$1^7, 1^7 2^{2,6}, 1^7 2^3 2^4, 1^7 2^5 2^2, 1^7 2^6 3 2^3, 1^7 2^3 2^6 3^6, 1^7 2^3 2^6 3, 1^7 2^5 3^6 2^2 3, 1^7 2^3 5 2^6 3^2, 1^7 2^6 3 2^3 6^4 7, 1^7 2^3 2^4 3^6 3, 1^7 2^2 6^3 2^3 5,$
 $1^7 2^3 4 2^6 3 3^2, 1^7 2^5 3^4 2^2 3^3, 1^7 2^3 3^2 2^4 3^5, 1^7 2^3 4 2^6 3^6 4^6, 1^7 2^3 2^4 3^4 3^3, 1^7 2^3 3^3 2^4 3^4, 1^7 2^3 6 4 2^6 4^5 3 4, 1^7 2^3 5 2^6 3 4^6 3 4, 1^7 2^3 3^5 2^4 3^2,$
 $1^7 2^5 3^5 2^2 3^2, 1^7 2^4 3^2 2^3 3^4 3, 1^7 2^3 3 2^4 3^2 3^4, 1^7 2^5 3^4 2^2 3^2 3, 1^7 2^3 3^4 2^4 3^3 2^2, 1^7 2^3 3^2 2^4 3^4 3, 1^7 2^6 3 4 2^3 5 3^4 5 4, 1^7 2^3 3 2^4 3^4 3^2,$
 $1^7 2^3 2^5 3^2 3^4, 1^7 2^7 3 3^6 4^3 4^4, 1^7 2^2 3^3 2^5 3 3^3, 1^7 2^7 3 4 3^6 4^2 4^4, 1^7 2^3 4^6 2^6 3^4 4, 1^7 2^3 3^6 4^6 2^4 3 4, 1^7 2^6 3 4^4 2^3 5^4 3 3, 1^7 2^3 2^4 6 2^6 3 3^4 4,$
 $1^7 2^3 2^6 4^2 3^6 4^5, 1^7 2^3 4 2^6 3^2 4^5 4, 1^7 2^5 3^6 4^5 2^2 4 3 4, 1^7 2^3 4^3 2^6 4^3 3^6 4, 1^7 2^3 4^4 2^6 4^2 3^6 4, 1^7 2^3 4^4 2^6 3 4^5 3^2 4, 1^7 2^3 6^4 3 2^6 3^4 3 4,$
 $1^7 2^3 3^6 4^5 2^4 3 4 4, 1^7 2^3 6^4 2^6 4^4 3 4, 1^7 2^7 3^2 3^5 4^5 4^2, 1^7 2^3 4 5 2^6 3 4^6 5^6, 1^7 2^5 3 4^4 2^2 3^6 4^3, 1^7 2^6 3 2^3 5^4 2^4 3 4 4, 1^7 2^3 3^3 2^4 3^2 3^2,$
 $1^7 2^3 4^5 2^6 3^2 4 3 4, 1^7 2^6 3^4 2^3 2^4 5 3 4 4, 1^7 2^6 3^3 2^3 4^5 3 4 4, 1^7 2^3 3^6 4^3 2^4 3 4 4, 1^7 2^2 3 4^4 2^5 3 4 3^5 4 4, 1^7 2^3 5 2^6 3 2^4 3^4 4, 1^7 2^3 4^5 2^6 3 4^3 4^2 4,$
 $1^7 2^7 3 4^2 3^6 4^3 4^2, 1^7 2^3 3 4^2 2^4 3^6 4^5, 1^7 2^5 3^7 2^2 4^6 5^7 4, 1^7 2^2 3 4 2^5 3 4^3 5 4 4 4, 1^7 2^4 2^6 3^2 3^5 4^3, 1^7 2^3 4 2^6 3 4^2 3^5 4^3 4^3, 1^7 2^3 4^4 2^6 3^2 4^3 3,$
 $1^7 2^3 4^4 2^6 3^4 3^3, 1^7 2^3 4^4 2^6 4 3^4 4^2, 1^7 2^4 3 2^3 3^4 6 3^3 4, 1^7 2^7 3 4^5 3^6 4^5 5^6, 1^7 2^3 4 2^6 4^4 3^4 4^2, 1^7 2^3 4^4 2^5 3 4^6 3^2, 1^7 2^2 6^3 2^3 5^4 3^4 4^4,$
 $1^7 2^3 4^4 2^6 3 4^3 3^3, 1^7 2^3 4^4 2^6 3 5^3 4 5 4, 1^7 2^3 4 2^6 4^5 3^3 4^2, 1^7 2^7 3 3^6 4^3 5^6 4^5, 1^7 2^3 2^4 2^6 4^2 3^5 4, 1^7 2^3 5^4 2^6 3^2 4^4 4, 1^7 2^3 2^6 4^2 3^5 4^4 4,$
 $1^7 2^4 3 2^6 3^2 3^5 4^3 4, 1^7 2^3 4^2 2^6 4^4 3^4 4, 1^7 2^3 4^3 2^6 4 3^4 4^3, 1^7 2^3 4^4 2^6 3 4^2 3^4 4, 1^7 2^3 4^2 2^6 3 4 5^7 4^4, 1^7 2^3 4^4 2^6 3^2 4^2, 1^7 2^3 4^3 2^6 3 4^3 3 4,$
 $1^7 2^7 3 5 3^6 4^2 5^5 4^5, 1^7 2^3 3 4 2^4 3^2 4^5 3^4 4, 1^7 2^3 4^4 2^6 3^4 4^4 2, 1^7 2^7 3 3^6 4^2 5^6 4^5 5, 1^7 2^3 2^6 3 4^3 3^4 4^4, 1^7 2^4 6 2^6 3^2 5^6 3^5 4 5,$
 $1^7 2^3 4^4 2^6 3^3 4^4 2, 1^7 2^3 3^2 2^4 3 4^6 3^4 4, 1^7 2^3 3^6 4^3 2^4 3 4^3 4, 1^7 2^3 4 2^6 4^3 3^4 4^3, 1^7 2^2 3^6 4^4 2^5 4^2 3 4, 1^7 2^5 3 2^2 3^4 6^3 2 4, 1^7 2^3 4^4 2^6 3 4 3^2 4^2,$

$172334^3.2^64.3^44.4^2$, $1722334^5.2^534.3^3.4$, $17234^6.2^632^56.3^445$, $1722364^3.2^54.34^2.4$, $172334.2^64^55.3^445^6$, $172234.2^534^2.3^5.4^4$,
 $17234.2^43^44.3^34^4.4$, $172364^4.2^64^35^6.3.5$, $172234^5.2^534.3^2.4$, $17234^4.2^63^2.34^2.4$, $17223^2.2^534^5.3^44.4$, $17234^4.2^64^35.3^6.5^6$,
 $17234^2.2^634.3^4.4^4$, $172^534^2.2^33^5.34^4.4$, $172334^4.2^63.3^34.4^2$, $17234^5.2^64^3.3^6.5^6$, $1724^6.2^63^25^6.3^54.5$, $172^64.2374^55.45^667$,
 $1723374^2.2^44^55^7$, $172234^3.2^53.3^54.4^3$, $1727345.3^64^25^5.4^4.5$, $17273.3^64756.5^66.6^5$, $172344.2^63^24^3.34^2.4$, $17234^4.2^645^6.3^65.4^2$,
 $17234^65^2.2^645^4.3^6.5$, $17233^24^6.2^43^545^7$, $172^534^65^6.2^23^54.3.5$, $172334.2^634.3^34^2.4^3$, $1723^54^5.2^645^6.3^2.45$, $1723^24.2^634^2.3^44.4^3$,
 $172334.2^43^65.4^65.5^5$, $172334^25.2^65^6.34^4.4$, $172344.2^634^2.3^24^3.4$, $17234^55.2^6345.3^54^25$, $17234^6.2^63576.3^546^5$, $1723^2.2^63^24^2.3^34^5$,
 $172^53^54^5.2^2.3^2.4^2$, $1723334^5.2^4.3^4.4^2$, $172^3.2^43^4.3^34^5.4^2$, $172333.2^44^4.3^4.4^3$, $172^63.23^54^25^6.34^4.45$, $172^5334^6.2^23^2.3^24$,
 $172^24^4.2^53^34.3^44^2$, $17223^54^65.2^5345^5.3.5$, $17273^25.3^54^45^6.4^3$, $1723334^3.2^4.3^4.4^4$, $17234^65^2.2^63.3^545.5^4$, $17234^65.2^6345^5.3^556^7$,
 $17234.2^43^65.34^55.45^5$, $17223^645.2^5345^5.4.5$, $1724334^6.2^33^2.3^24$, $17233^24^6.2^43^24.3^3$, $1727345^3.3^64^55^2.45.5$, $172345^6.2^656^6.3^66.4^6$,
 $17223^64.2^5345^4.5^3$, $17234^5.2^6345^6.3^546^7.5$, $17237.2^64^25^4.4^5.5^3$, $172334^3.2^43^2.3^4.4^4$, $17234^5.2^6345^4.3^545^2.5$, $17243^24^6.2^633^3.3^2.4$,
 $172733.3^44^55^6.4^2.5$, $1724.2^33^34^2.3^24^4.4$, $172234^3.2^53^24.3^44^3$, $172735^3.3^64^3.4^4.5^4$, $17234^2.2^63^24^3.34^2$, $1723^645.2^634^55^2.45^5.5$,
 $172234.2^53^24^3.3^44^3$, $1723^54^25.2^635^5.34^5.4$, $1723^24^2.2^634^2.3^44^3$, $17233.2^64^3.3^44^2.4^2$, $172234^3.2^53^2.3^4.4^4$, $17223^2.2^534^4.3^4.4^3$,
 $172^5.223745^2.4^65^4.5$, $17237.2^6425^3.4^55^3.5$, $172234^3.2^53^2.3^44^3.4$, $17233^2.2^434^4.3^44.4^2$, $17273.3^6475.5^66^3.6^4$, $17234^55.2^634^25^6.3^2$,
 $1724^5.2^33^545^7.3^2.4$, $17234^5.2^64^35^4.3^65^2$, $17234^2.2^63^2.3^44^2.4^3$, $172375.2^647.5^66^2.6^5$, $172734.3^6576^2.4^6.6^5$, $1722334^3.2^53^3.34^3.4$,
 $17237.2^64^25^66.4^556^6$, $172^6345.23^55^6.34^56^6.46$, $172^5334^5.2^23^24.3^2.4$, $17223.2^53^24^3.3^44^3.4$, $172334.2^43^6.4^65^3.5^4$, $17234^5.2^634^35^6.3^2$,
 $17234^3.2^65^5.3^6.4^45^2$, $172334.2^43^3.3^34^3.4^3$, $1723^65.2^634^65.45^46^6.56$, $17273.3^64^35^4.4^45.5^2$, $172234^43.2^53^2.34^3.4$, $17234^2.2^63^2.3^44^3.4^2$,
 $17234^4.2^63^24^2.3^3.4$, $172434^4.2^33^34.3^3.4^2$, $172334^3.2^43^24^3.3^4.4$, $17223.2^53^24.3^44^3.4^3$, $17273.3^64^35.4^45^2.5^4$, $17234^55^2.2^6425^4.3^65$,
 $17234^656.2^645^5.3^656^5.6$, $17233.2^43^64.4^65^4.5^3$, $172334.2^43^2.3^44^2.4^4$, $172334^3.2^63^24^3.3^2.4$, $17233^55.2^434^4.4^65.5^5$, $172734.3^64^35.4^35^4.5^2$,
 $17237425^2.2^644^54.4.5$, $17273^55.3^4476.5^66.6^5$, $17223^6.2^534756.5^6.6^6$, $1723476^2.2^65^6.3^66^5.5$, $172334.2^43^43.4^34^3.4^2$, $172334^5.2^634^25^6.3^3.5$,
 $17234^65^3.2^645^367.3^65$, $172334^25.2^645^6.3^4.4^4$, $172734.3^64^35^3.4^35.5^3$, $172^5344^3.2^334^2.3^24.4$, $172735.3^6425^3.4^55.5^2$, $172434.2^33^34^3.3^34.4^2$,
 $172347.2^656^4.3^66^3.5$, $1724^5.2^63^25^5.3^545^2.4$, $172334.2^43^64.4^55^5.5^2$, $172334^2.2^434.3^34.4^3$, $172734.3^64^55.5^66^3.6^4$, $17234^55.2^63^245^2.3^45^4$,
 $172^53^64^55^5.2^24.34.5^2$, $172334^3.2^43^44.3^24.4^2$, $172355.2^63^24.4^65^5.5^3$, $1726374^2.24^556^67.4.5$, $172334^45^5.2^6.3^45.4^35$, $1724334^3.2^334.3^34.4^2$,
 $172434.2^33^34.3^34^3.4^2$, $172374.2^656^36.4^66^4.5$, $172434^3.2^334.3^24^2.4$, $17234^5.2^64^35^4.3^6.5^2$, $1723^545^2.2^63^24.4^45^4.5$,
 $172^5344^65^5.2^235.3^24.5$, $1722345^6.2^534^2.3^5.4^45$, $17223345.2^55^66.3^66.4^6$, $17232476.2^656^65.3^65.5$,
 $1723334^55^6.243.3^345.4$, $17223^24^65.2^53.3^445.5^5$, $17233244.2^43^24^3.3^3$, $17223244.2^53^34^3.3^2$, $17234^65^2.2^65^56^6.3^66.4$, $1722334^55.2^53^35^6.34.4$,
 $1723^65.2^6344^53.4^35.5^2$, $1723425^4.2^645.3^6.4^45^2$, $1727356.3^6476^2.5^66.6^3$, $172635^3.23^544^54.34^2.4$, $172735^2.3^642^53.4^55^2$,
 $1723425^2.2^635^4.3^54.4^45$, $17234^55.2^53^245.3^44.5^5$, $172233.2^53^24^5.3^2.4^2$, $1724^2.2^3375^2.4^5.5^5$, $17243^54^3.2^34^2.3^2.4^2$,
 $17223^644.2^5457^66.34.46$, $17223344^5.2^54^35^6.3^4$, $172^3.2^434^2.3^34^3.4^2$, $17232.2^63^245.3^34^545^5$, $172^53^54^3.2^24^2.3^2.4^2$, $1723247.2^6576^3.3^56^4$,
 $172^63^55.2334^65.34^35^2$, $17233^25.2^43^545^2.4^65^4$, $17233445^2.243^3.4^6.5^5$, $1723245^4.2^634.3^445^2.4^45$, $1723334^4.2^43^24.3^2.4^2$,
 $1723456^6.243^65^6.34^55.46$, $1722334^3.2^534^2.3^3.4^2$, $17273.3^6475^2.5^66^3.6^4$, $172334.2^43^245^5.3^445.4^45$, $172324^3.2^63^24^2.3^3.4^2$,
 $17233.2^434^2.3^24^3.4^2$, $1726342^53.23^54.34^35^3.45$, $172434^3.2^334^2.3^2.4^2$, $17273^2.3^54^55^4.4^25.5^2$, $1727344.3^34^35^4.4^3.5^3$,
 $172334.2475.3^35^3.5^3$, $17243^24^2.2^33^24^4.3^3.4$, $172324.2^6345.3^44^55.4^25^5$, $17234^6.2^635^66^2.3^5456^4.6$, $172334^2.2^43^34^2.3^3.4^3$,
 $1722334^3.2^53^24^3.3^2.4$, $172234^5.2^5342^54.3^55^3$, $17234^55^3.2^63456^7.3^55^3.4$, $1723345^2.2^43^65^2.4^65^3$, $172334^2.2^63^2.3^24^3.4^2$,
 $1723^3.2^63^2.3^44^3.4^45^4$, $172^534^42.2^234^3.3^2.4^2$, $172334^2.2^43^6.4^55^5.5^2$, $17233^2.2^43^24^4.3^34^2.4$, $17234^65.2^635^5.3^5456^4.6^3$,
 $17234^3.2^6425^7.3^3.4^2$, $172^6.237425^3.4^56^7.5^4$, $17233^24.2^43^55^4.4^6.5^3$, $1725^5.2^63^2.3^54^3.4^45^2$, $1724334^2.2^33^24.3^24^3.4$, $17223344.2^53^45.4^65^3.5^3$,
 $1723425^4.2^644^3.3^44.5^3$, $17232475^2.2^63546^7.3^45$, $17233^24.2^43^24.3^34^2.4^3$, $17233444^56.24.3^34.4^25$, $1723745^2.2^64^6.5^66^4.6^3$,
 $17223^24^654.2^53.3^44.5^3$, $17243445^3.2^33^34.4^5.5^4$, $17235^3.2^64^3.3^65^2.4^45^2$, $1727324.3^54^65.5^66^2.6^5$, $172334^2.2^63^24^2.3^34.4^2$,
 $172334.2^43^65^2.4^65^3.5^2$, $172734.3^6425^2.4^45^2.5^3$, $1723344^56.243^24.3^4425$, $172355^2.2^63^24.4^65^3.5^2$, $172234^65^2.2^53^25^5.3^4.4$,
 $17234445^2.2^6425^5.3^3.4$, $172233.2^54^65.3^445^2.5^4$, $17234425^3.2^64^55.3^3.5^3$, $1723^6456.2^634^656^2.5^56.6^3$, $172334^5.2^43^342^54.5^45^5$,
 $172235.2^53^24^3.3^45^6.4^4$, $17233344^56.244.3^4.4^25$, $1723245^4.2^634^3.3^44^35^3$, $172374.2^645^56^2.4^55^26^5$, $17223345^4.2^53^4.4^65^2.5$,
 $1724^654.2^63^25^367.3^5.4$, $1727324.3^54^25^2.4^45.5^4$, $172^635^3.23^64^55^2.4^2.5^2$, $1723345^3.24^36^52.4^6.5^2$, $1723^54^35^3.2^634^25^4.34^2$,
 $172344^53.2^6342^54.3^44$, $17234^656.2^63^25^66.3446.6^4$, $172334.2^43^345^4.4^65.5^2$, $17245^5.2^63^25^2.3^54^2.5^4$, $17233^24.2^43^55^2.4^65.5^4$,
 $172^3.243^54.3^24^55^3.45^4$, $17233425.243^6.4^55^4.5^2$, $17233435^2.243^5.3^445^4$, $17233442.2^53^24^55.35^5.5$, $172734.3^64^53^65.546^2.6^4$,
 $172334^55^5.243^4.3^3.45^2$, $1722344.2^53^3425.44^55.5$, $17237.2^643526.44^556.6^5$, $17233345.24344.4^55^2.5^4$, $17245^3.2^63^2.3^5425.44^53$,
 $17233425.2^644^53.3^445^3$, $1723445^3.2^6425^36^6.3^656$, $172334^2.2^63425.3^44^3.5^6$, $17234.243^54.3^244^53.45^4$, $17232425^6.2^63342^54.3^3$,
 $172325^4.2^642.3^545.445^2$, $172324^3.2^634^3.3^445^3.5^4$, $172234.2^53^24^35.3445^5.5$, $1727345.3^64^65^2.54^65.6^2$, $172324^3.2^6345^4.3^44^3.5^3$,
 $172^63444^556^6.23^55.4^356$, $17234^65.2^53^345^4.3^3.5^2$, $172735.3^64^3526.44^54.6^6$, $17234^65.2^6425^56.3^652^65$, $172334^2.2^43^245^6.3^45.4^4$,
 $17223345^3.2^534^65.3^3.5^3$, $172334^2.2^6356^7.4^55^2.5^4$, $17237425^2.2^644^52.45^2.5$, $1723^545^2.2^63^24^2.44^5.5^4$, $17233^25.2^43^34.3^24^5.45^6$,
 $17223^55.2^53^245.4^65^2.5^3$, $17233^56.2^64456^6.3^46.4^3$, $172334^65^5.2^6456^777.3^4.5$, $1727346.3^65^36^3.4^65.4^62$, $172234^3.2^53^24^35.3^45^5.45$,
 $172345.2^63^2425^2.344^54.4$, $17232425.2^65^6.3^546^6.446$, $1722343^53.2^5343^5.3^55^3.4$, $1723756.2^6425^36.4^56^5.5^3$, $17234756.2^6536^4.3^66^2.5^3$,
 $17234^556^2.2^656^6.3^66^4.42$, $17234^53^66.2^64456^5.3^6536$, $1723453^6.2^6546^2.3^66^4.46$, $172734.3^6425^26^6.44^5546$, $1723345^3.2^634^3.3^345^4.42$,
 $17234^656^5.2^6456^67^6.367$, $1723245.2^63^24^2.3^345^6.4^3$, $172425^3.2^63^25.3^545.44^52$, $17273245.3^545^5.4^556^5.62$, $1724^56^6.2^63^25^5.3^545^26.4$,

$17^{23}4^2.2^65^6.3^546^6.4^456$, $17^{22}4^25^4.2^53^5.3^445.4^45$, $17^{23}5^45^5.2^63^24^3567.4^3.5$, $17^{23}5^45^67.2^63^24^2577^7$, $17^{22}3^245^4.2^53^45^2.3^45^5.4$,
 $17^{27}35.3^64^25^56^3.4^56^3.56$, $17^{26}3^24^4.23^45^66^7.3^42.45$, $17^{2345}.2^64^25^2.3^65^2.4^45^2$, $17^{22}3^74^75^6.2^556^77^87$, $17^{22}3^34^2.2^53^24^3.3^2.4^2$,
 $17^{27}345.3^64^67.5^66^37.6^47^5$, $17^{22}3^25^5.2^54^4.3^55^2.4^3$, $17^{2345^4}.2^64^52^65^3.3^656^2.4^5$, $17^{23}3^24^2.2^43^2.3^34^3.4^2$, $17^{22}3^5.2^53^24^35^4.4^4.5^3$,
 $17^{22}4^35^4.2^53^3.3^45^3.4^4$, $17^{27}34.3^64^657.5^66^37.6^47^5$, $17^{27}3^246.3^545^56^4.4^556^2.5$, $17^{23}5^5.2^63^2456^4.4^65.5^46^3$, $17^{22}3^34^75^2.2^53^35^56^7.3$,
 $17^{23}4^35^2.2^64^45^3.3^55^2$, $17^{23}4^35^5.2^64^45^26^7.3^4$, $17^{23}3^4.2^43^34^2.4^55^3.5^4$, $17^{22}3^43^52.2^53^45^5.3^545^3.5$, $17^{23}3^45.2^65^66.3^44^26^5.4^6$,
 $17^{23}3^54^45^66^6.2^44.3^24.456$, $17^{234}2^52.2^63^25.3^445^3.4^45$, $17^{23}6^46^4.2^63^45.4^55^2.5^46^3$, $17^{27}34^26.3^64^45^2.45^46^5.56$, $17^{23}5^2.2^63^42^5.3^445^3.4^45$,
 $17^{27}3.3^64^35^2.4^45^56^2.6^5$, $17^{23}2^42^2.2^43^24^2.3^34.4^2$, $17^{22}3^44^4.2^53^35^3.4^35.5^3$, $17^{23}2^42^55^2.2^63^42^3.4^43^52$, $17^{22}3^4.2^53^345^3.4^65^2.5^2$,
 $17^{234}7^5.2^656^67.3^667^6.5^58^7$, $17^{22}3^44^3.2^53^42^57.3^2.4^2$, $17^{27}3.3^64^45^2.4^35^26^7.5^3$, $17^{25}3^44^35^4.2^23^3.4^45.5^2$, $17^{22}3^44.2^53^35^2.4^65^2.5^3$,
 $17^{26}35^3.23^54^2567.3^44^52.45$, $17^{25}3^34^65^5.2^23^2.3^24.5^2$, $17^{23}3^24^4.2^43^43^53.3^4.5^4$, $17^{22}3^45.2^53^34^3.4^45^2.5^4$, $17^{23}4^6.2^43^445^2.3^35^2.5^3$,
 $17^{27}3^24.3^54^25^36^7.4^4.5^4$, $17^{23}3^2.2^43^43^53.3^45^4.4^4$, $17^{234}2^55^2.2^656^76^367^6.4^55$, $17^{234}7^2.2^65^767.3^66^27.6^47^4$, $17^{23}3^45^36.2^645^46.3^446^5.4^4$,
 $17^{22}3^24.2^54^35^4.3^55^3.4^3$, $17^{27}3.3^64^26^3.4^55^3.5^46^4$, $17^{234}5^63.2^64^25^5.3^65^26^4$, $17^{22}3^24^2.2^54^55^2.3^55.5^4$, $17^{23}7^4.2^64^55^46^4.5^3.6^3$,
 $17^{23}3^25^3.2^43^43^54^4.3^4.4^4$, $17^{22}3^43.2^53^24^35^3.3^445^4$, $17^{22}3^6.2^53^42^52.4^55^2.5^3$, $17^{23}3^45.2^65^76^2.3^46^5.4^2$, $17^{23}2^43^55^6.2^64^36^6.3^545^2$,
 $17^{22}4.2^53^35^2.3^44^35.4^35^4$, $17^{22}7^43^2.2^64^45^26.5^56^2.6^4$, $17^{23}3^24^2.2^43^44^52^3.4^4.5^5$, $17^{27}36^2.3^64^35^4.4^45^36.6^4$, $17^{23}3^445.2^43^34^2.4^45^2.5^4$,
 $17^{23}45^56.2^64^256^4.3^556.4^46$, $17^{25}3^64^35^4.2^23^42^2.4^25.5^2$, $17^{23}3^43.2^64^35^2.3^445^2.5^3$, $17^{24}2^5.2^63^25^2.3^54^2.4^35^4$, $17^{22}4^36^6.2^53^35.3^44^65.6^6$,
 $17^{22}3^346.2^53^25^3.4^66^6.5^4$, $17^{22}3^53^2.2^64^4.3^55^46.4^36^6$, $17^{27}3.3^64^25^46.4^55^36^3.6^3$, $17^{24}35^2.2^33^44^3.3^24^35^5.4$, $17^{27}3^44.3^44^25^36^6.4^46.5^4$,
 $17^{27}3.3^64^35^36.4^45^46^2.6^4$, $17^{22}4^45.2^53^35^3.3^445^3.4^2$, $17^{27}37.3^64^75^2.5^66^47^6.6^3$, $17^{23}2^43^56.2^63^456^5.3^44^65^5$, $17^{23}6456.2^635^57^3.4^6567^4.6^5$,
 $17^{234}3^52.2^65^56^3.3^66^4.4^4$, $17^{22}3^45.2^53^45^56^3.3^5456^3.56$, $17^{22}3^445.2^53^34^25^3.4^4.5^3$, $17^{23}2^43^55^2.2^645^26^7.3^5.4^3$, $17^{23}7^43^6.2^64^45^36^2.5^4.6^4$,
 $17^{23}3^45^2.2^43^24^45.3^44^25^4$, $17^{24}3.2^33^34^3.3^34^35^3.45^4$, $17^{23}2^44^55^6.2^635^46^6.3^44^2$, $17^{22}3^24^3.2^53^45^3.3^44.5^4$, $17^{22}3^44.2^53^24.3^44^25^2.5^5$,
 $17^{24}3^44^54.2^335^2.3^3.4^25$, $17^{23}2^43^52.2^64^45^2.3^55^2.5$, $17^{22}3^24.2^53^43^52^3.3^45^5.4^3$, $17^{27}34.3^64^25^3.4^45^46^2.6^5$, $17^{23}5^4.2^64^36^4.3^65^3.4^46^3$,
 $17^{23}3^45^3.2^43^24^45.3^44^25^3$, $17^{22}3^64.2^53^43^53.4^35^2.5^2$, $17^{25}3^34^35^4.2^23^3.3^43.45^3$, $17^{22}3^44^25.2^53^35.4^55^3.5^2$, $17^{27}36^2.3^64^35^26^4.4^45.5^46$,
 $17^{22}356.2^53^24^3.3^45^6.4^46^6$, $17^{22}3^245.2^54^25^3.3^55^2.4^45$, $17^{234}5^36^2.2^63^456.3^55^36.4^56^3$, $17^{23}6^4.2^635^36^2.4^66^3.5^46^2$,
 $17^{25}3^42^2.2^23^44^25^6.3^24.4^25$, $17^{234}5^5.2^6356^67.3^54^27^5.5^567$, $17^{25}7.2^23^74^25.4^55^66.6^67^6$, $17^{22}3^64.2^535^26^6.4^667^7.5^5$,
 $17^{234}5^64.2^64^25^5.3^65^26^2.6$, $17^{23}5^55^62.2^63^24^456^5.4^3.5$, $17^{27}35.3^64^26^7.4^557^7.5^58^7$, $17^{23}3^64.2^43^45^76^2.4^56^3.6^2$, $17^{22}3^64^75^2.2^535^46^67^7.5.6$,
 $17^{23}4^45^5.2^64^25^46^6.3^3.5^26$, $17^{234}3^54.2^645^36^5.3^66^2.4^3$, $17^{23}3^45^3.2^43^24^25^3.3^45.4^4$, $17^{23}5^6.2^63^246^2.4^65^3.5^46^4$,
 $17^{234}5^36^3.2^63^456.3^55^66.4^56^2$, $17^{234}5^7.2^64^26^73.6^57^5.4^56$, $17^{234}3^54.2^645^36^3.3^66^4.4^3$, $17^{24}3^54^35^3.2^33^42^5.3^42^5.5^3$,
 $17^{23}45.2^645^46.3^5456^4.4^456^2$, $17^{23}7^2.2^64^756.5^66^27^3.6^47^4$, $17^{23}3.2^43^24^25^3.3^445^3.4^45$, $17^{23}4.2^43^445^2.3^34^25^4.4^35$,
 $17^{27}34.3^64^65.5^66^27^5.6^57^2$, $17^{23}4^45.2^63^24^25^3.3^25^3.4$, $17^{23}5^2.2^63^2456^2.4^65^26.5^46^4$, $17^{27}3^44.3^44^25^26^5.4^456.5^46$,
 $17^{22}3^45^2.2^53^24^35.3^44^35.5^3$, $17^{23}3^42^56.2^43^44^56^6.3^34.6$, $17^{23}5^4.2^63^256^5.4^66^27^6.5^67$, $17^{23}6^6.2^63^43^5.4^45^26^4.5^46^2$,
 $17^{23}4^25^55^2.2^65^56^2.3^44.4^45$, $17^{22}3^34^36.2^53^44^6.45^76^4.6$, $17^{23}4^25^2.2^63^45^3.3^345^2.4^3$, $17^{234}6^4.2^63^42^3.3^545^2.5^56^3$,
 $17^{22}3^64^65^8.2^546^77^86^3.3.5$, $17^{234}4^546^3.2^63^42^52^3.3^5456^4$, $17^{22}3^34^45^4.2^53^34^3567.35.5$, $17^{234}5^667.2^63^456^47.3^54567^4.4^467$,
 $17^{23}3^44^35^66^6.2^44.3^345.4^26$, $17^{23}4^43^52.2^63^24^35.3^45^2.5^2$, $17^{234}5^63.2^64^25.3^656^2.5^56^2$, $17^{22}3^45^36.2^53^456^5.3^5456.4^45^2$,
 $17^{23}5^46^4.2^63^42^62^3.3^55^3.4^56$, $17^{22}3^435.2^53^25^6.3^44^66^46$, $17^{23}45^2.2^64^25^46.3^4456^6.4^3$, $17^{23}2^43^5.2^64^456^2.3^556^4.5^46$,
 $17^{27}3.3^64^456.4^35^36^75^367^6$, $17^{22}4^35^3.2^43^55^4.3^24^2.4^2$, $17^{24}5^56^3.2^63^256^2.3^545.4^56^2$, $17^{23}2^45^26^4.2^645^4.3^5456^3.4^4$,
 $17^{23}4^35^5.2^43^44^25^2.3^3.4^2$, $17^{234}5^55^2.2^64^256^47^6.3^657^6.6^3$, $17^{23}45^2.2^645^4.3^5456^4.4^63$, $17^{23}5^5.2^64^26^6.3^6567^5.4^557^2$,
 $17^{23}3^45^56^2.2^635^26^4.3^546.4^3$, $17^{22}3^45^56^2.2^53^42^55^5.3^56^4.56$, $17^{23}5^42^52^6.2^63^246^5.4^45.5^46$, $17^{22}3^42^54.2^53^2.3^44^3.4^25^3$,
 $17^{23}45.2^63^42^52^6.3^445^4.4^36^6$, $17^{23}4^44^53^62.2^63^43^546^5.3^2$, $17^{23}3^456^5.2^65^57^7.3^44^26.4^456$, $17^{234}5^568.2^65^26^6.3^67^8.4^68^5$,
 $17^{23}5^2.2^64^356.3^545^66.4^356^5$, $17^{234}3^57.2^63^267^7^4.3^44^73$, $17^{23}2^45^2.2^64^25^56^3.3^5.6^4$, $17^{23}3^245.2^43^45^56^2.3^4456^5.4^4$,
 $17^{24}3^3.2^33^44^25^46.4^55^3.6^6$, $17^{234}4^5467.2^63^42^52^66^3.5^457^6$, $17^{24}3^47^53^6.2^33^54^66^77^3.3$, $17^{27}3^2.3^54^356^5.4^45^2.5^46^2$,
 $17^{23}4^657.2^64567^72^3.5^57^4.5^4$, $17^{22}3^44^25^2.2^53^44.4^45^3.5^2$, $17^{22}3^24^65^3.2^53^345^2.3^2.5^2$, $17^{234}2^55^2.2^63^42^56^6.3^5567^7.4^3$,
 $17^{234}5^67.2^6567^7.3^67^58^4.4^68^3$, $17^{27}3^24^2.3^54^25^36^7.4^35.5^3$, $17^{234}5^667^2.2^64^26^5.3^657^5.4^46$, $17^{22}3^24^25^3.2^53^42^3.3^45^4.4^3$,
 $17^{24}4^55^2.2^63^25^26^6.3^54^367^7$, $17^{22}3^245^3.2^53^2.3^34^4.4^25^4$, $17^{23}3^42^55^2.2^43^3.3^34^2.4^35^2$, $17^{27}3^2.3^54^35^77.4^46^57^6.6^2$, $17^{23}3^45^2.2^65^56^2.3^66^3.4^46^2$,
 $17^{25}5^6.2^63^26^4.3^54^3.4^45^26^2$, $17^{24}4^56^72.2^63^256^6.3^54^367^5$, $17^{23}3^46^567.2^43^245^66^57.3^46.7^5$, $17^{23}2^44^62^2.2^64^3.3^55^36.5^46^4$,
 $17^{24}4^52^6.2^32^64^4.3^44^3.5^56^2$, $17^{27}3^25^5.3^54^45^26^6.4^35^26.5^2$, $17^{234}3^53^63^3.2^63^45^36^3.3^54^256.4$, $17^{22}3^24^65^56^4.2^53^34^45^26^3$,
 $17^{22}3^757^2.2^54^76.5^66^27^5.6^4$, $17^{24}5^56^62.2^63^256^57^7.3^5.4^2$, $17^{22}3^45^46.2^53^42^52^64^3.5^56.4^46$, $17^{23}3^34^26^2.2^43^44^55.5^66.4^4$,
 $17^{23}5^4.2^63^24^25^2.4^45^56^2.6^5$, $17^{24}6^53^2.2^63^25^26^5.3^55^26^2.4$, $17^{24}6^567.2^63^26^57^2.3^5467^3.5^67$, $17^{23}3^34.2^43^25^76.3^24^46^6.4^2$,
 $17^{234}2^53^6.2^63^34^77.3^546^5.4^467^6$, $17^{24}3^55^2.2^63^25^26^6.3^54^367^7.4$, $17^{24}4^54^6.2^63^25^26^4.3^54^36^2.5$, $17^{23}5^56.2^63^24^2.4^55^26^3.5^46^3$,
 $17^{22}3^245.2^535^6.3^44^26^5.4^46^2$, $17^{23}3^24.2^43^245^6.3^34^2567.4^3$, $17^{24}4^55^6.2^63^25^26^57.3^54^367^6$, $17^{24}3^54^6.2^63^25^36^3.3^54^36^3.4$,
 $17^{23}5^63^2.2^63^245^2.4^56^2.5^46^2$, $17^{23}6^44^5.2^63^43^56^62.6^57^3.7^4$, $17^{22}3^45^3.2^53^345^26.4^65^26.6^5$, $17^{22}3^356^2.2^53^34.3^46^52.5^46^5$,
 $17^{23}3^43^56^2.2^43^267^77.3^445.4^3$, $17^{27}35.3^64^25^67^2.4^56^37.6^47^4$, $17^{22}3^42^5.2^53^24^2.3^44^25^3.45^3$, $17^{22}4^56.2^53^345^26^2.3^446^4.5^5$,
 $17^{22}3^43^56^6.2^53^2.3^44^3.45^6$, $17^{23}2^45^3.2^63^42^52^66^3.46.5^2$, $17^{22}3^45^2.2^53^345^36^2.4^656^5.5$, $17^{23}5^2.2^63^245^26^2.4^656^3.5^46^2$,
 $17^{27}3.3^64^35^27^2.4^45^567.6^67^4$, $17^{22}3^42^56.2^535^56.3^546^57.4^457^6$, $17^{23}2^45^5.2^64^26^3.3^55^26.5^46^3$, $17^{27}3^246.3^54^356^6.4^35^37^7.5^3$,
 $17^{27}36^2.3^64^256^2.4^55^26^2.5^46$, $17^{22}3^24^6.2^55^36^57^6.3^567.5^4$, $17^{23}3^42^62^2.2^43^25^6.3^4456^5.4^4$, $17^{22}3^74.2^545^26^5.4^56^27^6.5^57$,

$1727346.3^6 456^3 7^5.4^5 5^6 67.5^4 6^2 7$, $172734.3^6 5^3 6^4 7^3.4^6 6^3 7^3.5^4 7$, $172^6.23745^3 6.4^6 6^4 7^3.5^4 6^2 7^4$, $17234^5.2^6 3^2 45^2 6^3.3^4 45^2 6^4.5^3$,
 $1724^3 2^4 3^4 5^4.2^3 3^4 4^5 3^6 7.3^3$, $172345^6 7.2^6 456^7 78.3^6 7^4 8^2.4^5 7^8 4$, $172345^6 7.2^6 3^2 456^4 7.3^4 5^5 6^2 7^5.4$, $1723245^4.2^6 35^2 6^4.3^4 4^2 5.4^4 6^3$,
 $1723^5 5^6.2^4 3^4 456^4.3^3 4^5 6^2.4^3$, $17223^4 2^4 6.2^5 3^3 45^4.3^4 5^3 6^6.4$, $17234^4 5^2.2^6 3^2 45^3 6.3^4 5^2 6^6.4^2$, $1722345^6 2^5 3^4 5^3 6^3.3^5 456.4^4 56^2$,
 $172345^2 6^4.2^6 4^2 5^2.3^6 56^3.4^4 5^2$, $1724^2 5^5 6^4.2^6 3^2 56^3 7^7.3^5 4.4^4 5$, $17223^4 5^4.2^5 3^2 46^6 7.4^5 5^3 7^6.5^4 6$, $1724^2 5^7 6.2^6 3^2 6^4 7^5.3^5 6^2 7.4^5 7$,
 $17223^2 46^5.2^5 3^4 5^3.3^4 5^3 6^2.4^5$, $172345^5 6^3 7.2^6 456^2 7^4.3^6 567^2.4^5 6$, $1724^6.2^6 3^2 5^6.3^5 46^2 7^6.56^5 78^7$, $17234^5 57.2^6 4^2 6^7.3^6 5^2 7^2.5^4 7^4$,
 $17234^3 5^4 67.2^6 3^2 6^6.3^4 4^4 7^6.5^3$, $17223^2 4^5 5^2.2^5 3^2 4^2 5^2.3^3.5^3$, $17224^3 5^5 6.2^5 3^3 5^2 6^4.3^4 4^4 6^2$, $17223^7 4.2^5 45^2 6^6 8.4^5 67^6.5^5 78^6$,
 $17234^2 5^2 6^4.2^6 45^4.3^6 56^3 7.4^4 7^6$, $17223^4 4^2 5^2.2^5 3^3 4^5.5^5 6^4.6^3$, $1727356.3^6 4^2 56^2 7.4^5 6^4 7^2.5^5 7^4$, $172346^4.2^6 3^2 45.3^4 4^2 5^3.4^3 5^3 6^3$,
 $1723^7 457^3.2^6 5^5 6^2 7^4.4^6 6^4 8^7.56$, $1723^2 4^2 5^2 6^5.2^6 3^4 5^5.3^4 4^2 5^4 6.6$, $17234^4 6^2.2^6 3^4 2^6 2^2.2^5 45^2 6.5^5 6^2$, $1724^3 35^3.2^3 3^3 4^3 5^2.3^3 4^2 5^2.4^2$,
 $1723^2 45^2 6^4 7.2^6 5^5 67^5.3^5 46^2 7.4^5$, $1723^4 46.2^6 3^2 4^2 6.3^4 5^4 6^2.4^5 3^6 3$, $17235^3 6^7.2^6 4^2 57^4.3^6 5^2 6.4^5 57^2$, $172235^6 67.2^5 3^4 2^6.3^5 57^6 8.4^5 8^6$,
 $1724^3 2^4 3^4 5^4.2^3 3^2 45^3 67.3^3.4^3$, $17223^2 4^4 5^3.2^5 3^4 5^4 6^5.3^4.6^2$, $17245^6 68^3.2^6 3^2 6^6.3^5 47^8 4.5^5 8^3$, $17234^4 5^2 6^2.2^6 4^3 6^3 7^5.3^6 67.5^5 67$,
 $17234^6 7.2^6 35^2 6^3 7^3.3^5 46^3.5^5 67^3$, $1723^6 4.2^6 3^4 2^6 56^4.4^4 5^2 6^2 7^6.5^4 67$, $17223^2 3^4 3^6 2^2.2^5 4^4 5^2.3^5 56^5.5^4$, $172^5 3^3 45^2.2^2 3^2 4^2 5^5.3^2 4^2.4^2$,
 $172^5 4^6 5^2 6^3 7^2.2^2 3^6 45^5 6^4 7^5.3$, $1723^2 4^5.2^6 3^2 4^2 56^4.3^3 5^3 6^3.5^3$, $1723^4 56^6.2^6 3^2 45^3 7^6.3^4 5^3 6^3 678^7.4$, $172^4 56.2^3 3^5 4^2 567.3^2 4^5 6^4 7.5^5 67^5$,
 $1724^4 5^2 6.2^6 3^2 5^2 6^4.3^5 5^3 6^2.4^3$, $1723^3 45^3 6^2.2^6 5^4 6^3.3^4 4^2.4^4 6^2$, $172345^5 6^7.2^6 3^4 6^4 7^3.3^5 5^2 6.4^5 7^3$, $172^5 4^3 5^2 6^4.2^2 3^6 4^3 5^3 6^3.3^4.5^2$,
 $172736^7.7^3 6^4 5^2 7^2.4^5 6^5.5^5 7^4$, $172345^3 6.2^6 45^2 6^4.3^6 56^2 7^4.4^5 57^3$, $17234^2 5^4 6.2^6 45^3 67^5.3^6 6^3 7.4^4 6^2 7$, $1724^4 5^4 6^2.2^6 3^2 5^2 6^5.3^5 4^3 7^5.5$,
 $17245^6.2^6 3^2 6^5 7.3^5 46^2 7^5 8.4^5 578^6$, $1724^3 6^4 3^5 6^5.2^3 3^4 4^3 5^2.5^2 6^2$, $172345^5.2^6 35^2 6^3 7.3^5 46^3 7^3.4^5 67^3$, $1724^2 5^3.2^6 3^2 6^5.3^5 45^2.4^4 5^2 6^2$,
 $1723^5 5^3 6^5.2^6 3^4 5^2 6^2 7^7.4^4.5^3$, $17223^2 4^3.2^5 3^4 5.3^4 5^2 6^5.5^4 6^2$, $17234^5 6^3.2^6 3^2 45^2 6^3 7.3^4 4567^6.5^4$, $172345^5 7^3.2^6 5^2 6^7.3^6 7^4 8^4.4^6 8^3$,
 $17234^3 5^3 6^2.2^6 4^3 5^2 6^2.3^6 5^2 6^3.4$, $1724^7 567.2^6 3^2 5^3 6^3 7^3.3^5 5^3 6^3 7^3$, $1723^4 5^2 6^3.2^6 4^2 5^3.3^4 45^2 6^4.4^3$, $17234^2 5^5 67.2^6 36^6 7^2.3^5 457^2.4^4 57^2$,
 $1723^5 6^7.2^6 3^2 45^4 7^5.4^5 2^7 2^8 7.5$, $1723^4 4^5 2^6 4.2^6 3^4 5^4 67^2.3^5 46^2 7^5.45$, $172^3 3.2^4 3^2 4^3 5^2.3^4 45^4 6^2.4^3 56^5$, $1724^5 5^3 7.2^6 3^2 6^6 7^2.3^5 4^2 67^4.5^4$,
 $1724^2 5^6.2^6 3^2 6^7 7.3^5 57^8 2.4^5 8^5$, $172735.3^6 4^2 56^4 7^2.4^5 6^3 7^3.5^5 7^2$, $172345^3 6^3 7^2.2^6 35^2 6^3.3^5 457^5.4^5 56$, $17223^5 5.2^5 3^2 47^7.5^6 6^2 7^6 8.6^5 8^6$,
 $17223^5 5^3 6.2^5 3^2 46^5 7^5.4^5 567^2.5^3$, $172345^2 67^5.2^6 3^4 5^2 6^2 7^3.5^5 3^6 7.4^5 6^3$, $17234^5 4^6 2^6 3567^6.3^5 4^2 68^7.4^4 5^2 67$, $17223^5 3^2.2^6 4^2 5^2 6^2.3^5 456^3.4^4 56^2$,
 $1722345^6.2^5 3^4 2^6 5^7 4.3^5 562^7 3.4^4$, $17223^5 46^3.2^5 3^2 456^4.4^5 5^2 7^6.5^4 7$, $17234^4 678.2^6 4^2 5^5 7^4.3^6 5^2 7^3 8^6.4$, $17223^2 4^4 56^3 7.2^5 4^3 56^4 7^6.3^5 5.5^4$,
 $1723^2 4^4 56^3.2^6 4^3 56^2 7^6.3^6 6^2 7.5^5$, $1723^2 4^4 6^6.2^6 3^4 2^5 3^7^6.3^4 4^5 4^6 78^7$, $172245^6 6.2^5 3^3 46^6 7^2.3^4 4^2 57^5.4^3$, $1724^3 5^6 7.2^6 3^2 56^3 7^5.3^5 6^4 78^7.4^4$,
 $17223^5 4^6 2^5 3^2 45^3 7^2.4^6 67^4.6^5 7$, $1724^3 5^4 6^2.2^6 3^2 5^3 6^4 7.3^5 4^3 67^6.4$, $17234^3 56^4.2^6 5^6 7^5.3^6 6^3 7^2 8^6.4^4 8$, $1724^4 5^4 6^2.2^6 3^2 5^3 6^4 7.3^5 4^2 67^6.4$,
 $17223^6 45^2 6^4 7.2^5 3^4 5^3 67^6.5^2.6^2$, $17234^2 5^2 67^2.2^6 5^4 6^2 7.3^6 6^4.4^5 57^4$, $1723^2 4^3 56^2.2^6 3^2 45^4 6.3^4 45^2 6^4.4^2$, $1724^5 5^5 6.2^6 3^2 56^2 7^3.3^5 4^2 57^3.6^4 7$,
 $17224^5 5^3 6.2^5 3^3 45^4 67^3.3^4 6^4 7^4.46$, $1723^7 4^6.2^6 45^3 6^2 78^6.5^4 67^8 9^7.6^4$, $1723^2 45^2 6^3.2^6 35^3 6^2.3^4 4^2 5.4^4 56^2$, $172345^6.2^6 3^2 6^6.3^4 4^2 567^5.4^4 7^2 8^7$,
 $17245^5 6^2 7^3.2^6 3^2 6^4 7^3.3^5 457^2 7.4^5 6$, $172234^2 578.2^5 3^4 6^7 8^3.3^5 47^8 3.4$, $17223456^2.2^5 3^4 5^2 67.3^2 4^5 6^4.4^5 47^6$, $1723^2 45^4.2^6 45^3 6^3 7.3^5 46^3 7^4.4^4 67^2$,
 $1722345^2 7^3.2^5 3^4 5^4.3^5 456^4.4^4 6^3 7^4$, $1723^3 4^4 3^5 2^6 3.2^4 45^5 6^4 7^7.3^3.4^3$, $1723^7 47.2^6 45^2 6^2 7^5.4^5 56^3 8^7.5^4 6^2 7$, $17234^4 67^3.2^6 4^3 567.3^6 5^2 6^2.5^4 6^3 7^3$,
 $1724^6 56^2.2^6 3^2 6^3 7^2.3^5 4567^3.5^5 67^2$, $17223^2 5^5 6.2^5 3^4 2^5 6^5 7.3^4 4^2 567^6.4^3$, $172335^7.2^4 3^3 4^3 6^5.3^3 4^2 6^2 7^7.4^2$, $1724^2 5^6.2^6 3^2 6^5 7.3^5 567^5 8^2.4^5 678^5$,
 $1723^4 5^2 6^5.2^6 4^4 567^6 8.3^4 4^2 5^4 678^6$, $17234^6 6^4.2^6 456^2 7^5 8^2.3^6 567^2.5^5 8^5$, $1723^2 45^4 7^2.2^6 45^2 6^5.3^5 456^2 7.4^4 7^4$, $1723^2 3^4 4^6 5.2^4 3^4 3^5 6^2 7^7.3^4.5^4$,
 $17223^3 4^2 5^2.2^5 3^4 5^6^5.3^3 5^2 6^2.5^3$, $17223^5 4^3.2^5 3^2 4^4 5.5^6 6^2 7^4.6^5 7^3$, $1723^4 5^5.2^4 3^5 56^5.3^2 4^2 5^2 6^2 7^7.5^4$, $1723456^6.2^6 3^2 5^2 7^6.3^4 4^2 5^2.4^4 5^2 67$,
 $1724^2 5^6 78.2^6 3^2 6^7.3^5 47^5 8^2.4^4 578^4$, $172234^3 5^3 6^2.2^5 3^4 3^5 2^6 2^3.3^5 45^2 6^3$, $1725^5 6^5.2^6 3^2 6^2 7^4.3^5 4^3 7^2.4^4 5^2 7$, $17223^2 45^3 6^3.2^5 35^4 6^4.3^4 4^2 7^7.4^4$,
 $172736^7.7^3 6^4 5^2 6^3 7^4.4^5 6^2.5^5 7^2$, $1724^2 5^5 7^2.2^6 3^2 5^2 6^3 7.3^5 6^4.4^5 7^4$, $1723^5 5^3 6^3.2^6 4^2 5^2 6^2.3^4 45^2 6^2.4^4$, $17223^2 3^4 4^5 3^6.2^5 3^2 4^3 5^4 6^3.3^3 6.6^2$,
 $17223^4 46^2.2^5 4^2 5^5 6.3^3 4^2 5^2 6^4.4^2$, $1723^4 46^8.2^6 5^7.3^5 46^2 7^5.6^5 7^2 8^5$, $17223^2 4^5.2^5 4^2 5^2 6^5 7.3^5 56^2 7^6.5^4$, $1724^2 5^6 67^2.2^6 3^2 6^5 78^5.3^5 57^4 8.4^5 68$,
 $1724^3.2^3 3^3 4^2 5^3.3^3 4^2 5^3 6^3.4^3 56^4$, $17223^5 4^6 2^5 3^2 4^2 56^4.4^3 5^3 6^2.5^3$, $1724^2 5^7 6^2.2^6 3^2 6^4 7^6.3^5 4^2 678^7.4^3$, $1723^2 4^2 5^5.2^6 5^2 6^4 7^5.3^5 46^2 7^2.4^4 6$,
 $17245^6 6^2.2^6 3^2 6^5 7^2.3^5 4^2 57^3.4^4 7^2$, $172235^2 6.2^5 3^3 46^2.3^3 4^3 5^3.4^3 5^2 6^4$, $17234^5 6^2 7^6.2^6 3^4 2^5 478^7.3^5 3^5 6^5 9^7$, $172245^2 6^4.2^5 3^3 56.3^4 4^2 5^2.4^4 5^2 6^2$,
 $172734^4.3^6 4^3 56^2 7^5 8.5^6 6^3 7^8 6^6.6^2$, $17234^3 5^2 6.2^6 5^3 6^4 7^2.3^6 6^2 7^5.4^4 5^2$, $172345^2 6^3 7.2^6 4^2 5^2 67.3^6 56^3 7.4^4 5^2 7^4$, $17224^4 5^3 6.2^5 3^4 5^4 6^3 7.3^3 4^3 6^2 7^6.6$,
 $17273.3^6 4^3 56^3 7^2.4^4 5^3 67^5.5^3 6^3 8^7$, $172345^3 6^2.2^6 3^4 5^2 7^4.3^5 456^3.4^4 56^2 7^3$, $1722345^5 6.2^5 3^2 4^3 6^5 7^2.3^4 4^3 5^2 67^5$,
 $1724^2 5^2 6^2.2^6 3^2 5^2.3^5 45^2 6^2.4^4 56^3$, $1723^2 4^4 6^2 7^2.2^6 4^2 6^5.3^5 45^2 7^4.5^5 7$, $172345^4 6^2 7.2^6 3^2 56^4 7.3^4 4^2 5^2 67^4.4^4 7$,
 $17234^5 5^2 7.2^6 4^2 5^3 6^4.3^6 5^2 6^3 7^4.7^2$, $172345^2.2^6 3^2 5^2 6^2.3^4 4^2 5^2 6^2.4^4 56^3$, $17245^6 6^3.2^6 3^2 6^2 7^4.3^5 4^2 57.4^4 6^2 7^2$, $1723^3 4^2 56^5.2^6 35^5 6^2 7^5.3^3 4^3 57^2.4^2$,
 $1723^7 6.2^6 4^3 57^6.4^4 5^2 6^4 8^5.5^4 6^2 78^2$, $172736.3^6 4^2 5^2 6^2 7^2.4^5 56^3 7^3.5^4 67^2$, $1724^6 6^3 7.2^6 3^2 5^4 6^2 7^3.3^5 45^2 6^2 7^3.5$,
 $1723^6 4.2^6 35^2 6^2 7^3.4^5 6^2 7^2.5^4 6^3 7^2$, $172345^3 6^2 7^3.2^6 4^2 5^2 6.3^6 6^4.4^4 5^2 7^4$, $17234^2 5^3 6^3.2^6 35^3 6^4 7^3.3^5 457^2.4^4 7^2$,
 $1723^4 5^3 6^3 7.2^6 45^2 6^3 7^3.3^5 5^2 67^3.4^5$, $1724^2 5^5 7.2^6 3^2 5^2 67^3.3^5 46^4 7.4^4 6^2 7^2$, $1724^2 5^6 6.2^6 3^2 56^3 7^5.3^5 467^2 8^7.4^4 6^2$,
 $17245^3 6^5 78.2^6 3^2 57^5 8^4.3^5 4^5 2^6 8^2.4^5 567$, $172234^6.2^5 35^2 6^5 7^2.3^5 467^5 8^3.5^5 68^4$, $1723456^2.2^6 3^2 5^2 6.3^4 4^2 5^2 6^2.4^4 5^2 6^2$,
 $172345^4 7^3.2^6 3^2 5^2 6^4.3^4 4^2 56^3 7.4^4 7^3$, $1723^2 4^3 5^2 6^2.2^6 3^4 5^2 6^5 7.3^4 45^3 7^6.4^2$, $17234^2 5^4 68.2^6 35^3 67^5.3^5 46^3 78^5.4^4 6^2 78$,
 $172345^3 6.2^6 4^2 5^2 6^2 7.3^6 6^4 7^2.4^4 5^2 7^4$, $1724^2 5^6 6^4 7^3.2^6 3^2 5^2 67^4.3^5 45.4^4 56^2$, $17234^2 6^4 7^4 8.2^6 3^4 57^3 8^6.3^4 4^4 6.5^6 6^2$,
 $1724^5 6^2 7^6.2^6 3^2 5^5 78^9 9.3^5 45^2 6^5 8^6 9.4$, $17235^6 8^2.2^6 3^4 6^4.3^5 456^2 7^4.4^4 67^3 8^5$, $1724^2 5^3 6^2.2^6 3^2 56^4 7^2.3^5 45^2 67.4^4 57^4$,
 $172234^2 5^5 6^2.2^5 3^2 4^3 6^3.3^4 4^2 5^2.6^2$, $17273^2.3^5 4^3 56^5 7^2.4^4 5^2 6^2 7^3.5^4 7^2$, $17235^6 6^3.2^6 4^2 6^3 7^4 8.3^6 567^2 8^3.4^5 78^3$,
 $17234^3 5^2 6^5.2^6 4^3 5^3 67^5 8.3^6 5^2 67^2 8^6.4$, $17235^6 6^2 8.2^6 4^2 6^3 7^3 8.3^6 57^4 8.4^5 6^2 8^4$, $172245^7 2^5 3^3 6^5.3^4 4^2 6^2 7^4.4^4 5^2 7^2$,
 $1723^2 4^7 5^4.2^6 5^2 6^5 7^8 6^3.3^5 56^2 7^8 9^7$, $17223^2 45^4 6^3.2^5 35^3 6^4 7^5.3^4 4^2.4^4 7^2$, $17235^6 6^2 8.2^6 4^2 6^4 7^8 3^3.6^6 7^4 8^2.4^5 578$,
 $1724^5 6^3 7^9.2^6 3^2 5^5 78^6.3^5 4^5 6^4 789^6.4$, $1723^2 5^4 6^2 7^2.2^6 4^2 56^3 7^3.3^5 456^2 7.4^4 57$, $17235^6 7^3.2^6 3^4 2^6 3^7 8^5.3^5 56^3 7.4^5 67^2 8^2$,
 $1723^4 5^2 6^5.2^6 4^2 5^2 7^7.3^4 5^3 6^2 8^7.4^4$, $1723^2 5^5 6^2.2^6 4^2 5^2 6^2 7.3^5 6^3 7^4.4^5 7^2$, $17235^4 6^3 7.2^6 3^4 2^6 7^5 8^2.3^5 45^3 8^5.4^4 6^3 7$,
 $172345^5 67^3.2^6 4^2 56^3 7.3^6 567^3 8^2.4^4 6^2 8^5$, $1723^2 45^2 6^2.2^6 45^3 6^3.3^5 5^2 6^2 7^4.4^5 7^3$, $1724^2 5^4 6^2 7^3.2^6 3^2 56^3 7.3^5 5^2 7^3.4^5 6^2$,

$17^{23}24^456^48^3.26^34^356^37^3.34^55^74^84, 17^{25}5^46^27.25^33^46^47^2.3^44^25^26^74.4^45, 17^{22}3^66^28.25^34^26^57^38.4^55^37^38^5.5^47,$
 $17^{24}25^66^27^2.26^32^65^82.3^55^74^8.4^578^4, 17^{23}4^55.26^32^46^27^2.3^45^26^37^2.5^46^27^3, 17^{24}5^36^75^9.26^32^5^46^78^69.3^54^26^5789^5.4,$
 $17^{22}3^76^7.25^43^56^77.4^45^26^73.5^46^27^2, 17^{23}7.26^44^56^27.4^35^26^37^58.5^36^278^6, 17^{23}45^46^3.26^3456^27^48.3^55^26^27^28.4^578^5,$
 $17^{24}25^46^57^2.26^32^52^75^86.3^545.4^46^28, 17^{23}245^3.26^35^46^27.3^44^26^37^3.4^46^27^3, 17^{24}5^26^5.26^32^56^76.3^54^25^78^69.4^45^3689^6,$
 $17^{23}47^627.26^52^63^728^6.3^66^27^2.5^572^8, 17^{24}35^678^5.26^32^56^6789^6.3^54^36^75^89A^7.4, 17^{23}345^46.2^43^245^36^37^3.3^44^26^37^4.4^3,$
 $17^{24}25^36^57.26^32^62^75.3^545^28^7.4^45^27, 17^{22}345^26^4.25^345^37^7.3^55^26^38^5.4^58^2, 17^{22}34^45^2.25^345^57^3.3^546^27^48^2.46^58^5,$
 $17^{23}45^26^2.26^44^25^26^27^2.3^656^37.4^45^27^4, 17^{23}5^46^72.26^44^26^478^3.3^65^27^4.4^556^28^4, 17^{23}5^46^56^37^38^79.26^32^55^64^749^6A^7.4.5,$
 $17^{22}345^26.25^32^45^26^2.3^44^256^2.4^35^26^2, 17^{22}35^46^74.25^34^256^48^6.3^55^26^2.4^57^38, 17^{24}25^56^7.26^32^52^64^78^2.3^56^27^58.4^58^4,$
 $17^{23}245^36^73.26^335^36^72.3^44^256^2.4^46^37^2, 17^{23}5^46^27^3.26^3456^478^4.3^54^25^728.4^456^78^2, 17^{22}35^66^7.25^32^46^48^2.3^44^25^75.4^46^278^5,$
 $17^{23}24^55^36^38.26^335^36^76.3^44^256^378^6A^3, 17^{23}24^55^36^73.26^342^52^64^3.4^34^35^26^27^4, 17^{24}5^67^3.26^32^64^78^4.3^54^26^728^2.4^456^278,$
 $17^{24}5^46^73.26^32^53^63^78^2.3^54^36^378^5, 17^{22}35^36^4.25^32^46^37^5.3^44^25^27^2.4^45^2, 17^{23}456^27^3.26^3456^58.3^24^35^27^4.4^25^38^6,$
 $17^{24}5^26^689^2.26^32^57^8.3^54^258^5.4^45^369^5, 17^{23}45^66^27.26^456^37^38^5.3^66^27^28^29^7.4^57, 17^{24}25^36^3.26^32^52^62.3^545^26^27^2.4^47^5,$
 $17^{24}25^56^782.26^32^52^63.3^63^74.4^57^28^5, 17^{23}24^52^63^73.26^45^36^27^2.3^55^27^2.4^56^2, 17^{24}5^36^478.26^32^56^76.3^54^26^28^59.4^45^389^6,$
 $17^{27}3^74A.4^65^37^68^59^2.5^46^478^29^5A^6.6^3, 17^{24}5^36^78.26^32^56^75.3^54^278^59^2.4^45^389^5, 17^{23}5^36^37^2.26^42^56^759.3^65^268^6.4^556^289^6,$
 $17^{23}35^36^7.2^43^44^76^84.3^44^578^39^7.4^2, 17^{24}25^768^2.26^32^63^74.3^56^37^28^3.4^578^2, 17^{24}5^36^72.26^32^56^67^28^2.3^54^25^73^8^5.5^2,$
 $17^{25}6^28.26^32^64^73.3^54^37^28^4.4^456^728^2, 17^{22}3^24^55^36^37^5.25^34^25^46^47^28^7.3^2, 17^{24}25^26^47^2.26^32^52^67^2.3^545^27^3.4^456^2,$
 $17^{23}24^65^78.26^454^78^29.3^656^728^4.4^45^269^6, 17^{22}35^36^58^2.25^34^25^26^73.3^55^27^4.4^568^5, 17^{23}45^57^4.26^32^56^37^389.3^44^2568^69.4^46^39^5,$
 $17^{22}345^26^37^28^2.25^345^36^74.3^5456^38^5.4^45^7, 17^{24}25^568.26^32^63^78^38^5.456^73^82.4^456^278^3, 17^{22}4^35^78.25^33^67^85.3^44^79^7A^6.6^728A^6,$
 $17^{22}5^46^58^3.25^33^46^748.3^44^257^3.4^45^268^3, 17^{25}34^35^46^37^38^5.2^33^44^53^64^748^29^7.3, 17^{22}4^35^36^2.25^33^52^64^73.3^44^25^26^74.4^2,$
 $17^{23}5^56^28^2.26^43^26^78^2.3^656^73.4^456^278^3, 17^{23}45^36^79.26^45^37^38^2.3^67^48^29^3.4^558^39^3, 17^{22}35^56^7.25^32^45^26^728^4.3^44^26^74.4^46^738^3,$
 $17^{24}25^36^2.26^32^52^627^2.3^546^37^3.4^45^27^2, 17^{24}5^627^2.26^32^56^37^38^2.3^54^256^728^4.4^468, 17^{24}5^46^47.26^32^62^738^4.3^54^257^28.4^45^2678^2,$
 $17^{22}4^25^46^3.25^33^53^26^75.3^44^46^27^28^6.48, 17^{24}7^69^4A^2.26^32^56^78^5A^5.3^556^78^29^3B^7, 17^{25}5^627^28^2.26^32^65^728.3^54^37^3.4^45^28^4,$
 $17^{24}5^46^37.26^32^63^728^3.3^545^27^38^2.4^556^78^2, 17^{23}5^47.26^32^57^48^29^4.5^66^278^3.6^57^28^29^3, 17^{24}5^26^728^7.26^32^54^63^79^7.3^54^256^37^4A^7,$
 $17^{23}3^53^627^28^2.26^32^54^678^2.3^44^46^478^3, 17^{25}4^6378^2.26^32^63^74.3^54^37^28^5.4^45^369^7, 17^{24}5^36^7.26^32^57^48^29^4.3^545^278^9.4^55^2789^2,$
 $17^{23}24^62^7589.26^445^48^6.3^5456^49^4.4^45^26729^2, 17^{25}3^647^2.26^32^63^748.3^54^378^59^2.4^45^489^5, 17^{23}3^25^26^37.2^43^43^52^62^758.3^445^36^278^6A^3,$
 $17^{23}45^36^5.26^32^52^627^49.3^44^27^38^6.4^45^289^6, 17^{22}34^56^729.25^3456^47^48.3^546^28^59^4.5^6789^2A^7, 17^{23}5^36^57^2.26^43^738^5.3^65^268^29^6.4^45^26729,$
 $17^{23}78^2.26^42^52^6749^2.4^556^48^9.5^46^27^389^4, 17^{22}35^46^48.25^34^26^37^28^38^5.45^27^28^3.4^45^738^2, 17^{23}45^56^38.26^335^26^27^28^2.3^546^27^28^2.4^57^38^2,$
 $17^{23}45^639.26^345^26^48^3.3^545^27^48^2.5^37^38^29^6, 17^{23}45^57^289.26^32^64^789^4.3^44^256^748.4^456^28^49^2,$
 $17^{23}5^6789^2.26^3456^37^28.3^54^26^278^49.4^46^27^389^4, 17^{24}5^36^279.26^32^64^85.3^54^25^749^5.4^45^36829, 17^{23}5^47^6A.26^43^63^85A^3.6^55^26829^5.4^456^379^2A^5,$
 $17^{23}45^4689^5.26^3456^37^39A^5.3^55^26^7489.4^56^28^5A^2, 17^{24}5^36^589.26^32^627^48^29.3^54^25^728^4.4^45^379^5, 17^{23}3^55^64.26^42^52^627^38^5.3^44^26^748^29^7A^3,$
 $17^{22}345^57^38^5.25^32^43^56^48^29^6.3^44^356^37^49A^7, 17^{23}5^46^37^29.26^42^56^27^5A^3.3^6568^69^2.4^55689^4A^4, 17^{22}5^627^3.25^33^46^27^38.3^44^25^268^4.4^46^278^2,$
 $17^{23}4^25^26^738^2.26^45^46^729^5.3^656^27^289.4^46^38^49, 17^{24}5^77.26^32^64^728^3.3^546^27^28^29^5.4^56^728^29^2,$
 $17^{24}25^26^78.26^32^52^628^6.3^545^2679^6A^4.56^379A^6, 17^{22}5^36^9.25^33^46^748^2.3^44^25^278^59.4^45^2729^5,$
 $17^{23}24^536^274.26^342^56^47^3829.3^45^368^59^6A^3, 17^{25}4^6378.26^32^63^73829.3^54^37^38^39^2.4^45^3689^4,$
 $17^{23}5^45^6.26^32^46^779^2.4^556^28^39^2A^6.6^48^49^3AB^7, 17^{23}24^256^2749.26^45^36^378^5.3^55^26^27^28^29^6.4^45,$
 $17^{23}25^37^5.26^42^52^678^59.3^545^26^279^6A^4.4^46^48^2A^6, 17^{22}345^37^7.25^32^54^829^7B^3.4^42^65A^7.4^46^28^5B^6,$
 $17^{23}45^26^27^59.26^45^36^78^6A^2.3^656^39^6AB^3.4^556^78A^4B^4, 17^{23}24^53^6578.26^34^356^27^28^49^2.3^44^25^37^48^29^4A^9,$
 $17^{23}3^346^3778^2.2^43^35^68^59^2A^5.3^45^56^49^5A^2B^7A^4, 17^{25}4^6479.26^32^63^738^2.3^54^37^28^39^3.4^45^37829^3,$
 $17^{22}345^46^738^4.25^32^43^56^478^29^2.3^44^35^26^27^39^5, 17^{23}45^36^7.26^45^27^59^4A^2.3^65^728^49A^4B^4.4^558^39^2AB^6,$
 $17^{25}46^27^38^2A^2.6^32^64^85.3^54^37^49A^4.4^45^369^3A^5, 17^{22}35^26^37^3.25^34^25^26^738^29^2.3^55^378^59.4^56^39^4,$
 $17^{23}24^25^26^47^49.26^32^54^67^38^6A^3.4^35^26^289^6A^6A^2.4^2, 17^{22}35^26^27^2.25^34^25^26^278^3.3^5456^378^2.4^45^27^38^2,$
 $17^{22}35^578^29^2.25^34^26^4729.3^55^26^738^3.4^56^278^29^4, 17^{25}76^7.26^32^769^2A^5.3^54^38^49^2B^7.4^478^39^3A^2C^7,$
 $17^{23}5^26^738^2.26^43^62^78^49^3.3^65^37^289^4A^4.4^456^37A^6, 17^{26}4^27^68.23^756^28^59^6.4^55^26^2789A^2B^6.5^46^3A^5BC^7,$
 $17^{23}45^26^378A^4.26^335^36^73829.3^5456^38^39^3.4^55^7389^3A^3, 17^{24}4^53^62^78^49A.26^32^53^62^749^5A^3.5^42^56^37^28^39A^5A^4,$
 $17^{23}45^26^279.26^32^52^6278^99.3^44^25^26^7289^4.4^456^27839, 17^{23}46^83A^2.46^45^26^37^289^3.3^656^27^39^3A^3.5^46^27^28^39A^3,$
 $17^{23}4^26^579^5.2^43^556^769A^3BC^3.2^45^879ABC^5D^5.6^6A^3B^5CD^6, 17^{23}45^36^278^4.26^42^52^6278^3A^3.3^65^27^49^3A^4.4^63^79A^4A^3,$
 $17^{24}5^62^78^4.26^32^56^37^289^4.3^545^27^49^3A^3.4^556^28^2A^4, 17^{23}45^27^59.26^32^52^628^5A^3.4^42^52^628^29^5.4^456^37^29A^6,$
 $17^{23}3^64^56^57^859^6AB^4C^2.2^43^45^62^89A^6B^3C^6D^7E^7, 17^{24}25^26^27^68.26^32^52^6278^6B^3.3^54^39^7A^4.4^25^36^3A^3B^6,$
 $17^{23}45^36^789^2.26^32^52^6279^2.3^44^25^27^38^3.4^46^48^39^3, 17^{24}5^738^29^2A^2.26^32^52^63^829^3A^3.5^42^63^7829^2.5^56^738A^5,$
 $17^{22}3^24^26^579^4.25^32^45^46^738^3A^6.3^42^53^678^49^3AB^7A^2, 17^{23}5^47^289^6A^2.6^32^46^48^29A^4B^2C^3.4^42^52^7^5AB^5.4^456^38^4AC^6,$
 $17^{22}4^46^38A^6D^2.25^32^46^47^3AB^6.3^44^25^27^48^3BC^6.5^58^39^7CD^6, 17^{24}25^36^28^39^2B^2.26^32^52^63^95AB^3.5^45^26^27^3A^5.4^47^48^4AB^5,$
 $17^{24}5^36^3789^3.26^32^56^27^38A^4.3^545^27^3829^2.4^556^28^29^2A^3, 17^{23}45^48^49^2AB^2.6^345^26^2729^4B^3.5^456^27^389A^4.4^46^37^28^2A^2B^5,$

$1^7 2^3 4^5 7^8 6^9 C.2^6 3^4 4^5 7^2 9^3 A^3 C.3^4 4^5 6^2 7^8 9^2 A^3 B^3.5^6 7^3 9 A B^4 C^5$, $1^7 2^3 2^4 5^6 2^7 3^8 3^9.2^6 3^5 6^7 2^8 3^9 A.3^4 4^3 6^3 9^4 A^4 B.4^3 5^3 6^7 2^8 A^2 B^6$,
 $1^7 2^3 2^5 3^7 2^8 3^9 A B.2^6 4^2 6^5 9^4 A^2 B^2.3^5 4^5 2^7 5^4 A^4.4^4 5^2 6^2 8^4 9 B^4$, $1^7 2^3 5^2 6^3 8^2 9^4.2^4 3^4 4^5 6^2 7^2 8^9 A^5.3^3 4^3 5^6 2^7 3^8 A^2 B^6.4^3 5^3 7^2 8^3 9^2 B C^7$,
 $1^7 2^4 3^5 6^7 9^5 A B^4.2^3 3^4 4^2 6^4 7^8 A^5 B C^4.3^2 4^5 6^2 7^3 8^2 9 B C^3 D^5.5^6 7^2 8^4 9 A B D^2 E^7$,
 $1^7 2^3 4^3 6^2 7^2 9^4 A^2.2^6 3^4 2^6 3^7 8^2 A^3 B^2 C.3^5 4^2 5^2 7^2 8^2 9 A B^4 C^2.5^5 6^2 7^8 3^9 A B C^4$,

References

- [BCS97] Peter Bürgisser, Michael Clausen, and M. Amin Shokrollahi. *Algebraic complexity theory*, volume 315 of *Grundlehren der Mathematischen Wissenschaften [Fundamental Principles of Mathematical Sciences]*. Springer-Verlag, Berlin, 1997. With the collaboration of Thomas Lickteig.
- [BHI17] Peter Bürgisser, Jesko Hüttenhain, and Christian Ikenmeyer. Permanent versus determinant: not via saturations. *Proceedings of the American Mathematical Society*, 145(3):1247–1258, 2017.
- [BI08] Peter Bürgisser and Christian Ikenmeyer. The complexity of computing Kronecker coefficients. In *FPSAC 2008, Valparaíso-Viña del Mar, Chile, DMTCS proc. AJ*, pages 357–368, 2008.
- [BI11] Peter Bürgisser and Christian Ikenmeyer. Geometric complexity theory and tensor rank. *Proceedings 43rd Annual ACM Symposium on Theory of Computing 2011*, pages 509–518, 2011.
- [BI13] Peter Bürgisser and Christian Ikenmeyer. Explicit lower bounds via geometric complexity theory. *Proceedings 45th Annual ACM Symposium on Theory of Computing 2013*, pages 141–150, 2013.
- [BI18] Markus Bläser and Christian Ikenmeyer. Introduction to geometric complexity theory. lecture notes, summer 2017 at Saarland University, version July 25, 2018, <http://people.mpi-inf.mpg.de/~cikenmey/teaching/summer17/introtoct/gct.pdf>, 2018.
- [BIP19] Peter Bürgisser, Christian Ikenmeyer, and Greta Panova. No occurrence obstructions in geometric complexity theory. *Journal of the AMS*, 32:163–193, 2019. An earlier version was presented at the IEEE 57th Annual Symposium on Foundations of Computer Science (FOCS) 2016 in New Brunswick, New Jersey.
- [BOR09] Emmanuel Briand, Rosa Orellana, and Mercedes Rosas. Reduced Kronecker coefficients and counter-examples to Mulmuley’s strong saturation conjecture SH. *Computational Complexity*, 18:577–600, 2009.
- [CIM16] Man-Wai Cheung, Christian Ikenmeyer, and Sevak Mkrtchyan. Symmetrizing tableaux and the 5th case of the Foulkes conjecture. *Journal of Symbolic Computation*, 80(3):833–843, 2016.
- [Ful97] W. Fulton. *Young tableaux*, volume 35 of *London Mathematical Society Student Texts*. Cambridge University Press, Cambridge, 1997.
- [Gua18] Yonghui Guan. Brill’s equations as a $GL(V)$ -module. *Linear Algebra and its Applications*, 548:273 – 292, 2018.
- [GW09] Roe Goodman and Nolan R. Wallach. *Symmetry, representations, and invariants*, volume 255 of *Graduate Texts in Mathematics*. Springer, Dordrecht, 2009.
- [Her54] Charles Hermite. Sur la théorie des fonctions homogenes à deux indéterminées. *Cambridge and Dublin Mathematical Journal*, 9:172–217, 1854.

- [Ike12] Christian Ikenmeyer. *Geometric Complexity Theory, Tensor Rank, and Littlewood-Richardson Coefficients*. PhD thesis, Institute of Mathematics, University of Paderborn, 2012.
- [Ike18] Christian Ikenmeyer. GCT and symmetries. unpublished lecture notes, version from January 29, 2018.
- [IP17] Christian Ikenmeyer and Greta Panova. Rectangular Kronecker coefficients and plethysms in geometric complexity theory. *Advances in Mathematics*, 319:40–66, 2017. An earlier version was presented at the IEEE 57th Annual Symposium on Foundations of Computer Science (FOCS) 2016 in New Brunswick, New Jersey.
- [KL14] Harlan Kadish and J. M. Landsberg. Padded polynomials, their cousins, and geometric complexity theory. *Communications in Algebra*, 42(5):2171–2180, 2014.
- [Kra85] Hanspeter Kraft. *Geometrische Methoden in der Invariantentheorie*. Friedr. Vieweg und Sohn Verlagsgesellschaft, Braunschweig, 1985.
- [Lan11] Joseph Landsberg. *Tensors: Geometry and Applications*, volume 128 of *Graduate Studies in Mathematics*. American Mathematical Society, Providence, Rhode Island, 2011.
- [Lan17] J. M. Landsberg. *Geometry and Complexity Theory*. Cambridge Studies in Advanced Mathematics. Cambridge University Press, 2017.
- [Mac95] I. G. Macdonald. *Symmetric functions and Hall polynomials*. Oxford Mathematical Monographs. The Clarendon Press, Oxford University Press, New York, second edition, 1995. With contributions by A. Zelevinsky, Oxford Science Publications.
- [MS01] K.D. Mulmuley and M. Sohoni. Geometric Complexity Theory. I. An approach to the P vs. NP and related problems. *SIAM J. Comput.*, 31(2):496–526 (electronic), 2001.
- [MS08] K.D. Mulmuley and M. Sohoni. Geometric Complexity Theory. II. Towards explicit obstructions for embeddings among class varieties. *SIAM J. Comput.*, 38(3):1175–1206, 2008.
- [Mum95] D. Mumford. *Algebraic geometry. I: Complex projective varieties*. Classics in mathematics. Springer-Verlag, Berlin, 1995. Reprint of the 1976 edition in Grundlehren der mathematischen Wissenschaften, vol. 221.
- [Nar06] Hariharan Narayanan. On the complexity of computing Kostka numbers and Littlewood-Richardson coefficients. *J. Algebraic Combin.*, 24(3):347–354, 2006.
- [PP13] Igor Pak and Greta Panova. Strict unimodality of q -binomial coefficients. *C. R. Math. Acad. Sci. Paris*, 351(11-12):415–418, 2013.
- [Pro07] Claudio Procesi. *Lie groups*. Universitext. Springer, New York, 2007. An approach through invariants and representations.
- [Sap17] Ramprasad Saptharishi. A survey of lower bounds in arithmetic circuit complexity. <https://github.com/dasarpmar/lowerbounds-survey>, version 3.1.4, 2017.
- [Sta99] Richard P. Stanley. *Enumerative combinatorics. Vol. 2*, volume 62 of *Cambridge Studies in Advanced Mathematics*. Cambridge University Press, Cambridge, 1999. With a foreword by Gian-Carlo Rota and appendix 1 by Sergey Fomin.
- [Sta00] Richard P. Stanley. Positivity problems and conjectures in algebraic combinatorics. In *Mathematics: frontiers and perspectives*, pages 295–319. Amer. Math. Soc., Providence, RI, 2000.

- [Sta11] Richard P. Stanley. *Enumerative combinatorics. Vol. 1.* Cambridge University Press, Cambridge, 2011. second edition.
- [Stu93] Bernd Sturmfels. *Algorithms in invariant theory.* Texts and Monographs in Symbolic Computation. Springer-Verlag, Vienna, 1993.
- [Stu08] Bernd Sturmfels. *Algorithms in Invariant Theory.* Texts & Monographs in Symbolic Computation. Springer, 2008.