

Evaluation of Headset-based Viewing and Desktop-based Viewing of Remote Lectures in a Social VR Platform

Andrew Yoshimura*

andrewyosh@yahoo.com

University of Louisiana at Lafayette
Lafayette, Louisiana

Christoph W. Borst

cwborst@gmail.com

University of Louisiana at Lafayette
Lafayette, Louisiana

ABSTRACT

We study experiences of students attending classes remotely from home using a social VR platform, considering both desktop-based and headset-based viewing of remote lectures. Ratings varied widely. Headset viewing produced higher presence overall. Strong negative correlations between headset simulator sickness symptoms and overall experience ratings, and some other ratings, suggest that the headset experience was much better for comfortable users than for others. Reduced sickness symptoms, and no similar correlations, were found for desktop viewing. Desktop viewing appears to be a good alternative for students not comfortable with headsets. Future VR systems are expected to provide more stable and comfortable visuals, providing benefits to more users.

CCS CONCEPTS

• **Human-centered computing** → *Virtual reality*.

KEYWORDS

virtual reality, educational VR, teleconferencing, distance learning, remote instruction, Mozilla Hubs, COVID-19, SARS-CoV-2

ACM Reference Format:

Andrew Yoshimura and Christoph W. Borst. 2020. Evaluation of Headset-based Viewing and Desktop-based Viewing of Remote Lectures in a Social VR Platform. In *26th ACM Symposium on Virtual Reality Software and Technology (VRST '20)*, November 1–4, 2020, Virtual Event, Canada. ACM, New York, NY, USA, 3 pages. <https://doi.org/10.1145/3385956.3422124>

1 INTRODUCTION

We study a class that was delivered remotely using the social VR platform Mozilla Hubs. The study evaluates student experiences viewing lectures in both VR headsets and on desktop monitors. Mozilla Hubs is a “social VR platform” on the Web and supports many devices [1]. Outlaw et al. used it for an ACM UIST 2019 virtual poster session and described an increased sense of presence [13].

Figure 1 shows one of the Hubs lectures with a mix of students using desktop VR and headset VR. The image shows a lecture screen (uploaded PDF content) near its center, uploaded video objects to the right of the screen, a teacher avatar near the bottom right of the screen, a live-streamed webcam view of the teacher to the left of

the screen, and student avatars in the virtual room. Some students are floating (fly-mode) for a better view.

Remote class delivery has benefits of reduced travel: reduced carbon use [13], saved student time, and flexible participant location. Recently, many universities used remote classes for instruction during the spread of the SARS-CoV-2 virus. Such classes are commonly delivered with video tools such as Zoom or Skype. These may lack some interactivity or quality of in-person lectures. Networked VR offers an alternative that may provide benefits from increased presence (general and social) and social interactions. Although VR for education has been suggested to support presence, motivation, and engagement in various contexts (e.g., [2], [3], [10], [11], [15], [16]), there is little work on live lecture-style VR classes or on remote delivery directly to homes.

Neither desktop nor headset VR has consistently been found better in VR work comparing viewing approaches. Some studies found that desktop VR outperforms headset VR, e.g., [10], [17], [19], [20]. Others have found benefits of headset VR, e.g., [12], [14].

Technical problems or distractions are common drawbacks for remote learning technologies, e.g., [4], [5], [6], [8].



Figure 1: A Lecture in Mozilla Hubs

2 METHODS

2.1 Overview

Our study was conducted during 7 weeks of a remote class that met entirely in Hubs. The main independent variable was the viewing method used by students (headset or desktop VR), in a within-subjects study design with counterbalanced order. The teacher used a Vive Cosmos headset to present in VR. Lectures introduced VR devices, their relation to human senses, and interface topics.

Permission to make digital or hard copies of part or all of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for third-party components of this work must be honored. For all other uses, contact the owner/author(s).

VRST '20, November 1–4, 2020, Virtual Event, Canada

© 2020 Copyright held by the owner/author(s).

ACM ISBN 978-1-4503-7619-8/20/11.

<https://doi.org/10.1145/3385956.3422124>




Figure 2: Diverging Stacked Bar Charts, Counting Responses to Main Questionnaire Items (Headset and Desktop VR)

2.2 Participants and Procedure

The study included 13 students: 11 undergraduates (10 being senior-level) and 2 graduate students. All students were pursuing computer science degrees. Most students had limited experience with virtual reality in the past. Various headsets were used, as would be expected for home VR delivery (five Oculus Quest, four Rift CV1s, one Rift S, one Windows Mixed Reality HP headset, one Windows Mixed Reality Odyssey+ headset, and one HTC Vive). All headsets had 6-degree-of-freedom tracking and 2 hand controllers.

On selected days, students answered questionnaires for desktop or headset viewing. These were given during the last 15 minutes of a class attended either with headset or desktop. To reduce order effects, 5 of the 13 students rated headset viewing first (second week) and desktop later (fifth week). The other students experienced reversed order. The unequal split did not favor headset viewing: 4 of 5 students who reported high sickness with headsets are in the later group and tended to give low headset ratings.

3 RESULTS

Fig. 2 summarizes responses for main questionnaire items (many based on [7]). Headset and desktop viewing both received majority-positive ratings for several items, but variation was substantial. Headset viewing provided higher presence than desktop (Wilcoxon Signed-Ranks Test on the combined presence subscale: $Z=2.103$, $p=.035$), based on SUS-style presence questions [18].

Notable sickness was reported by 5 students for headsets and by 1 student for desktop (here, notable means average rating was 2 or higher across the following 5 symptoms, each rated from 1 to 4: general discomfort, fatigue, eye strain, difficulty focusing, headache).

For headset viewing only, we found strong negative correlations between these SSQ-inspired [9] symptoms and various ratings: usability (Spearman $r_s=-.830$, $p=.000$), perceived message understanding ($r_s=-.801$, $p=.001$), overall experience ($r_s=-.792$, $p=.001$), SUS presence ($r_s=-.719$, $p=.006$) and co-presence ($r_s=-.623$, $p=.023$). Based on these correlations and on additional inspection, comfortable users tended to give higher scores to headset viewing. Several items received no negative headset ratings from the 8 low-sickness students (e.g., overall experience, usability, co-presence items).

4 CONCLUSION AND FUTURE WORK

Results suggest a benefit of headset VR for comfortable students, and increased overall presence, but simulator sickness remains an obstacle for remote delivery of courses to homes. We expect future VR technology to improve with more stable and comfortable visuals. In the meantime, desktop viewing appears to be a suitable alternative for students having problems with headsets.

Some additional questionnaire data conveys that most students prefer to attend a VR-based remote class using a mix of headset and desktop viewing. This provides good motivation to further explore these methods for attending remote classes and to study their tradeoffs with respect to different class topics and activities.

Elsewhere, we present more detail on the headset condition [21], including student and teacher comments. Future work will consider additional questionnaire details and end-of-course evaluation.

ACKNOWLEDGMENTS

This material is based upon work supported by the National Science Foundation under Grant No. 1815976 and by the Louisiana Board of Regents Support Fund under contract LEQSF(2019-20)-ENH-DE-22.

REFERENCES

- [1] [n.d.]. Hubs by Mozilla. <https://hubs.mozilla.com/>
- [2] Abdul-Hadi G. Abulrub, Alex N. Attridge, and Mark A. Williams. 2011. Virtual reality in engineering education: The future of creative learning. *2011 IEEE Global Engineering Education Conference (EDUCON)* (2011). <https://doi.org/10.1109/educon.2011.5773223>
- [3] Christoph W. Borst, Nicholas G. Lipari, and Jason W. Woodworth. 2018. Teacher-Guided Educational VR: Assessment of Live and Prerecorded Teachers Guiding Virtual Field Trips. *25th IEEE Conference on Virtual Reality and 3D User Interfaces, VR 2018 - Proceedings* (2018), 467–474. <https://doi.org/10.1109/VR.2018.8448286>
- [4] Thomas Erickson, N. Sadat Shami, Wendy A. Kellogg, and David W. Levine. 2011. Synchronous interaction among hundreds: An evaluation of a conference in an avatar-based virtual environment. *Conference on Human Factors in Computing Systems - Proceedings* (2011), 503–512. <https://doi.org/10.1145/1978942.1979013>
- [5] Mark Freeman. 1998. Video conferencing: A solution to the multi-campus large classes problem? *British Journal of Educational Technology* 29, 3 (1998), 197–210. <https://doi.org/10.1111/1467-8535.00064>
- [6] Michael M. Grant and Jongpil Cheon. 2007. The value of using synchronous conferencing for instruction and students. *Journal of Interactive Online Learning* 6, 3 (2007), 211–226.
- [7] Chad Harms and Frank Biocca. 2004. Internal Consistency and Reliability of the Networked Minds Measure of Social Presence. *Seventh Annual International Workshop: Presence 2004* December (2004), 246–251.
- [8] Morgan Jennings and Stephen C Bronack. 2001. The Use of Desktop Video Conferencing as a Medium for Collaboration between Beginning Instructional Designers and Intern Teachers. *International Journal of Educational Telecommunications* 7, 2 (2001), 91–107.
- [9] Robert S. Kennedy, Norman E. Lane, Kevin S. Berbaum, and Michael G. Lilienthal. 1993. Simulator Sickness Questionnaire: An Enhanced Method for Quantifying Simulator Sickness. , 203–220 pages. https://doi.org/10.1207/s15327108ijap0303_3
- [10] Guido Makransky, Thomas S. Terkildsen, and Richard E. Mayer. 2019. Adding immersive virtual reality to a science lab simulation causes more presence but less learning. *Learning and Instruction* 60, November 2017 (2019), 225–236. <https://doi.org/10.1016/j.learninstruc.2017.12.007>
- [11] Oliver A. Meyer, Magnus K. Omdahl, and Guido Makransky. 2019. Investigating the effect of pre-training when learning through immersive virtual reality and video: A media and methods experiment. *Computers and Education* 140, December 2018 (2019), 103603. <https://doi.org/10.1016/j.compedu.2019.103603>
- [12] Maria Murcia-López and Anthony Steed. 2016. The effect of environmental features, self-avatar, and immersion on object location memory in virtual environments. *Frontiers in ICT* 3, NOV (2016), 1–10. <https://doi.org/10.3389/fict.2016.00024>
- [13] Jessica Outlaw. 2020. Enhancing the Experience of Virtual Conferences in Social Virtual Environments. (2020), 485–494. <https://doi.org/10.1109/VRW50115.2020.00098>
- [14] Dhaval Parmar, Jeffrey Bertrand, Sabarish V. Babu, Kapil Madathil, Melissa Zelaya, Tianwei Wang, John Wagner, Anand K. Gramopadhye, and Kristin Frady. 2016. A comparative evaluation of viewing metaphors on psychophysical skills education in an interactive virtual environment. *Virtual Reality* 20, 3 (2016), 141–157. <https://doi.org/10.1007/s10055-016-0287-7>
- [15] Jocelyn Parong and Richard E. Mayer. 2018. Learning science in immersive virtual reality. *Journal of Educational Psychology* 110, 6 (2018), 785–797. <https://doi.org/10.1037/edu0000241>
- [16] Joseph Psotka. 2013. Educational games and virtual reality as disruptive technologies. *Educational Technology and Society* 16, 2 (2013), 69–80.
- [17] Johanna Roettl and Ralf Terlutter. 2018. The same video game in 2D, 3D or virtual reality – How does technology impact game evaluation and brand placements? *PLoS ONE* 13, 7 (2018), 1–24. <https://doi.org/10.1371/journal.pone.0200724>
- [18] Mel Slater, Martin Usoh, and Anthony Steed. 1994. Depth of Presence in Virtual Environments. *Presence: Teleoperators and Virtual Environments* 3, 2 (1994), 130–144. <https://doi.org/10.1162/pres.1994.3.2.130>
- [19] Beatriz Sousa Santos, Paulo Dias, Angela Pimentel, Jan Willem Baggeman, Carlos Ferreira, Samuel Silva, and Joaquim Madeira. 2009. Head-mounted display versus desktop for 3D navigation in virtual reality: A user study. *Multimedia Tools and Applications* 41, 1 (2009), 161–181. <https://doi.org/10.1007/s11042-008-0223-2>
- [20] Priyanka Srivastava, Anurag Rimzhim, Palash Vijay, Shruti Singh, and Sushil Chandra. 2019. Desktop VR Is Better Than Non-ambulatory HMD VR for Spatial Learning. *Frontiers in Robotics and AI* 6, July (2019), 1–15. <https://doi.org/10.3389/frobt.2019.00050>
- [21] Andrew Yoshimura and Christoph W. Borst. 2020. Remote Instruction in Virtual Reality: A Study of Students Attending Class Remotely from Home with VR Headsets. In *Mensch und Computer 2020 - Workshopband*, Christian Hansen, Andreas Nürnberger, and Bernhard Preim (Eds.). Gesellschaft für Informatik e.V., Bonn. <https://doi.org/10.18420/muc2020-ws122-355>