Controlling Segregation in Social Network Dynamics as an Edge Formation Game

Rui Luo, Buddhika Nettasinghe, and Vikram Krishnamurthy, Fellow, IEEE

Abstract—This paper studies controlling *segregation* in social networks via exogenous incentives. We construct an edge formation game on a directed graph. A user (node) chooses the probability with which it forms an inter- or intra- community edge based on a utility function that reflects the tradeoff between homophily (preference to connect with individuals that belong to the same group) and the preference to obtain an exogenous incentive. Decisions made by the users to connect with each other determine the evolution of the social network. We explore an *algorithmic recommendation mechanism* where the exogenous incentive in the utility function is based on *weak ties* which incentivizes users to connect across communities and mitigates the segregation. This setting leads to a submodular game with a unique Nash equilibrium. In numerical simulations, we explore how the proposed model can be useful in controlling segregation and echo chambers in social networks under various settings.


Index Terms—Segregation, network formation game, directed stochastic block model, weak ties, mechanism design.

1 Introduction

Social networks provide a platform for people to exchange information and form online communities. Social network users tend to connect with others with similar opinions or views (known as the homophily effect [1]), and this leads to segregation of the network into distinct parts. For example, Fig. 1 illustrates how the Twitter users are segregated into two groups based on their political opinions before the 2020 presidential election. Impacts of segregation in social networks include limiting the exposure to diverse perspectives [2] and amplifying economic inequality [3].

1.1 Background

The goal of this research is to use exogenous incentives to regulate social network segregation by increasing the number of intercommunity edges. To that purpose, we employ a game-theoretic model to study social network users' interactions and devise mechanisms to encourage inter-community connections. Game theory has been widely used for social network analysis. Jackson and Wolinsky [6] analyzed the stability and efficiency of social networks when self-interested users can form or cut links in a game setting. Bramoullé et al. [7] studied the edge formation as individual players choosing their partners in a 2-by-2 anti-coordination games. Avin et al. [8] constructed an evolutionary network formation game and demonstrated that preferential attachment is the unique Nash equilibrium. Alon et al. [9] formulated a game-theoretic model to deal with the incentives of interested parties outside the network



B. Nettasinghe and V. Krishnamurthy are with the School of Electrical and Computer Engineering, Cornell University, Ithaca, NY, 14850. E-mail: {dwn26, vikramk}@cornell.edu




Fig. 1. The figure shows that Twitter users' political opinions are segregated into two highly polarized communities before the 2020 presidential election. Nodes represent Twitter users and edges represent retweets during the one-month period before election (Oct. 1 to Nov 1). The graph is laid out using DrL (a force-directed graph layout) and the nodes are assigned different colors and shapes (blue circles and red triangles) according to the two communities detected by the Louvain method [4]. A detailed explanation is in [5].

in information diffusion. Mele [10] proposed a potential game on a network where user's payoff depends on both directed links and link externalities. Game theoretic models have also been applied to structure identification of industrial cyber-physical systems [11], conflict mitigation through third party interventions [12], and trust management mech-

This research was supported in part by the U.S. Army research office grant W911NF-19-1-0365 and the National Science Foundation grant CCF-2112457.

anism in mobile ad hoc network [13].

Specifically, we construct an edge formation game which models users' interactions on social networks. In this game, users are strategic decision makers. When deciding with who to connect, i.e., what edges to form, each user faces a trade off: staying connected to others within the same community vs. obtaining an exogenous incentive for making inter-community connections. The link externalities [10] inspire the idea of inter-community friend recommendations in our model, as explained in Section 3.1.

By showing that segregation is a natural consequence of the game, we then design a mechanism, named *Algorithmic Recommendation Mechanism* (ARM), which is based on the weak-tie theory [14] and encourages inter-community connections by offering exogenous incentives. With ARM incorporated in the game, we show that connecting with users both in the same community and different community, i.e., integration, is the only rational choice for users in the game to maximize their utilities, which leads to a less segregated network.

1.2 Related Work

Previous works that identify and control segregation in social networks can be considered under two categories:

(1) Social network segregation: Agent-based opinion dynamics models [15], [16], [17], [18] are the mainstream approach to study the segregation on social networks. Sasahara et al. [15] introduced social influence and unfriending into their model, where users can change both their opinions and connections based on the received information. Baumann et al. [16] proposed a radicalization mechanism which reinforces extreme opinions from moderate initial conditions. Banisch and Olbrich [17] considered the social feedback's effect on users expressing alternative opinions and analyzed the sufficient conditions for stable bi-polarization on a stochastic block model-structured network. Blex and Yasseri [18] proposed a network-based solution to the Schelling's model and derived that algorithmic bias in the form of rewiring is incapable of preventing segregation.

In this work, we adopt a game-theoretic model instead of opinion dynamics to analyze users' decision of forming connections with others, which captures the psychological features of decision-making.

(2) Weak Ties and segregation mitigation strategies: Granovetter's work [14] on Weak Ties-theory demonstrates that a person's weak contacts are more likely to bring novel information such as job opportunities to him compared with his close contacts. Liu et al. [19] discussed the increased online weak ties with the emergence of new media platforms and functions such as "follow the post", and "retweet". Mele [10] proposed a network formation model involving indirect connections, which is an extended version of weak tie.

In this work, we propose an *Algorithmic Recommendation Mechanism* (ARM) which incorporates the positive effect of weak ties; an overview of the framework is shown in Fig. 2.

1.3 Main Contributions and Organization

(1) By representing the social network as a *directed stochastic block model* (DiSBM) [20], Section 2 formulates an edge for-




Fig. 2. This figure illustrates the proposed *algorithmic recommendation mechanism* (ARM) (details in Algorithm 1). (a) Inside the same community, b_1 is followed by b_2 and b_4 , and r_1 is followed by r_2 . (b) Across different communities, r_1 follows b_1 (i.e., forms an inter-community edge). (c) ARM recommends inter-community links (from r_1 to b_2 and b_4 , from b_1 to r_2) indicated by the three dashed arrows with probability according to (9). (d) The inter-community recommendations convert into edges (from b_1 to r_2 , from r_1 to b_4) with some acceptance probability (defined as C in Algorithm 1) and increase users' utility. Therefore, ARM incentivizes users to proactively form inter-community edges and mitigates segregation in social networks.

mation game and shows that it leads to a Nash equilibrium where the network is segregated.

- (2) Section 3 proposes an *Algorithmic Recommendation Mechanism* (ARM) which offers users additional rewards by intercommunity recommendation. Incorporating this mechanism leads to a Bertrand-like game [21] with a unique Nash equilibrium where segregation is mitigated.
- (3) Section 4 considers the case where ARM's recommendation acceptance probability evolves as a semi-Markov process. Analysis within a stochastic game framework shows that users in the network reach the time-evolving Nash equilibrium of the resulting game.
- (4) Finally, Section 5 presents numerical simulations to illustrate how the proposed ARM mitigates segregation and increases inter-community connections. The numerical study also suggests that higher recommendation acceptance probability is effective during polarizing events where the level of segregation is high.

2 DIRECTED NETWORK EDGE FORMATION GAME

In this section, we first define the segregation in social networks and provide a measure to quantify it. We then propose an edge formation protocol followed by users in the social network. This protocol results in a *directed stochastic block model* (DiSBM) where, the parameters correspond to the actions of users. The edge formation protocol is based on a best response strategy followed by users i.e., users respond to what others did in the previous time instant in order to maximize a utility function. By analyzing the game that corresponds to the best response-based edge formation protocol, our main result of the section shows that it has a unique Nash equilibrium that corresponds to a segregated network (network with two disconnected communities), and the best response-based edge formation protocol converges to this Nash equilibrium.

TABLE 1 Symbols Used in This Article

Cymbala	Description
$\frac{Symbols}{G^{(t)}}$	Description the discrete description the
$G^{(v)}$	the directed graph representing the
	network at time t
V	the fixed set of users in the network
$E^{(t)}$	the set of directed edges at time t
R	the fixed set of red users *
B	the fixed set of blue users
N	the number of red users, which also
	equals the number of blue users
$p_R^{(t)}$	the probability that a red user follows**
r R	another red user at time t
$p_B^{(t)}$	the probability that a blue user follows
P_B	another blue user at time t
$P^{(t)}$	the probability matrix of the DiSBM
1 1	1 2
(t)	corresponding to the network
$U_i^{(t)}$	user i 's utility at time t in the original
	game
$U_{\text{ARM}i}^{(t)}$	user i 's utility at time t in the game with
	ARM
$D^t(i,j)$	whether user j follows user i from the
	different community at time t
$S^t(i,j)$	whether user j follows user i from the
,	same community at time t
C	the probability that a recommendation by
	ARM is accepted
	1

^{* &}quot;Red users" is abbreviation for the users from the red community. So is "blue users".

2.1 **DiSBM Based Edge Formation Protocol**

In social networks, users are naturally partitioned into communities based on nodal attributes such as geographic locations, party affiliations, and personal interests [22]. The community structure often leads to segregation in the network, if there is sparse connection among different communities. For example, [23] demonstrates that the network of political communication on Twitter exhibits a highly segregated partisan structure.

A formal definition of segregation in social networks is as follows. Consider a social network represented by a directed graph G = (V, E) without loops or multiple edges, where $V = R \cup B$ is a partition of the set of users into red (R) community and blue (B) community. Let E_d be the set of edges connecting nodes in different communities. We define the segregation measure as:

$$s = 1 - \frac{|E_d|}{2|R||B|} \tag{1}$$

This segregation measure compares the actual number and the maximal possible number of inter-community edges. When the network is completely segregated, s = 1. Similar definition of segregation can be found in the segregation index defined in [15] and the assortativity coefficient defined in [24].

The directed stochastic block model (DiSBM) [20] is frequently used to represent the structure of such networks with communities. We consider a time-varying version of the DiSBM model with two communities (N red users and N blue users¹) where the model parameters correspond to the actions taken by users in each community in a repeated game (i.e., a normal form game which is repeated via a best response strategy adopted by the players). More specifically, at each time instant t, user i chooses the edge formation probabilities (i.e., its actions) in a manner that maximizes the expected value of the utility function,

$$U_i^{(t)} = \sum_{j \in R \cup B} \left[D^{(t)}(i,j) - D^{(t)}(j,i) \right]. \tag{2}$$

where,

$$D^{(t)}(i,j) = \begin{cases} 1 & (i,j) \in E^{(t)} \text{ and } i,j \text{ in different communities} \\ 0 & (i,j) \notin E^{(t)} \text{ or } i,j \text{ in the same community.} \end{cases}$$
 (3)

The utility function $U_i^{(t)}$ consists of two components. The first component $\sum_{j \in R \cup B} D^{(t)}(i,j)$ is i's number of followers in a different community i.e., its popularity in another community. The second component $\sum_{j \in R \cup B} D^{(t)}(j,i)$ is i's number of friends in different community, representing its effects in points in the component i. Thus

efforts in maintaining inter-community connections². Thus, the utility function (2) represents how users face a trade-off between popularity in different community and homophily in its own community when forming connections in social networks.

With this notation, the DiSBM based edge formation via utility maximization is given in Protocol 1.

Protocol 1. DiSBM Based Network Edge Formation

Input: $G^{(t)} = \{V, E^{(t)}\}$ where $V = R \cup B$, $t = 0, 1, 2, \cdots$ **Output:** $p_{R}^{(t)}, p_{R}^{(t)}$

Process:

- 1) $p_R^{(0)}, p_B^{(0)} \sim \mathrm{Unif}[0,1]$ (i.e., the initial parameters of the model are sampled from a uniform distribution).
- 2) At each odd time instant (i.e., $t = 1, 3, 5, \cdots$), red users take actions according to steps 2.1 and 2.2 below while the blue users adhere to the action they adopted at time
 - $\forall i, j \in R$, i connects with j with probability³

$$p_R^{(t)} = \operatorname*{argmax}_{p_R^{(t)} \in (0,1]} \mathbb{E}\left\{U_i^{(t)}\right\} \tag{4}$$

- 1. We assume equal numbers of red and blue users to simplify the expressions and analysis in the following sections, and this assumption can be relaxed easily.
- 2. A similar formulation of social network users' utility functions was used in [25], where the author defines the cut size (i.e., the number of inter-community edges) as part of the utility function. The corresponding network is undirected.
- 3. As will be discussed in the proof of Theorem 1 (Appendix A.1), $\mathbb{E}\left\{U_i^{(t)}\right\}$ is identical for any $i\in R$ and is a function of $p_R^{(t)}$.

^{**} Throughout the table and the rest of this paper, we use "follow" interchangeably with "connect with" to denote initiating a directed edge with others, with the edge from the "friend" pointing to the initiator (i.e., "follower").

where \mathbb{E} is the expectation with respect to the probability distribution induced by the DiSBM model,

- and $U_i^{(t)}$ is the utility function defined in (2). $\forall i \in R, j \in B, i$ connects with j with probability $\frac{1-p_R^{(t)}}{N}$.
- 3) At each even time instant (i.e., $t = 2, 4, 6, \cdots$), blue users take actions according to steps 3.1 and 3.2 below while the red users adhere to the action they adopted at time t-1.
 - 3.1) $\forall i, j \in B, i \text{ connects with } j \text{ with probability}$

$$p_B^{(t)} = \underset{p_B^{(t)} \in (0,1]}{\operatorname{argmax}} \mathbb{E}\left\{U_i^{(t)}\right\} \tag{5}$$

3.2) $\forall i \in B, j \in R, i \text{ connects with } j \text{ with probability } \frac{1-p_B^{(t)}}{N}.$

2.2 Discussion of Protocol 1

Protocol 1 induces a DiSBM characterised by best response strategy:

In Protocol 1, red users and blue users take actions alternatively by maximizing utility functions. More specifically, at each odd time instant t, red users choose the probability $p_R^{(t)}$ via maximizing the expected utility of a sample uniformly drawn from the red community R, while blue users keep the probability $p_B^{(t)}=p_B^{(t-1)}$. Blue users choose their parameters at even time steps according to similar steps. Therefore, Protocol 1 can be viewed as a DiSBM with time varying parameters resulting from the best response strategies played by users in the network. In other words, Protocol 1 corresponds to a DiSBM with the probability matrix

$$P^{(t)} = \begin{bmatrix} p_R^{(t)} & \frac{1 - p_R^{(t)}}{N} \\ \frac{1 - p_B^{(t)}}{N} & p_B^{(t)} \end{bmatrix}$$
(6)

where $p_R^{(t)}, p_B^{(t)}$ are the best response strategies taken by the red and blue users at each time instant, respectively.

Protocol 1 corresponds to the regime with dense intra- and sparse inter-community edges:

In the context of real world social networks, Protocol 1 corresponds to the regime with sparse inter-community edges and dense intra-community edges.⁴ In other words, the the probability matrix $P^{(t)}$ is of the form,

$$P_{ab}^{(t)} = \begin{cases} O(1/N), & a \neq b \\ O(1), & a = b \end{cases}$$
 (7)

A connection probability matrix of the form (7) emulates the structure of many real world social networks where individuals are densely connected within a community (i.e., $O(N^2)$ edges within a community of size N) and sparsely connected between communities (i.e., O(N) edges between two communities each of size N).

Connection probability matrices of the form (7) are further motivated by the fact that users act differently when

4. Note that $P^{(t)}$ does not need to be symmetric considering that the edges are directed; also the rows or columns in $P^{(t)}$ (given in (6)) do not need to sum to 1.

forming intra-community and inter-community edges in social networks. For example, Twitter users have different political opinions and tend to follow or retweet users with similar opinions. Sports forum (e.g. Reddit) users have different favorite teams and tend to communicate more frequently with users who support the same team.

Remark 1 (*The game corresponding to the protocol*). Note that there exists a normal-form game corresponding to Protocol 1 where, set of nodes $V = R \cup B$ are the players, the interval (0,1] is the set of actions for each player $i \in V$ and, the utility function of each $i \in V$ is $\mathbb{E}_{j \in R} \left\{ U_j^{(t)} \right\}$ or $\mathbb{E}_{j \in B} \left\{ U_j^{(t)} \right\}$, i.e., the expected utility function of users in one community depending on the community i belongs to (where $U_j^{(t)}$ is given in (2) and t is any fixed time instant). When this normal-form game is of a special type (e.g. a strictly dominant strategy profile, a submodular game), the best response based Protocol 1 is guaranteed to converge to the game's Nash equilibrium. Henceforth, for any such best response based protocol, we use the term the game corresponding to the protocol to refer to this induced normalform game by that protocol.

2.3 Nash Equilibrium Analysis of the Game Corresponding to Protocol 1

Thus far (in Sec. 2.1 and 2.2) we discussed the intuition behind the DiSBM based edge formation (Protocol 1) in which the network parameters arise from each community maximizing a utility function (i.e., a best response strategy). In this subsection, we analyze the game that corresponds to Protocol 1 (recall from Remark 1 that this is the induced normal-form game) and the main result of this subsection (Theorem 1) indicates that:

- i. Protocol 1 converges to a stationary state i.e., the sequence of parameters $(p_R^{(t)},p_B^{(t)},t=1,2,..)$ chosen by individuals from each community converges to fixed values p_R, p_B ;
- ii. the fixed values at the stationary state are $p_R^{(t)}=1, p_B^{(t)}=1$ and they correspond to the unique Nash equilibrium of the normal-form game corresponding to Protocol 1 i.e., at the stationary state, the network will almost surely have no inter-community edges, leading to echo chambers.

Theorem 1 (Convergence of Protocol 1 to the Nash Equilibrium). Consider the best response dynamics given in Protocol 1 (Sec. 2.1). Segregation (i.e., $p_R^{(t)} = p_B^{(t)} = 1$) is the unique Nash equilibrium of the corresponding game and $p_R^{(t)}$, $p_B^{(t)}$ both converge to it as time t tends to infinity.

Proof. The proof of Theorem 1 is straightforward with the main idea being that the Nash equilibrium $(p_R^{(t)} = p_B^{(t)} = 1)$ corresponds to users' strictly dominant strategy. The detailed argument is given in Appendix A.1 for completeness.

3 How Algorithmic Recommendation Mech-ANISM (ARM) RESHAPES THE SEGREGATION **EQUILIBRIUM**

Sec. 2 showed that segregation is the Nash equilibrium of the game corresponding to Protocol 1. This leads us to the

following question: how can we augment Protocol 1 such

- i. the normal-form game corresponding to the augmented protocol has a Nash equilibrium that is not segregation;
- ii. the strategy profiles of the players converge to the Nash equilibrium (in the previous point) over time.

To this end, this section presents an algorithmic recommendation mechanism (ARM), which incentivizes users to form inter-community edges. Then, we illustrate how ARM changes the Nash equilibrium of the corresponding game (compared with the segregation result shown in Theorem 1) and mitigates segregation in the network.

Algorithmic Recommendation Mechanism (ARM)

The aim of introducing ARM is to reshape the Nash equilibrium of the game corresponding to Protocol 1 (which leads to a segregated network as shown in Sec. 2.3) such that the resulting network is not segregated. To this end, ARM incentivizes users to form inter-community edges by providing exogenous rewards. More specifically, if *i* follows j in the different community, and j has not yet followed i, ARM will recommend i to j with a probability proportional to the number of 2 hop connections from i to j. Then, the link recommendation is accepted by j with some probability, thus increasing i's popularity in another community and its utility (as indicated in the utility function (2)). Fig. 2 shows an example of ARM recommending links.

Recall the function $D^{(t)}$ defined in (3) to count the number of edges between different communities. Similarly, we define another function:

$$S^{(t)}(i,j) = \begin{cases} 1 & (i,j) \in E^{(t)} \text{ and } i,j \text{ in the same community} \\ 0 & (i,j) \notin E^{(t)} \text{ or } i,j \text{ in different communities.} \end{cases} \tag{8}$$

Thus, for a given pair of nodes $i, j, S^{(t)}$ indicates whether an edge (i, j) exists and whether it is between the same community. With this notation, we are now equipped to present the ARM.

Algorithm 1. Algorithmic Recommendation Mechanism (ARM)

Input: $E^{(t)}$ – the edge set at time t and R, B – the two node sets representing two communities.

Output: $\{(i, j)\}$ – the set of recommendation links.

Process: At time t, for any ordered pair (i, j) such that i, jare in different communities, ARM forms an edge from i to *j* according to steps below:

- 1) If j follows i, i.e., $(i,j) \in E^{(t)}$, then stop recommendation; otherwise proceed to step 2.
- 2) For any user j' such that $S^{(t)}(j',j) = 1$, count the total number of edges between such j' and i, i.e., $\sum_{j'} D^{(t)}(i,j') + D^{(t)}(j',i)$. Recommend i to j with probability

$$\sum_{\underline{j' \in R \cup B}} \left[D^{(t)}(i, j') + D^{(t)}(j', i) \right] S^{(t)}(j', j)$$

$$N - 1 \tag{9}$$

where

$$\sum_{j' \in R \cup B} \left[D^{(t)}(i,j') + D^{(t)}(j',i) \right] S^{(t)}(j',j) \tag{10}$$




Fig. 3. This figure illustrates how ARM (Sec. 3.1 Algorithm 1) recommends an inter-community link from red user r_1 to blue user b_1 based on the existing 2 hop connections. The dashed arrow curves denote the possible 2 hop connections from r_1 to b_1 . The solid arrow line on top denotes the probability that b_1 already follows r_1 (i.e., edge (r_1, b_1) already exists), in which case ARM will not recommend r_1 to b_1 . If edge (r_1,b_1) does not exist yet, ARM will recommend r_1 to b_1 with a probability proportional to the number of 2 hop connections between r_1 and b_1 . Labels on solid arrow lines denote corresponding edges' formation probabilities.

is the number of 2 hop connections from i to j, and N-1 is used to offset the linear growth of 2 hop connections (between two users) to the number of users in the network.

3) If i was recommended to j in step 2, j accepts the recommendation (i.e., the edge (i, j) is formed) according to a Bernoulli random variable with probability of success C, where C is the acceptance probability.

Discussion of Algorithm 1:

- (1) Step 1 considers the fact that an edge ARM recommends may already exist. In that case, no further steps are taken by ARM.
- (2) Step 2 recommends inter-community links with probability according to (9), which favors recommending links between users with more 2 hop connections. To justify how 2 hop connections increase the recommendation probability, suppose i is a red user and j a blue user, then as indicated in (10), $\sum_{j' \in R \cup B} D^{(t)}(i,j')S^{(t)}(j',j)$ specifies the case that i is followed by j's blue friends; $\sum_{j' \in R \cup B} D^{(t)}(j',i)S^{(t)}(j',j)$

is followed by
$$j$$
's blue friends; $\sum_{j' \in R \cup B} D^{(t)}(j',i) S^{(t)}(j',j)$

specifies the case that i, j share blue friends in common. In both cases, the bigger the value is, the more likely that ARM will recommend i to j.

(3) Step 3 considers the fact that each recommended link turns into an actual edge according to a Bernoulli random variable. In practice, the probability of success depends on the amount of incentive provided by the network administrator in the form of exogenous reward.

(4) We provide the complexity analysis of ARM as follows. Step 2 queries the union of j's follower list and i's follower list/friend list. With hash table based data structure, the query takes O(1) time and the space complexity of the hash table is O(N). The overall time complexity and space complexity are both $O(N^2)$. There are specialized data structure for real-world large-scale graphs which is out of scope in this work, and we refer interested readers to a survey of graph database models [26].

3.2 Edge Formation Protocol with ARM

To explore how ARM affects segregation, we first augment the utility function (2) in a manner that reflects the tradeoff between staying connected within the same community and obtaining exogenous incentives provided by ARM. The augmented utility function is

$$\begin{split} U_{\text{ARM}\,i}^{(t)} &= \sum_{j \in R \cup B} \left[D^{(t)}(i,j) - D^{(t)}(j,i) \right] + \sum_{j \in R \cup B} \left\{ C \left[1 - D^{(t)}(i,j) \right] \right. \\ &\left. \left. \sum_{j' \in R \cup B} \left[D^{(t)}(i,j') + D^{(t)}(j',i) \right] S^{(t)}(j',j) \right. \\ &\left. \left. \left. \left. \left(1 - D^{(t)}(j,i') \right] \left[\frac{S^{(t)}(i,i')D^{(t)}(j,i)}{N-1} \right] \right\} \right. \end{split} \tag{11}$$

In (11), the first summation term is the original utility as in (2). The second summation term

$$\sum_{j \in R \cup B} \left\{ C \left[1 - D^{(t)}(i,j) \right] \frac{\sum_{j' \in R \cup B} \left[D^{(t)}(i,j') + D^{(t)}(j',i) \right] S^{(t)}(j',j)}{N - 1} \right\}$$
 (12)

is the expected number of inter-community edges formed by ARM for user i. The third summation term

$$\sum_{j \in R \cup B} \sum_{i' \in R \cup B} \left\{ C \left[1 - D^{(t)}(j, i') \right] \left[\frac{S^{(t)}(i, i') D^{(t)}(j, i)}{N - 1} \right] \right\}$$
 (13)

is the reward for connecting users from two communities (e.g. a red user connects its red followers to its blue friends) in ARM recommendations. These two summation terms represent ARM's exogenous incentives, where the users' benefit of connecting with others depends on the composition of friends of friends⁵.

The edge formation via maximizing the augmented utility (11) is given in Protocol 2 below.

Protocol 2. DiSBM Based Network Edge Formation with ARM

Input: $G^{(t)} = \{V, E^{(t)}\}$ where $V = R \cup B$, $t = 0, 1, 2, \cdots$ Output: $p_R^{(t)}, p_B^{(t)}$

Process:

- 1) $p_R^{(0)}, p_B^{(0)} \sim \text{Unif}[0, 1].$
- 2) At each odd time instant (i.e., $t = 1, 3, 5, \cdots$), red users take actions according to steps 2.1 and 2.2 below while the blue users adhere to the action they adopted at time t-1.
 - 2.1) $\forall i, j \in R$, *i* connects with *j* with probability⁶
- 5. A similar assumption was used in [10] and [27], where the value of indirect links (i.e., weak ties) affects users' cost of linking.
- 6. As will be discussed in the proof of Theorem 2 (Appendix A.2), $\mathbb{E}\left\{U_{\mathrm{ARM}\,i}^{(t)}\right\}$ is identical for any $i\in R$ and is a function of $p_R^{(t)}$.

$$p_R^{(t)} = \operatorname*{argmax}_{p_R^{(t)} \in (0,1]} \mathbb{E}\left\{ U_{\mathrm{ARM}_i}^{(t)} \right\} \tag{14}$$

where \mathbb{E} is the expectation with respect to the probability distribution induced by the DiSBM model, and $U_{\mathrm{ARM}i}^{(t)}$ is the augmented utility function defined in (11).

- 2.2) $\forall i \in R, j \in B, i \text{ connects with } j \text{ with probability } \frac{1-p_R^{(t)}}{N}.$
- 3) At each even time instant (i.e., $t=2,4,6,\cdots$), blue users take actions according to steps 3.1 and 3.2 below while the red users adhere to the action they adopted at time t-1
 - 3.1) $\forall i, j \in B$, *i* connects with *j* with probability

$$p_B^{(t)} = \underset{p_B^{(t)} \in (0,1]}{\operatorname{argmax}} \mathbb{E} \left\{ U_{\text{ARM}i}^{(t)} \right\}$$
 (15)

- 3.2) $\forall i \in B, j \in R, i \text{ connects with } j \text{ with probability } \frac{1-p_B^{(t)}}{N}.$
- 4) At each time instant, ARM forms inter-community edges according to Algorithm 1.

3.3 Nash Equilibrium Analysis of the Game with ARM

In the previous subsection (Sec. 3.2), we proposed Protocol 2 where users play the best response in a network incorporated with ARM. In this subsection, we analyze the game corresponding to Protocol 2 (recall Remark 1) and show that:

- i. the game has a submodular structure similar to the Bertrand game [21], which guarantees that Protocol 2 converges to a fixed value (p_R, p_B) ;
- ii. the fixed value at the steady state depends on the acceptance probability C (defined in Algorithm 1). If $C>\frac{1}{2}$, the Nash equilibrium of the corresponding game leads to social integration, i.e., the only rational choice for users to maximize their utilities is to connect with both users in the same community and different community.

Theorem 2 (Convergence of Protocol 2 to the Nash Equilibrium). Consider the best response dynamics given in Protocol 2 (Sec. 3.2). If the acceptance probability (i.e., C defined in Algorithm 1) is greater than $\frac{1}{2}$, then segregation is mitigated (i.e., $p_R^{(t)} < 1$, $p_B^{(t)} < 1$) at the unique Nash equilibrium of the corresponding game, and $p_R^{(t)}$, $p_B^{(t)}$ both converge to the Nash equilibrium as time t tends to infinity.

Proof. The main idea behind the proof of Theorem 2 is to show that the game corresponding to Protocol 2 is submodular, which guarantees the convergence of users' best response dynamics to the Nash equilibrium. The detailed proof is given in Appendix A.2. □

Theorem 2 illustrates how the proposed ARM reshapes the segregation equilibrium of the game and results in an integrated network, where users are incentivized to form inter-community connections.

4 STOCHASTIC GAME WITH MARKOVIAN ARM PARAMETER

Recall that in Protocol 2 (Sec. 3.2) we assume ARM's link recommendation is accepted according to a Bernoulli random variable with fixed *acceptance probability* C. In this section we relax the assumption by allowing C to evolve over time as the sample path of a semi-Markov process. We then modify Protocol 2 to account for this time-variant effect, and illustrate that the modified protocol (Protocol 3) induces best response dynamics which tracks the Nash equilibrium evolving with the time-variant C.

4.1 Edge Formation Protocol with Markovian Acceptance Probability

Motivation: Real world social networks have time-variant level of segregation. We justify this phenomenon by the two motivating examples used in Sec. 2.2 as follows. During a politically polarizing event (e.g. election or legislation), Twitter users tend to segregate and reduce their connections with others from a different community. Similarly, on sports forums such as Reddit's related channels, users' online communication tend to be more polarized during sports league's season (e.g. NBA's playoff or NCAA's March Madness), while less polarized during off-season. In the literature, [28] models Twitter users' emotion dynamics as a Markov process. [5], [29] characterize the pattern of Twitter users' retweets during the presidential election using a Markov bridge model. [30], [31] utilize Twitter users' messages as signals to a hidden Markov model to determine when an anticipated event (e.g. social activities, sports, weather) starts.

The seasonal pattern of segregation requires the network administrator to spend time-varying efforts to control it, i.e., spend different efforts on recommendation at different times to encourage inter-community connections. We capture this temporal pattern by modeling the *acceptance probability C* (defined in Algorithm 1) as a semi-Markov process $C^{(t)}$, $t=0,1,\cdots$.

The semi-Markov process of the acceptance probability is Markovian only at specified jump instants, i.e., when $C^{(t)}$ transits. As $C^{(t)}$ transits into the next state, it stays there for a state holding time T_h , which we assume is a constant. T_h measures the interval between two consecutive transitions of $C^{(t)}$ (i.e., how often the network administrator changes its operation condition), thus it is much longer than (e.g. $100\times$) the time scale of user's action in the protocol. More precisely, we define the semi-Markov process as follows:

 $C^{(t)}$ takes value in a finite state space $S_C=\{C_1,C_2,\cdots,C_n\}$, has an initial state $C^{(0)}\in S_C$, and a Markov transition probability matrix P conditionally independent of users' actions

$$P(C^{(t+1)} = j | C^{(t)} = i, p_R^{(t)}, p_B^{(t)}) = P(C^{(t+1)} = j | C^{(t)} = i)$$

$$= \begin{cases} P_{ij}, & t+1 \bmod T_h = 0 \\ 1, & t+1 \bmod T_h \neq 0 \text{ and } i = j \\ 0, & t+1 \bmod T_h \neq 0 \text{ and } i \neq j \end{cases}$$
(16)

where $p_R^{(t)}, p_B^{(t)}$ are respectively red and blue users' actions at time t. With these notations, the protocol with Markovian acceptance probability is given in Protocol 3.

Protocol 3. DiSBM Based Network Edge Formation with Markovian Acceptance Probability

Input: $G^{(t)} = \{V, E^{(t)}\}$ where $V = R \cup B$, $t = 0, 1, 2, \cdots$ Output: $p_R^{(t)}, p_B^{(t)}$

- **Process:**
- 1) $p_R^{(0)}, p_B^{(0)} \sim U[0,1]$; $C^{(0)}$ is the initial acceptance probability.
- 2) At each odd time instant (i.e., $t=1,3,5,\cdots$), red users take actions according to steps 2.1 and 2.2 below while the blue users adhere to the action they adopted at time t-1
 - 2.1) $\forall i, j \in R$, *i* connects with *j* with probability

$$p_R^{(t)} = \underset{p_R^{(t)} \in (0,1]}{\operatorname{argmax}} \mathbb{E}\left\{U_{\text{ARM}i}^{(t)}\right\}$$
 (17)

where \mathbb{E} is the expectation with respect to the probability distribution induced by the DiSBM model, and $U_{\mathrm{ARM}_i}^{(t)}$ is the augmented utility function defined in (11).

- 2.2) $\forall i \in R, j \in B, i \text{ connects with } j \text{ with probability } \frac{1-p_R^{(t)}}{N}.$
- 3) At each even time instant (i.e., $t=2,4,6,\cdots$), blue users take actions according to steps 3.1 and 3.2 below while the red users adhere to the action they adopted at time t-1
 - 3.1) $\forall i, j \in B$, *i* connects with *j* with probability

$$p_B^{(t)} = \underset{p_B^{(t)} \in (0,1]}{\operatorname{argmax}} \mathbb{E} \left\{ U_{ARM_i}^{(t)} \right\}$$
 (18)

- 3.2) $\forall i \in B, j \in R, i \text{ connects with } j \text{ with probability } \frac{1-p_B^{(t)}}{N}.$
- 4) At each time instant, $C^{(t)}$ evolves according to the transition rule (16). ARM forms inter-community edges according to Algorithm 1 with acceptance probability $C^{(t)}$.

4.2 Nash Equilibrium Analysis of the Game Corresponding to Protocol 3

In Protocol 3, we consider the edge formation process in an infinite horizon where users aim to maximize their discounted sum of payoff. We study Protocol 3 by analyzing a corresponding stochastic game, with the Markovian acceptance probability $C^{(t)}$ as the state of the game. The main result of this subsection (Theorem 3) indicates that:

- i. Protocol 3 captures user's best response dynamics, which converges to a steady state dependent on $C^{(t)}$. Once $C^{(t)}$ transits to a new state, user's best response will converge to a new steady state;
- ii. user's optimal strategy is to myopically optimize its one-stage payoff at each round of the game (with $C^{(t)}$ as the state of the game).

Theorem 3 (Convergence of Protocol 3 to the time-varying Nash Equilibrium). Consider the best response dynamics given in Protocol 3 (Sec. 4.1). If the acceptance probability (i.e., $C^{(t)}$) evolves as a semi-Markov process specified in (16), then $p_R^{(t)}, p_B^{(t)}$ both converge to the Nash equilibrium dependent on $C^{(t)}$ before $C^{(t)}$ transits.

Proof. The proof of Theorem 3 is based on the assumption that the transition dynamics of $C^{(t)}$ are conditionally independent of users' actions as shown in (16). Therefore before $C^{(t)}$ transits to the next state, users' best response dynamics is similar to that of Protocol 2, i.e., converges to the Nash equilibrium corresponding to $C^{(t)}$ (which is fixed during the state holding time T_h). The detailed argument is given in Appendix A.3 for completeness.

Theorem 3 indicates that user's best response dynamics will converge and reach the time-evolving Nash equilibrium in the game corresponding to Protocol 3.

5 Numerical Examples of the Edge Formation Game

In this section, we provide numerical results to illustrate how incorporating ARM (Algorithm 1) into the edge formation protocol (Protocol 2) reduces segregation, i.e., users form both intra- and inter-community edges at the Nash equilibrium of the corresponding game. We also illustrate that higher *acceptance probability* C moves the corresponding game's Nash equilibrium closer towards social integration, i.e., users form more inter-community edges at the Nash equilibrium.

5.1 Convergence of Best Response Strategies Corresponding to Protocol 2

Recall that in Protocol 2, we propose that users alternatively play their best response strategies. In the following numerical example, we illustrate how users' best response dynamics converges to the Nash equilibrium of the corresponding edge formation game. We consider two communities each with N=20 users, and they play the edge formation game according to Protocol 2 for T=20 time steps. The ARM's acceptance probability C (defined in Algorithm 1) is set to be 0.8. Fig. 4 displays the convergence of two users' best responses to the unique Nash equilibrium (0.75, 0.75).

The steady state indicates that with ARM incorporated in the protocol and acceptance probability $C>\frac{1}{2}$, users are incentivized to connect with users in different community, which illustrates the usefulness of ARM in mitigating segregation.

5.2 The Effect of Varying Recommendation Acceptance Probability

Recall that we set ARM's acceptance probabilities to be a fixed value in Protocol 2. In order to visualize the effect of different acceptance probabilities (defined in Algorithm 1) on the edge formation game, we vary the acceptance probability from $\frac{2}{3}$ to 1 and compare the resulting network structure sampled from the model at the Nash equilibrium. Fig. 5 shows the social network at the Nash equilibrium under different acceptance probabilities, indicating that intercommunity edges become denser with higher acceptance probability.

We use the segregation measure defined in (1) as a quantitative measurement of segregation. Networks with high segregation measure have dense intra-community connections but sparse inter-community connections. Fig. 6 shows




Fig. 4. This figure shows the convergence rate of best responses of red player and blue player to the unique Nash equilibrium. With ARM (defined in Algorithm 1) implemented and the acceptance probability set to C=0.8, users from both communities are incentivized to have $\frac{1}{4}$ of their total retweets to users from a different community at the equilibrium. The figure indicates that the best response strategy of the players converges to the Nash equilibrium in less than 10 iterations.




Fig. 5. This figure shows the network structure of two communities after the edge formation game reaches Nash equilibrium with different acceptance probability C (defined in Algorithm 1). The green curved inter-community edges represent the friend recommendations provided by ARM (Algorithm 1). Viewing the four sub-figures in the order of left-to-right then top-to-bottom, the denser inter-community edges and lower modularity (discussed in Sec. 5.2 and Fig. 6) indicate that users are more willing to involve in inter-community connections with higher C.




Fig. 6. The figure shows that the segregation measure of the network (defined in (1)) drops with the increase of the *acceptance probability* C (defined in Algorithm 1). Higher segregation measure represents denser intra-community connections and sparser inter-community connections. The figure illustrates that higher *acceptance probability* will better mitigate segregation in social networks.

that segregation measure decreases with higher *acceptance probability* values, which agrees with our observation of the network structure.

The results indicate that, during polarizing events when users tend to be more segregated, the network administrator can mitigate segregation by spending more efforts on friend recommendations (i.e., to achieve a higher *acceptance probability C*) so that more inter-community edges can be formed. The results prove ARM's capability under different social settings.

5.3 Validation of ARM in Opinion Dynamics Model

To verify the efficacy of ARM in mitigating segregation, we implement it on the opinion dynamics model proposed in [17]. In the model, there are two opinions that agents can adopt and express. More precisely, an agent i can adopt $o_i \in \{1,-1\}$. The model also accounts for how confident i is about the two opinions by two real-valued terms $Q_i(1)$ and $Q_i(-1)$. At each step, an agent (say i) is chosen at random and expresses its opinion o_i to a randomly chosen neighbor j, and j responds to i's expression with agreement or disagreement depending on o_j . The $Q_i(o)$ represents an internal evaluation of the opinions based on the social response i obtains on expressing them. The value is updated as

$$Q_i(o) = \begin{cases} (1 - \alpha)Q_i(o) + \alpha r_i & \text{if } o = \text{expression} \\ Q_i(o) & \text{else} \end{cases}$$
 (19)

where

$$r_i = o_i o_j \tag{20}$$

leading to a positive feedback for $o_i = o_j$ and to a negative one if $o_i \neq o_j$. The parameter α represents learning rate.

We incorporate ARM into this model as follows. When agent i's expression is disagreed by j, i will be recommended to connect with j's neighbors who share the same opinion with i. Similar to ARM, the recommendation will




Fig. 7. The figure shows the trend of the segregation measure (defined on a network in (1)) when agents follow the opinion dynamics model without and with ARM (defined in Section 5.3). When agents follow the model without ARM, the segregation measure of the network keeps increasing and maintains at a high level in the final stage, whereas the segregation measure remains at a lower level when agents follow the model with ARM.

be accepted with an acceptance probability C. Therefore although i experiences disagreement with j, it will gain some confidence in its expression through agreement with j's neighbors. The $Q_i(o)$ is updated as

$$Q_i(o) = \begin{cases} (1 - \alpha)Q_i(o) + \alpha r_i & \text{if } o = \text{expression} \\ Q_i(o) & \text{else} \end{cases}$$
 (21)

where

$$r_i = \begin{cases} o_i o_j & \text{if } o_i = o_j \\ o_i o_j + C \sum_{k \in N(j), k \neq i, o_k = o_i} o_i o_k & \text{if } o_i \neq o_j \end{cases}$$
 (22)

We use the parameters provided by the authors⁷. The network is a random geometric graph with neighborhood radius r=0.175. There are N=100 agents. Q take random initial values in $\mathrm{Unif}(-0.5,0.5)$. The learning rate $\alpha=0.05$. Follow the authors' implementation, we also set an exploration rate $\epsilon=0.1$, which measures the probability that agents express their less favorable opinions. We set the recommendation acceptance probability C=0.9.

As shown in Fig. 7, when agents follow the opinion dynamics model without ARM, the segregation measure of the network keeps increasing and maintains at a high level in the final stage, whereas the segregation measure remains at a relatively low level when agents follow the model is incorporated with ARM. Fig. 8 compares the evolution of the network's community structure. The network is segregated into nearly disconnected components when ARM is not incorporated. On the contrary, the network is less segregated when ARM is incorporated. This numerical validation in opinion dynamics model verifies the efficacy of ARM in mitigating network segregation.

7. See Section 3.2 [17] for implementation details.




Fig. 8. The figure shows the different evolution pattern of community structure in the model without and with ARM (defined in Section 5.3). (a) shows that in the model without ARM, the community structure gradually segregates into nearly disconnected components; (b) shows that in the model with ARM, the community structure is less segregated.

6 CONCLUSIONS AND EXTENSIONS

Conclusions: This paper considered an edge formation protocol on social networks represented by a directed stochastic block model (DiSBM) to describe how users choose to connect with each other. The edge formation protocol represents how each individual chooses the connection probabilities in order to maximize a utility function that represents the tradeoff between homophily (preference to be connected with one's own group) and popularity in the different community. Analysis of the game that corresponds to the best response based protocol shows that segregation is the unique Nash equilibrium. We then proposed an algorithmic recommendation mechanism (ARM) to mitigate segregation. ARM recommends users from different communities to form weak ties and provides incentives to those that form them. Assuming each recommendation suggested by the ARM is accepted with an acceptance probability, we show that the segregation level at the Nash equilibrium of the corresponding game depends on it. Thus, the segregation of the network can be controlled by introducing the ARM. We further extend our results to the case where the acceptance probability itself has Markovian dynamics and illustrate how the individuals in the network reach the time-evolving Nash equilibrium of the resulting game. Thus, our results provide a novel mechanism design perspective into the problem of mitigating segregation in social networks.

Limitations and Extensions: The proposed edge formation game and its analysis can be extended to further contexts in several directions.

- 1) The edge formation protocol proposed in this paper assumes homogeneity among users in one community, i.e., users' community information solely determines their edge formation probabilities. An interesting future direction is to incorporate heterogeneity (e.g., preferential attachment with fitness) into the network model and apply methods such as friendship paradox sampling [32], [33], [34], [35] to assign different weights to the 2 hop connections between different pairs of users.
- 2) Another interesting direction is to consider ARM's parameter (e.g., the recommendation acceptance probability) depends on users' actions and incorporates a feedback law, i.e., ARM raises the acceptance probability when users become more segregated in network. Such extensions might be helpful in analyzing the existence of Markov Perfect Equilibrium (MPE) of the corresponding stochastic game, which enhances the understanding of users' long-term strategy in an evolving social network.
- 3) The segregation measure (1) based on inter-community edges can be further applied in other network topics such as community detection [36], [37], [38], and estimation of latent network factors [39].
- 4) The proposed method could be applied to real-world network systems in the future. We can use ARM to stimulate information sharing amongst vehicles traveling over different alternative paths in vehicular social networks. Another example is blockchain miner networks, where the use of ARM can speed up consensus by rewarding communication between different portions of the network.

APPENDIX A PROOFS OF THEOREMS

Proof of Theorem 1

In Protocol 1, the utility function (2) of each user in the same community is a random variable with the probability distribution induced by the DiSBM model, which has the same expected value. Users in the same community can be viewed as independent copies of a single player. Thus the edge formation game can be reduced to a two-player game, where each player represents users in one community. The utility of the two players, $U_R^{(t)}$ and $U_B^{(t)}$, are respectively the expected value of the utility function (2) for red and blue users

$$U_R^{(t)} = p_R^{(t)} - p_R^{(t)} (23)$$

$$U_{P}^{(t)} = p_{P}^{(t)} - p_{P}^{(t)} \tag{24}$$

It is shown from (23) that $p_R^{(t)}=1$ is red player's strictly dominant strategy. This is equivalent to say, at red player's turn, it will choose $p_R^{(t)}=1$ as its best response strategy regardless of blue player's previous action, and will never switch again. Similar result holds for blue player. Therefore the game converges in 2 time steps, i.e., $p_R^{(t)} = p_B^{(t)} = 1$ for all $t = 2, 3, \dots$

Thus, the game corresponding to Protocol 1 converges to its unique Nash equilibrium $(p_R^{(t)},p_B^{(t)})=(1,1)$ after each player acted once, i.e., users only form intra-community edges and the social network is segregated into echo chambers after t=2.

Proof of Theorem 2

Similar to the proof of Theorem 1, we assume users in one community are independent copies of a single player and reduce the game with ARM to a two-player game. Based on (11), the utility of the red player and blue player in the two-player game are respectively:

$$U_R^{(t)} = p_R^{(t)} - p_B^{(t)} + C \left[p_B^{(t)} (2 - p_R^{(t)} - p_B^{(t)}) + p_R^{(t)} (1 - p_R^{(t)}) \right] \tag{25}$$

$$U_{B}^{(t)}=p_{B}^{(t)}-p_{R}^{(t)}+C\big[p_{R}^{(t)}(2-p_{R}^{(t)}-p_{B}^{(t)})+p_{B}^{(t)}(1-p_{B}^{(t)})\big] \tag{26} \label{eq:26}$$

A detailed derivation can be found in Appendix B.

The second order mixed derivatives of (25, 26) yields

$$\frac{\partial^2 U_R^{(t)}}{\partial p_R^{(t)} \partial p_R^{(t)}} = \frac{\partial^2 U_B^{(t)}}{\partial p_R^{(t)} \partial p_R^{(t)}} = -C \tag{27}$$

Since C > 0, the game is submodular, which guarantees that players' best response strategies converge to a Nash equilibrium [40]. This submodular game also has quadratic utility, which makes it similar to the Bertrand game [21] and thus can be analyzed in a similar approach.

Note that

$$\frac{\partial U_R^{(t)}}{\partial p_R^{(t)}} = 1 - C(2p_R^{(t)} + p_B^{(t)} - 1) \tag{28}$$

$$\frac{\partial U_B^{(t)}}{\partial p_B^{(t)}} = 1 - C(2p_B^{(t)} + p_R^{(t)} - 1) \tag{29}$$

We apply iterated strict dominance to attain the Nash equilibrium. Let red player's initial best response set $b_R^{(0)} =$

- 1) If $p_R^{(t)} < \frac{1}{2C}$, then $\frac{\partial U_R^{(t)}}{\partial p_L^{(t)}} \ge 0 \to \text{any } p_R^{(t)} < \frac{1}{2C}$ is strictly
- 2) If $p_R^{(t)} > \frac{1}{2C} + \frac{1}{2}$, then $\frac{\partial U_R^{(t)}}{\partial p_R^{(t)}} \le 0 \to \text{any } p_R^{(t)} > \frac{1}{2C} + \frac{1}{2}$ is

The following analysis depends on two different cases of the acceptance probability C.

1) If $0 < C \le \frac{1}{2}$, then $\frac{1}{2C} \ge 1$, i.e., $\frac{\partial U_R^{(t)}}{\partial p_R^{(t)}} \ge 0$ holds for red player's possible actions $p_R^{(t)} \in (0,1]$. Thus red player's best response is

$$b_R(p_R^{(t)}) = 1 (30)$$

Similarly, blue player's best response is

$$b_B(p_R^{(t)}) = 1 (31)$$

Therefore, the Nash equilibrium of the game is

$$(p_R^{(t)}, p_B^{(t)}) = (1, 1) (32)$$

i.e., the social network is in segregation.

2) If $\frac{1}{2} < C \le 1$, then $\frac{1}{2C} + \frac{1}{2} \ge 1$. Thus, after one iteration, red player's remaining undominated strategy set, i.e, the best response set is $b_R^1 = [\frac{1}{2C}, 1]$. Let the set after i iterations be $b_R^i = [\underline{\mathbf{b}}^i, \bar{b}^i]$, where

$$\underline{\mathbf{b}}^{i} = \frac{1}{2} (\frac{1}{C} + 1 - \bar{b}^{i-1}) \tag{33}$$

$$\bar{b}^i = \frac{1}{2}(\frac{1}{C} + 1 - \underline{b}^{i-1})$$
 (34)

We can show that

$$\lim_{i \to \infty} \underline{\mathbf{b}}^i = \bar{b}^i = \frac{1}{3C} + \frac{1}{3} \tag{35}$$

Therefore, by iteratively applying the best responses and eliminating strictly dominated strategies, the best response strategy converges to the unique Nash equilibrium of the game, which is

$$(p_R^{(t)}, p_B^{(t)}) = (\frac{1}{3C} + \frac{1}{3}, \frac{1}{3C} + \frac{1}{3})$$
 (36)

The Nash equilibrium $(p_R^{(t)} < 1, p_B^{(t)} < 1)$ indicates that ARM incentivizes both red and blue users to form intercommunity edges, leading to social integration.

A.3 Proof of Theorem 3

Following the proof of Theorem 1 and 2, we assume users in one community are independent copies of a single player and reduce the game to a two-player game. We define the two-player stochastic game resulting from Protocol 3 as follows:

- 1) A state of the game, $C^{(t)}$, representing the acceptance probability at time t.
- 2) Actions of red player and blue player $p_R^{(t)}$, $p_B^{(t)} \in (0,1]$, representing their best response strategies at time t.

3) One-stage payoffs for red player and blue player which are the same as (25) and (26), except that the fixed C is substituted by the time-variant $C^{(t)}$

$$U_{R}^{(t)} = p_{R}^{(t)} - p_{B}^{(t)} + C^{(t)} \left[p_{B}^{(t)} (2 - p_{R}^{(t)} - p_{B}^{(t)}) + p_{R}^{(t)} (1 - p_{R}^{(t)}) \right]$$

$$U_{B}^{(t)} = p_{B}^{(t)} - p_{R}^{(t)} + C^{(t)} \left[p_{R}^{(t)} (2 - p_{B}^{(t)} - p_{R}^{(t)}) + p_{B}^{(t)} (1 - p_{B}^{(t)}) \right]$$
(38)

- 4) A transition rule of $C^{(t)}$ specified in (16), which is conditionally independent of players' actions.
- 5) A discount factor $\gamma \in (0,1)$.
- 6) Value functions of red player and blue player representing their discounted sum of payoff from time *t*

$$V_R^{(t)} = \sum_{\tau=-t}^{\infty} \gamma^{\tau-t} U_R^{(\tau)}$$
 (39)

$$V_B^{(t)} = \sum_{\tau=t}^{\infty} \gamma^{\tau-t} U_B^{(\tau)}$$
 (40)

Based on the above definition of the stochastic game, we aim to derive the player's optimal strategy under the condition that the *acceptance probability* evolves as a semi-Markov process. Recall that in Protocol 2 where the *acceptance probability* is fixed, (in the proof of Theorem 2) we have illustrated the convergence of players' best response dynamics to the steady state corresponding to the game's Nash equilibrium. Considering that the state holding time T_h (defined in (16)) is large compared with the time that players take action, we claim that in Protocol 3, players' best response dynamics converges to the Nash equilibrium corresponding to $C^{(t)}$ before it transits.

With this claim, what remains to be proved is how players adapt their actions when $C^{(t)}$ transits. Below we illustrate players' strategy at t when $C^{(t)}$ transits to another state $C^{(t+1)}$.

Bellman's dynamic programming recursion yields [41]:

$$V_R^{(t)} = \max_{p_R^{(t)}} U_R^{(t)} + \gamma \sum_{C^{(t+1)}} P(C^{(t+1)}|C^{(t)}) V_R^{(t+1)}$$
(41)

In (41), $V_R^{(t)}$ and $V_R^{(t+1)}$ denotes the red user's value function at time t and t+1 respectively, assuming that it took the best response $p_R^{(t)}$ at time t, which corresponds to the Nash equilibrium of the game with $C^{(t)}$.

The transition dynamics of $C^{(t)}$ are conditionally independent of players' actions. Only the first term in (41), i.e., the one-stage payoff $U_R^{(t)}$, depends on players' actions. Thus red player's optimal strategy is to myopically maximize the one-stage payoff without concerning about the transition of $C^{(t)}$. Similar result holds for blue player's optimal strategy. Based on the Nash equilibrium (36) derived in Sec. 3.3, $\left(\frac{1}{3C^{(t)}} + \frac{1}{3}, \frac{1}{3C^{(t)}} + \frac{1}{3}\right)$ are the optimal strategies for red and blue users. Thus, players' best response dynamics will converge to $\left(\frac{1}{3C^{(t)}} + \frac{1}{3}, \frac{1}{3C^{(t)}} + \frac{1}{3}\right)$, i.e., they will reach the time-evolving Nash equilibrium in the resulting game.

APPENDIX B

DERIVATION OF USER'S EXPECTED UTILITY WITH ARM IN EQUATION (25, 26)

Take red user as an example. The expected number of intercommunity edges formed by ARM for any red user is

$$\mathbb{E}\left\{\sum_{j\in B}\left\{C\left[1-D^{(t)}(i,j)\right]\frac{\sum_{j'\in B}\left[D^{(t)}(i,j')+D^{(t)}(j',i)\right]S^{(t)}(j',j)}{N-1}\right\}\right\} \\
= C\left(1-\frac{\left(1-p_{B}^{(t)}\right)}{N}\right)N\left(\frac{1-p_{R}^{(t)}}{N}+\frac{1-p_{B}^{(t)}}{N}\right)p_{B}^{(t)} \\
= CN\left(\frac{1-p_{R}^{(t)}}{N}+\frac{1-p_{B}^{(t)}}{N}\right)p_{B}^{(t)} \\
= C\left(2-p_{R}^{(t)}-p_{B}^{(t)}\right)p_{B}^{(t)}$$
(42)

where \mathbb{E} denotes expectation over the probability distribution induced by the DiSBM.

On the second line of (42), C is the acceptance probability, N is the number of blue users, $(1-\frac{1-p_B^{(t)}}{N})$ is the probability that the recommendation target has not followed i yet, $(\frac{1-p_B^{(t)}}{N}+\frac{1-p_B^{(t)}}{N})p_B^{(t)}$ is the probability that i is recommended by ARM to any blue user. The third line satisfies when N is large, i.e., $\frac{1-p_B^{(t)}}{N}\approx 0$. Similarly, i's expected reward for connecting users from

Similarly, *i*'s expected reward for connecting users from two communities (e.g. a red user connects its red followers to its blue friends) during ARM recommendations is

$$\mathbb{E}\left\{\sum_{j\in B}\sum_{i'\in R}\left\{C\left[1-D^{(t)}(j,i')\right]\left[\frac{S^{(t)}(i,i')D^{(t)}(j,i)}{N-1}\right]\right\}\right\} \\
=C\left(1-\frac{1-p_R^{(t)}}{N}\right)N\frac{p_R^{(t)}\frac{1-p_R^{(t)}}{N}(N-1)}{N-1} \\
=C\left(1-p_R^{(t)}\right)p_R^{(t)}$$
(43)

Combining (42, 43) for the additional reward, and (23, 24) for the expected utility of users in the game without ARM, we can derive the expected utility of users, i.e., the utility of red and blue player, in (25, 26).

REFERENCES

- M. McPherson, L. Smith-Lovin, and J. M. Cook, "Birds of a feather: Homophily in social networks," *Annual review of sociology*, vol. 27, no. 1, pp. 415–444, 2001.
- [2] M. Cinelli, G. D. F. Morales, A. Galeazzi, W. Quattrociocchi, and M. Starnini, "The echo chamber effect on social media," *Proceedings* of the National Academy of Sciences, vol. 118, no. 9, 2021.
- [3] G. Tóth, J. Wachs, R. Di Clemente, Á. Jakobi, B. Ságvári, J. Kertész, and B. Lengyel, "Inequality is rising where social network segregation interacts with urban topology," *Nature communications*, vol. 12, no. 1, pp. 1–9, 2021.
- [4] V. D. Blondel, J.-L. Guillaume, R. Lambiotte, and E. Lefebvre, "Fast unfolding of communities in large networks," *Journal of statistical* mechanics: theory and experiment, vol. 2008, no. 10, p. P10008, 2008.
- [5] R. Luo, B. Nettasinghe, and V. Krishnamurthy, "Echo chambers and segregation in social networks: Markov bridge models and estimation," *IEEE Transactions on Computational Social Systems*, 2021
- [6] M. O. Jackson and A. Wolinsky, "A strategic model of social and economic networks," *Journal of economic theory*, vol. 71, no. 1, pp. 44–74, 1996.
- [7] Y. Bramoullé, D. López-Pintado, S. Goyal, and F. Vega-Redondo, "Network formation and anti-coordination games," international Journal of game Theory, vol. 33, no. 1, pp. 1–19, 2004.

- [8] C. Avin, A. Cohen, P. Fraigniaud, Z. Lotker, and D. Peleg, "Preferential attachment as a unique equilibrium," in *Proceedings of the 2018 World Wide Web Conference*, 2018, pp. 559–568.
- [9] N. Alon, M. Feldman, A. D. Procaccia, and M. Tennenholtz, "A note on competitive diffusion through social networks," *Informa*tion Processing Letters, vol. 110, no. 6, pp. 221–225, 2010.
- [10] A. Mele, "A structural model of dense network formation," Econometrica, vol. 85, no. 3, pp. 825–850, 2017.
- [11] Y. Zhang, C. Yang, K. Huang, C. Zhou, and Y. Li, "Robust structure identification of industrial cyber-physical system from sparse data: A network science perspective," *IEEE Transactions on Automation Science and Engineering*, 2021.
- [12] Z. Song, H. Guo, D. Jia, M. Perc, X. Li, and Z. Wang, "Third party interventions mitigate conflicts on interdependent networks," Applied Mathematics and Computation, vol. 403, p. 126178, 2021.
- [13] H.-J. Li, Q. Wang, S. Liu, and J. Hu, "Exploring the trust management mechanism in self-organizing complex network based on game theory," *Physica A: Statistical Mechanics and its Applications*, vol. 542, p. 123514, 2020.
- [14] M. S. Granovetter, "The strength of weak ties," American journal of sociology, vol. 78, no. 6, pp. 1360–1380, 1973.
- [15] K. Sasahara, W. Chen, H. Peng, G. L. Ciampaglia, A. Flammini, and F. Menczer, "On the inevitability of online echo chambers," arXiv preprint arXiv:1905.03919, 2019.
- [16] F. Baumann, P. Lorenz-Spreen, I. M. Sokolov, and M. Starnini, "Modeling echo chambers and polarization dynamics in social networks," *Physical Review Letters*, vol. 124, no. 4, p. 048301, 2020.
- [17] S. Banisch and E. Olbrich, "Opinion polarization by learning from social feedback," The Journal of Mathematical Sociology, vol. 43, no. 2, pp. 76–103, 2019.
- [18] C. Blex and T. Yasseri, "Positive algorithmic bias cannot stop fragmentation in homophilic networks," The Journal of Mathematical Sociology, pp. 1–18, 2020.
- [19] W. Liu, A. Sidhu, A. M. Beacom, and T. W. Valente, "Social network theory," *The international encyclopedia of media effects*, pp. 1–12, 2017.
- [20] M. Wilinski, P. Mazzarisi, D. Tantari, and F. Lillo, "Detectability of macroscopic structures in directed asymmetric stochastic block model," *Physical Review E*, vol. 99, no. 4, p. 042310, 2019.
- [21] P. Milgrom and J. Roberts, "Rationalizability, learning, and equilibrium in games with strategic complementarities," *Econometrica: Journal of the Econometric Society*, pp. 1255–1277, 1990.
- [22] Y. J. Wang and G. Y. Wong, "Stochastic blockmodels for directed graphs," *Journal of the American Statistical Association*, vol. 82, no. 397, pp. 8–19, 1987.
- [23] M. Conover, J. Ratkiewicz, M. Francisco, B. Gonçalves, F. Menczer, and A. Flammini, "Political polarization on twitter," in *Proceedings* of the International AAAI Conference on Web and Social Media, vol. 5, no. 1, 2011.
- [24] A. Rodriguez-Moral and M. Vorsatz, "An overview of the measurement of segregation: classical approaches and social network analysis," Complex networks and dynamics, pp. 93–119, 2016.
- [25] C. Avin, H. Daltrophe, Z. Lotker, and D. Peleg, "Assortative mixing equilibria in social network games," in *International Conference on Game Theory for Networks*. Springer, 2017, pp. 29–39.
- [26] R. Angles and C. Gutierrez, "Survey of graph database models," ACM Computing Surveys (CSUR), vol. 40, no. 1, pp. 1–39, 2008.
- [27] J. de Marti and Y. Zenou, "Ethnic identity and social distance," CEPR discussion paper 7566, Tech. Rep., 2009.
- [28] D. Naskar, E. Onaindia, M. Rebollo, and S. Das, "Modelling emotion dynamics on twitter via hidden markov model," in Proceedings of the 21st International Conference on Information Integration and Web-based Applications & Services, 2019, pp. 245–249.
- [29] V. Krishnamurthy, R. Luo, and B. Nettasinghe, "Segregation in social networks: Markov bridge models and estimation," in ICASSP 2021 2021 IEEE International Conference on Acoustics, Speech and Signal Processing (ICASSP), 2021, pp. 5484–5488.
- [30] A. Iyengar, T. Finin, and A. Joshi, "Content-based prediction of temporal boundaries for events in twitter," in 2011 IEEE Third International Conference on Privacy, Security, Risk and Trust and 2011 IEEE Third International Conference on Social Computing. IEEE, 2011, pp. 186–191.
- [31] T. Sakaki, M. Okazaki, and Y. Matsuo, "Earthquake shakes twitter users: real-time event detection by social sensors," in *Proceedings* of the 19th international conference on World wide web, 2010, pp. 851– 860.

- [32] B. Nettasinghe and V. Krishnamurthy, "The friendship paradox: Implications in statistical inference of social networks," in 2019 IEEE 29th International Workshop on Machine Learning for Signal Processing (MLSP). IEEE, 2019, pp. 1–6.
- [33] —, "Maximum likelihood estimation of power-law degree distributions using friendship paradox based sampling," arXiv preprint arXiv:1908.00310, 2019.
- [34] V. Krishnamurthy and B. Nettasinghe, "Information diffusion in social networks: friendship paradox based models and statistical inference," in *Modeling, Stochastic Control, Optimization, and Appli*cations. Springer, 2019, pp. 369–406.
- [35] B. Nettasinghe and V. Krishnamurthy, ""what do your friends think?": Efficient polling methods for networks using friendship paradox," IEEE Transactions on Knowledge and Data Engineering, vol. 33, no. 3, pp. 1291–1305, 2019.
- [36] H.-J. Li, J. Zhang, Z.-P. Liu, L. Chen, and X.-S. Zhang, "Identifying overlapping communities in social networks using multi-scale local information expansion," *The European Physical Journal B*, vol. 85, no. 6, pp. 1–9, 2012.
- vol. 85, no. 6, pp. 1–9, 2012.
 [37] H.-J. Li, Z. Bu, Z. Wang, and J. Cao, "Dynamical clustering in electronic commerce systems via optimization and leadership expansion," *IEEE Transactions on Industrial Informatics*, vol. 16, no. 8, pp. 5327–5334, 2019.
- [38] H.-J. Li, L. Wang, Y. Zhang, and M. Perc, "Optimization of identifiability for efficient community detection," New Journal of Physics, vol. 22, no. 6, p. 063035, 2020.
- [39] H.-J. Li, Z. Wang, J. Pei, J. Cao, and Y. Shi, "Optimal estimation of low-rank factors via feature level data fusion of multiplex signal systems," *IEEE Transactions on Knowledge and Data Engineering*, 2020.
- [40] R. Amir, "Supermodularity and complementarity in economics: An elementary survey," Southern Economic Journal, pp. 636–660, 2005.
- [41] V. Krishnamurthy, Partially observed Markov decision processes. Cambridge university press, 2016.



Rui Luo received the B.Eng. degree from Ts-inghua University, Beijing, China, in 2019. He is currently a Ph.D. candidate with the Sibley school of Mechanical and Aerospace Engineering, Cornell University, Ithaca, NY, USA. His current research interests include network science and complex systems.



Buddhika Nettasinghe received the M.A.Sc. degree from the Department of Electrical & Computer Engineering, University of British Columbia, Vancouver, Canada in 2016. He is currently a Ph.D. candidate with the School of Electrical and Computer Engineering, Cornell University, Ithaca, NY, USA. His current research interests include statistical inference and learning, network science and complex systems.



Vikram Krishnamurthy (F'05) received the Ph.D. degree from the Australian National University in 1992. He is currently a professor in the School of Electrical & Computer Engineering, Cornell University. From 2002-2016 he was a Professor and Canada Research Chair at the University of British Columbia, Canada. His research interests include statistical signal processing and stochastic control in social networks and adaptive sensing. He served as Distinguished Lecturer for the IEEE Signal Process-

ing Society and Editor-in-Chief of the IEEE Journal on Selected Topics in Signal Processing. In 2013, he was awarded an Honorary Doctorate from KTH (Royal Institute of Technology), Sweden. He is author of the books *Partially Observed Markov Decision Processes* and *Dynamics of Engineered Artificial Membranes and Biosensors* published by Cambridge University Press in 2016 and 2018, respectively.