

The Global Care Ecosystems of 3D Printed Assistive Devices

SAIPH SAVAGE

Northeastern University, s.savage@northeastern.edu

CLAUDIA FLORES-SAVIAGA

Northeastern University, floressaviaga.c@northeastern.edu

RACHEL RODNEY

University of Washington

LILIANA SAVAGE

Universidad Autonoma de Mexico (UNAM)

JON SCHULL

Enable.org

JENNIFER MANKOFF

University of Washington

The popularity of 3D printed assistive technology has led to the emergence of new ecosystems of care, where multiple stakeholders (makers, clinicians, and recipients with disabilities) work toward creating new upper limb prosthetic devices. However, despite the increasing growth, we currently know little about the differences between these care ecosystems. Medical regulations and the prevailing culture have greatly impacted how ecosystems are structured and stakeholders work together, including whether clinicians and makers collaborate. To better understand these care ecosystems, we interviewed a range of stakeholders from multiple countries, including Brazil, Chile, Costa Rica, France, India, Mexico, and the U.S. Our broad analysis allowed us to uncover different working examples of how multiple stakeholders collaborate within these care ecosystems and the main challenges they face. Through our study, we were able to uncover that the ecosystems with multi-stakeholder collaborations exist (something prior work had not seen), and these ecosystems showed increased success and impact. We also identified some of the key follow-up practices to reduce device abandonment. Of particular importance are to have ecosystems put in place follow up practices that integrate formal agreements and compensations for participation (which do not need to be just monetary). We identified that these features helped to ensure multi-stakeholder involvement and ecosystem sustainability. We finished the paper with socio-technical recommendations to create vibrant care ecosystems that include multiple stakeholders in the production of 3D printed assistive devices.

CCS CONCEPTS • Human-centered computing ~ Accessibility ~ Accessibility technologies

Additional Keywords and Phrases: 3D Printing, 3D Printed Assistive Technology, Fabrication, Making.

1 INTRODUCTION

In recent years, 3D printing has become extremely popular. One common use is assistive technology (AT)

[52, 133], including prosthetics for people with upper extremity limb loss [136, 140, 141]. This group includes almost two million people in the United States alone [6]. In the design space of 3D printed AT for upper extremity limb loss, many 3D printed devices resemble arms, hands, or fingers [28, 140, 141]. The popularity of such technology is understandable since 3D printing facilitates the creation of customized assistive devices, which allow people with upper extremity limb loss to have AT tailored to their desired

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for components of this work owned by others than ACM must be honored. Abstracting with credit is permitted. To copy otherwise, or republish,

activities [69]. For example, a number of custom-built 3D printed designs have emerged to enable people with upper limb loss to easily play a musical instrument or ride a bike [42].

The popularity of this type of AT has also led to the emergence of care ecosystems that focus on supporting the needs of people with upper limb loss who want to use such devices [42, 51, 53, 73, 119]. Perhaps the most famous and widespread is e-NABLE and its international network of community chapters [120].

These ecosystems of care can include multiple stakeholders: (a) medical professionals (clinicians), (b) technologists/manufacturers (makers) who can 3D print AT, and (c) people with an upper limb difference (recipients) who use the 3D printed AT. However, despite the popularity and potential of such ecosystems, there is limited information available about the type of collaboration structures these ecosystems enjoy. Most prior work primarily studied individual stakeholders [51, 59, 100]. As a result, we have a limited understanding of how these ecosystems function.

Additionally, most previous work focused on a single country: the United States (e.g., [42, 51, 53, 73, 119]). This imp limits the range of ecosystem structures we can observe and study. For example, past work identified critical and practical limitations to the collaboration of clinicians and makers in the U.S. [48, 100]. This has unfortunately led to the understudy of positive collaboration examples. Consequently, we lack information about practices that might facilitate collective work between stakeholders. Positive multistakeholder collaborations only began to arise in the U.S. when the onset of COVID-19 caused structural barriers to collaborations to rapidly dismantle [50].

The lack of studies on the perspectives of all stakeholders means we cannot know the details of how such collaborations emerged nor the challenges and opportunities the collaborations encountered. To address this gap, we drew our sample from multiple countries, including those where clinicians, makers, and recipients collaborate closely. We interviewed stakeholders based in seven different countries (Brazil, Chile, Costa Rica, France, India, Mexico, and the U.S.). Our work uncovered multiple examples of multistakeholder collaborations operating successfully outside of the U.S. context, which we attribute to the cultural and societal constraints that facilitate or hinder certain collaborations [128]. Our participants had different and even multiple roles within their ecosystems as either recipients, clinicians, and makers of 3D printed AT.

Our novel findings on ecosystem features include:

- The relationships between clinical involvement, successful follow-up, and increased safety in 3D printed assistive technology.
- The impact of formal agreements on sustained participation and follow up.
- The impact of funding on sustained recipient participation in low-resource regions.

To our knowledge, prior work (as summarized in [Table 1](#)) has not studied these ecosystem features.

SUMMARY OF PAPER. To summarize, our study explores variants of care ecosystems and what stakeholders of these ecosystems believe enables them to function. Based on our findings, we provide a rich overview of the different ways care ecosystems

operate, the opportunities and challenges they face, and offer design recommendations for encouraging successful multi-stakeholder collaboration. Note that our goal was not to characterize all ecosystems that exist; we used examples of differences in how ecosystems function to better characterize the key features of care ecosystems.

2 RELATED WORK AND BACKGROUND ON GLOBAL HEALTHCARE SYSTEMS

Assistive Technology (AT) is defined as any piece of equipment used to maintain or improve the functional capabilities of individuals with disabilities [41]. Unfortunately, most AT is expensive and has difficulty adapting to recipients' changing needs [23, 30]. As a result, a great majority of AT is eventually abandoned [104]. In this literature review, we explored the intersection of AT and fabrication. We also aimed to provide background information about the healthcare systems of the multiple global stakeholders involved in these care ecosystems. Within this intersection, we first reviewed what is known about fabrication in clinical and maker communities, including the impact of 3D printed AT on recipients. We then strove to explore a small body of literature on ecosystems that fabricate AT. We summarized the most relevant literature on AT and fabrication in [Table 1](#). Other than one study with interviews in the U.S and Canada [73], and a very recent study that includes some global communities during the COVID-19 pandemic [50], all the studies we could find looked only at U.S. populations.

2.1 Clinicians and 3D Printed Assistive Devices

When 3D printing began to catch the attention of clinicians in the 1990s [112], it was viewed as a possible way to bring down costs. When 3D printing is used directly within clinical settings, it is typically referred to as medical making [2, 9, 48, 73]. Clinicians in this context have to balance incorporating innovation in their jobs and being explicitly committed to the oath of do not harm [2, 5, 73, 105, 116].

Clinicians have expressed concern that 3D printed assistive devices could harm the populations they support [48]. A low-quality device may threaten not only the recipient's ability to use their limb, but also threaten their life [14, 68]. Clinicians are therefore careful to understand how devices can potentially injure recipients. Studies in the U.S. have found that clinicians have hesitated to recommend 3D printing technology to patients (e.g., [74, 91]). Within the U.S. context, pay structures and job insecurity may also induce clinicians not to encourage the use of 3D printing technologies [67].

Additionally, a lack of training in fabrication, design, and 3D printing, in general, can also deter clinicians from considering 3D printed devices as an option in the clinical setting [5, 91]. However, with the onset of COVID-19, medical making increased significantly in the clinical context [72]. Nonetheless, it was challenging to go beyond prototyping [71]. Regulatory and cultural issues also impacted how maker communities engaged in such efforts [50].

Table 1: Overview of prior work. For each prior research paper, we present: Focus (which includes: e-Nable; Clinic (which includes medical makers and/or clinicians associated with a clinic or hospital); DIY Makers not associated with e-NABLE; and DIY Recipient-Makers (people who are both recipients and DIY makers)); Research Method; number of participants in the prior work study who were either Clinicians; Makers, or Recipients (columns C , M ', and R '); and the Country from which participants were recruited. [*] refers to this paper. † indicates that the same participant fell into multiple categories.

Ref	Focus	Research Method	C	M	R	Country
[48]	e-NABLE	Experience report	1	5	0	U.S.
[73]	Clinic	Interviews	10	3	0	U.S./Canada
[51]	Clinic	Case Study	4	0	0	U.S.
[74]	Clinic	Interviews	10	3	0	U.S.
[50]	Clinic	Participant Observation Study	0	14	0	Global (10/14 U.S.)
[72]	Clinic	Interviews	13	0	0	U.S.
[5]	Clinic	Interviews	8	0	0	U.S.
[2]	Clinic	Interviews	10	0	0	U.S.
[100]	e-NABLE	Interviews	3	11	0	U.S.
[46]	DIY Recipient-Maker in e-NABLE	Auto-ethnography	0	1 [†]		U.S.
[99]	DIY Makers	Interviews	0	4	0	U.S.
[1]	DIY Makers	Experience Report	4	4	1	U.S.
[57]	DIY Recipient-Maker	Interviews	0	10	1	U.S.
[63]	Co-Creation with Recipient Makers	Experience Report	4	9	13	U.S.
[17]	e-NABLE	Interviews	0	0	14	U.S.
[*]	Ecosystem Understanding (e-Nable; Companies; Clinics)	Interviews	6	9	16	7 Countries

2.2 Makers and 3D Printed Assistive Devices

In parallel to the increasing numbers of clinicians working with 3D printed AT, the global rise of do-it-yourself, non-medical (DIY) maker communities began to develop AT in the 2010s with the goal of bringing down costs (e.g., [52]). One of the most widespread examples is the design, fabrication, and distribution of 3D-printed assistive hands [21, 40, 43], pioneered by the e-NABLE community¹ [120]. The maker movement

¹ <http://enablingthefuture.org/>

afforded an opportunity to disseminate low-cost solutions for healthcare and improve the design of health innovations through open-source collaborations [12, 52].

For example, the e-NABLE community, one of the largest of such organizations, coordinates the design, fabrication, and distribution of 3D printed AT, primarily devices shaped like hands. The e-NABLE community currently has over 7,000 members in over 45 countries. The majority of these maker communities originated through informal collaborations [54, 129]. They focus on populations with upperlimb differences for whom traditional AT is too expensive [12, 92]. The U.S. has several maker communities committed to a similar mission (e.g., the Open Hand Project, Open Bionics, e-NABLE, Limbitless) [120]. Many chapters and spin-offs of these communities have also emerged worldwide (see the map of e-NABLE chapters across countries²). Several private companies also use 3D printing to fabricate assistive technology [8, 25, 86, 127].

Many of these companies have adopted 3D printing to provide customers (recipients) with a higher degree of individual customization than what traditional technology offers [81]. Several were originally 3D printing manufacturing companies that partnered with social-service organizations to start providing lowcost custom assistive devices for people with disabilities (while making a small profit) [19]. Other firms arose from private companies with vast experience in building assistive technology, using traditional materials [76, 122]. These firms started to adopt 3D printing technology due to the customization it provides to their designs, while also being lower in cost [22, 76, 102]. Companies, in general, came to see this combination as a valuable business opportunity [64]. Several have already enjoyed long-established collaborations with hospitals [80, 102]. This likely facilitated mainstreaming the technology with recipients, while also including clinicians in the process.

Similar to clinicians, makers are also concerned with the dangers of hurting recipients through their 3D printed innovations [58, 116]. However, studies in the U.S. suggest that makers may put more emphasis on prioritizing values, such as being innovative and helping where you can over doing no harm [58, 100, 138]. Consequently, makers may not constrain their behavior as much as clinicians [95, 106, 143]. Makers' lack of training in clinical work can also limit their awareness of risk [48]. Overall, research has argued that the devices produced by traditional maker communities in the U.S. may be problematic because they typically lack close connections with clinicians [48], a structural situation that has raised concerns about the health and safety implications of the ideals driving the work of these communities [16, 38, 45, 48]. However, to understand this phenomena more deeply, it is also important to note that on the other side of this, makers have argued that clinicians exaggerate the risks involved with 3D printed AT in order to gatekeep their field [144, 145]. Makers in these cases have contended that the psychological and social benefits of gifting recipients 3D printed AT overcomes the minor harms that the devices could inflict on recipients [23, 48, 146].

On the other hand, medical makers (i.e., clinicians who actively participate in the fabrication of 3D printed AT) have appeared to address the important limitations that traditional maker communities have encountered [48]. However, medical makers have also struggled to engage and collaborate with other stakeholders [50], which can impact the overall effectiveness and reach of the 3D printed AT that they fabricate.

2 <http://enablingthefuture.org/e-nable-community-chapters/>

2.3 Recipients of 3D Printed Assistive Technology

Recent research has started to look at how we can integrate the experiences and perspectives of the users of AT (recipients) to drive better designs [44, 63, 79]. Bennett et al. [17] interviewed adult U.S. recipients. They began to map the role that identity plays in the appropriation of 3D printed assistive devices and provided a much deeper picture of how 3D printing is changing what we understand assistive technology to be.

The work also provided design recommendations that integrate the perspectives and input of recipients. Similarly, other related research began reporting on the experience of integrating recipients into the making of AT [49, 57]. Studies have found that recipients have an interest in being involved in the process of creating and defining their own AT. However, these studies were again limited to a single region (Canada and the U.S.) This consequently limited the range of experiences studied to only represent people from that particular cultural context. Studies on recipients have other limitations. Hawthorn et al. [46] focused primarily on an interview with a single U.S. e-NABLE recipient. They note that we lack an understanding of the type of follow-up recipients are receiving. (Notice that similar to prior work, we define follow-up as the contact that the recipient receives after the device has been delivered). Another gap is understanding whether there is real value for recipients in the AT produced [103].

2.4 Ecosystems of Care

Care ecosystems are dynamic networks that emerge through connections between different stakeholders all working toward improving the care provided to a particular population [10, 125]. Following ecology terminology [31, 40, 94], we view a care ecosystem as interconnected groups of makers, clinicians, and recipients. We used the HCI literature on care ecosystems to characterize and study these networks [33]. The vast majority of prior research has focused on studying individual stakeholders instead of considering how different stakeholders operate together within the ecosystem or the type of work dynamics they have in place [36, 87, 89]. The limited number of studies of care ecosystems in 3D printed AT has affected the type of technologies developed. Prior work has tended to focus on individuals instead of ecosystems [24, 61, 132]. Only recently have we started to see the emergence of research focused on studying more than individual stakeholders [1, 50, 63, 72, 74, 85], e.g. research focused on conducting workshops to identify the ways in which the stakeholders within the workshop could work together to co-design upper limb prostheses [1, 63].

Jones et al. [63] found that to facilitate co-designs with multiple stakeholders, it was key to provide a transparent information flow between the stakeholders. Similarly, Aflatoony et al. [1] identified that multistakeholder co-designs facilitated working within a synergistic manner, where the combined expertise was greater than the sum of the isolated skills of the different stakeholders. We now build off this prior research to study in the wild how people are managing to drive co-designs of 3D printed AT with multiple stakeholders. We are interested in identifying the type of strategies that have been put in place to enable such collaborations. Recent related research has made great strides in starting to study how medical makers in the U.S. collaborate with other stakeholders in the wild [1, 9, 50, 72]. While the collaborations studied in prior work are not focused on building 3D printed prostheses, they can help us further understand multi-stakeholder collaborations around DIY medical devices. Hofmann et al. [50] conducted an observational study on online forums and sites, attempting to address COVID-19 related needs and uncovered how medical makers have aimed to connect

with other stakeholders to conduct collective action to fabricate medical devices. These sites are primarily U.S. based, and their aim is not always to produce DIY devices, but rather to have key players enable mass production for clinical settings. The research found that despite small victories, the stakeholders were hampered by a lack of connections, for example, with policy makers. Similarly, Lakshmi et al. [72] interviewed 13 U.S.-based medical makers to understand how during the COVID-19 pandemic, they collaborated with other stakeholders. The research revealed that to facilitate collaborations, medical makers had to become links between different institutions, maker communities, and wider regional industry networks. This enabled the production of medical devices that followed certain regulatory norms, while also considering particular human constraints. The work also identified several limitations of makers when connecting and working with different stakeholders. We use the findings of these studies to guide us in studying multi-stakeholder collaborations around 3D printed AT.

SUMMARY OF RELATED WORK. In summary, prior research has explored the potential of 3D printed AT from multiple perspectives, but it has:

- Primarily been limited to the U.S. context
- Rarely included recipients
- Rarely looked at larger care ecosystems

To address these gaps, our research broadened the stakeholders and regions studied, providing a more extensive lens to view the problems these care ecosystems face.

Given that our research aims to understand how multiple stakeholders from different parts of the world operate, we provide background information about the healthcare systems associated with the countries represented in our study in the following section.

2.5 Contextualizing Global Healthcare Systems

Although global healthcare systems are not easily summarized due to their variety and the different factors involved [121], we now provide a brief overview of some of the differences and similarities of the healthcare systems in the countries we studied. This will help contextualize our results.

UNITED STATES. The United States spends around 18% of its GDP on its health system, the largest percentage among all countries in the world [35]. Nevertheless, almost 28 million people in the U.S. have declared a lack of coverage for their medical expenses. The domestic healthcare system ranks 37 out of 191 countries, according to its performance [11, 142] (usually measured in terms of life expectancy, infant mortality, healthcare inequality, and other healthcare measures [7, 78]). While the U.S. healthcare system offers advanced technologies and is known to excel in the doctor-patient relationship [29], the healthcare model works primarily as a for-profit operation with limited access, large variations in equity based on income, and poor affordability for the average person [29].

Medical insurance is a critical element in access to healthcare services. Of note, 34% of patients in the United States are covered by private insurance while 37% enroll in national health insurance programs, such as Medicare or Medicaid to cover healthcare costs [35]. Finally, the U.S. healthcare system is highly regulated [107], and malpractice litigation is a perennial concern. Thus, various financial and legal concerns make collaboration between clinicians and amateurs extremely difficult [48].

LATIN AMERICA. Historically, Latin American countries share many commonalities in their approach to healthcare [137]. Most Latin American countries provide healthcare to workers via insurance plans. This translates to cases where the working class (typically the lower class) has access to services of variable quality, while the wealthy rely on private services [39]. Recently, however, a series of reforms across Latin America have been implemented to increase the availability of universal healthcare and reduce out-of-pocket expenses [103]. Brazil, for instance, has created the tax-funded Unified Health System, where health is seen as a right to everyone and an obligation of the government. The Unified Health System, financed through tax revenues, offers Brazilians not only basic healthcare, but also treatments, exams, and medications [93]. Similarly, in 2003, Mexico embarked on a reform to provide healthcare access to all families, especially low-income families, who have been traditionally excluded from the healthcare system [131]. Likewise, through its Social Health Insurance program, Chile offers nearly universal health coverage to its citizens [3]. Costa Rica has also enacted universal healthcare. Compared to the healthcare offered throughout Central America, Costa Rica provides one of the region's best options [139]. However, it is still working to actually provide and sustain universal health coverage in the country.

INDIA. The healthcare system in India is stratified with health outcomes that fall along the lines of gender, caste, wealth, education, and geography [13]. India has not implemented a universal healthcare system, although it does have a hybrid system of private and public insurance [60]. The out-of-pocket costs for Indian households are approximately 75% of total healthcare costs [65]. As a comparison, in the case of the U.S. citizen, they only amount to 10% [35]. In fact, healthcare costs for catastrophic reasons often lead to extreme poverty for many Indians [65]. Governmental expenditure on healthcare coverage ranges from less than 2% of the GDP [60, 65]. These estimated GDP percentages contrast dramatically with the U.S. rate of 18%. While a much-anticipated universal health insurance is planned for India, it has yet come to fruition [13, 65]. In India, relatively high out-of-pocket costs may drive recipients to consider nonclinical solutions.

FRANCE. France has historically been known for its universal healthcare system, Protection Universelle Maladie (PUMA) [108]. While the standard of care is very high, depending upon the factors used to assess success, French healthcare rankings vary greatly due to poor economic equity, geographic disparities, and poor administrative efficiency [26]. A Commonwealth fund report [29, 117] ranked French healthcare below many European countries, but not as low as the U.S. Healthcare delivery in France is usually a hybrid or mix of public/private approaches to give people access to healthcare. Many people use the public healthcare provided by the government yet also have additional private insurance, called *Mutuelle*, to cover specialized problems not included in public healthcare (including interventions with 3D printed AT). In fact, 90% of French citizens are covered by some form of this hybrid public-private health system [115]. Usually, insurance is offered through employers or bought on the private market. In 2007, France's total expenditure for healthcare reached 11% of the GDP with a minimal out-of-pocket cost due to the public/private hybrid system covering most expenses [26]. There has been limited research on healthcare decision-making by French individuals because a very small part of household spending has historically been committed to out-of-pocket expenses [115]. However, the high percentage of GDP for healthcare costs and recent routine economic instabilities have caused real fiscal anxiety for the French government concerning their healthcare system.

SUMMARY OF GLOBAL HEALTHCARE SYSTEMS

- In the U.S., regulation and financial structures may discourage collaboration between clinicians and makers.
- In countries with universal healthcare, cost is less of an issue, but service may be delayed [29].
- Access to healthcare also depends upon many other factors, including a patient's race and gender, as well as their geographic location within the country and the availability of doctors.

3 METHODS

Our goal in this paper was to shed light on the different ways a wide selection of stakeholders interact to care for recipients of 3D printed AT. This allowed us to better understand the type of ecosystem setups and collaborations that exist, and the care produced. We can then make socio-technical recommendations to empower more ecosystems to give better care. Our primary approach was participatory action research [37], where we not only studied care ecosystems but also gave back to them by developing well-informed actionable guidelines to improve how people collaborate within the ecosystem.

We spent over two years building a network of trust [47, 134], with stakeholders from two groups: the general e-NABLE organization and e-NABLE related chapters and spin-offs in Latin America. One author, Dr. Jennifer Mankoff, volunteered with e-NABLE, specifically to help facilitate research, including volunteering to review proposals. Furthermore, she helped set up a process for collecting recipient information by developing multilingual questions for recipients to record contact information and to ask for their consent for follow-up research. A second author, Dr. Saiph Savage, a native Spanish speaker, also volunteered and worked closely for several years with multiple e-NABLE-related chapters and spin-offs in Latin America. Her work includes building 3D printed AT and devising and running interventions to engage newcomers who want to join the chapters. One outcome of this participatory approach was that an early leader of e-NABLE, Dr. Jon Schull, became a co-author of this article.

3.1 Interview Protocol

During and after these efforts, we conducted semi-structured interviews from August 2018-August 2019 with 31 stakeholders from seven countries (including some drawn from stakeholder groups with whom we volunteered) to obtain rich qualitative information of the different ways that stakeholders organize care. The interviews helped us obtain information on the different ways that stakeholders operate, as well as recipient satisfaction with their devices. Table 2 provides examples of our interview questions, focused on understanding how ecosystems function. Our appendix provides all the interview questions asked to each stakeholder (built also on questions from related work). Our interviews focused on eliciting information about how ecosystems function, how they drive participation, and the type of participation. We also questioned how the ecosystems were organized, how stakeholders worked together (pain points and high points), as well as the cultural values adopted. Some questions were stakeholder specific (for example, we asked makers to provide details about how they fabricate their devices or clinicians questions about the type of medical care they give recipients). In the case of recipients, we asked for details about the years they have used their devices and whether or not they have had interactions with clinicians or makers regarding these devices afterwards. To facilitate participation, we ensured that our interviews were culturally and linguistically appropriate [90, 123]. To this

purpose, we held interviews in Spanish (three authors are native Spanish speakers) or English when appropriate. Our team did not include a Hindi speaker. However, Indian participants were all fluent in English. We also first checked with members from each population on the appropriateness of our questions.

Table 2: Example of some of our ecosystem focused interview questions

Question Type	Example Questions
Ecosystem Interactions	Could you describe your interactions with makers? with recipients? with doctors/nurses/therapists? What are some of the challenges you encounter when connecting with them? How do you interact with them? (email, phone, video conference, etc)? What type of things do you do with them? Describe the interactions that you considered to be useful. Describe the interactions that you wished had been different.
Ecosystem Culture	What are some of the values around 3D printed AT that you believe resonate the most with makers? with recipients? and doctors/nurses/therapists? Who are some of their role models? Why?
Ecosystem Work Dynamics	Is there a structured process for working together with makers, doctors/nurses/therapists, and recipients? (Please Describe.) Give me an example of a time when you worked well as a team with makers, doctors/nurses/therapists, and recipients. Tell me about a time when you found challenges collaborating as a team with recipients, other makers, and doctors/nurses/therapists. How do you stay organized when working with makers, recipients, and doctors/nurses/therapists?

3.2 Recruitment and Participants

Participant recruitment was done separately from our direct engagement with e-NABLE; it was primarily led by students unknown to the stakeholders being interviewed. This helped to ensure that interviewees saw their participation in the study as voluntary. Recruitment began with emails to individuals who had agreed to be contacted (such as e-NABLE recipients who had consented to follow-up research) or individuals who were introduced to the authors by members of the organizations with whom we worked. We also searched for participants using social media and news reports, as well as a snowball sampling to invite more individuals.

Details about our 31 participants can be found in [Table 3](#). Participants included 16 recipients (R1-R16) - the majority from the U.S. and Mexico - but we also had one from Chile, nine makers (M1-M9) from the U.S., Brazil, France and India, and six clinicians (C1-C6) from Mexico, India, U.S., and Costa Rica. While the recipients in our study primarily received devices that function like hands, we consider our study to be about upper extremities because makers and clinicians also work with recipients to address other customized needs. The recipients themselves also learned broadly about 3D printed AT.



Figure 1: We interviewed multiple stakeholders from different countries in the care ecosystems that have emerged around recipients and their 3D printed assistive devices for the upper extremities. The figure shows some of the recipients, clinicians, and makers from different parts of the world who took part in our research.

In order to maximize the variety of ecosystems we could study, we emphasized recruitment from multiple structural contexts, including industry/volunteer/government and groups operating in seven different countries (See Fig. 2). Another important recruiting goal was to include recipients (those who had received and used 3D printed assistive technology), makers (who made 3D printed AT), and clinicians (who provided any type of medical assistance or therapy assistance for the operation of the devices) - ideally all three in the same ecosystem. As shown in Figure 2, a total of 10 care ecosystems were represented through the recruited participants. We succeeded in including at least two stakeholders in over half of the ten ecosystems, and all three stakeholders in two of the ten. Recipients are represented in six different ecosystems (three different countries). Similarly, makers are included in six ecosystems, including four countries, and clinicians are included in six ecosystems, including four different countries. All stakeholders are represented in at least one corporate and multiple NGO contexts. Table 3 provides more details on the participants. The makers in our study volunteered for e-NABLE or worked at companies, governments, or hospitals. The clinicians also worked in hospitals, governments, and university settings; several were associated with e-NABLE in some way. Of note, some clinicians also self-identified as makers. Some recipients manufactured their hands themselves and self-identified as makers.

Most recipients obtained their hands from e-NABLE chapters, hospitals, or companies.



Fig 2: Overview of the care ecosystems of our participants. Title for each grouping indicates the type of entity leadership that it is primarily associated with. Participant labels indicate whether the participant is a (C)linician, (R)ecipient or (M)aker.

3.3 Data Analysis

Interviews were transcribed and aggregated with notes and memos from the study. We used open coding to extract initial concepts from the data [96], using a

combination of bottom-up theme extraction and topdown themes derived from related work [48, 73, 100]. As a group, three of the authors first independently coded the data bottom-up and together developed a set of eighteen axial codes that were applied top-down to the entire interview transcripts. Our analysis showed strong inter-coder agreement on the axial codes (Cohen's Kappa coefficient (k) = 0.765). Disagreements were discussed during the writing and synthesis process. From the eighteen top down axial codes, we developed five themes that organized the main insights from our semi-structured interview transcripts. We have summarized each theme:

Collaboration approaches: this theme includes the collaboration approaches that ecosystems have adopted and the challenges faced, such as: (a) limited maker collaborations with clinicians, and (b) how interactions between the members of the ecosystem impact care.

Structural support: this theme includes the resources that people have adopted in their ecosystem to provide care.

Identity: this theme examines how the identity people adopt relates to care experiences with 3D printed assistive devices and shapes dynamics within the ecosystem; e.g., recipients who also identified as makers, as well as clinicians who self-identified as makers.

User perspectives and experiences: this theme examines the perspectives and experiences that recipients had with their devices and how other actors dealt with recipients' concerns and feedback.

Maker culture: this theme examines how the maker culture influences participants' work dynamics.

Table 3: Overview of the characteristics of our participants

ID	Role	Location	Details Participant	Gender
R1	Recipient & Maker	U.S.	Hand from e-NABLE	Male
R2	Recipient	U.S.	Hand from e-NABLE	Female
R3	Recipient & Maker	U.S.	Hand from e-NABLE	Non-Binary
R4	Recipient	Mexico	Hand from e-NABLE	Female
R5	Recipient	Mexico	Hand from hospital	Female
R6	Recipient	Mexico	Hand from hospital	Male
R7	Recipient	Mexico	Hand from hospital	Male
R8	Recipient	Mexico	Hand from e-NABLE	Female
R9	Recipient & Maker	Mexico	Hand from e-NABLE	Female

R10	Recipient	Chile	Hand from hospital	Female
R11	Recipient	U.S.	Hand from company	Male
R12	Recipient	U.S.	Hand from e-NABLE	Female
R13	Recipient	U.S.	Hand from company	Male
R14	Recipient	U.S.	Hand from company	Male
R15	Recipient	U.S.	Hand from company	Male
R16	Recipient	U.S.	Hand from company	Male
M1	Maker	U.S.	Works at company	Male
M2	Maker	Brazil	Collaborates with e-NABLE, government, and hospitals	Male
M3	Maker	U.S.	Collaborates with e-NABLE	Male
M4	Maker	France	Collaborates with e-NABLE	Male
M5	Maker	India	Collaborates with e-NABLE and government	Male
ID	Role	Location	Details Participant	Gender

M6	Maker	U.S.	Works at company	Female
M7	Maker	U.S.	Collaborates with e-NABLE	Female
M8	Maker	U.S.	Collaborates with e-NABLE	Male
M9	Maker	U.S.	Collaborates with e-NABLE	Female
C1	Clinician & Maker (Medical Maker)	Mexico	Collaborates with a hospital and e-NABLE	Male
C2	Clinician & Maker (Medical Maker)	India	Collaborates with a hospital and e-NABLE	Female
C3	Clinician	U.S.	Retired occupational therapist volunteering at e-NABLE	Female
C4	Clinician & Maker (Medical Maker)	U.S.	Works at hospital	Female
C5	Clinician	Costa Rica	Government physician; collaborates with eNABLE; and university	Female
C6	Clinician	Mexico	Government physician; collaborates with eNABLE; and university	Male

4 RESULTS

In this section, we first use a thematic analysis of our interviews to characterize the different ways that care ecosystems collaborate and work. (We connect here with the theme of Collaboration Approaches). Next, we focus on identifying how the different types of collaborations impacted care (connecting with the theme of User Perspectives and Experiences), uncovering exactly how some ecosystems managed to provide better care than others. (Here, we connect with the themes of Identity and Collaboration Approaches). We finish by presenting concrete features that ecosystems have in place to provide quality care for recipients. (In this part, we connect with the themes of Structural Support , Collaboration Approaches , and Maker Culture).

4.1 The Importance of Ecosystem Structure in Supporting Follow-up

Prior work has established the risks of abandonment with upper-limb prosthetics [20], some suggesting the importance of follow-up care in the volunteering context (e.g., [101]). Our interviews highlighted the range of challenges that follow-up must address, such as fixing broken assistive devices, adjusting the device to better fit the recipient, or even providing recipients with physical therapy that helps them to better use their devices. Ecosystem processes strongly impacted abandonment. Some participants had lengthy and detailed processes for providing follow-up. In contrast, for others, it was completely missing from their ecosystem, and they did not seem to know how to implement these care activities. Participants M1, M2, M4, M5, M6, R4, R5, R6, R7, R8, R9, R10, R11, R13, R14, R15, R16, C1, C2, C4, C5, and C6 reported being in ecosystems, where follow-up was provided to recipients, while M3, M7, M8, M9, C3, R1, R2, R3, and R12 reported being in ecosystems where follow-up was rare. In situations where follow-up was lacking, the recipient experience was negatively impacted. For example, R1, R2, and R12, all came from ecosystems with limited maker-clinician interactions and no follow-up. They all reported that the original 3D printed assistive

device they had received from their ecosystem was unusable, likely because the lack of follow-up meant that their devices were never improved or better tailored to them. For example:

. . . its been a year since the first inception of receiving the hand [3D printed AT] and its kind of been just sitting in her box not doing anything . . . [the device] doesnt feel good, doesnt work well..., R2, USA.

The lack of fit is a well-known reason for abandonment [20]. Compare this to R8, a recipient who received follow-up from a clinician, who taught her best practices for using her AT:

Once the device is ready [i.e., once makers have finished fabricating the 3D printed assistive device], they call us back. We pick it [the device] up and set up a schedule for therapies [with clinicians] so we can learn how to use the device..., R8, Mexico.

At the time of our study, R8 had been using her device for over two years. Similar results were found for recipients R4, R5, R6, R7, R8, R9, R10, R11, R13, R14, R15, and R16 – all part of ecosystems, where clinicians worked closely with makers to provide follow-up that included therapeutic support. All reported using their devices for over two years at the time of the study.

4.1.1 MULTI-STAKEHOLDER COLLABORATION FOSTERS FOLLOW-UP.

In ecosystems that provide follow-up, all had collaborations between clinicians, makers, and recipients, with clinicians often leading the effort. For example, M2 describes how his ecosystem involved clinicians from the start, and they were the key decision makers:

. . . the first step is that we [his team of makers] ask [recipients] two things. First: do you have a doctor? If he has a doctor, we schedule a meeting with this doctor . . . and we ask this doctor, who knows about the case and the patient, to evaluate the devices and based on that to say what is the device we need to create for the kid [recipient]. So, we [the makers] do not choose, also the recipient does not choose. The doctor is the one who will tell us what needs to be printed . . . If the kid doesnt have a doctor . . . we try to find a doctor near the city . . . and we approach this doctor . . . and ask him to help this person with his evaluation. So, the doctor is the first step..., M2, Brazil.

Having a setup where clinicians interact closely with makers likely helped cover makers' knowledge gaps in medical topics, while helping to deliver better devices and interactions for recipients (including follow-up). In ecosystems where clinicians worked closely with makers and recipients, it was easier for all stakeholders to share their specialized knowledge to provide follow-up and ensure quality experiences for recipients. Participants M1, M2, M4, M5, M6, R4, R5, R6, R7, R8, R9, R10, R11, R13, R14, R15, R16, C1, C2, C4, C5, and C6 expressed that within their ecosystems, all three stakeholders had sustained interactions with each other, helping to provide follow-up and appropriate AT design for recipients. The following maker from e-NABLE, M5, shared how in his ecosystem, makers, clinicians, and recipients worked together to deliver quality care and follow-up:

... the engineer [maker] is responsible for the design work and the modifications that need to be done on the printers and the design software. But the prosthetic technician [medical maker] gives him [the maker] ideas on how he can edit the designs [. . .] we have another occupational therapist [clinician] who lives in New Delhi, who guides the doctor [clinician] on all the training [the training here refers to the follow-up training that is given to the

recipient to help the recipient learn how to use the 3D printed device], on like what kind of trainings he [the doctor] should be giving [. . .] We also ask the beneficiaries [recipients] for ideas just like how we asked [recipient] what works better...., M5, India.

Another benefit we observed of maker/clinician collaborations was having follow-up that quantified how assistive devices were used by their recipients. For instance, M6, a maker who developed 3D printed AT within a private company, worked closely with a clinician who developed a follow-up protocol for measuring the way that recipients used their assistive devices. M6 explained how this follow-up protocol used evidence-based medicine practices to decide the best way to care for individual patients [114]:

. . . so, I am friends with [name changed], a hacker who is at the School of Medicine. One of his goals for the last years has been improving evidence capture . . . Hes also developed one of the more recent novel upper extremity outcome [assessment] protocols. To me its important to be using upper extremity outcome assessments for my designs.. . . , M6, USA.

Such data can help define strategic design modifications and identify the ideal medical care for recipients.

4.1.2 LACK OF COLLABORATIONS WITH CLINICIANS MAY INCREASE RISK.

Clinicians who came from ecosystems, where they had limited interactions with makers, shared concerns regarding makers' medical knowledge gaps. C3 came from an ecosystem, where clinicians and makers rarely collaborated. As a retired hand therapist, she observed the following:

The most glaring one [issue] that I saw was on the prosthetic [3D printed assistive device] that they handed out. It [the 3D printed AT] was very poorly fitted on the residual stump [limb of the recipient] and in order to correct this the [leader in the ecosystem] tried to remediate this by tightening the straps really really tight on the gauntlet [a part of the 3D printed assistive device]. But this would not be suitable because to [a clinician] it would be causing pain for the recipient and it could also lead to nerve compression if it was left on too long., C3, USA.

Fit was a major concern for C3. She believed that the makers in her ecosystem did NOT fully account for the medical needs of recipients in their designs, nor in their interactions with recipients.

4.2 Maker Acculturement: Adoption and Spread

Our interviews exposed how several recipients and clinicians also self-identified as makers. These crossover participants had the advantage of directly addressing some of the challenges associated with providing/using the devices themselves.

4.2.1 FROM CLINICIAN TO MEDICAL MAKER.

In the ecosystems where clinicians actively collaborated with makers, the clinicians tended to take a more active role in the fabrication process, with some of these clinicians transitioning to the role of being medical makers (i.e., clinicians who are also makers [74]):

...we have a prosthetic technician. So, he [a medical maker] assesses the hands and he modifies the hands [3D printed AT]. He tells us what tools to use and when we have a challenging beneficiary [a recipient with a medical condition which requires a new or adapted AT design], he gives us ideas on how we can modify the design ..., C2, India.

Such medical makers had the advantage of more easily providing follow-up, which could include customizing or fixing devices to better address the medical needs of the recipients. Another advantage was that these clinicians were able to more easily collaborate with makers because they had access to a shared design language.

4.2.2 RECIPIENT MAKERS: A GROWTH MINDSET.

Similar to clinicians, the recipients of 3D printed AT can be exposed to makers and their cultures [1]. Almost all our recipients (R1, R2, R3, R4, R7, R8, R9, R10, R11, R12, R13, R14, R15, R16) expressed that they identified on some level with the values of the maker's culture, such as doing things by oneself, sharing knowledge, and having a growth mindset (referring to the belief that a person's capacities and talents can be improved over time) [66]. Note that identifying with the maker culture does not mean that these recipients necessarily participated in the fabrication and direct modification of the devices. Identifying with the maker culture and adopting the mindset of finding value in its related growth helped the recipients to view their devices as something that was not yet finished. They viewed their devices as a work-in-progress that was not perfect but could be improved:

[I] couldn't hold a spoon [with the device], could grip, but not eat with it. Went to the dollar store. Tried Velcro, PVC pipe. I would put the Velcro on the hand and on the end of that PVC pipe. And I'd put the fork inside that PVC, and that worked quite well at first but it just wasn't strong enough. Then got magnets. Oh and the magnets worked so well. Got bar magnets and good glue and I glued the magnet to the palm of the hand [3D printed AT], R1, USA.

Fig. 3 illustrates an example of the maker activities that R1 conducted to modify his 3D printed assistive hand so he could ensure being able to eat with the device.

. . . the device [3D printed assistive device] is a great way to induce a growth mindset . . . I saw the device [3D printed assistive device] as a prototype, something that needed to be changed and edited..., R3, USA.



Figure 3: Example of device adaptation made by one of our recipients, who also identified as a maker

This notion of identifying with the growth mindset and hence seeing their devices as something to be improved over time lead some recipients to decide to directly address the challenges of follow-up by taking part in maker activities. These activities were a way through which recipients could take direct action to fix and improve their devices themselves. Recipients R3, R7, R10, R13, R14, R15, and R16 also shared that identifying with the maker culture helped them view their disability and the related care they sought, as something that could be improved over time. The growth mindset of the maker culture helped the recipients view the activities they could do with their limbs as something to be improved over time. Identifying with the growth mindset also helped these recipients value their therapies more, as shared by R10:

. . .I am doing my extensions [therapy exercises] all the time. While Im watching TV, chatting with family or just relaxing Im always doing my extensions [therapy exercises]. But all the time Ive spent [on the therapy exercises] has been advantageous. Ive improved a lot . . .I am never going to stop [doing the therapy exercises] till I get it [3D printed assistive device] to work like the hand I had.. . . , R10, Chile.

4.2.3 A MAKER FAMILY/COMMUNITY.

The recipients' membership in a care network extended also to their families. For example, R1, R3, and R9 all reported that their families engaged in making with them:

. . .It is usually the women, like my mom or other moms who become makers to help their kids.. . . , R9, Mexico.

The recipients who reported having their families involved in the making process were primarily those recipients who self-identified as makers. (Overall, these recipients not only adopted the maker culture, but they also actively participated in the design and fabrication of 3D printed devices). Having family members who identified as makers helped them invest more time in fixing and improving their devices. R3, an eNABLE recipient, built their 3D printed AT with their father. Although their 3D printed device was not perfect, the fact that a parent had helped build the device motivated them to want to invest more time in improving their device as it had become an activity they could do together:

. . .My dad and I built the hand [the 3D printed assistive device] together. The first version [of the device] hurt a lot. It was a prototype, and there was always something that needed to be changed and edited. But because my dad and I made it together, it was a project we wanted to finish . . . Part of it was that it was fun to make changes, and make them together.. . . , R3, USA.

Within these bonding activities, some recipients also reported benefiting from their connections with other recipients. R1, R3, R7, R9-R11, R13-R16 described that they practiced knowledge sharing to learn from each other about new care techniques. Some of these care techniques included new rehabilitation exercises , ways to psychologically deal with limb loss , how to do by themselves certain activities , which 3D printed material was best for specific devices , or even how to get better medical insurance that would cover the costs associated with their 3D printed devices :

. . .We [group of recipients] show up and just share how we do things with our hands [3D printed assistive devices]. One same activity is done differently by each person . . .Its about learning together new ways to live, new ways to live with our new hands [3D printed AT].. . . , R7, Mexico.

. . . part of my goal [on an online forum from his ecosystem] is having open discussions about whats working, for each of us, and whats not working. How did you get the insurance company to pay [i.e., cover the costs of a private company fabricating the device and providing follow-up]?..., R16, USA.

These knowledge-sharing activities took place primarily within online forums or physical meetups (e.g., convention centers or casual in-person reunions). Recipients shared that they were invited through their ecosystems to join these social gatherings. The social gatherings also helped for emotional support:

I see people...[recipients in the social gatherings of his ecosystem]...who say: I have to go to surgery tomorrow! and Im like, just take what Im saying and put in your heart and keep it there, youre going to be okay and you will adapt and youre going to be a better person. . . . , R14, USA.

4.3 Ecosystem Services

To better understand the role of the overall ecosystem in fostering success, we explored the ecosystem services that may have helped foster follow-up.

4.3.1 PREPARATORY WORK.

One unusual aspect of some ecosystems was the degree of preparatory work fostered. Unlike U.S. maker communities that emphasize rapid production [48], some ecosystems and recipients studied valued a slower approach to designing successful AT. For example, R5, a recipient who lost her hand in an accident, shared how she had one-on-one follow-up sessions to plan how her device would be modified to better fit her needs:

. . . These sessions [one-on-one sessions with her medical maker] have helped me to start to craft with my doctor my ideal device . . . My ideal device is one that will help me to re-establish the image I had about myself before the accident and with the same functionalities that I had before, R5, Mexico.

The ability to address aesthetic goals and custom needs is one advantage of 3D printed AT since it leverages a volunteer maker network willing and able to take the time to customize the look of the designs, as well as prioritize different functionalities. These consequences help the device to be used long-term, something that may be harder to address in more traditional clinical settings [111]. Furthermore, engaging recipients (and makers) in such an iteration provides an opportunity for learning maker values as well as human-centered design skills. Together, this fosters identification with and adoption of those values and skills.

4.3.2 ESTABLISHMENT OF FORMAL COLLABORATIONS.

We found that ecosystems with sustained follow-up have established formal collaborations among the different stakeholders. It is known that having formal collaborations can help avoid uncertainties between the different stakeholders long term [55]. Therefore, the integration of formal agreements likely facilitates the sustained participation of all stakeholders and helps to ensure follow-up with input from makers, recipients, and clinicians. Our interviewees discussed how these formal agreements took the form of insurance policies (R11, R13, R14, R15, R16, M1, M6, and C4) or officially signed documents (R4, R5, R6, R7, R8, R9, R10, M2, M4, M5, C1, C2, C5, and C6). C6 shared how his ecosystem had an official agreement between local government hospitals and universities (which had e-NABLE chapters). The agreement detailed how the different stakeholders would interact to produce 3D printed assistive devices and provide quality experiences to recipients:

. . . we had to go to the doctor who is the director of [government clinics in a region of Mexico] . . . [This doctor] signed off on the project, and he was going to be responsible for overseeing that the devices did not have any side effects on patients . . . we also had to get professors [from universities with e-NABLE chapters] to sign off that they would help with the 3D printing.. . . , C6, Mexico.

Similarly, M2, who came from an ecosystem with follow-up and sustained participation from all stakeholders, reported that in his ecosystem, the makers did not produce devices if they did not first receive a signed and certified letter from clinicians, detailing their agreement to help recipients, as well as showcase proof of the required abilities and knowledge to support recipients:

Here, we [makers] only donate the device if the physiotherapist [clinician] sends us the prosthetic prescription with signature and professional registration number [indicating the clinician is trained] . . . [clinicians] register as volunteers and are trained to know how to prescribe the devices. . . , M2, Brazil.

These formal collaborations were missing from the ecosystems that did not provide follow-up. M3, M7, M8, M9, C3, C4, R1, R2, R3, and R12 described how the different stakeholders only interacted casually in their ecosystems. M8 shared how he only sometimes casually connected with clinicians through forums. But no formal collaborations had been established:

In terms of medical professionals [clinicians], I haven't worked directly with a lot of medical professionals. There have been a few prosthetists [clinicians] that have worked with us [his ecosystem] just through the online community. And my interactions with them have been mostly just through those online, you know communications..., M8, USA.

4.3.3 SECURING FUNDING FOR COLLABORATIONS.

Another strategy found in the ecosystems with follow-up was that some secured funding to ensure that certain collaborations took place. The funding was to cover the participation costs of clinicians (R11, R13, R14, R15, R16, M1, M6, C4, C2, C5, M5, and M4), makers (R11, R13, R14, R15, R16, M1, M6, C2, C4, and C5), or even recipients (M5, C1, C2, C5, and C6). C2 shared how in her ecosystem, they had raised funds to cover the participation costs of all stakeholders to facilitate their participation. This was especially important in the case of recipients who often lacked the resources to travel to their follow-up:

. . . So we raise funds and no one is volunteering [for the follow-up], we employed them all [...] some of them [recipients] didn't come initially [to the follow-up] because they didn't have the money. [Recipients are] really, really poor so what [the ecosystem] started to do is that . . . we pay their transport and give [recipients] a meal so that they come to us. So that motivates [recipients] to come. . . , C2, India.

Funding to support participation was missing from those ecosystems that lacked follow-up; however, not all of the ecosystems with follow-up implemented monetary payments. This was particularly true for our interviewees from Brazil, who were able to secure resources to cover participation costs. But these resources were not directly translated into monetary compensations, as they felt it could demotivate participation. Therefore, this ecosystem made a point of not giving anyone monetary payments:

. . . One of the basis of the work is that all volunteers, even the doctors, need to do the work free of charge [...] the best way to get people to stop doing what they like is paying them to do it. Imagine you like to paint and you do it for free, because you like it. So, I start paying you one dollar for each painting; with time, you will think that your work is not being valued and you will want to receive more for it. So when we come to volunteer work, the idea is to engage the volunteer in other ways that don't involve money. . . , M2, Brazil.

It was interesting to observe that this particular ecosystem avoided, in general, any type of monetary transaction. The resources they donated were supplies and materials to fabricate the assistive devices:

. . . We avoid using money in every part of the process [...] we also do not accept donations in money. Only donations of raw material and equipment used to create the devices. . . , M2, Brazil.

SUMMARY OF RESULTS: We present some of the key findings from our results:

- Providing follow-up to recipients was a key challenge that ecosystems faced (with some ecosystems never able to provide sustained follow-up).
- Ecosystems with multi-stakeholder collaborations tended to produce better care, in terms of device adoption and reported recipient experiences.
- The exposure of the maker culture to recipients and clinicians had positive care outcomes (in terms of recipient satisfaction and device usage).
- To involve multiple stakeholders, ecosystems adopted different strategies for motivating participation, such as creating formal collaborations around stakeholder involvement and securing funding to cover the participation costs, when needed.

5 DISCUSSION

In this paper, we studied the different ways that care ecosystems organize to provide care to recipients. During this discussion, we focus on key features that characterize how these care ecosystems in 3D printed AT function. Overall, our study highlighted how care ecosystems with organizations like eENABLE, have helped to address important gaps in institutional healthcare services. The care ecosystems were especially useful for those who experience the gaps (usually individuals from underserved populations, who tended to not be found in institutional healthcare systems, nor most academic settings, e.g., people from regions in India without the economic resources to even be able to attend follow up). The care ecosystems can become a social safety net for a wider range of individuals. Whether society recognizes and supports the value of this safety net will depend in part on sustained interaction and accommodation among institutional and non-institutional stakeholders. This study suggests that an ecosystemic perspective will help ensure that people get the best possible care when institutional solutions are available and when systemic failures occur.

5.1 Integrating Formal Collaboration in the Maker Culture

Formal collaborations are common in clinical settings; it is usually expected that clinicians will work with finished and well-tested care products [18, 110]. Within formal settings, usability, safety, and the functionality of care products is typically preferred over novelty [34, 62]. Makers, on the other hand, usually value rapid and novel device production over more limited, but safer, designs [50]. This attitude can cause serious conflict between clinicians and makers.

For example, one study reported about violent language and emerging threats when a maker community was questioned about the safety of the personal protective equipment they were fabricating during the onset of the COVID-19 pandemic [50]. Conflict may also arise because the maker culture pushes heavily for collaborations to be part of a casual affair, where work and leisure are intermixed and not easily distinguishable [82]. However, our interviews highlighted how the ecosystems most effective at providing care had formal collaborations in place with expectations about training, deliverables, and nonmaking activities.

Another difficulty that emerges from formal collaborations centers around the assessment of outcomes (e.g., quality metrics [84]). It is expected that low-quality work will be rejected. However, within the maker culture, this may clash with the idea that making should be an activity that people do out of their own passions and interests.

Suddenly rejecting work done for fun and in a volunteer setting can have a challenging or discouraging impact.

These formal collaborations facilitate sustained, multi-stakeholder participation as stakeholders have to first take the time to understand the needs and context of the other actors in order to create an agreement that would be reasonable for everyone to take part in. Notice that establishing formal collaborations consequently helps identify challenges, including those of certain stakeholders, which then facilitates creating new mechanisms to address those challenges (e.g., designing ways to cover the recipients' costs, who originally could not afford to attend their follow-up). We argue that care ecosystems might consider establishing formal collaborations with all stakeholders. Formal contracts took different forms across the ecosystems we studied. In short, there is no one correct solution.

Ecosystems need to explore the type of instantiation of formal agreements that makes the most sense, given their cultural and local settings. For instance, in the U.S., clinicians may be putting themselves at risk if they collaborate closely with amateur makers [48]. Similarly, in India, people might be more accustomed to directly paying for their own healthcare [13, 60, 65]. Consequently, they might be more open to having a formal contract, where they directly pay clinicians and makers to help in the design and fitting of their 3D printed AT.

On the other hand, when thinking about integrating clinical structures within a creative amateur movement, such as e-NABLE, it can help to think about what may be lost with greater formality. Recent work focused on COVID found that some makers choose to go their own way when confronted with safety guidelines [50]. Future work could explore the values held by stakeholders and how safety regulations can support multiple value systems, as well as the possible tradeoffs/benefits of adopting more or less formal collaborations.

5.2 The Value of Compensated Participation

A portion of the maker culture argues that makers should not be paid monetarily for their labor [56] as it is expected that their true reward is building things for which they are personally passionate (i.e., they are expected to be intrinsically motivated) [71, 77, 109]. However, not paying people for their participation can also limit who takes part [32, 70], privileging those with sufficient resources. Our interviews highlight that ecosystems with follow-up cared more about ensuring the participation of more stakeholders, especially low-income ones, via whatever means made sense, e.g., giving monetary compensation to cover participants' transportation costs or meals.

Our interviewees came from diverse sectors, e.g., government, NGOs, academia, and industry (see Table 3). Therefore, it is unreasonable to think that one type of compensation will always function to motivate everyone to participate. In India, monetary compensation for recipients might be especially important given that the country's healthcare system does not usually cover patients' costs [60], leading a large number of Indians to go broke when trying to cover their medical needs [65]. But monetary compensation might not necessarily work well when trying to involve academics in the ecosystem. However, offering research opportunities enhances professional and social status and could drive their participation [4, 97, 98]. Similarly, as some interviewees mentioned, people's intrinsic motivation could be negatively affected when they suddenly start receiving monetary payments [124, 130]. Ecosystems

will benefit from hybrid approaches for compensating and ensuring the participation of all stakeholders.

5.3 Tools for Sustained Follow-up and Multiple Stakeholder Participation

Our findings emphasize the importance of including all stakeholders in the process of providing care. This is fitting given that AT provision and follow-up requires mixed expertise [126]; clinicians are needed to ensure that the follow-up does not cause medical harm to recipients and foresee that the activity helps recipients in their rehabilitation [15, 48, 75, 83]. Recipients also need to be included to provide direct feedback and suggestions on the therapy and device modifications that take place during the follow-up

[92, 100]. Similarly, makers' expertise is needed to facilitate device modifications [1, 135].

In other words, sustained participation of all stakeholders is important to ensure the production of quality AT and implement follow-up [53, 57]. Toolkits for fabricating 3D printed AT should, therefore, aim to integrate guidelines and computational mechanisms to motivate stakeholders to engage with each other. Having more continuous interactions among stakeholders will facilitate follow-up and improve outcomes. Existing toolkits (such as e-NABLE webcentral³, or Latin American efforts⁴) might be a basis for this, but we argue that they should also integrate mechanisms to facilitate collaboration and the discussion of factors that impact all aspects of a device's lifecycle, including safety, fit, design aesthetics, and follow-up.

The best approach is yet to be determined, but possibilities include: a forum, a ticketing system for recipients to report concerns, digital badges, a mini-course on how to include and work with other stakeholders in the fabrication of 3D printed AT, and even gamification. (It is important to note that some of these solutions, especially the ticketing system, and badges, have recently been implemented by eNABLE as a result of this research.) Such a tool could also facilitate compensation in multiple forms – tracking of donated time and materials, the transfer of funds to recipients to encourage them to return for follow-up services, and so on. We also believe there is value in designing a recipient role into such a toolkit. This could guide recipients not only on how to best use their new devices, but also how to connect with the other stakeholders in their care ecosystem, as well as other recipients for support and idea sharing. Such a toolkit could provide guidance on the type of feedback recipients should provide to clinicians and makers to help them provide quality care in the best way possible. There is likely value in integrating mechanisms in these toolkits to help recipients learn about fabrication. (In our interviews, we saw how recipients who self-identified as makers used their devices longer term and were overall more satisfied).

5.4 Storehouse for Cross-Ecosystem Collaborations

Given the variety of ecosystem structures observed, there is value in helping stakeholders learn what other ecosystems are doing in combining making with medical practices to improve the recipient experience. The problem is that state-of-the-art tools [23, 27, 113] currently do not facilitate collaboration across ecosystems, let alone the collaboration of clinicians, makers, and recipients across countries. For example,

³ <https://www.enablewebcentral.com/>

⁴ <https://limbs.earth/>

the NIH 3D Print Exchange [27] is an online space that allows makers to find, create, or share 3D-printable models that are scientifically accurate or medically applicable.

While the NIH 3D Print Exchange is an innovative space to engage makers in biomedical science, it does not support the device lifecycle past design and a safety review. It also does not support recipient involvement. Additionally, the site's overall design assumes that people are participating as individuals instead of an ecosystem. This means that the platform does not necessarily facilitate cross ecosystem collaborations, whereby ecosystems could help each other meet important challenges. A more comprehensive storehouse might be expanded with meta-data to support licensing (or sharing agreements around distribution and ecosystem functioning), as well as other meta-data related to the collaborative care practices surrounding design and safety. Quality information includes design variants, known concerns, and parameter limits (such as minimum and maximum print sizes), along with follow-up information for clinicians on the type of therapies to implement to help recipients adopt a particular AT design while minimizing harm. The meta-data could also provide information about the common problems recipients have encountered with their devices and ways in which makers can address these issues. This meta-data could include advice for recipients on where and how to fix their devices or where to receive therapy to help in adapting to them. Notice that this type of meta-data would be aligned with some of the design recommendations of prior work [63], which argued the importance of providing a transparent information flow between the different stakeholders for successful collaborations. Note that as a result of this research, e-NABLE has recently started to implement several of these meta-data recommendations. (See the new eNABLE device catalog⁵.)

Limitations Our research is a snapshot in time of the stakeholders involved in 3D printed assistive technology for upper extremities. As time passes, the ecosystems will continue to evolve. Hence our study only reflects those interviewed at a specific time. In addition, like any study dependent on volunteer participants, our participants' opinions may be biased by self-selection. We were not able to obtain an equal number of stakeholders from each ecosystem, given the difficulty in connecting and finding them. However, given that previous research has not been able to understand how these ecosystems have functioned outside the U.S. and Canada, we consider our study to be a step forward in understanding more about the ecosystems emerging around 3D printed AT for upper extremities. Future research might include more voices from other countries.

6 CONCLUSION

HCI has a growing interest in studying the complex dynamics in care ecosystems, then using this understanding to design tools that will enable better experiences for people with disabilities [49, 51, 73, 88, 100]. We broadened the HCI research by studying the care ecosystems surfacing around recipients and their 3D printed assistive devices. To widen our knowledge of these care ecosystems, we included stakeholders from seven different countries (Brazil, Chile, Costa Rica, France, India, Mexico and the US). We do not claim to have studied all possible care ecosystems. We simply bring a more diverse view than the one-country studied by prior work. This has allowed us to uncover new findings about ecosystem services and properties that facilitate success. Through our research, we identified the ecosystems that provide the most effective care (in terms of recipient satisfaction and device usage) as those ecosystems that

⁵ <https://hub.e-nable.org/p/devices>

created formal collaborations around stakeholder involvement, provided compensations to cover participation costs when needed, and had clinical involvement in the ecosystem. We discussed how ecosystem goals can conflict with the maker culture driving 3D printed AT. However, we presented pathways to address these conflicts and challenges. Our paper ends by discussing design implications from our findings to create tools that support multi-stakeholder care ecosystems.

ACKNOWLEDGMENTS

Special thanks to all the anonymous reviewers who helped us to strengthen the paper. A huge thanks to all of our participants, especially the global e-NABLE community who have been a key ally for conducting this research. This work was partially supported by NSF grant FW-HTF-19541.

REFERENCES

- [1] Leila Aflatoony and Su Jin (Susan) Lee. 2020. AT Makers: A Multidisciplinary Approach to Co-Designing Assistive Technologies by CoOptimizing Expert Knowledge. In *Proceedings of the 16th Participatory Design Conference 2020-Participation (s) Otherwise-Volume 2*. 128–132.
- [2] Leila Aflatoony and Shreya Shenai. 2021. Unpacking the Challenges and Future of Assistive Technology Adaptation by Occupational Therapists. In *CHIItaly 2021: 14th Biannual Conference of the Italian SIGCHI Chapter*. 1–8.
- [3] Ximena Aguilera, Carla Castillo-Laborde, Manuel Nájera-De Ferrari, Iris Delgado, and Ciro Ibañez. 2014. Full Case Study: Monitoring and evaluating progress towards Universal Health Coverage in Chile. *PLOS Medicine*.
- [4] ST Akinyele. 2010. Performance appraisal systems in private universities in Nigeria: A study of Crawford University, Igbesa-Nigeria. *Global Journal of Management and Business Research* 10, 6 (2010).
- [5] Rahaf Alharbi, Ada Ng, Rawan Alharbi, and Josiah Hester. 2020. "I Am Not an Engineer": Understanding How Clinicians Design & Alter Assistive Technology. In *Extended Abstracts of the 2020 CHI Conference on Human Factors in Computing Systems*. 1–8.
- [6] AmputeeCoalition. 2020. Limb Loss Statistics - Amputee Coalition. <https://bit.ly/3sLcC22>
- [7] Gerard Anderson and Peter Sotir Hussey. 2001. Comparing health system performance in OECD countries. *Health Affairs* 20, 3 (2001), 219–232.
- [8] Mirja Anderssoni and Stewart Makkonen-Craig. 2017. Sustainable values in future engineering education. of publication (2017), 108.
- [9] Hiroo Aoyama and Leila Aflatoony. 2020. Occupational Therapy Meets Design: An Augmented Reality Tool for Assistive Home Modifications. In *the 32nd Australian Conference on Human-Computer Interaction*. 426–436.
- [10] Olivia Arena and Crystal Li. 2018. *Guide to Civic Tech and Data Ecosystem Mapping*. Washington, DC: Urban Institute (2018).
- [11] Stephanie Armour. 2019. Number of Uninsured Americans Rises for First Time in Decade. <https://on.wsj.com/3sldmF9>
- [12] Jonathan Awori and Joyce M Lee. 2017. A maker movement for health: a new paradigm for health innovation. *JAMA pediatrics* 171, 2 (2017), 107–108.
- [13] Yarlina Balarajan, Selvaraj Selvaraj, and SV Subramanian. 2011. Health care and equity in India. *The Lancet* 377, 9764 (2011), 505–515.
- [14] Dennis F Bandyk, Michael L Novotney, Martin R Back, Brad L Johnson, and Dale C Schmach. 2001. Expanded application of in situ replacement for prosthetic graft infection. *Journal of vascular surgery* 34, 3 (2001), 411–420.
- [15] Jay M Baruch. 2017. Doctors as makers. *Academic Medicine* 92, 1 (2017), 40–44.
- [16] James M Beck and Matthew D Jacobson. 2017. 3D printing: what could happen to products liability when users (and everyone else in between) become manufacturers. *Minn. JL Sci. & Tech.* 18 (2017), 143.
- [17] Cynthia L Bennett, Keting Cen, Katherine M Steele, and Daniela K Rosner. 2016. An intimate laboratory? Prostheses as a tool for experimenting with identity and normalcy. In *Proceedings of the 2016 CHI Conference on Human Factors in Computing Systems*. 1745–1756.
- [18] William Bergquist. 2006. *Collaboration for Survival and Success: Organizational Coaching Strategies to Meet Unique Opportunities and Challenges*. (2006).
- [19] Edison Bicudo, Alex Faulkner, and Phoebe Li. 2021. Digital readiness in 3D bioprinting: software, governance and hospitals' proto-clinical interfaces. *Regenerative Medicine* 16, 03 (2021), 237–252.
- [20] Elaine Biddiss and Tom Chau. 2007. Upper-limb prosthetics: critical factors in device abandonment. *American journal of physical medicine & rehabilitation* 86, 12 (2007), 977–987.
- [21] Open Bionics. 2017. Open Bionics - turning disabilities into superpowers. <https://openbionics.com/>.
- [22] Elizabeth G Bishop and Simon J Leigh. 2020. Using large-scale additive manufacturing as a bridge manufacturing process in response to shortages in personal protective equipment during the COVID-19 outbreak. *International Journal of Bioprinting* 6, 4 (2020).
- [23] Erin Buehler, et al. 2015. Sharing is caring: Assistive technology designs on thingiverse. In *Proceedings of the 33rd Annual ACM Conference on Human Factors in Computing Systems*. 525–534.
- [24] Luis M Camarinha-Matos, João Rosas, Ana Inês Oliveira, and Filipa Ferrada. 2012. A collaborative services ecosystem for ambient assisted living. In *Working Conference on Virtual Enterprises*. Springer, 117–127.
- [25] Leah Campbell, Adriel Lau, Brittany Pousett, Ernie Janzen, and Silvia U Raschke. 2018. How infill percentage affects the ultimate strength of a 3Dprinted transtibial socket. *Canadian Prosthetics & Orthotics Journal* 1, 2 (2018).
- [26] Karine Chevreul, Isabelle Durand-Zaleski, Stéphane Bahrami, Cristina Hernández-Quevedo, Philipa Mladovsky, et al. 2010. France: Health system review. (2010).

- [27] Meghan F Coakley, Darrell E Hurt, Nick Weber, Makazi Mtingwa, Erin C Fincher, Vsevolod Alekseyev, David T Chen, Alvin Yun, Metasebia Gizaw, Jeremy Swan, et al. 2014. The NIH 3D print exchange: a public resource for bioscientific and biomedical 3D prints. *3D printing and additive manufacturing* 1, 3 (2014), 137–140.
- [28] Juan Sebastian Cuellar, Gerwin Smit, Amir A Zadpoor, and Paul Breedveld. 2018. Ten guidelines for the design of non-assembly mechanisms: The case of 3D-printed prosthetic hands. *Proceedings of the Institution of Mechanical Engineers, Part H: Journal of Engineering in Medicine* 232, 9 (2018), 962–971.
- [29] Karen Davis. 2014. Mirror, mirror on the wall: how the performance of the US health care system compares internationally: 2014 update. Commonwealth Fund.
- [30] Melissa Dawe. 2006. Desperately seeking simplicity: how young adults with cognitive disabilities and their families adopt assistive technologies. In *Proceedings of the SIGCHI conference on Human Factors in computing systems*. 1143–1152.
- [31] Deepak Dhungana, Iris Groher, Elisabeth Schludermann, and Stefan Biffl. 2010. Software ecosystems vs. natural ecosystems: learning from the ingenious mind of nature. In *Proceedings of the Fourth European Conference on Software Architecture: Companion Volume*. 96–102.
- [32] Nadia Eghbal. 2020. Working in public: the making and maintenance of open source software. Stripe Press.
- [33] Hayley Evans, Udaya Lakshmi, Hue Watson, Azra Ismail, Andrew M Sherrill, Neha Kumar, and Rosa I Arriaga. 2020. Understanding the Care Ecologies of Veterans with PTSD. In *Proceedings of the 2020 CHI Conference on Human Factors in Computing Systems*. 1–15.
- [34] Scottie-Beth Fleming. 2014. Collaboration within Engineering Education Research's Community of Prac-tice. age 24 (2014), 1.
- [35] Centers for Medicare, Medicaid Services, et al. 2011. Highlights. <https://go.cms.gov/3MvrklZ>
- [36] Oscar Franco-Bedoya, David Ameller, Dolores Costal, and Xavier Franch. 2017. Open source software ecosystems: A Systematic mapping. *Information and software technology* 91 (2017), 160–185.
- [37] Claude Ghaoui. 2005. Encyclopedia of human computer interaction. IGI Global.
- [38] Frederic Gilbert, Cathal D O'Connell, Tajanka Mladenovska, and Susan Dodds. 2018. Print me an organ? Ethical and regulatory issues emerging from 3D bioprinting in medicine. *Science and engineering ethics* 24, 1 (2018), 73–91.
- [39] Timothy Gill. 2018. Banking on Health: The World Bank and Health Sector Reform in Latin America.
- [40] Frank Benjamin Golley. 1993. A history of the ecosystem concept in ecology: more than the sum of the parts. Yale University Press.
- [41] US Government. 1998. S.2432 - 105th Congress (1997-1998): Assistive Technology Act of 1998 | Congress.gov | Library of Congress.
- [42] Foad Hamidi, Melanie Baljko, Toni Kunic, and Ray Feraday. 2014. Do-It-Yourself (DIY) assistive technology: a communication board case study. In *the International Conference on Computers for Handicapped Persons*. Springer, 287–294.
- [43] Nevan C Hanumara, Nikolai D Begg, Conor J Walsh, David Custer, Rajiv Gupta, Lynn R Osborn, and Alexander H Slocum. 2013. Classroom to clinic: merging education and research to efficiently prototype medical devices. *IEEE journal of translational engineering in health and medicine* 1 (2013), 4700107–4700107.
- [44] Christina N Harrington, Katya Borgos-Rodriguez, and Anne Marie Piper. 2019. Engaging low-income African American older adults in health discussions through community-based design workshops. In *Proceedings of the 2019 chi conference on human factors in computing systems*. 1–15.
- [45] Karriem Hassan. 2020. Three-Dimensional Printed Hysteria. *3D Printing and Additive Manufacturing* 7, 2 (2020), 45–47.
- [46] Peregrine Hawthorn and Daniel Ashbrook. 2017. Cyborg Pride: Self-Design in e-NABLE. In *Proceedings of the 19th International ACM SIGACCESS Conference on Computers and Accessibility*. ACM, 422–426.
- [47] Jon C Helton, Jay Dean Johnson, Cedric J Sallaberry, and Curt B Storlie. 2006. Survey of sampling-based methods for uncertainty and sensitivity analysis. *Reliability Engineering & System Safety* 91, 10-11 (2006), 1175–1209.
- [48] Megan Hofmann, Julie Burke, Jon Pearlman, Goeran Fiedler, Andrea Hess, Jon Schull, Scott E Hudson, and Jennifer Mankoff. 2016. Clinical and maker perspectives on the design of assistive technology with rapid prototyping technologies. In *Proceedings of the 18th international ACM SIGACCESS conference on computers and accessibility*. 251–256.
- [49] Megan Hofmann, Jeffrey Harris, Scott E Hudson, and Jennifer Mankoff. 2016. Helping hands: Requirements for a prototyping methodology for upper-limb prosthetics users. In *Proceedings of the 2016 CHI conference on human factors in computing systems*. 1769–1780.
- [50] Megan Hofmann, Udaya Lakshmi, Kelly Mack, Scott E Hudson, Rosa I Arriaga, and Jennifer Mankoff. 2021. The Right to Help and the Right Help: Fostering and Regulating Collective Action in a Medical Making Reaction to COVID-19. In *Proceedings of the 2021 CHI Conference on Human Factors in Computing Systems*. 1–13.
- [51] Megan Hofmann, Kristin Williams, Toni Kaplan, Stephanie Valencia, Gabriella Hann, Scott E Hudson, Jennifer Mankoff, and Patrick Carrington. 2019. "Occupational Therapy is Making": Clinical Rapid Prototyping and Digital Fabrication. In *Proceedings of the 2019 CHI Conference on Human Factors in Computing Systems*. ACM, 314.
- [52] Megan Kelly Hofmann. 2015. Making connections: modular 3D printing for designing assistive Attachments to prosthetic devices. In *Proceedings of the 17th International ACM SIGACCESS Conference on Computers & Accessibility*. 353–354.
- [53] Jonathan Hook, Sanne Verbaan, Abigail Durrant, Patrick Olivier, and Peter Wright. 2014. A study of the challenges related to DIY assistive technology in the context of children with disabilities. In *Proceedings of the 2014 conference on Designing interactive systems*. ACM, 597–606.
- [54] John F Hornick. 2015. 3D Printing and Public Policy. *Intellectual Property* (2015).
- [55] Jay Horwitz. 2010. The Performance of Formal Collaborations: Uncertainty and Coordination Tradeoffs. In *Atlanta Competitive Advantage Conference*.
- [56] Nathaniel Hudson, Celena Alcock, and Parmit K Chilana. 2016. Understanding newcomers to 3D printing: Motivations, workflows, and barriers of casual makers. In *Proceedings of the 2016 CHI Conference on Human Factors in Computing Systems*. 384–396.
- [57] Amy Hurst and Jasmine Tobias. 2011. Empowering individuals with do-it-yourself assistive technology. In *The proceedings of the Thirteen international ACM SIGACCESS conference on Computers and accessibility*. ACM, 11–18.
- [58] Dew, Kristin N., and Daniela K. Rosner. "Designing with waste: A situated inquiry into the material excess of making." In *Proceedings of the 2019 on Designing Interactive Systems Conference*, pp. 1307-1319. 2019.
- [59] Andrew Jackson. 2014. Makers: the new industrial revolution.
- [60] Arnav Jagasia. [n.d.]. Healthcare in India: The Challenge of Demography.

- [61] Slinger Jansen, Anthony Finkelstein, and Sjaak Brinkkemper. 2009. A sense of community: A research agenda for software ecosystems. In 2009 31st International Conference on Software Engineering-Companion Volume. IEEE, 187–190.
- [62] Bonnie J Johnson, Holly T Goedel, Nicholas P Lovrich Jr, and John C Pierce. 2015. Social capital and emergency management planning: A test of community context effects on formal and informal collaboration. *The American Review of Public Administration* 45, 4 (2015), 476–493.
- [63] Hannah Jones, Sigrid Dupan, Matthew Dyson, Agamemnon Krasoulis, Laurence PJ Kenney, Margaret Donovan-Hall, Kaveh Memarzadeh, Sarah Day, Maxford Coutinho, and Kianoush Nazarpour. 2021. Co-creation and user perspectives for upper limb prosthetics. *Frontiers in Neurorobotics* (2021).
- [64] Nazmul Karim, Shaila Afroj, Kate Lloyd, Laura Clarke Oaten, Daria V Andreeva, Chris Carr, Andrew D Farmery, Il-Doo Kim, and Kostya S Novoselov. 2020. Sustainable personal protective clothing for healthcare applications: a review. *ACS nano* 14, 10 (2020), 12313–12340.
- [65] Arvind Kasthuri. 2018. Challenges to healthcare in India-The five A's. *Indian journal of community medicine: official publication of Indian Association of Preventive & Social Medicine* 43, 3 (2018), 141.
- [66] Mary Kayler, Timothy Owens, and George Meadows. 2013. Inspiring maker culture through collaboration, persistence, and failure. In *Society for Information Technology & Teacher Education International Conference. Association for the Advancement of Computing in Education (AACE)*, 1179–1184.
- [67] JA Kesselring, G Fiedler, and J Pearlman. 2016. Prosthetist's Assessment of Additive Manufacturing as an Alternative to conventional manufacturing techniques in P&O. In *Proceedings of the 42nd Annual AAOP Meeting and Scientific Symposium*.
- [68] Michael J Kikta, Spencer F Goodson, Rashad A Bishara, Joseph P Meyer, James J Schuler, and D Preston Flanigan. 1987. Mortality and limb loss with infected infrainguinal bypass grafts. *Journal of vascular surgery* 5, 4 (1987), 566–571.
- [69] Ashley D Knight, Peter P Anderson, Mark D Beachler, Christopher L Dearth, Louise M Hassinger, Brad D Hendershot, Todd J Sleeman, and Peter C Liacouras. 2019. Customized Three-Dimensional (3D)-Printed Prosthetic Devices for Wounded Warriors. *American journal of physical medicine & rehabilitation* 98, 4 (2019), e38–e39.
- [70] Sandeep Krishnamurthy. 2006. On the intrinsic and extrinsic motivation of free/libre/open source (FLOSS) developers. *Knowledge, Technology & Policy* 18, 4 (2006), 17–39.
- [71] Karim R Lakhani and Robert G Wolf. 2003. Why hackers do what they do: Understanding motivation and effort in free/open source software projects. (2003).
- [72] Udaya Lakshmi, Megan Hofmann, Kelly Mack, Scott E Hudson, Jennifer Mankoff, and Rosa I Arriaga. 2021. Medical Maker Response to COVID19: Distributed Manufacturing Infrastructure for Stopgap Protective Equipment. In *Proceedings of the 2021 CHI Conference on Human Factors in Computing Systems*. 1–13.
- [73] Udaya. Lakshmi, Megan. Hofmann, Stephanie. Valencia, Laura. Wilcox, Jennifer Mankoff, and Rosa I. Arriaga. 2019. "Point-of-Care Manufacturing": Maker Perspectives on Digital Fabrication in Medical Practice. In *Proceedings of the ACM on Human-Computer Interaction CSCW* 2019. ACM.
- [74] Udaya Lakshmi, Megan Hofmann, Stephanie Valencia, Lauren Wilcox, Jennifer Mankoff, and Rosa I Arriaga. 2019. "Point-of-Care Manufacturing" Maker Perspectives on Digital Fabrication in Medical Practice. *Proceedings of the ACM on Human-Computer Interaction* 3, CSCW (2019), 1–23.
- [75] Udaya Lakshmi, Megan Hofmann, Stephanie Valencia, Lauren Wilcox, Jennifer Mankoff, and Rosa I. Arriaga. 2019. 'Point-of-Care Manufacturing': Maker Perspectives on Digital Fabrication in Medical Practice. *Proc. ACM Hum. Comput. Interact.* 3, CSCW (2019), 91:1–91:23.
- [76] Eneko Larrañeta, Juan Dominguez-Robles, and Dimitrios A Lamprou. 2020. Additive manufacturing can assist in the fight against COVID-19 and other pandemics and impact on the global supply chain. *3D Printing and Additive Manufacturing* 7, 3 (2020), 100–103.
- [77] Keld Laursen and Ammon J Salter. 2014. The paradox of openness: Appropriability, external search and collaboration. *Research policy* 43, 5 (2014), 867–878.
- [78] Thomas A LaVeist, Darrell Gaskin, and Patrick Richard. 2011. Estimating the economic burden of racial health inequalities in the United States. *International Journal of Health Services* 41, 2 (2011), 231–238.
- [79] Amanda Lazar, Jessica L Feuston, Caroline Edasis, and Anne Marie Piper. 2018. Making as expression: Informing design with people with complex communication needs through art therapy. In *Proceedings of the 2018 CHI Conference on Human Factors in Computing Systems*. 1–16.
- [80] Guilherme Arthur Longhitano and Jorge Vicente Lopes da Silva. 2021. COVID-19 and the worldwide actions to mitigate its effects using 3D printing.
- [81] Jorge Vicente Lopes da Silva. 2013. 3D technologies and the new digital ecosystem: a Brazilian experience. In *Proceedings of the Fifth International Conference on Management of Emergent Digital EcoSystems*. 278–284.
- [82] Susan Luckman. 2013. The aura of the analogue in a digital age: Women's crafts, creative markets and home-based labour after Etsy. *Cultural Studies Review* 19, 1 (2013), 249–70.
- [83] Jon Luongo and Deborah B Vilas. 2017. Medical Makers: Therapeutic Play Using "Loose Parts". In *the Handbook of Medical Play Therapy and Child Life*. Routledge, 299–313.
- [84] Charles Lusthaus. 2002. Organizational assessment: A framework for improving performance. IDRC.
- [85] Kelly Mack, Megan Hofmann, Udaya Lakshmi, Jerry Cao, Nayha Auradkar, Rosa I Arriaga, Scott E Hudson, and Jennifer Mankoff. 2021. Rapid Convergence: The Outcomes of Making PPE during a Healthcare Crisis. *arXiv preprint arXiv:2101.07853* (2021).
- [86] Albert Manero, Peter Smith, John Sparkman, Matt Dombrowski, Dominique Courbin, Anna Kester, Isaac Womack, and Albert Chi. 2019. Implementation of 3D printing technology in the field of prosthetics: past, present, and future. *International journal of environmental research and public health* 16, 9 (2019), 1641.
- [87] Konstantinos Manikas and Klaus Marius Hansen. 2013. Software ecosystems—A systematic literature review. *Journal of Systems and Software* 86, 5 (2013), 1294–1306.
- [88] Jennifer Mankoff, Gillian R Hayes, and Devva Kasnitz. 2010. Disability studies as a source of critical inquiry for the field of assistive technology. In *Proceedings of the 12th international ACM SIGACCESS conference on Computers and accessibility*. 3–10.
- [89] Samuel Marcos-Pablos and Francisco José García-Peñalvo. 2019. Technological ecosystems in care and assistance: a systematic literature review. *Sensors* 19, 3 (2019), 708.

- [90] Kathryn A May. 1991. Interview techniques in qualitative research: Concerns and challenges. *Qualitative nursing research: A contemporary dialogue* (1991), 188–201.
- [91] Samantha McDonald, Niara Comrie, Erin Buehler, Nicholas Carter, Braxton Dubin, Karen Gordes, Sandy McCombe-Waller, and Amy Hurst. 2016. Uncovering challenges and opportunities for 3D printing assistive technology with physical therapists. In *Proceedings of the 18th International ACM SIGACCESS Conference on Computers and Accessibility*. ACM, 131–139.
- [92] Janis Lena Meissner, John Vines, Janice McLaughlin, Thomas Nappey, Jekaterina Maksimova, and Peter Wright. 2017. Do-it-yourself empowerment as experienced by novice makers with disabilities. In *Proceedings of the 2017 Conference on Designing Interactive Systems*. ACM, 1053–1065.
- [93] Danilo Cangussu Mendes. 2013. <https://bit.ly/3NkzayC>
- [94] David G Messerschmitt, Clemens Szyperski, et al. 2005. *Software ecosystem: understanding an indispensable technology and industry*. MIT Press Books 1 (2005).
- [95] Chris Meyer and Jeffrey Gauthier. 2012. Social Entrepreneurship, Fitness Landscapes, and the Competing Dimensions of Sustainability. In *Academy of Management Proceedings*, Vol. 2012. Academy of Management Briarcliff Manor, NY 10510, 11552.
- [96] Paul Mihas. 2019. Qualitative data analysis. In *the Oxford Research Encyclopedia of Education*.
- [97] EK Ogunlana and AB Oshinaike. 2016. Human resources and performance appraisal in the academic library. *Human Resources* 48 (2016).
- [98] RM Ojokuku. 2013. Effect of performance appraisal system on motivation and performance of academics in Nigerian public universities. *Australian journal of business and management research* 3, 3 (2013), 20.
- [99] Johanna Okerlund and David Wilson. 2019. DIY Assistive Technology for Others: Considering Social Impacts and Opportunities to Leverage HCI Techniques. In *Proceedings of FabLearn 2019*. ACM, 152–155.
- [100] Jeremiah Parry-Hill, Patrick C Shih, Jennifer Mankoff, and Daniel Ashbrook. 2017. Understanding volunteer at fabricators: opportunities and challenges in diy-at for others in e-nable. In *Proceedings of the 2017 CHI Conference on Human Factors in Computing Systems*. 6184–6194.
- [101] Jeremiah L Parry-Hill and Daniel L Ashbrook. 2016. Challenges and Opportunities in DFO-AT: A Study of e-NABLE. (2016).
- [102] Piyush Patel and Piyush Gohil. 2020. Role of additive manufacturing in medical application COVID-19 scenario: India case study. *Journal of manufacturing systems* (2020)
- [103] Ricardo Pérez-Cuevas, Frederico C Guanais, Svetlana V Doubova, Leonardo Pinzón, Luis Tejerina, Diana Pinto Masis, Marcia Rocha, Donna O Harris, and James Macinko. 2017. Understanding public perception of the need for major change in Latin American healthcare systems. *Health policy and planning* 32, 6 (2017), 816–824.
- [104] Betsy Phillips and Hongxin Zhao. 1993. Predictors of assistive technology abandonment. *Assistive technology* 5, 1 (1993), 36–45.
- [105] Anne Marie Piper and Amanda Lazar. 2018. Co-design in health: what can we learn from art therapy? *Interactions* 25, 3 (2018), 70–73.
- [106] Richard L Popp and Paul G Yock. 2008. Ethical Issues in Invention, Innovation, and Entrepreneurship. In *VentureWell. Proceedings of Open, the Annual Conference*. National Collegiate Inventors & Innovators Alliance, 211.
- [107] George D Pozgar. 2018. *Legal aspects of healthcare administration*. Jones & Bartlett Learning.
- [108] F. Property. [n.d.]. *Protection Universelle Maladie (PUMA) health care system in France*.
- [109] PSR. 2020. <https://www.psr.org/wp-content/uploads/2018/05/safe-and-healthy-children.pdf>.
- [110] Usha Ramanathan, Angappa Gunasekaran, and Nachiappan Subramanian. 2011. Supply chain collaboration performance metrics: a conceptual framework. *Benchmarking: An international journal* (2011).
- [111] Bodil Ravneberg. 2012. Usability and abandonment of assistive technology. *Journal of Assistive Technologies* (2012).
- [112] WE Rogers, RH Crawford, JJ Beaman, and NE Walsh. 1991. Fabrication of prosthetic socket by selective laser sintering. In *1991 International Solid Freeform Fabrication Symposium*.
- [113] Daniela K Rosner. 2012. The material practices of collaboration. In *Proceedings of the ACM 2012 conference on computer supported cooperative work*. ACM, 1155–1164.
- [114] David L Sackett, William MC Rosenberg, JA Muir Gray, R Brian Haynes, and W Scott Richardson. 1996. Evidence based medicine: what it is and what it isn't.
- [115] Bérèngère Saliba and Bruno Ventelou. 2007. Complementary health insurance in France Who pays? Why? Who will suffer from public disengagement? *Health Policy* 81, 2-3 (2007), 166–182.
- [116] Kristin Bergtora Sandvik, Katja Lindskov Jacobsen, and Sean Martin McDonald. 2017. Do no harm: A taxonomy of the challenges of humanitarian experimentation. *International Review of the Red Cross* 99, 904 (2017), 319–344.
- [117] Eric C Schneider, Dana O Sarnak, David Squires, and Arnav Shah. 2017. *Mirror, Mirror 2017: International Comparison Reflects Flaws and Opportunities for Better U.S. Health Care*. <https://bit.ly/3sH6wjt>
- [118] Juliet Schor et al. 2016. Debating the sharing economy. *Journal of Self-Governance and Management Economics* 4, 3 (2016), 7–22.
- [119] Jon Schull. 2015. Enabling the Future: Crowdsourced 3D-printed Prosthetics as a Model for Open Source Assistive Technology Innovation and Mutual Aid. In *Proceedings of the 17th International ACM SIGACCESS Conference on Computers & Accessibility (Lisbon, Portugal) (ASSETS '15)*. ACM, New York, NY, USA, 1–1. <https://doi.org/10.1145/2700648.2809870>
- [120] Jon Schull. 2015. Enabling the future: Crowdsourced 3D-printed prosthetics as a model for open source assistive Technology Innovation and mutual aid. In *Proceedings of the 17th International ACM SIGACCESS conference on computers & accessibility*. 1–1.
- [121] Stefanie Schütte, Paula N Marin Acevedo, and Antoine Flahault. 2018. Health systems around the world—a comparison of existing health system rankings. *Journal of global health* 8, 1 (2018).
- [122] Nurhalida Shahrubudin, Te Chuan Lee, and Rhaizan Ramlan. 2019. An overview on 3D printing technology: Technological, materials, and applications. *Procedia Manufacturing* 35 (2019), 1286–1296.
- [123] Helen Sheldon, Chris Graham, Nick Potheary, and Farhat Rasul. 2007. *Increasing response rates amongst black and minority ethnic and seldom heard groups*. Europe: Picker Institute (2007).
- [124] Filipa Silva, Teresa Proença, and Marisa R Ferreira. 2018. Volunteers' perspective on online volunteering—a qualitative approach. *International Review on Public and Nonprofit Marketing* 15, 4 (2018), 531–552.

- [125] Shubham Singhal and Stephanie Carlton. 2019. The era of exponential improvement in healthcare. McKinsey & Company (2019).
- [126] Emma M Smith, Rosemary Joan Gowran, Hasheem Mannan, Brian Donnelly, Liliana Alvarez, Diane Bell, Silvana Contepomi, Liezel Ennion, EvertJan Hoogerwerf, Tracey Howe, et al. 2018. Enabling appropriate personnel skill-mix for progressive realization of equitable access to assistive technology. *Disability and Rehabilitation: Assistive Technology* 13, 5 (2018), 445–453.
- [127] Roger O Smith, Marcia J Scherer, Rory Cooper, Diane Bell, David A Hobbs, Cecilia Pettersson, Nicky Seymour, Johan Borg, Michelle J Johnson, Joseph P Lane, et al. 2018. Assistive technology products: a position paper from the first global research, innovation, and education on assistive technology (GREAT) summit. *Disability and Rehabilitation: Assistive Technology* 13, 5 (2018), 473–485.
- [128] Kirk St. Amant. 2019. The cultural context for communicating care.
- [129] Hartmut Stahl. 2013. 3D Printing–Risks and opportunities. *Institute for Applied Ecology* 23 (2013).
- [130] Arthur A Stukas, Russell Hoyer, Matthew Nicholson, Kevin M Brown, and Laura Aisbett. 2016. Motivations to volunteer and their associations with volunteers’ well-being. *Nonprofit and Voluntary Sector Quarterly* 45, 1 (2016), 112–132.
- [131] Silvia Tamez González y Catalina Eibenschutz. 2008. El seguro popular de salud en México: pieza clave de la inequidad en salud. *Revista de Salud Pública* 10 (2008), 133–145.
- [132] Soraia Teles, Diótima Bertel, Andrea Ch Kofler, Stefan H Ruscher, and Constança Paúl. 2017. A Multi-perspective View on AAL Stakeholders’ NeedsA User-centered Requirement Analysis for the Active Advice European Project. In *International Conference on Information and Communication Technologies for Ageing Well and e-Health*, Vol. 2. SCITEPRESS, 104–116.
- [133] Jelle Ten Kate, Gerwin Smit, and Paul Breedveld. 2017. 3D-printed upper limb prostheses: a review. *Disability and Rehabilitation: Assistive Technology* 12, 3 (2017), 300–314.
- [134] Divy Thakkar, Neha Kumar, and Nithya Sambasivan. 2020. Towards an AI-Powered Future that Works for Vocational Workers. In *Proceedings of the 2020 CHI Conference on Human Factors in Computing Systems*. 1–13.

- [135] Rune Thorsen, Federico Bortot, and Antonio Caracciolo. 2019. From patient to maker-a case study of co-designing an assistive device using 3D printing. *Assistive Technology* (2019), 1
- [136] Li Tian, Nadia Magnenat Thalmann, Daniel Thalmann, and Jianmin Zheng. 2017. The making of a 3D-printed, cable-driven, single-model, lightweight humanoid robotic hand. *Frontiers in Robotics and AI* 4 (2017), 65.
- [137] Antonio Ugalde and N ria Homedes. 2009. Health and equity in Latin America. *Americas Quarterly* 3, 4 (2009), 124.
- [138] Elisabeth Unterfrauner and Christian Voigt. 2017. Makers' ambitions to do socially valuable things. *The Design Journal* 20, su (2017), 183-199.
- [139] Juan Rafael Vargas and Jorine Muiser. 2013. Promoting universal financial protection: a policy analysis of universal health coverage in Costa Rica (1940-2000). *Health research policy and systems* 11, 1 (2013), 28.
- [140] Paola Volonghi, Gabriele Baronio, and Alberto Signoroni. 2018. 3D scanning and geometry processing techniques for customised hand orthotics: an experimental assessment. *Virtual and Physical Prototyping* 13, 2 (2018), 105.
- [141] Kostiantyn Vorsevych, M rcio Fagundes Goethel, Jerzy Mrozowski, Jan Awrejcewicz, and Mikhail Bezuglyi. 2019. Fingers movements control system based on artificial neural network model. *Radioelectronics and Communications Systems* 62, 1 (2019), 23.
- [142] WHO. (2000). World Health Organization Assesses the World's Health Systems. <https://bit.ly/39zRtRS>
- [143] Charlene Zietsma and Richard Tuck. 2012. First, do no harm: Evaluating resources for teaching social entrepreneurship. *Academy of Management Learning & Education* 11, 3 (2012), 512.
- [144] Faulkner, Alex. Opening the gateways to market and adoption of regenerative medicine? The UK case in context. *Regenerative medicine* 11.3 (2016): 321-330.
- [145] Barpong, David, et al. "Do-it-yourself (DiY) science: the proliferation, relevance and concerns." *Technological Forecasting and Social Change* 158 (2020): 120127.
- [146] Machaki, Anna. *Emotionally driven prostheses: exploring the effects on users' lives and societies' attitudes in the UK and Greece*. Diss. Loughborough University, 2019.

S3325.

(2020): 120127