MAGNETIC FIELD PENETRATION TECHNIQUE TO STUDY FIELD SHIELDING OF MULTILAYERED SUPERCONDUCTORS*

I. H. Senevirathne^{†,1}, A. Gurevich¹, J. R. Delayen^{1,2}, A-M Valente-Feliciano² ¹Centre for Accelerator Science, Old Dominion University, Norfolk, VA, USA ²Thomas Jefferson National Accelerator Facility, Newport News, VA, USA

Abstract

The SIS structure which consists of alternative thin layers of superconductors and insulators on a bulk niobium has been proposed to shield niobium cavity surface from high magnetic field and hence increase the accelerating gradient. The study of the behavior of multilayer superconductors in an external magnetic field is essential to optimize their SRF performance. In this work we report the development of a simple and efficient technique to measure penetration of magnetic field into bulk, thin film and multilayer superconductors. Experimental setup contains a small superconducting solenoid which can produce a parallel surface magnetic field up to 0.5 T and Hall probes to detect penetrated magnetic field across the superconducting sample. This system was calibrated and used to study the effect of niobium sample thickness on the field of full magnetic flux penetration. We determined the optimum thickness of the niobium substrate to fabricate the multilayer structure for the measurements in our setup. This technique was used to measure penetration fields of Nb₃Sn thin films and Nb₃Sn/Al₂O₃ multilayers deposited on Al₂O₃ wafers. The system was optimized to mitigate thermomagnetic flux jumps at low temperatures.

INTRODUCTION

For decades, bulk Nb has been the material of choice for SRF accelerator cavities due to its machinability and desirable superconducting properties. With continues progress in SRF technology, the performance of Nb cavities has steadily improved and approach theoretical limits. Best Nb cavity can reach breakdown field up to the thermodynamic critical field, B_c~200 mT which corresponds to accelerating gradient ~40-50 MVm⁻¹[1-4]. Further significant increase of accelerating gradients in the SRF cavities requires superconductors with superheating fields and critical temperatures higher than those for Nb to provide lower surface resistance R_s (high quality factor) and higher breakdown fields (high accelerating gradient) in the Meissner state [5,6]. Since clean Nb has the highest lower critical field $B_{c1} \simeq 180$ mT among type-II superconductors, all other alternative materials have B_{cl} lower than B_{cl}^{Nb} . To address this problem S-I-S multilayer structures with thin superconductors (S) with $B_c > B_c^{Nb}$ separated by dielectric (I) layers deposited on bulk Nb (Fig. 1) have been proposed to enhance the peak surface magnetic field by increasing the field onset of penetration of vortices [7,8]. Surface materials and topographic defects can cause premature local nology, we would be able to achieve high thermal stability to operate cavity at 4.2 K to reduce the operating costs. The study of SIS multilayers is important to optimize

penetration of vortices resulting in hot spots on the cavity

surface [9]. The insulating layers block propagation of vor-

tices to the bulk of Nb cavity and increases the breakdown

field of the cavity. By developing the S-I-S coating tech-

their SRF performance. Many such investigations are going on to study technological issues and SRF characteristics of SIS multilayers [10-17]. This work is based on investigation of the behavior of S-I-S multilayer structures in an external dc magnetic field. Since, maximum accelerating gradient is determined by the peak surface magnetic field at the inner cavity surface, the field onset of magnetic flux penetration is a key characteristic of the breakdown field and the high-field performance of SRF cavities. To measure the field of flux penetration in SRF materials, we developed a simple and efficient technique.

This measurement system was used to investigate bulk Nb, Nb₃Sn thin films and multilayer structure which consists of Nb₃Sn thin films. Nb₃Sn is an attractive choice for the next generation coating materials which could nearly double the maximum accelerating gradient as compared to the best Nb cavities [5].




Figure 1: SIS multilayers fabricated on niobium cavity enhances peak surface magnetic field at inner cavity surface.

MEASUREMENT TECHNIQUE

This technique is designed to efficiently measure full flux penetration across the superconducting sample using a simple methodology. To mimic the field configuration in SRF cavities, the magnetic field from the magnet should be applied to the one side of the sample so that the field lines are parallel to the surface, as shown in Fig. 2. Here a NbTi superconducting magnet is placed above the flat sample to produce parallel magnetic field on the surface of the sample up to 500 mT. The magnet is small enough compared to the sample diameter to prevent penetration of magnetic

^{*}Work supported by NSF Grants PHY-1734075 and PHY-1416051, and DOE Awards DE-SC0010081 and DE-SC0019399.

isene001@odu.edu

Any distribution of this work must maintain attribution to the author(s), title of

3.0 licence (©

flux from the edges (Fig. 3 (b)). Two copper leads are used to pass high current to the magnet as shown in Fig. 3 (a).




Figure 2: Magnetic field distribution when magnetic field is fully excluded from the superconductor in Meissner state. Right corner: magnetic field on the sample surface decays along the sample radius avoiding edge effect.

Sample holder is designed for 50 mm diameter discs (Fig. 3 (b)). Three high linearity cryogenic Hall probes shown in Fig 3(d) are mounted at three different locations under the sample to measure magnetic fields at the centre, at 4 mm and 10 mm from the centre. A separator plate is inserted between the sample and the magnet to maintain a fixed distance between them. Detailed experimental setup is described in [16].




Figure 3: The setup assembly of the experimental system (a) Outer (b) Inner view of the non magnetic container (c) Superconducting magnet coated with epoxy layer (d) Three Hall probes mounted at different locations.

For the first, sample is cooled to a particular temperature (4.35 K or 1.97 K) using liquid helium with a zero magnetic field. Then the magnet current is increased gradually, at a certain magnet current, superconductor shows mixed state transition and at the full flux penetration across the sample, Hall probes can detect penetrated field.

Calibration of the setup is done in few steps and found that maximum magnetic field on the sample is 5.5 mT/A

[17]. This simple and efficient technique is dedicated to measure bulk Nb and candidate thin film superconductors to multilayer system, eventually to study shielding effect of multilayer structure to Nb cavities.

BULK NIOBIUM

We measured four Nb samples with different thicknesses. According to Fig 4, magnet current at first flux detection is linear with the sample thickness. Since the superconducting magnet can hold current less than 100 A, sample should be thin enough to be measured in our system. Apparently, 250 µm thick Nb substrate is convenient to deposit SIS multilayers and test them with this experimental setup since it leaves more room to demonstrate enhanced breakdown field.




Figure 4: The current at first flux penetration with respect to the sample thickness of niobium with RRR= 356.

Figures 5 and 6 depict the flux penetration through 250 µm bulk Nb at 4.35 K and 1.97 K. Three Hall probes read first flux penetration at the same time. Center probe detected strongest penetrated magnetic field which decreased along the sample radius. The opposite field polarity at 10 mm from the center was observed due to the dipole-like magnetic field line configuration of the magnet.

NIOBIUM-TIN THIN FILMS

As Nb_3Sn has higher $T_c=18$ K and $B_c=530$ mT compared to those of Nb [18], it is an attractive candidate for SIS multilayers.

We measured a 1.5 μ m thick Nb₃Sn thin film grown on sapphire (Al₂O₃) wafer by multilayer sequential sputtering at room temperature and annealed at 950 C° by Nizam Sayeed at Jefferson Lab.

First the sample was loaded with sapphire plate as a separator. Since the sample is sandwiched between week thermal conducting plates, sudden change in the internal magnetic flux due to vortex avalanching causes flux jumps as shown by blue curve in Fig. 7. Materials defects in a superconductor act as pinning centers, which impede the vortex motion. Penetration of vortices causes local heating and depinning of neighboring vortices from their pinning sites, which can develop in a thermo-magnetic avalanche or partial flux jumps [19]. This process is controlled by thermal conductivity across the sample which can be improved by replacing the sapphire plate with a copper plate to supress

SUPTEV001

SRF Technology 113

ISBN: 978-3-95450-233-2

the flux jumps. As shown by the red curve in Fig. 7, the maintain attribution to the author(s), title of the work, publisher, flux jumps disappeared, but the first full penetration field remained the same at 137.5 ± 2.8 mT.




Figure 5: Three Hall probe responses against 250 µm thick niobium substrate at 4.35 K. First penetrated flux is detected at 154.0 ± 2.8 mT.




Figure 6: Three Hall probe responses against 250 µm thick niobium substrate at 1.97 K. First penetrated flux is detected at 192.5 ± 2.8 mT.

the flux jumps. As shown by the red curve in Fig. 7, the flux jumps disappeared, but the first full penetration field remained the same at 137.5 \pm 2.8 mT.

We found that reducing the current ramp rate from 0.5 A/s to 0.1 A/s doubles the current at full flux penetration, as indicated by the green curve. At higher current ramp rates and small heat capacity and thermal conductivity at low temperatures, dissipative motion of vortices causes significant local overheating and premature flux penetration. This process can be mitigated by slower ramping of the applied magnetic field which reduces the overheating effects [19].

We also investigated Nb₃Sn/Al₂O₃ multilayers deposited on R-plane of 300 µm thick sapphire wafers by Chris Sundahl at University of Wisconsin-Madison [20]. This multilayer sample consists of four 125 nm Nb₃Sn layers separated by 6 nm Al₂O₃ interlayers. A 200 nm thick Nb film was deposited on the back side of the wafers to prevent leakage of RF field during cavity measurements. With the




Figure 7: Increase of field at first flux penetration by increasing of thermal conductivity across the sample.

increase of the effective thermal conductivity by the Cu plate, the penetration field of 115.5 ± 2.8 mT measured at 4.35 K exceeds H_{c1} of Nb₃Sn as shown in Fig. 8.




Figure 8: The measurement of Nb₃Sn/Al₂O₃ multilayers on Al₂O₃ wafer grown at University of Wisconsin [20].

CONCLUSION

Magnetic field penetration technique is developed to investigate breakdown fields in bulk, thin film and multilayered superconductors for SRF applications. Thin films show flux jumps due to thermo-magnetic instability, which is mitigated by increasing thermal conductivity across the sample. The penetration field is increased by slowing down the current ramp rate. First measurement on S-I-S multilayers shows that our technique is appropriate for study the shielding effect of SIS structures.

ACKNOWLEDGEMENT

We would like to thank Charlie Reece for useful discussion and comments, Gianluigi Ciovati for providing equipment for the measurement system with initial guidance, Nizam Zayeed for providing the Nb₃Sn thin film and Chris Sundahl for the Nb₃Sn/Al₂O₃ multilayer sample. We also thank SRF and the machine shop staff at the Jefferson Lab for technical support.

SUPTEV001

Content

3.0 licence (© 2021). Any distribution of this work must

CC BY

REFERENCES

- [1] H. Padamsee, J. Knobloch and T. Hays, RF Superconductivity for Accelerators, 2nd Ed., Weinheim: Wiley-VCH, 2007.
- [2] R. L. Geng et al., "High gradient studies for ILC with singlecell re-entrant shape and elliptical shape cavities made of fine-grain and large grain niobium", in Proc. PAC'07, Albuquerque, NM, USA, Jun. 2007, paper WEPMS006, pp. 2337-2339.
- [3] A. Grassellino et al., "Unprecedented quality factors at accelerating gradients up to 45 MVm⁻¹ in niobium superconducting resonators via low temperature nitrogen infusion", Supercond, Sci. Technol., vol. 30, p. 094004, 2017. doi:10.1088/1361-6668/aa7afe
- [4] P. Dhakal et al., "Effect of low temperature baking in nitrogen on the performance of a niobium superconducting radio frequency cavity", Phys. Rev. Accel. Beams, vol. 21, p. 032001, 2018. doi:10.1103/PhysRevAccelBeams.21.032001
- [5] A. Gurevich, "Theory of RF superconductivity for resonance cavities", Supercond. Sci. Technol., vol. 30, p. 034004, 2017. doi:10.1088/1361-6668/30/3/034004
- [6] A-M Valente-Feliciano, "Superconducting RF materials other than bulk Nb: a review", Supercond. Sci. Technol., vol. 29, p. 113002, 2016.
 - doi:10.1088/0953-2048/29/11/113002
- [7] A. Gurevich, "Enhancement of rf breakdown field of superconductors by multilayer coating", Appl. Phys. Lett., vol. 88, p. 012511, 2006. doi:10.1063/1.2162264
- [8] A. Gurevich, "Maximum screening fields of superconducting multilayer structures", AIP Adv., vol. 5, p. 01712, 2015. doi.org/10.1063/1.4905711
- [9] S. Aderhold, "Optical inspection of SRF cavities at DESY", in Proc. IPAC'10, Kyoto, Japan, May 2010, paper WEPEC005, pp. 2896-2898.
- [10] A. Valente-Feliciano et al., "Development of Nb and alternative material thin films tailored for SRF applications", in Proc. IPAC'12, New Orleans, LA, USA, May 2012, paper WEPPC097, pp. 2444-2446.

- [11] D. Beringer et al., "Thickness dependence and enhancement of H_{C1} in epitaxial MgB₂ thin films", IEEE Transactions on Applied Superconductivity, vol. 23, no. 3, pp. 7500604-7500604, 2013. doi:10.1109/TASC.2012.2234192
- [12] C. Z. Antoine et al., "Magnetic screening of NbN multilayers samples", in Proc. SRF'11, Chicago, IL, USA, Jul. 2011, paper TUIOA03, pp. 281-286.
- [13] C. Baumier et al., "Multilayers activities at Saclay/Orsay". in Proc. SRF'13, Paris, France, Sep. 2013, paper WEIOC02. pp. 789-793.
- [14] W. Roach et al., "Magnetic shielding larger than the lower critical field of niobium in multilayers", IEEE Trans. Appl. Supercond., vol. 23, no. 3, pp. 8600203-8600203, 2013. Doi:10.1109/TASC.2012.2234956
- [15] T. Tajima et al., "Status of MgB2 coating studies for SRF applications", in Proc. SRF'13, Paris, France, Sep. 2013, paper WEIOB01, pp. 777-781.
- [16] I. H. Senevirathne, G. Ciovati, J. R. Delayen, "Measurement of the magnetic field penetration into superconducting thin filmsin Proc. SRF'19, Dresden, Germany, Jun.-Jul. 2019, pp. 978-982. doi:10.18429/JACoW-SRF2019-THP050
- [17] I. H. Senevirathne et al., "Measurements of magnetic field penetration in superconducting materials for SRF cavities", in Proc. IPAC'21, Campinas, SP, Brazil, May 2021, pp. 1208-1211.doi:10.18429/JACoW-IPAC2021-M0PAB396
- [18] S. Keckert et al., "Critical fields of Nb₃Sn prepared for superconducting cavities" Supercond. Sci. Technol., vol. 32 p. 075004, 2019. doi:10.1088/1361-6668/ab119e
- [19] E. Altshuler and T. H. Johansen, "Experiments in vortex avalanches", Rev. Mod. Phys., vol. 76, p. 471, 2004. doi:10.1103/RevModPhys.76.471
- [20] C. Sundahl et al., "Development and characterization of Nb₃Sn/Al₂O₃ superconducting multilayers for particle accelerators", Sci. Rep., vol. 11, p. 7770, 2021. doi:10.1038/s41598-021-87119-9

SRF Technology