

Timely Updates With Priorities: Lexicographic Age Optimality

Ali Maatouk^{id}, *Member, IEEE*, Yin Sun^{id}, *Senior Member, IEEE*, Anthony Ephremides^{id}, *Life Fellow, IEEE*,
and Mohamad Assaad^{id}, *Senior Member, IEEE*

Abstract—In this paper, we consider a scheduling problem, in which several streams of status update packets with different priority levels are sent through a shared channel to their destinations. We introduce a notion of *lexicographic age optimality*, or simply *lex-age-optimality*, to evaluate the performance of multi-class status update policies. In particular, a lex-age-optimal scheduling policy first minimizes the Age of Information (AoI) metrics for high-priority streams, and then, within the set of optimal policies for high-priority streams, achieves the minimum AoI metrics for low-priority streams. We propose a new scheduling policy named Preemptive Priority, Maximum Age First, Last-Generated, First-Served (PP-MAF-LGFS), and prove that the PP-MAF-LGFS scheduling policy is lex-age-optimal. This result holds (i) for minimizing any time-dependent, symmetric, and non-decreasing age penalty function; (ii) for minimizing any non-decreasing functional of the stochastic process formed by the age penalty function; and (iii) for the cases where different priority classes have distinct arrival traffic patterns, age penalty functions, and age penalty functionals. For example, the PP-MAF-LGFS scheduling policy is lex-age-optimal for minimizing the probability of age violation of a high-priority stream and the time-average age of a low-priority stream. Numerical results are provided to illustrate our theoretical findings.

Index Terms—Status updates, Age of Information (AoI), multi-class systems, priority queuing, lexicographic optimality.

I. INTRODUCTION

DUE to the proliferation of cheap hardware, remote monitoring has been adopted in many cyber-physical systems. In these applications, a monitor is interested in timely updates about the status of a remote system. These status updates range from the position and velocity of vehicles in

autonomous driving to the temperature and humidity levels of a certain area in environmental monitoring. In [2], the Age of Information (AoI) was proposed to measure the timeliness of status updates. Due to its widespread application range and its ability to quantify the freshness of information, the AoI has attracted a significant surge of interest in recent years [2]–[16]. In particular, transmission scheduling of multiple update streams in both centralized and distributed settings has been explored in [5], [17]–[27]. For example, the authors in [17] proposed both age-optimal and near age-optimal scheduling policies for the single and multi-server cases, respectively (we refer the readers to [28, Chapter 2]).

In a variety of real-life applications, information streams are assigned different priorities based on how crucial and time-sensitive their data are. A simple example is a vehicular network where data can be divided into two categories: crucial safety data and non-safety-related information. As the former is more time-sensitive than the latter, it should always be given a higher priority by the service facility [29]. Accordingly, priority-based scheduling problems have been extensively studied in the queuing theory literature for different performance measures (e.g., delay, and throughput). In [30], a notion of lexicographic optimality, or simply, lex-optimality, was introduced for throughput maximization in multi-class scheduling scenarios. The idea of lex-throughput-optimality is to first find a class of optimal scheduling policies Π_{opt} that maximize the throughput of a high priority class, and then find the optimal scheduling policies within Π_{opt} that maximize the throughput of the low priority class. Therefore, it provides high priority streams the best possible service, and meanwhile, optimizes the performance of the low priority streams without affecting that of high priority ones.

There are few recent studies on status updates with multiple priority classes. In [31], multiple information streams with distinct priorities are processed at a common service facility. The facility can have one waiting room for storing a status update packet and the waiting room is shared by all the streams. The authors studied a case where low priority packets are preempted by high priority ones and the preempted packets are discarded. Using a tool named Stochastic Hybrid Systems (SHS), the authors found an expression for the average age of each stream. The arrival rate of each stream was then optimized accordingly. In another work [32], the authors investigated the same settings of [31] but by letting each stream have its own buffer space. Most recently, closed forms of the average Peak Age of Information (PAoI) were found

Manuscript received August 27, 2021; revised February 1, 2022; accepted March 16, 2022. Date of publication March 28, 2022; date of current version May 18, 2022. This work has been supported by ONR N000141812046, NSF CCF1813078, NSF CNS1551040, NSF CCF1420651, and ONR N00014-17-1-2417. Yin Sun's work has also been supported in part by NSF grant CCF-1813050, and ARO grant W911NF-21-1-0244. An earlier version of this paper was presented in part at the 18th International Symposium on Modeling and Optimization in Mobile, Ad Hoc, and Wireless Networks (WiOpt 2020) [1]. The associate editor coordinating the review of this article and approving it for publication was H. Jiang. (*Corresponding author: Ali Maatouk.*)

Ali Maatouk and Mohamad Assaad are with the Laboratoire des Signaux et Systèmes, CentraleSupélec, 91190 Gif-sur-Yvette, France (e-mail: ali.maatouk@centralesupelec.fr).

Yin Sun is with the Department of Electronics and Computer Engineering (ECE), Auburn University, Auburn, AL 36849 USA.

Anthony Ephremides is with the Department of Electronics and Computer Engineering (ECE), University of Maryland, College Park, MD 20742 USA.

Color versions of one or more figures in this article are available at <https://doi.org/10.1109/TCOMM.2022.3162648>.

Digital Object Identifier 10.1109/TCOMM.2022.3162648

0090-6778 © 2022 IEEE. Personal use is permitted, but republication/redistribution requires IEEE permission.

See <https://www.ieee.org/publications/rights/index.html> for more information.

in M/M/1/1 settings where streams are assigned different priorities [33]. Existing research efforts have been focused on finding closed-form expressions of the average AoI/PAoI in a particular scenario and for a specific arrival traffic model, providing insights on the performance of the system. Nonetheless, how to optimize the age performance of status updates with multiple priorities remains to be a fundamental open question. In this paper, we provide an answer to this question. The key contributions of this paper are summarized as follows:

- We introduce the notion of lexicographic optimality for age minimization, which we will refer to as the lex-age-optimality. The lex-age-optimality captures both the age-optimality and priorities in a multi-class scheduling for minimizing the AoI. It guarantees that the age performance of low priority streams is optimized while ensuring that high priority streams are not affected.
- In the case of a single server with i.i.d. exponential service times, we propose a scheduling policy named *Preemptive Priority, Maximum Age First, Last-Generated, First-Served* (PP-MAF-LGFS). Using a sample-path argument, we show that this policy is lex-age-optimal. Our lex-age-optimality results are not constrained to the minimization of the average AoI previously adopted in [31]–[33]. In fact, they hold for (i) minimizing any time-dependent, symmetric, and non-decreasing penalty function of the ages, and (ii) minimizing any non-decreasing functional of the age penalty process. Unlike the previous works on multi-class status updates [31], [33], our lex-age-optimality results are not limited to a given traffic arrival process. Moreover, they hold when the priority classes have distinct traffic patterns and age penalty functionals. For example, we could be interested in minimizing the probability of age violation for a class and the average AoI for another. Similar lex-age-optimality results can be also established for discrete-time systems and status updates over a wireless fading channel, as explained in Remark 1.

The rest of the paper is organized as follows: Section II is dedicated to the system model where the required definitions and the queuing model are presented. In Section III, we introduce the notion of lex-age-optimality and prove that the PP-MAF-LGFS policy is lex-age-optimal. Numerical results that corroborate these findings are laid out in Section IV while the paper is concluded in Section V.

II. SYSTEM MODEL

A. Notations and Definitions

We let x and $\mathbf{x}$ denote deterministic scalars and vectors, respectively. Similarly, we will use X and $\mathbf{X}$ to denote random scalars and vectors, respectively. Let x^i denote the i -th element of vector $\mathbf{x}$, and let $x^{[i]}$ denote the i -th largest element of vector $\mathbf{x}$. Hence, $x^{[1]}$ and $x^{[N]}$ denote the largest and smallest elements of vector $\mathbf{x}$, respectively. We denote by $[\mathbf{x}] = [x^{[1]}, x^{[2]}, \dots, x^{[N]}]^T$ the sorted version of vector $\mathbf{x}$ in the descending order. Vector $\mathbf{x} \in \mathbb{R}^N$ is said to be smaller than $\mathbf{y} \in \mathbb{R}^N$, denoted by $\mathbf{x} \leq \mathbf{y}$, if $x^i \leq y^i$ for $i = 1, \dots, N$. The composition of two functions f and g is

denoted by $f \circ g(\mathbf{x}) = f(g(\mathbf{x}))$. A function $p : \mathbb{R}^N \mapsto \mathbb{R}$ is said to be symmetric if $p(\mathbf{x}) = p([\mathbf{x}])$ for all $\mathbf{x} \in \mathbb{R}^N$. In other words, the value of the function $p(\mathbf{x})$ is invariant by permuting the elements of $\mathbf{x}$ [34]. Next, we define stochastic ordering, which we will use in subsequent age-optimality analysis.

Definition 1 (Stochastic Ordering of Random Variables [35]): A random variable X is said to be stochastically smaller than another random variable Y , denoted by $X \leq_{st} Y$, if $\Pr(X > t) \leq \Pr(Y > t) \forall t \in \mathbb{R}$.

Definition 2 (Stochastic Ordering of Random Vectors [35]): A set $\mathcal{U} \subseteq \mathbb{R}^N$ is called upper if $\mathbf{y} \in \mathcal{U}$ whenever $\mathbf{x} \leq \mathbf{y}$ and $\mathbf{x} \in \mathcal{U}$. Let $\mathbf{X}$ and $\mathbf{Y}$ be two N -dimensional random vectors, $\mathbf{X}$ is said to be stochastically smaller than $\mathbf{Y}$, denoted by $\mathbf{X} \leq_{st} \mathbf{Y}$, if

$$\Pr(\mathbf{X} \in \mathcal{U}) \leq \Pr(\mathbf{Y} \in \mathcal{U}) \text{ for any upper set } \mathcal{U} \subseteq \mathbb{R}^N. \quad (1)$$

Definition 3 (Stochastic Ordering of Stochastic Processes [35]): A stochastic process $\{X(t), t \geq 0\}$ is said to be stochastically smaller than another stochastic process $\{Y(t), t \geq 0\}$, denoted by $\{X(t), t \geq 0\} \leq_{st} \{Y(t), t \geq 0\}$, if for any sequence of time instants $t_1 < t_2 < \dots < t_m \in \mathbb{R}^+$

$$(\mathbf{X}(t_1), \mathbf{X}(t_2), \dots, \mathbf{X}(t_m)) \leq_{st} (\mathbf{Y}(t_1), \mathbf{Y}(t_2), \dots, \mathbf{Y}(t_m)). \quad (2)$$

Let $\mathbb{V}$ be the set of Lebesgue measurable functions on $[0, \infty)$, i.e.,

$$\mathbb{V} = \{g : [0, \infty) \mapsto \mathbb{R} \text{ is Lebesgue measurable}\}. \quad (3)$$

A functional $\phi : \mathbb{V} \mapsto \mathbb{R}$ is said to be non-decreasing if $\phi(g_1) \leq \phi(g_2)$ holds for all $g_1, g_2 \in \mathbb{V}$ that satisfy $g_1(t) \leq g_2(t)$ for $t \in [0, \infty)$. We note that $\{X(t), t \geq 0\} \leq_{st} \{Y(t), t \geq 0\}$ if, and only if, [35]

$$\mathbb{E}[\phi(\{X(t), t \geq 0\})] \leq \mathbb{E}[\phi(\{Y(t), t \geq 0\})] \quad (4)$$

holds for every non-decreasing functional ϕ for which the expectations in (4) exist.

B. Queuing Model

Consider the status-update system illustrated in Fig. 1, where N streams of status update packets are sent through a shared service facility. Each update stream has a queue, which could have an infinite or finite buffer space. The server can process at most one packet at a time. The packet service times are i.i.d. across streams and packets. The packet streams are divided into I priority classes, with streams from the same class having the same priority. Each stream is indexed by two numbers (i, j) , where i is the class index and j is the stream index within class i . The classes are indexed in a decreasing order of priority. In other words, classes 1 and I are the highest and lowest priority classes, respectively. Let J_i be the number of streams in class i . Let $s_{i,j}$ and $d_{i,j}$ denote the source and destination nodes of stream (i, j) , respectively. Different streams may have different source and/or destination nodes.

The system starts operating at time $t = 0$. The n -th update packet of stream (i, j) is generated at time $S_n^{i,j}$, arrives to the




Fig. 1. System model.

stream's buffer at time $A_n^{i,j}$, and is delivered to the destination $d_{i,j}$ at time $D_n^{i,j}$. Accordingly, we always have $0 \leq S_1^{i,j} \leq S_2^{i,j} \leq \dots$ and $S_n^{i,j} \leq A_n^{i,j} \leq D_n^{i,j}$. We consider the following synchronized packet generation and arrival processes.

Definition 4 (Intra-Class Synchronized Generations and Arrivals): The packet generation and arrival times are said to be synchronized across streams within each class, if for each class $i = 1, \dots, I$, there exist two sequences $\{S_1^i, S_2^i, \dots\}$ and $\{A_1^i, A_2^i, \dots\}$ such that for all $n = 1, 2, \dots$ and $j = 1, \dots, J_i$

$$S_n^{i,j} = S_n^i, \quad A_n^{i,j} = A_n^i. \quad (5)$$

We restrict our attention to the above packet generation and arrival processes because establishing the lex-age-optimal policy in the general case is challenging, as will be shown later in the proof of Theorem 1. Note that we let each class have its unique traffic pattern as we do not impose *inter-class* synchronization. In practice, the synchronization between streams within each class occurs when these streams are synchronized by the same clock, as in monitoring and control applications [36], [37]. Another example is a vehicular network where high priority data such as position and velocity are generated every T time units, while other data of lower priority can have a different traffic pattern (e.g., updates on the traffic are generated every T' time units) [29]. It is important to note that, if $J_i = 1$, there is only one stream in class i and the stream could have *arbitrary* packet generation and arrival processes. For example, our study holds even for out-of-order packet arrivals, i.e., $S_n^i < S_{n+1}^i$ but $A_n^i > A_{n+1}^i$, which were not allowed in the models of [31], [33]. In the following, we let

$$\mathcal{J} = \{(S_n^i, A_n^i), i = 1, \dots, I, \quad n = 1, 2, \dots\} \quad (6)$$

denote the sequence of generation/arrival times for all the classes of streams. We suppose that $\mathcal{J}$ is independent of the service times of the packets and is not altered by the choice of the scheduling policy.

Let π represents a scheduling policy that determines which packets from which streams to send over time. Let Π denotes the set of all *causal* scheduling policies, in which the decisions are made without using any future knowledge. A policy is said to be *work-conserving* if the service facility is kept busy whenever there exists at least one packet in the queues. We let $\Pi_{wc} \subset \Pi$ denote the set of work-conserving causal policies.

A policy is said to be *preemptive* if it allows the service facility to switch to transmitting another packet at any time.

C. Age Penalty Functions and Functionals

The age of information of stream (i, j) at time t is:

$$\Delta^{i,j}(t) = t - \max\{S_n^{i,j} : D_n^{i,j} \leq t, \quad n = 1, 2, \dots\}, \quad (7)$$

which is the difference between the current time t and the generation time of the freshest packet that has been delivered to the destination $d_{i,j}$. Let $\Delta^i(t) = (\Delta^{i,1}(t), \dots, \Delta^{i,J_i}(t))$ denote the age vector at time t of all streams belonging to class i , and let $\Delta(t) = (\Delta^1(t), \dots, \Delta^I(t))$ denote the age vector of all streams at time t .

We introduce an age penalty function $p_t \circ \Delta^i(t)$ that represents the level of dissatisfaction with the aged information of class i at time t , where $p_t : \mathbb{R}^{J_i} \mapsto \mathbb{R}$ is a non-decreasing function of $\Delta^i(t)$. Some commonly used age penalty functions are listed below.

- The sum age of the J_i streams:

$$p_{\text{sum}} \circ \Delta^i(t) = \sum_{j=1}^{J_i} \Delta^{i,j}(t). \quad (8)$$

- The maximum age of the J_i streams:

$$p_{\text{max}} \circ \Delta^i(t) = \max_{j=1, \dots, J_i} \Delta^{i,j}(t). \quad (9)$$

- The average age threshold violation of the J_i streams:

$$p_{\text{exceed}-\alpha} \circ \Delta^i(t) = \frac{1}{J_i} \sum_{j=1}^{J_i} \mathbb{1}_{\{\Delta^{i,j}(t) > \alpha\}}. \quad (10)$$

where $\mathbb{1}_{\{\cdot\}}$ is the indicator function, and α is a fixed age threshold that should not be violated.

- The sum age penalty function of the J_i streams:

$$p_{\text{pen}} \circ \Delta^i(t) = \sum_{j=1}^{J_i} g(\Delta^{i,j}(t)), \quad (11)$$

where $g : \mathbb{R}^+ \mapsto \mathbb{R}$ is a non-decreasing function. For instance, an exponential function $g(\Delta^{i,j}) = \exp(a\Delta^{i,j})$ with $a > 0$ can be used for control applications where the system is vulnerable to outdated information and the

need for fresh information grows quickly with respect to the age [11], [38].

We focus on the family of symmetric and non-decreasing penalty functions:

$$\mathcal{P}_{\text{sym}} = \{p : [0, \infty)^N \mapsto \mathbb{R} \text{ is symmetric and non-decreasing}\}.$$

This class of penalty functions $\mathcal{P}_{\text{sym}}$ is fairly large, and include the age penalty functions in (8)-(11). Furthermore, we point out that p_t can change over time, which represents the time-variant importance of the information streams. This highlights the generality of the class of penalty functions that we consider.

In addition to age penalty functions, we use non-decreasing functionals $\phi(\{p_t \circ \Delta^i(t), t \geq 0\})$ of the age penalty process $\{p_t \circ \Delta^i(t), t \geq 0\}$ to represent the level of dissatisfaction with the aged information of class i , which is called age penalty functionals. One example of age penalty functionals is the time-average age penalty:

$$\phi_{\text{avg}}(\{p_t \circ \Delta^i(t), t \geq 0\}) = \frac{1}{T} \int_0^T p_t \circ \Delta^i(t) dt. \quad (12)$$

Different priority classes can have distinct age penalty functions and functionals. This is important because each priority class typically represents a different application and has its own data timeliness requirements. For example, in vehicular networks, time-crucial safety data related to vehicle position should be delivered promptly. Typically, the system performance is affected by the probability of violation of an age threshold. Accordingly, we can choose the excess age penalty function $p_{\text{exceed}-\alpha}$ and the time-average age penalty functional ϕ_{avg} for this class of traffic. On the other hand, for example, we can choose the penalty function p_{sum} and the time-average age penalty functional ϕ_{avg} for the updates on gas tank levels. This further highlights the generality of our considered framework.

In the following, we use $\{\Delta_\pi^i(t), t \geq 0\}$ and $\{p_t \circ \Delta_\pi^i(t), t \geq 0\}$ to represent the stochastic age process and age penalty process of class i , respectively, when policy π is adopted. We assume that the initial age $\Delta_\pi(0^-)$ at time $t = 0^-$ is the same for all $\pi \in \Pi$.

III. MULTI-CLASS MULTI-STREAM SCHEDULING

A. Lexicographic Age Optimality

In the following, we introduce the notion of lexicographic optimality for age minimization, which is referred to as the lex-age-optimality. Recent efforts on age analysis in multi-class systems focused mainly on finding closed-form expressions of the average AoI/PAoI a particular scheduling policy [31]–[33]. Note that, in the multi-class system case, the minimization of the total average AoI/PAoI falls short in capturing the differences in priority between the classes. In fact, this approach lets each stream contribute equally to the penalty of the system regardless of its class. As it will be shown below, the lex-age-optimality not only solves this issue but also provides a new research direction for age analysis in multi-class timely status-update systems.

Definition 5 (Lex-Age-Optimality): A scheduling policy $P \in \Pi$ is said to be *level-1 lex-age-optimal* within Π if for all $\mathcal{J}$, $p_t \in \mathcal{P}_{\text{sym}}$ and $\pi \in \Pi$

$$[\{p_t \circ \Delta_P^1(t), t \geq 0\} | \mathcal{J}] \leq_{st} [\{p_t \circ \Delta_\pi^1(t), t \geq 0\} | \mathcal{J}]. \quad (13)$$

We let $\Pi_{\text{lex-opt}}^1 \subset \Pi$ denote the set of scheduling policies that are level-1 lex-age-optimal. In addition, policy P is said to be *level- k lex-age-optimal* for $k = 2, \dots, I$ if it is level- $(k-1)$ lex-age-optimal, and for all $\mathcal{J}$, $p_t \in \mathcal{P}_{\text{sym}}$ and $\pi \in \Pi_{\text{lex-opt}}^{k-1}$

$$[\{p_t \circ \Delta_P^k(t), t \geq 0\} | \mathcal{J}] \leq_{st} [\{p_t \circ \Delta_\pi^k(t), t \geq 0\} | \mathcal{J}], \quad (14)$$

where $\Pi_{\text{lex-opt}}^{k-1}$ is the set of scheduling policies that are level- $(k-1)$ lex-age-optimal. If policy P is level- I lex-age-optimal, it is said to be *lex-age-optimal*.

According to (4), (13) can be equivalently expressed as

$$\begin{aligned} \mathbb{E}[\phi(\{p_t \circ \Delta_P^1(t), t \geq 0\}) | \mathcal{J}] \\ = \min_{\pi \in \Pi} \mathbb{E}[\phi(\{p_t \circ \Delta_\pi^1(t), t \geq 0\}) | \mathcal{J}], \end{aligned} \quad (15)$$

for all $\mathcal{J}$, $p_t \in \mathcal{P}_{\text{sym}}$, and non-decreasing functional $\phi : \mathbb{V} \mapsto \mathbb{R}$, provided that the expectations in (15) exist. Similarly, an equivalent formulation of the level- k lex-age-optimality (14) of a policy $P \in \Pi_{\text{lex-opt}}^{k-1}$ is

$$\begin{aligned} \mathbb{E}[\phi(\{p_t \circ \Delta_P^k(t), t \geq 0\}) | \mathcal{J}] \\ = \min_{\pi \in \Pi_{\text{lex-opt}}^{k-1}} \mathbb{E}[\phi(\{p_t \circ \Delta_\pi^k(t), t \geq 0\}) | \mathcal{J}], \end{aligned} \quad (16)$$

for all $\mathcal{J}$, $p_t \in \mathcal{P}_{\text{sym}}$, and non-decreasing functional $\phi : \mathbb{V} \mapsto \mathbb{R}$, provided that the expectations in (16) exist.

The goal of the lex-age-optimality is to first guarantee the age-optimality of high priority classes, and then optimize the age performance of the low priority classes accordingly. To see how this is achieved, we recall from (15) that a level-1 lex-age-optimal policy P achieves the smallest possible expected value of any non-decreasing functional ϕ of the stochastic age penalty process $[\{p_t \circ \Delta^1(t), t \geq 0\} | \mathcal{J}]$ among all causal policies. Next, to maintain the age-optimality of the highest priority class, our attention is restricted to the set of scheduling policies that are level-1 lex-age-optimal. We have denoted this set by $\Pi_{\text{lex-opt}}^1$. To that end, and as seen in (16), a policy P is level 2 lex-age-optimal if it achieves the smallest possible expected value of any non-decreasing functional ϕ of the stochastic age penalty process $[\{p_t \circ \Delta^2(t), t \geq 0\} | \mathcal{J}]$ among all level-1 lex-age-optimal policies. This showcases how the lex-age-optimality captures the priority of streams since, by definition, lex-age-optimal policies grant high priority streams the best possible age performance without being influenced by low priority streams. Then, while ensuring the age-optimality of the high priority streams, the age performance of the low priority streams is optimized. Consequently, we can see that the lexicographic age-optimality framework imposes a hard priority order between the streams, contrasting the soft priority order achieved through the weighted AoI approach [18]. In fact, in the latter, a lower priority class can, at some point, become more privileged to access the server once its weighted AoI is large. On the contrary, the lexicographic age framework provides a hard priority order between the streams. To that end, no matter what the AoI of the other classes is, the higher

priority classes will always be privileged for transmission if that transmission reduces their AoI.

B. Lex-Age-Optimal Scheduling

We consider the case where the service time of each packet is exponentially distributed with service rate μ . To address this multi-stream scheduling problem, we first lay out the notion of informative packets.

Definition 6 (Informative and Non-Informative Packets): Consider a packet of stream (i, j) that is generated at time $S_n^{i,j} \leq t$. The packet is said to be *informative (non-informative)* at time t if $t - S_n^{i,j} < \Delta^{i,j}(t)$ ($t - S_n^{i,j} \geq \Delta^{i,j}(t)$), i.e., the age of the packet is (not) smaller than $\Delta^{i,j}(t)$.

Equipped with the above definition, we consider in the following several scheduling disciplines that are based on informative packets.

Definition 7 (Preemptive Priority (PP) Policy Based on Informative Packets): Among the streams with informative packets, the streams with the highest priority are served first. When an informative packet arrives, if it has a higher priority than the packet that is being served, it will preempt the packet under service. If the preempted packet is informative, it is stored back to the queue; if the preempted packet is non-informative, it can be either stored back to the queue or dropped.

Definition 8 (Maximum Age First (MAF) Policy): Among the streams from the same priority class, the stream with the maximum age is served first; when multiple streams have the same maximum age, ties can be broken arbitrarily.

Definition 9 (Last-Generated, First-Served (LGFS) Policy): Among the informative packets from a stream, the last generated informative packet is served first; when multiple informative packets have the same latest generated time, ties can be broken arbitrarily.

By combining the above three service disciplines, we propose a new scheduling policy called Preemptive Priority, Maximum Age First, Last-Generated, First-Served (PP-MAF-LGFS) policy, which is defined as follows.

Definition 10 (Preemptive Priority, Maximum Age First, Last-Generated, First-Served Policy): This policy is preemptive, work-conserving, and obeys the following set of scheduling rules:

- If there exist informative packets, the system will serve an informative packet that is selected as follows
 - among all streams with informative packets, pick the class of streams with the highest priority;
 - among the streams from the selected priority class, pick the stream with the maximum age, where ties can be broken arbitrarily;
 - among the informative packets from the selected stream, pick the last generated informative packet, where ties can be broken arbitrarily;
- if there exists no informative packet, the system can serve any non-informative packet or be idle.

As can be seen above, a crucial aspect of the PP-MAF-LGFS policy is that informative packets should not be dropped, which will be shown later to be essential for lex-age-optimality. Because of this, the packet management strategies

in [10] are not suitable for multi-class age-based scheduling. As for non-informative packets, our proposed policy can either drop them or serve them after all the informative packets have been processed, which does not affect the AoI performance of the proposed policy or its lex-age-optimality. Although non-informative packets are not necessary for reducing the age, but in many applications, they may still be needed at the monitor (e.g., information updates on social network or stock market). Note that in the case of a single priority class (i.e., $I = 1$), the proposed policy coincides with the preemptive Maximum Age First, Last-Generated, First-Served (MAF-LGFS) scheduling policy proposed in [17], which was shown to be the optimal scheduling policy in this special case.

By definition, our policy ensures that the service of high priority informative packets is not interrupted or influenced by any lower priority informative packets. This grants crucial timely packets the best possible service. Note that informative packets play a key role in our policy. In particular, the preemptive priority discipline that we consider is a *dynamic* priority rule in which the priority level depends on the existence of informative packets: If a stream from class 1 has informative packets, the stream has the highest priority; otherwise, if the stream does not have any informative packets, the stream has the lowest priority, even lower than the streams in the lowest class I that have informative packets. This non-trivial aspect of our policy ensures that low priority classes are provided with the best possible opportunity for transmission while not affecting the age of the high priority streams. On another note, our policy ensures that the freshest packets from the selected priority class are delivered first. These key observations are crucial and will be used to establish the lex-age-optimality of the PP-MAF-LGFS policy.

Theorem 1 (Multiple Streams per Priority Class): If (i) the packet generation and arrival times are synchronized across streams within each class, and (ii) the packet service times are exponentially distributed and i.i.d. across streams and time, then the PP-MAF-LGFS policy is lex-age-optimal.

Proof: This theorem is proven by using an inductive sample-path comparison. Specifically, we first proceed with a stochastic coupling between any two *work-conserving* policies $P, \pi \in \Pi_{wc}$. Next, we show by induction that the set of scheduling rules that the PP-MAF-LGFS policy satisfies are sufficient and necessary for level- k lex-age-optimality for $k = 1, \dots, I$. Contrary to previous sample-path proofs in the literature (e.g., in [17]), showing these scheduling rules are sufficient for optimality is not enough for proving Theorem 1. In fact, in order to prove level- $(k + 1)$ lex-age-optimality, one needs to exactly characterize all the level- k lex-age-optimal scheduling policy in $\Pi_{lex-opt}^k$. This requirement poses several technical difficulties, which are solved in our proof by showing the necessity of the scheduling rules in Definition 10 for level- k lex-age-optimality. The details can be found in Appendix A. ■

Theorem 2 (One Stream per Priority Class): If (i) the packet service times are exponentially distributed and i.i.d. across streams and time, and (ii) each priority class has only one stream, then the PP-MAF-LGFS policy is lex-age-optimal for *arbitrary* packet generation and arrival processes.

Proof: When there is only one stream in each class i for $i = 1, \dots, I$, then the intra-class synchronization assumption reduces to the *arbitrary* packet generation and arrival processes case. To that end, the theorem can be concluded from the proof of Theorem 1. ■

To the best of our knowledge, this is the first lex-age-optimality result for multi-class status updates. Our result is strong as the optimality is established in terms of stochastic ordering of stochastic processes for all symmetric non-decreasing penalty functions, and for all non-decreasing age penalty functionals. What makes these results further interesting is that the priority classes can have different traffic patterns, age penalty functions, and age penalty functionals. As it was previously explained in Section II-C, this is of paramount importance as priority classes typically represent different applications, each with their own traffic arrivals and data timeliness requirements. For example, in a certain scenario, we can be interested in minimizing the time-average sum-age for class 1 and the probability of age threshold violation for class 2. Theorem 1 guarantees that our proposed policy achieves the required data timeliness goal for any of these cases, despite the differences in age penalty functions and functionals between the classes.

Remark 1: Theorems 1 and 2 can be readily generalized to discrete-time systems, where the packets are of the same transmission time duration, i.e., one time slot, and the transmission error probability is the same for every packet. By this, one can show that the PP-MAF-LGFS policy is lex-age-optimal in status updates over a wireless fading channel, where the transmission error probability is determined by the data rate, transmission power, and channel state distribution. The proof techniques of these results are quite similar to their continuous-time counterpart; the only difference is that Lemma 1 should be replaced by a discrete-time coupling lemma, which can be proven by using the memoryless property of geometric distribution. It appears to be challenging to generalize the results to the scenarios in which the packets from different priority classes have different service rates (in the continuous-time setting) or different transmission error probabilities (in the discrete-time setting) due to difficulties in establishing the coupling lemma (Lemma 1). We note that these results do not apply to peak age minimization because the peak age is not a non-decreasing functional of the AoI process.

IV. NUMERICAL RESULTS

In this section, we consider a vehicle in a V2X (Vehicle-To-Everything) network that sends packets to nearby vehicles and roadside units (see [29], [39] for two surveys). In the aforementioned surveys, a list of possible packets use cases are presented, each of which having multiple priorities in status-updating networks. We pick 3 data categories in our simulations:

- 1) **Road Safety Data:** These are the data primarily employed to reduce the number of traffic accidents. This class of streams has the highest priority among all data types.
- 2) **Traffic Management Data:** The goal of these data is to optimize the traffic stream and reduce the travel time

in the network. The priority of this class is secondary to road safety data.

- 3) **Convenience and Entertainment Data:** The data in this class are considered to be the least crucial as their aim is to provide entertainment and convenience solely for improving the quality of travel.

A. Age Functionals

The goal of this part of the simulations is to showcase the performance of our proposed policy when the classes have distinct age-dissatisfaction functionals. To that end, we consider in our simulations that $J_1 = 2$ (e.g., the vehicle's position and speed). Additionally, we assume that the packets' generation frequency of these streams is 10 Hz. As for class 2, we consider in our simulations that $J_2 = 2$ (e.g., updates concerning the destination of the vehicle). The generation frequency of these packets is set to 1 Hz. Lastly, we consider in our simulations that $J_3 = 2$ and we suppose that the generation frequency of their packets is 5 Hz. Based on the above, we can conclude that the arrival rate to our considered system is $\lambda_{tot} = 31$ packets per second. The service facility of the vehicle is supposed to be constituted of 1 server with the transmission times being i.i.d. across streams and time. Moreover, the transmission times are considered to be exponentially distributed with service rate μ .


We compare our proposed policy to the preemptive MAF-LGFS¹ policy proposed in [17]. The preemptive MAF-LGFS policy schedules the packet of the stream with the highest age, regardless of the class it belongs to. As for the age penalty function and functional for each class, we choose $p_{\text{exceed}-\alpha}$ and ϕ_{avg} as the age penalty function and functional for class 1 respectively, where α is set to 250 ms. By doing so, we get

$$\begin{aligned} \mathbb{E}[\phi_{\text{avg}}(\{p_{\text{exceed}-\alpha} \circ \Delta^1(t), t \geq 0\})] \\ = \frac{1}{2} \sum_{j=1}^2 \frac{1}{T} \int_0^T \Pr(\Delta^{1,j}(t) > \alpha) dt, \end{aligned} \quad (17)$$


where $\Pr(\Delta^{1,j}(t) > \alpha)$ is the probability of violation of the maximum tolerated age 250 ms by stream $(1, j)$ at time t . The interest in this time-average age penalty function is that in vehicular networks, small age for the velocity and position data can be tolerated but, after a certain value, the performance of the system starts deteriorating due to this aging. For class 2, we choose ϕ_{avg} as the age penalty functional. Lastly, we choose p_{sum} and ϕ_{avg} for class 3. We iterate over a range of the service rate μ and we run the simulations for 10^5 s. We report in Fig. 2 the simulations results that showcase the performance of each policy. We can conclude from these results the following:

- As seen in Fig. 2a, our proposed policy always outperforms the preemptive MAF-LGFS policy for class 1 at any service rate. Specifically, the probability of the age threshold violation by the preemptive MAF-LGFS policy


¹First-Come-First-Served (FCFS) policies are omitted from our simulations as they will always be outperformed by LGFS policies since queuing will lead to unnecessary staleness of the packets.



(a) Probability of age violation for class 1.



(b) Time-averaged age of class 2.



(c) Time-averaged sum age of class 3.

Fig. 2. Comparison between the two policies in function of the service rate μ .

is 3 times higher than the one achieved by our policy. This is a consequence of our proposed policy's goal as it gives priority to minimizing the time-average age penalty of class 1 regardless of the other remaining classes.

- On the other hand, we can see in Fig. 2b-2c that the preemptive MAF-LGFS policy outperforms our proposed policy for classes 2 and 3. In fact, in our policy, giving the priority to class 1 leads to a penalty for the remainder of the classes. However, we recall that the probability of violation of the age threshold in class 1 for our policy is 3 times less than the preemptive MAF-LGFS. Accordingly, the penalty incurred by the remaining classes is justified. Moreover, we can see that as μ increases, the gap between the two curves in both figures shrinks. The reason behind this is that class 1's packets finish transmission much faster the higher μ is. Consequently, in our proposed policy, the server will be able to finish serving class 1 fast enough that it can start serving the other classes before new packets for class 1 arrive to the system. This reduces the incurred penalty by the low

priority classes due to the presence of the high priority streams.

The above results highlight the performance of our proposed lex-age-optimal policy, and showcase how it grants high priority streams the best possible age performance while optimizing the age performance of the low priority classes accordingly.

B. Number of Streams

In this part of the simulations, the goal is to highlight how the same two policies considered above compare when the number of streams of the system changes. To that end, we consider the generation frequency of all packets in the system to be equal to 5 Hz. Additionally, for each priority class, we choose p_{sum} and ϕ_{avg} as the age penalty function and functional respectively. In the first settings, we fix $\mu = 40$, $J_2 = 2$, $J_3 = 2$ and we vary the number of high priority streams J_1 . To compare the two policies, we define the age performance ratio as the ratio between the sum-average age achieved by the proposed PP-MAF-LGFS policy and the



(a) Age performance ratio as a function of J_1 .(b) Age performance ratio as a function of J_3 .

Fig. 3. Age performance ratio versus the numbers of streams in Class 1 and Class 3, where the age performance ratio for a given priority class is defined as the sum-average age of the priority class achieved by the PP-MAF-LGFS policy and the preemptive MAF-LGFS policy.

preemptive MAF-LGFS policy. As seen in Fig. 3a, as the number of high-priority streams increases, the age performance ratio for Class 1 remains relatively constant and below one. Additionally, we can see that this ratio is larger than one for the other classes, and increases as J_1 increases. To understand this trend, we recall that the preemptive MAF-LGFS policy does not consider the priority difference among the classes. Therefore, low priority classes are granted the channel even when informative packets of higher priority classes exist. However, the PP-MAF-LGFS policy will always privilege the higher priority classes with informative packets. Consequently, as J_1 increases, the server is mainly allocated to Class 1 while the low priority classes' performance degrades. Note that as the number of high priority classes increases, both policies will spend most of their time serving the high priority classes. For that reason, the gap between the two policies for Class 1 remains quasi-constant.

In the second settings, we fix $\mu = 40$, $J_1 = 2$, $J_2 = 2$ and we vary the number of low priority streams J_3 . As can be seen in Fig 3b, the PP-MAF-LGFS policy outperforms the preemptive MAF-LGFS policy for Classes 1 and 2. Additionally, the age performance ratio for Classes 1 and 2 decreases as the number of low-priority streams increases. This is a consequence of the fact that the PP-MAF-LGFS will always privilege the higher priority packets for transmission, unlike the preemptive MAF-LGFS policy that does not consider the priority. Therefore, by examining the above two settings, we can conclude that the PP-MAF-LGFS policy will consistently outperform the preemptive MAF-LGFS policy for the high priority classes. This performance advantage is more significant when the number of low priority streams is high.

V. CONCLUSION

In this paper, we have introduced the notion of lex-age-optimality that captures both the age-optimality and priorities of the streams in a general multi-class priority-based scheduling scenario. To that end, we have proposed a scheduling

policy in a general multi-class, multi-stream scheduling scenario named Preemptive Priority, Maximum Age First, Last-Generated, First-Served (PP-MAF-LGFS). Using a sample-path argument, we were able to prove the lex-age-optimality of the PP-MAF-LGFS policy in the single exponential server case for any symmetric non-decreasing penalty function, and for all non-decreasing age penalty functionals. Numerical results were then presented to highlight the performance of our proposed policy.

APPENDIX A PROOF OF THEOREM 1

To establish this theorem, we first provide a set of scheduling rules and prove by induction, and using a sample-path comparison, that they are necessary and sufficient for level- k lex-age-optimality for $k = 1, \dots, I$. Afterward, we show that the PP-MAF-LGFS policy satisfies these rules for all $k = 1, \dots, I$, and we can therefore conclude that it is lex-age-optimal. Before proceeding in this direction, we first note that the age vector $\Delta(t) = (\Delta^1(t), \dots, \Delta^I(t))$ evolves over time as a Markov chain, where the state is the age vector and the state transitions are determined by the scheduling policy. With this in mind, let us consider two scheduling policies $P, \pi \in \Pi$. In general, for any class i , a direct comparison between two processes $\{p_t \circ \Delta_P^i(t), t \geq 0\}$ and $\{p_t \circ \Delta_\pi^i(t), t \geq 0\}$ to establish a stochastic ordering between the two is complex, as it involves comparing their probability distributions. To circumvent this difficulty, the following approach can be adopted:

- Define two policies $P_1, \pi_1 \in \Pi$ on the same probability space such that $\{p_t \circ \Delta_{P_1}^i(t), t \geq 0\}$ and $\{p_t \circ \Delta_P^i(t), t \geq 0\}$ (respectively $\{p_t \circ \Delta_{\pi_1}^i(t), t \geq 0\}$ and $\{p_t \circ \Delta_\pi^i(t), t \geq 0\}$) have the same distribution.
- Proceed with a direct comparison between $\{p_t \circ \Delta_{P_1}^i(t), t \geq 0\}$ and $\{p_t \circ \Delta_{\pi_1}^i(t), t \geq 0\}$.

This approach is called *coupling* in the scheduling literature, and we will adopt it in our proof. To that end, and using the

memoryless property of the exponential distribution, we can obtain the following coupling lemma.

Lemma 1 ([17, Lemma 1] Stochastic Coupling): For any given $\mathcal{J}$, consider two work-conserving policies $P, \pi \in \Pi_{wc}$. If the service times are exponentially distributed and i.i.d. across streams and time, then the following holds:

- 1) There exists a work-conserving policy P_1 such that $\{\Delta_{P_1}(t), t \geq 0\}$ and $\{\Delta_P(t), t \geq 0\}$ have the same distribution.
- 2) There exists a work-conserving policy π_1 such that $\{\Delta_{\pi_1}(t), t \geq 0\}$ and $\{\Delta_\pi(t), t \geq 0\}$ have the same distribution.
- 3) P_1 and π_1 are defined on the same probability space and, if a packet is delivered in policy π_1 at time t , then with probability 1, a packet is delivered in policy P_1 at time t .

Next, we present in the following proposition a set of scheduling rules for the first k classes with $k \in \{1, \dots, I\}$. We show that a policy P is level- k lex-age-optimal if, and only if, these rules hold for the first k classes. Note that, throughout this proof, we refer to classes 1 till k as the first k classes. Before laying out the proposition, we define the notion of work-conserving policies for the informative packets of a class k .

Definition 11 (Work-Conserving Policies for the Informative Packets of a Class k): A scheduling policy P is said to be work-conserving for the informative packets of a class k if the service facility is kept busy whenever there exist one or more informative packet in the queues of class k .

Proposition 1 (Lex-Age-Optimal Scheduling Rules): If (i) the packet generation and arrival times are synchronized across streams within each class, and (ii) the packet service times are exponentially distributed and i.i.d. across streams and time, a scheduling policy P is level- k lex-age-optimal for $k \in \{1, \dots, I\}$ if, and only if, the following four rules are satisfied

- 1) Policy P is work-conserving for the informative packets of the first k classes;
- 2) Among the streams which have informative packets and are in the first k priority classes, the system will serve the class of streams with the highest priority;
- 3) Among the streams from the selected priority class, the system serves the stream with the maximum age, where ties can be broken arbitrarily;
- 4) Among the informative packets from the selected stream, the system serves the last generated informative packet, where ties can be broken arbitrarily;

Proof: We prove this proposition by induction. Specifically, we show in step 1 that a policy is level-1 lex-age-optimal if, and only if, Rules 1)-4) hold for class 1. Then, by assuming that they are necessary and sufficient for level- k lex-age-optimality, we use this assumption to prove in step 2 that these rules are sufficient and necessary for level- $(k+1)$ lex-age-optimality.

• **Step 1:** We prove in this step that these rules for $k = 1$ are sufficient and necessary for level-1 lex-age-optimality.

1) **Sufficiency:** Let us consider a work-conserving policy $P \in \Pi_{wc}$ that satisfies these rules for class 1. We compare

its performance to any work-conserving policy $\pi \in \Pi_{wc}$. As both policies are work-conserving, we consider the two policies P_1 and π_1 that are defined on the same probability space and originate from Lemma 1. Next, we provide the following lemma that describes the evolution of the age vector of class 1 upon a packet delivery by both P_1 and π_1 .

Lemma 2 (Packet Delivery): Suppose that a packet is delivered at time t by both policies π_1 and P_1 . The age vector changes at time t from Δ_{P_1} and Δ_{π_1} to Δ'_{P_1} and Δ'_{π_1} , respectively. If

$$\Delta_{P_1}^{1,[j]} \leq \Delta_{\pi_1}^{1,[j]}, \quad j = 1, \dots, J_1, \quad (18)$$

then

$$(\Delta_{P_1}^{1,[j]})' \leq (\Delta_{\pi_1}^{1,[j]})', \quad j = 1, \dots, J_1, \quad (19)$$

where $\Delta_{P_1}^{1,[j]}$ and $\Delta_{\pi_1}^{1,[j]}$ refers to the j -th largest element of the age vector of class 1 in policy P_1 and π_1 , respectively.

Proof: The proof can be found in Appendix B. ■

We can now proceed to prove that P is level-1 lex-age-optimal. To do so, we compare the age vector Δ^1 on a sample-path of the policies P_1 and π_1 . We note that for any sample-path, $\Delta_{P_1}(0^-) = \Delta_{\pi_1}(0^-)$. To that end, We consider two cases:

Case 1: When there are no packets deliveries by any of the policies, the age of each stream belonging to class 1 increases at a unit rate.

Case 2: When a packet is delivered by π_1 , the evolution of the age vector of class 1 is dictated by Lemma 2. By induction over time, we obtain

$$\Delta_{P_1}^{1,[j]}(t) \leq \Delta_{\pi_1}^{1,[j]}(t), \quad j = 1, \dots, J_1, \quad t \geq 0. \quad (20)$$

For any symmetric non-decreasing function p_t , and for $t \geq 0$, it holds from (20) that

$$\begin{aligned} p_t \circ \Delta_{P_1}^1(t) &= p_t(\Delta_{P_1}^{1,1}(t), \dots, \Delta_{P_1}^{1,J_1}(t)) \\ &= p_t(\Delta_{P_1}^{1,[1]}(t), \dots, \Delta_{P_1}^{1,[J_1]}(t)) \\ &\leq p_t(\Delta_{\pi_1}^{1,[1]}(t), \dots, \Delta_{\pi_1}^{1,[J_1]}(t)) \\ &= p_t(\Delta_{\pi_1}^{1,1}(t), \dots, \Delta_{\pi_1}^{1,J_1}(t)) \\ &= p_t \circ \Delta_{\pi_1}^1(t). \end{aligned} \quad (21)$$

By Lemma 1, the processes $\{\Delta_{P_1}(t), t \geq 0\}$ and $\{\Delta_P(t), t \geq 0\}$ (respectively the processes $\{\Delta_{\pi_1}(t), t \geq 0\}$ and $\{\Delta_\pi(t), t \geq 0\}$) have the same distribution. Accordingly, using (21) and Theorem 6.B.30 in [35], we can deduce that

$$[p_t \circ \Delta_{P_1}^1(t), t \geq 0]_{\mathcal{J}} \leq_{st} [p_t \circ \Delta_{\pi_1}^1(t), t \geq 0]_{\mathcal{J}}, \quad (22)$$

for all $\mathcal{J}$, $p_t \in \mathcal{P}_{\text{sym}}$ and $\pi \in \Pi_{wc}$. The extension of (22) to the case where π is non-work-conserving is straightforward due to the exponential distribution of the service time and its independence across streams and time. In fact, due to the memoryless property offered by the exponential distribution, letting the server idle before a transmission will lead to unnecessary staleness of the available packets. This can be shown by a stochastic ordering argument but the details are omitted for the sake of space. Consequently, (22) holds for any $\pi \in \Pi$ and, accordingly, P is level-1 lex-age-optimal.

2) Necessity: In this part, we prove that every level-1 lex-age-optimal policy satisfies these 4 scheduling rules for class 1. We do so by contradiction. Specifically, we consider a level-1 lex-age-optimal policy $\pi \in \Pi_{\text{lex-opt}}^1$. We show that if π violates any of these 4 rules for class 1, then it cannot be level-1 lex-age-optimal.

- **Violation of Rule 1:** Let us consider that π is not work-conserving for the informative packets of class 1. Due to the memoryless property of the exponential distribution of the service time and its independence across streams and time, letting the server idle before a transmission will lead to unnecessary staleness of the available informative packets. This can be shown by a stochastic ordering argument but the details are omitted for the sake of space. Accordingly, π cannot be level-1 lex-age-optimal.

- **Violation of Rule 2 – 4:** As shown in the proof of necessity of Rule 1, we can affirm that π has to be work-conserving for the informative packets of class 1. Note that when there are no informative packets for class 1 in the system, the performance of class 1's streams is not affected by the scheduling rules adopted. Accordingly, and without loss of generality, let us consider that π is *work-conserving*. In other words, we have $\pi \in \Pi_{wc} \cap \Pi_{\text{lex-opt}}^1$. By Definition 5 and (15), we have

$$\mathbb{E}[\phi(\{p_t \circ \Delta_{\pi}^1(t), t \geq 0\}) | \mathcal{J}] = \min_{\pi' \in \Pi} \mathbb{E}[\phi(\{p_t \circ \Delta_{\pi'}^1(t), t \geq 0\}) | \mathcal{J}], \quad (23)$$

for all $\mathcal{J}$, $p_t \in \mathcal{P}_{\text{sym}}$ and non-decreasing functional $\phi : \mathbb{V} \mapsto \mathbb{R}$, provided that the expectations in (23) exist. We show by contradiction that if π violates any of the rules 2 – 4 for class 1, then there exists a policy P , a symmetrical non-decreasing penalty function p' , and a non-decreasing functional ϕ_1 such that

$$\mathbb{E}[\phi_1(\{p' \circ \Delta_P^1(t), t \geq 0\}) | \mathcal{J}] < \mathbb{E}[\phi_1(\{p' \circ \Delta_{\pi}^1(t), t \geq 0\}) | \mathcal{J}]. \quad (24)$$

To that end, let us consider a work-conserving policy P that satisfies these 4 rules for class 1. Note that P and π are both work-conserving. Accordingly, we consider the two coupled policies P_1 and π_1 that are defined on the same probability space and originate from Lemma 1. From the sufficiency proof, (20) holds for our case. In other words,

$$\Delta_{P_1}^{1,[j]}(t) \leq \Delta_{\pi_1}^{1,[j]}(t), \quad j = 1, \dots, J_1, \quad t \geq 0. \quad (25)$$

Accordingly, for any symmetrical non-decreasing function $p_t \in \mathcal{P}_{\text{sym}}$, and for $t \geq 0$

$$p_t \circ \Delta_{P_1}^1(t) \leq p_t \circ \Delta_{\pi_1}^1(t). \quad (26)$$

Next, let us consider a delivery time t_s such that (i) the age of streams of class 1 are not all equal to one another,² and (ii) there exist informative packets for $l_1 > 0$ and $l_2 > 0$ streams of class 1 in the system just before t_s for policy π_1 and P_1 , respectively. As P_1 follows the 4 rules of the proposition for class 1, we have $l_2 \leq l_1$. We recall that, according to Lemma 1, if a packet is delivered in policy π_1 at

time t , then with probability 1, a packet is delivered in policy P_1 at time t . Hence, we describe the evolution of the age vector of class 1 upon a packet delivery by both policies π_1 and P_1 at time t_s .

Lemma 3 (Packet Delivery): Suppose that a packet is delivered at time t_s by both policies π_1 and P_1 . The age vector changes at time t_s from Δ_{P_1} and Δ_{π_1} to Δ'_{P_1} and Δ'_{π_1} , respectively. If π_1 breaks any of the scheduling rules 2 – 4 for class 1 at time t_s , then there exists a stream j of class 1 such that

$$(\Delta_{P_1}^{1,[j]})' < (\Delta_{\pi_1}^{1,[j]})'. \quad (27)$$

Proof: The proof can be found in Appendix C. ■

Next, to prove (24), let us consider the symmetrical non-decreasing penalty function $p' = p_{\text{sum}} \in \mathcal{P}_{\text{sym}}$ and the non-decreasing age penalty functional $\phi_1 = \phi_{\text{avg}}$. By taking Lemma 3 into account, along with (25), and the fact that the service rate μ is finite, we can affirm that there exists a time interval $\mathcal{T} \subseteq [0, \infty)$ such that

$$p' \circ \Delta_{P_1}^1(t) < p' \circ \Delta_{\pi_1}^1(t) \quad \forall t \in \mathcal{T}. \quad (28)$$

By Lemma 1, we have that the processes $\{\Delta_{P_1}(t), t \geq 0\}$ and $\{\Delta_P(t), t \geq 0\}$ (respectively the processes $\{\Delta_{\pi_1}(t), t \geq 0\}$ and $\{\Delta_{\pi}(t), t \geq 0\}$) have the same distribution. By taking this into account, and by using (26) and (28), we obtain:

$$\mathbb{E}[\phi_1(\{p' \circ \Delta_P^1(t), t \geq 0\}) | \mathcal{J}] < \mathbb{E}[\phi_1(\{p' \circ \Delta_{\pi}^1(t), t \geq 0\}) | \mathcal{J}] \quad (29)$$

Therefore, π is not level-1 lex-age-optimal if it breaks any of the 4 scheduling rules of the proposition for class 1.

This concludes our proof that this set of rules for class 1 are sufficient and necessary to have level-1 lex-age-optimality.

• **Step 2:** Next, we will prove the induction step: Assume that this set of rules for the first k classes are necessary and sufficient for level- k lex-age-optimality. In other words, every policy $\pi \in \Pi_{\text{lex-opt}}^k$ follows these scheduling rules for the first k classes. Our goal is to use this assumption to prove that a policy P is level- $(k+1)$ lex-age-optimal if, and only if, it follows these rules for the first $k+1$ classes.

1) Sufficiency: Let us consider a work-conserving policy P that satisfies the depicted set of rules for the first $k+1$ classes. We compare its performance to any *work-conserving* policy $\pi \in \Pi_{wc} \cap \Pi_{\text{lex-opt}}^k$. As both policies are work-conserving, we consider the two policies P_1 and π_1 that are defined on the same probability space and originate from Lemma 1. Next, we provide the following Lemma that describes the evolution of the age vector of classes $i = 1, \dots, k+1$ upon a packet delivery by both π_1 and P_1 .

Lemma 4 (Packet Delivery): Suppose that a packet is delivered at time t by both policies π_1 and P_1 . The age vector changes at time t from Δ_{P_1} and Δ_{π_1} to Δ'_{P_1} and Δ'_{π_1} , respectively. If

$$\Delta_{P_1}^{i,[j]} = \Delta_{\pi_1}^{i,[j]}, \quad i = 1, \dots, k, \quad j = 1, \dots, J_i, \quad (30)$$

$$\Delta_{P_1}^{k+1,[j]} \leq \Delta_{\pi_1}^{k+1,[j]}, \quad j = 1, \dots, J_{k+1}, \quad (31)$$

²We avoid this scenario since, in the case where all streams have the same age, all streams of class 1 are considered to have the highest age.

then

$$(\Delta_{P_1}^{i,[j]})' = (\Delta_{\pi_1}^{i,[j]})', \quad i = 1, \dots, k, \quad j = 1, \dots, J_i, \quad (32)$$

$$(\Delta_{P_1}^{k+1,[j]})' \leq (\Delta_{\pi_1}^{k+1,[j]})', \quad j = 1, \dots, J_{k+1}. \quad (33)$$

Proof: The proof can be found in Appendix D. ■

We can now show that P is level- $(k+1)$ lex-age-optimal. To do so, we compare the age vector Δ^i for $i = 1, \dots, k+1$ on a sample-path of the policies P_1 and π_1 . We note that for any sample-path, $\Delta_{P_1}(0^-) = \Delta_{\pi_1}(0^-)$. To that end, we consider two cases:

Case 1: When there are no packets deliveries by any of the policies, the age of each stream of the first $k+1$ classes increases at a unit rate.

Case 2: When a packet is delivered by π_1 , the evolution of the age vector of the first $k+1$ classes is dictated by Lemma 4. By induction over time, we obtain for all $t \geq 0$:

$$\Delta_{P_1}^{i,[j]}(t) = \Delta_{\pi_1}^{i,[j]}(t), \quad i = 1, \dots, k, \quad j = 1, \dots, J_i, \quad (34)$$

$$\Delta_{P_1}^{k+1,[j]}(t) \leq \Delta_{\pi_1}^{k+1,[j]}(t), \quad j = 1, \dots, J_{k+1}. \quad (35)$$

For any symmetric non-decreasing function p_t , and for $t \geq 0$, it holds from (34) and (35)

$$p_t \circ \Delta_{P_1}^i(t) = p_t \circ \Delta_{\pi_1}^i(t), \quad i = 1, \dots, k, \quad t \geq 0, \quad (36)$$

$$p_t \circ \Delta_{P_1}^{k+1}(t) \leq p_t \circ \Delta_{\pi_1}^{k+1}(t), \quad t \geq 0. \quad (37)$$

By Lemma 1, the processes $\{\Delta_{P_1}(t), t \geq 0\}$ and $\{\Delta_P(t), t \geq 0\}$ (respectively the processes $\{\Delta_{\pi_1}(t), t \geq 0\}$ and $\{\Delta_\pi(t), t \geq 0\}$) have the same distribution. Accordingly, using (36)-(37) and Theorem 6.B.30 in [35], we can deduce that

$$\begin{aligned} & \{p_t \circ \Delta_P^i(t), t \geq 0\} | \mathcal{J} \\ &=_{st} \{p_t \circ \Delta_{\pi_1}^i(t), t \geq 0\} | \mathcal{J}, \quad i = 1, \dots, k, \end{aligned} \quad (38)$$

and

$$\begin{aligned} & \{p_t \circ \Delta_P^{k+1}(t), t \geq 0\} | \mathcal{J} \\ &\leq_{st} \{p_t \circ \Delta_{\pi_1}^{k+1}(t), t \geq 0\} | \mathcal{J}, \end{aligned} \quad (39)$$

for all $\mathcal{J}$, $p_t \in \mathcal{P}_{\text{sym}}$ and $\pi \in \Pi_{wc} \cap \Pi_{\text{lex-opt}}^k$. The extension of (38)-(39) to the case where $\pi \in \Pi_{\text{lex-opt}}^k$ but is not necessarily work-conserving is straightforward due to the exponential distribution of the service time and its independence across streams and time. As it was previously explained, due to the memoryless property offered by the exponential distribution, letting the server to idle before a transmission will lead to unnecessary staleness of the packets. This can be shown by a stochastic ordering argument but the details are omitted for the sake of space. Consequently, (38)-(39) hold for any $\pi \in \Pi_{\text{lex-opt}}^k$ and, therefore, P is level- $(k+1)$ lex-age-optimal.

2) Necessity: In this part, we leverage our inductive assumption for level- k lex-age-optimality and prove that every level- $(k+1)$ lex-age-optimal policy follow these 4 scheduling rules for the first $k+1$ classes. We prove this by contradiction. Specifically, let us consider a level- k lex-age-optimal policy $\pi \in \Pi_{\text{lex-opt}}^k$. We know by our inductive assumption that π has to follow this set of rules for the first k classes. We show that if π violates any of the 4 rules for class $k+1$, then it cannot be level- $(k+1)$ lex-age-optimal.

- Violation of Rule 1: Let us consider that π is not work-conserving for the informative packets of class $k+1$. Due to the memoryless property of the exponential distribution of the service time and its independence across streams and time, letting the server idle before a transmission will lead to unnecessary staleness of the available packets. This can be shown by a stochastic ordering argument but the details are omitted for the sake of space. Accordingly, π cannot be level- $(k+1)$ lex-age-optimal.

- Violation of Rule 2 – 4: The proof follows the same line of work done in the necessity proof of Step 1. Specifically, and as it was previously explained, we can consider that $\pi \in \Pi_{wc} \cap \Pi_{\text{lex-opt}}^k$. Next, we consider a work-conserving policy P that satisfies the 4 scheduling rules for the first $k+1$ classes. Note that P and π are both work-conserving. Accordingly, we consider the two coupled policies P_1 and π_1 that are defined on the same probability space and originate from Lemma 1. From the sufficiency proof for level- $(k+1)$ lex-age-optimality, we have that for all $t \geq 0$:

$$\Delta_{P_1}^{i,[j]}(t) = \Delta_{\pi_1}^{i,[j]}(t), \quad i = 1, \dots, k, \quad j = 1, \dots, J_i, \quad (40)$$

$$\Delta_{P_1}^{k+1,[j]}(t) \leq \Delta_{\pi_1}^{k+1,[j]}(t), \quad j = 1, \dots, J_{k+1}. \quad (41)$$

Accordingly, for any symmetric non-decreasing function p_t :

$$p_t \circ \Delta_{P_1}^i(t) = p_t \circ \Delta_{\pi_1}^i(t), \quad i = 1, \dots, k, \quad t \geq 0, \quad (42)$$

$$p_t \circ \Delta_{P_1}^{k+1}(t) \leq p_t \circ \Delta_{\pi_1}^{k+1}(t), \quad t \geq 0. \quad (43)$$

Next, as per our inductive assumption, we have that π_1 and P_1 follow the same scheduling discipline for the first k classes. Accordingly, the streams of the first k classes will have no informative updates at the same time in both policies π_1 and P_1 . This allows us to consider a delivery time t_s such that (i) there are no informative packets for the first k classes, (ii) the age of streams of class $k+1$ are not all equal to one another, and (iii) there exist informative packets for $l_1 > 0$ and $l_2 > 0$ streams of class $k+1$ in the system just before t_s for policy π_1 and P_1 , respectively. As P_1 follows the 4 scheduling rules of the proposition for the first $k+1$ classes, we have $l_2 \leq l_1$. By proceeding similarly to Lemma 3, we can show that if π_1 breaks any of the scheduling rules 2 – 4 for class $k+1$ at time t_s , then there exists a stream j of class $k+1$ such that

$$\Delta_{P_1}^{k+1,[j]}(t_s^+) < \Delta_{\pi_1}^{k+1,[j]}(t_s^+). \quad (44)$$

Afterward, we consider the symmetric non-decreasing penalty function $p' = p_{\text{sum}} \in \mathcal{P}_{\text{sym}}$ and the non-decreasing age penalty functional $\phi_1 = \phi_{\text{avg}}$. By taking (44) into account, along with (40)-(41), and the fact that the service rate μ is finite, we can affirm that there exists a time interval $\mathcal{T} \subseteq [0, \infty)$ such that

$$p' \circ \Delta_{P_1}^{k+1}(t) < p' \circ \Delta_{\pi_1}^{k+1}(t), \quad \forall t \in \mathcal{T}. \quad (45)$$

By Lemma 1, we have that the processes $\{\Delta_{P_1}(t), t \geq 0\}$ and $\{\Delta_P(t), t \geq 0\}$ (respectively the processes $\{\Delta_{\pi_1}(t), t \geq 0\}$ and $\{\Delta_\pi(t), t \geq 0\}$) have the same distribution. By taking this into consideration, and by using (42), (43), and (45),

we obtain:

$$\begin{aligned} & [\{p_t \circ \Delta_P^i(t), t \geq 0\} | \mathcal{S}] \\ &=_{st} [\{p_t \circ \Delta_\pi^i(t), t \geq 0\} | \mathcal{S}], \quad i = 1, \dots, k, \end{aligned} \quad (46)$$

and

$$\begin{aligned} & \mathbb{E}[\phi_1(\{p' \circ \Delta_P^{k+1}(t), t \geq 0\} | \mathcal{S})] \\ & < \mathbb{E}[\phi_1(\{p' \circ \Delta_\pi^{k+1}(t), t \geq 0\} | \mathcal{S})]. \end{aligned} \quad (47)$$

Therefore, π is not level- $(k+1)$ lex-age-optimal if it breaks any of the 4 scheduling rules of the proposition for class $k+1$. ■

By Definition 10, the PP-MAF-LGFS policy is the only policy that satisfies the scheduling rules depicted in this proposition for the first k classes simultaneously for any $k = 1, \dots, I$. Accordingly, the PP-MAF-LGFS policy is lex-age-optimal, which concludes the proof of the theorem.

APPENDIX B PROOF OF LEMMA 2

Let us denote by $W_j^1(t) = \max\{S_n^{1,j} : A_n^{1,j} \leq t\}$ the time-stamp of the freshest packet that has arrived to the queue of stream j of class 1 at time t . Since the generation/arrival sequences are synchronized across streams within each class, there exists a $W^1(t)$ such that $W_j^1(t) = W^1(t)$ for $j = 1, \dots, J_1$. We distinguish between three cases that can happen at time t . The proof of Case 3 is adopted from the proof of Lemma 2 of [17]. For the sake of completeness, we provide a proof of all 3 cases.

1) *Case 1:* There was no transmission of packets for class 1 by policy P_1 , or a non-informative packet of class 1 has just finished transmission. In other words, prior to time t , policy P_1 has already finished the transmission of all class 1's informative packets. To that end:

$$(\Delta_{P_1}^{1,[j]})' = \Delta_{P_1}^{1,[j]} = t - W^1(t), \quad j = 1, \dots, J_1. \quad (48)$$

On the other hand, in policy π_1 , the delivered packet can be any packet from any information stream. Consequently, we can conclude:

$$\Delta_{\pi_1}^{1,[j]} \geq (\Delta_{\pi_1}^{1,[j]})' \geq t - W^1(t), \quad j = 1, \dots, J_1. \quad (49)$$

Therefore, (19) holds for this case.

2) *Case 2:* An informative packet belonging to a stream of class 1 finishes transmission by policy P_1 at time t . On the other hand, policy π_1 delivers a non-informative packet of class 1 or a packet belonging to one of the $I-1$ remaining classes at time t . Consequently, $(\Delta_{\pi_1}^1)' = \Delta_{\pi_1}^1$ and (19) holds trivially in this scenario.

3) *Case 3:* An informative packet belonging to a stream of class 1 finishes transmission by both policies P_1 and π_1 at time t . By definition, the following always holds:

$$\Delta_{P_1}^{1,j} \geq (\Delta_{P_1}^{1,j})' \geq t - W^1(t), \quad j = 1, \dots, J_1, \quad (50)$$

$$\Delta_{\pi_1}^{1,j} \geq (\Delta_{\pi_1}^{1,j})' \geq t - W^1(t), \quad j = 1, \dots, J_1. \quad (51)$$

We recall that P_1 schedules the stream of class 1 with the highest age. Consequently, the stream of class 1 having the age $\Delta_{P_1}^{1,[1]}$ is the one that finishes transmission at time t by P_1 .

Since the transmitted packet has $W^1(t)$ as time-stamp, the age of this stream becomes the smallest among the streams of class 1. To that end,

$$(\Delta_{P_1}^{1,[J_1]})' = t - W^1(t). \quad (52)$$

As there is only one server, the age of the remaining $J_1 - 1$ streams of class 1 stay the same. By taking this into account, along with (52), we get:

$$(\Delta_{P_1}^{1,[j]})' = \Delta_{P_1}^{1,[j+1]}, \quad j = 1, \dots, J_1 - 1. \quad (53)$$

On the other hand, since the packet delivered by π_1 can belong to any stream of class 1, the following always holds:

$$(\Delta_{\pi_1}^{1,[j]})' \geq \Delta_{\pi_1}^{1,[j+1]}, \quad j = 1, \dots, J_1 - 1. \quad (54)$$

Combining (18), (53) and (54), we obtain:

$$\begin{aligned} (\Delta_{\pi_1}^{1,[j]})' &\geq \Delta_{\pi_1}^{1,[j+1]} \geq \Delta_{P_1}^{1,[j+1]} = (\Delta_{P_1}^{1,[j]})', \\ &j = 1, \dots, J_1 - 1. \end{aligned} \quad (55)$$

Also, using (51) and (52), we can deduce that $(\Delta_{\pi_1}^{1,[J_1]})' \geq t - W^1(t) = (\Delta_{P_1}^{1,[J_1]})'$ which concludes the proof.

APPENDIX C PROOF OF LEMMA 3

To prove this lemma, we recall that (25) always holds from our sufficiency results on P . Next, we distinguish between 3 cases.

Case 1: Suppose that π_1 breaks Rule 2 and delivers at time t_s a packet that does not belong to class 1. We know that P_1 will deliver at time t_s an informative packet for one of the l_2 streams belonging to class 1. Consequently, (27) holds trivially in this case.

Case 2: Suppose that π_1 delivers a packet from class 1. However, at time t_s , π_1 breaks Rule 3 for class 1 and delivers a packet that does not belong to the stream of class 1 with the highest age. To tackle this case, we define the rank of a stream within a class.

Definition 12 (Rank of a Stream): The rank of a stream (i, j) within the class i is defined as its position in the ordered age vector $[\Delta^i]$. In other words, if stream (i, j) has a rank $1 \leq r \leq J_i$, then:

- There exist $J_i - r$ streams in the same class having an age that is smaller or equal to $\Delta_{i,j}^{i,j}$.
- There exist $r - 1$ streams in the same class having an age that is larger or equal to $\Delta_{i,j}^{i,j}$.

We know that P_1 delivers the freshest packet from the stream of class 1 with the highest age at time t_s (i.e., the stream with rank 1). Therefore, after delivery, the served stream will have the smallest age among all streams of class 1. Moreover, the age of the remaining $J_1 - 1$ streams of class 1 is not altered at the delivery time. Accordingly, these $J_1 - 1$ streams gain a single rank in the sorted age vector $[\Delta_{P_1}^1]$. On the other hand, let us suppose that the served stream by π_1 has a rank $r > 1$ in the sorted age vector $[\Delta_{\pi_1}^1]$. After being served, this stream will have a rank $r' \leq r$. Consequently, $r' - r$ streams will gain a rank at time t_s and the rank of all the remaining streams stays the same. Therefore, we can assert that (27) holds. We provide in the following an example to showcase

this. Suppose that the ordered age vector of class 1 just before t_s is:

$$\begin{aligned} [\Delta_{\pi_1}^1](t_s^-) &= (10, 9, 8, 1), \\ [\Delta_{P_1}^1](t_s^-) &= (10, 9, 8, 1). \end{aligned} \quad (56)$$

Suppose that the age of the available informative packets of class 1 is equal to 1 at time t_s . If we consider that π_1 delivers a packet from stream $(1, [3])$, and knowing that P_1 will deliver a packet from stream $(1, [1])$, we get:

$$\begin{aligned} [\Delta_{\pi_1}^1](t_s^+) &= (10, 9, 1, 1) \\ [\Delta_{P_1}^1](t_s^+) &= (9, 8, 1, 1) \end{aligned} \quad (57)$$

Accordingly, we can easily see that $j = 1$ or $j = 2$.

Case 3: Suppose that π_1 delivers a packet from the stream of class 1 with the highest age at time t_s . However, suppose that π_1 breaks Rule 4 for class 1 and does not deliver the freshest available informative packet. Accordingly, at time t_s , the served stream by P_1 will have a strictly smaller age when compared to the stream served by π_1 . Consequently, (27) holds.

APPENDIX D PROOF OF LEMMA 4


We proceed with our proof by distinguishing between two possible scenarios at time t :

- *The served packet by π_1 is an informative packet belonging to any of the first k classes:* We recall that, as per our inductive assumption till level- k , policy π_1 and P_1 follow the same set of scheduling rules for the first k classes. Accordingly, when an informative packet from one of these classes is delivered by π_1 , the same packet (or an informative packet of another stream of the same class that has the same age) is delivered by P_1 . Consequently, we can affirm the validity of (32). Moreover, as the age vector of class $k + 1$ remains unchanged for both policies in this case, (33) holds naturally.
- *The served packet by π_1 is not an informative packet belonging to the k first classes:* As π_1 and P_1 follow the same set of scheduling rules for the first k classes, this case can only occur when the buffers of streams belonging to the first k classes are either empty or contain non-informative packets for *both* policies. Therefore, (32) holds naturally. Next, to obtain (33), we can proceed similarly to Lemma 2 for class $k + 1$. The details are therefore omitted for the sake of space.

REFERENCES

- [1] A. Maatouk, Y. Sun, A. Ephremides, and M. Assaad, "Status updates with priorities: Lexicographic optimality," in *Proc. 18th Int. Symp. Modeling Optim. Mobile, Ad Hoc, Wireless Netw. (WiOPT)*, Jun. 2020, pp. 1–8.
- [2] S. Kaul, R. Yates, and M. Gruteser, "Real-time status: How often should one update?" in *Proc. IEEE INFOCOM*, Mar. 2012, pp. 2731–2735.
- [3] R. Talak, S. Karaman, and E. Modiano, "Minimizing age-of-information in multi-hop wireless networks," in *Proc. 55th Annu. Allerton Conf. Commun., Control, Comput.*, Oct. 2017, pp. 486–493.
- [4] S. Farazi, A. G. Klein, J. A. McNeill, and D. R. Brown, "On the age of information in multi-source multi-hop wireless status update networks," in *Proc. IEEE 19th Int. Workshop Signal Process. Adv. Wireless Commun. (SPAWC)*, Jun. 2018, pp. 1–5.
- [5] A. M. Bedewy, Y. Sun, and N. B. Shroff, "The age of information in multi-hop networks," *IEEE/ACM Trans. Netw.*, vol. 27, no. 3, pp. 1248–1257, Jun. 2019.
- [6] P. Zou, O. Ozel, and S. Subramaniam, "Waiting before serving: A companion to packet management in status update systems," 2019, *arXiv:1901.02873*.
- [7] B. Buyukates and S. Ulukus, "Timely distributed computation with stragglers," 2019, *arXiv:1910.03564*.
- [8] A. Maatouk, M. Assaad, and A. Ephremides, "The age of updates in a simple relay network," in *Proc. IEEE Inf. Theory Workshop (ITW)*, Nov. 2018, pp. 1–5.
- [9] A. Kosta, N. Pappas, A. Ephremides, and V. Angelakis, "Age of information performance of multiaccess strategies with packet management," *J. Commun. Netw.*, vol. 21, no. 3, pp. 244–255, Jun. 2019.
- [10] M. Costa, M. Codreanu, and A. Ephremides, "Age of information with packet management," in *Proc. IEEE Int. Symp. Inf. Theory*, Jun./Jul. 2014, pp. 1583–1587.
- [11] Y. Sun, E. Uysal-Biyikoglu, R. D. Yates, C. E. Koksal, and N. B. Shroff, "Update or wait: How to keep your data fresh," *IEEE Trans. Inf. Theory*, vol. 63, no. 11, pp. 7492–7508, Nov. 2017.
- [12] J. Zhong, R. D. Yates, and E. Soljanin, "Two freshness metrics for local cache refresh," in *Proc. IEEE Int. Symp. Inf. Theory (ISIT)*, Jun. 2018, pp. 1924–1928.
- [13] A. Arafat, J. Yang, S. Ulukus, and H. V. Poor, "Age-minimal transmission for energy harvesting sensors with finite batteries: Online policies," *IEEE Trans. Inf. Theory*, vol. 66, no. 1, pp. 534–556, Jan. 2020.
- [14] Y. Sun, Y. Polyanskiy, and E. Uysal, "Sampling of the Wiener process for remote estimation over a channel with random delay," *IEEE Trans. Inf. Theory*, vol. 66, no. 2, pp. 1118–1135, Feb. 2020.
- [15] A. Maatouk, S. Kriouile, M. Assaad, and A. Ephremides, "The age of incorrect information: A new performance metric for status updates," *IEEE/ACM Trans. Netw.*, vol. 28, no. 5, pp. 2215–2228, Oct. 2020.
- [16] C. Kam, S. Kompella, G. D. Nguyen, J. E. Wieselthier, and A. Ephremides, "Towards an effective age of information: Remote estimation of a Markov source," in *Proc. IEEE Conf. Comput. Commun. Workshops (INFOCOM WKSHPs)*, Apr. 2018, pp. 367–372.
- [17] Y. Sun, E. Uysal-Biyikoglu, and S. Kompella, "Age-optimal updates of multiple information flows," in *Proc. IEEE Conf. Comput. Commun. Workshops (INFOCOM WKSHPs)*, Apr. 2018, pp. 136–141.
- [18] I. Kadota, A. Sinha, E. Uysal-Biyikoglu, R. Singh, and E. Modiano, "Scheduling policies for minimizing age of information in broadcast wireless networks," *IEEE/ACM Trans. Netw.*, vol. 26, no. 6, pp. 2637–2650, Dec. 2018.
- [19] A. M. Bedewy, Y. Sun, and N. B. Shroff, "Minimizing the age of information through queues," *IEEE Trans. Inf. Theory*, vol. 65, no. 8, pp. 5215–5232, Aug. 2019.
- [20] A. Maatouk, M. Assaad, and A. Ephremides, "Minimizing the age of information: NOMA or OMA?" in *Proc. IEEE Conf. Comput. Commun. Workshops (INFOCOM WKSHPs)*, Apr./May 2019, pp. 102–108.
- [21] A. Maatouk, S. Kriouile, M. Assad, and A. Ephremides, "On the optimality of the Whittle's index policy for minimizing the age of information," *IEEE Trans. Wireless Commun.*, vol. 20, no. 2, pp. 1263–1277, Feb. 2021.
- [22] B. Zhou and W. Saad, "Minimum age of information in the Internet of Things with non-uniform status packet sizes," *IEEE Trans. Wireless Commun.*, vol. 19, no. 3, pp. 1933–1947, Mar. 2020.
- [23] Y.-P. Hsu, E. Modiano, and L. Duan, "Scheduling algorithms for minimizing age of information in wireless broadcast networks with random arrivals," *IEEE Trans. Mobile Comput.*, vol. 19, no. 12, pp. 2903–2915, Dec. 2020.
- [24] Z. Jiang, B. Krishnamachari, S. Zhou, and Z. Niu, "Decentralized status update for age-of-information optimization in wireless multiaccess channels," in *Proc. Inf. Theory Appl. Workshop (ITA)*, Feb. 2018, pp. 1–5.
- [25] A. Maatouk, M. Assaad, and A. Ephremides, "Minimizing the age of information in a CSMA environment," in *Proc. Int. Symp. Modeling Optim. Mobile, Ad Hoc, Wireless Netw. (WiOPT)*, Jun. 2019, pp. 1–8.
- [26] A. Maatouk, M. Assaad, and A. Ephremides, "On the age of information in a CSMA environment," *IEEE/ACM Trans. Netw.*, vol. 28, no. 2, pp. 818–831, Apr. 2020.
- [27] M. Moltafet, M. Leinonen, and M. Codreanu, "Average AoI in multi-source systems with source-aware packet management," *IEEE Trans. Commun.*, vol. 69, no. 2, pp. 1121–1133, Feb. 2021.
- [28] Y. Sun, I. Kadota, R. Talak, and E. Modiano, "Age of information: A new metric for information freshness," *Synth. Lectures Commun. Netw.*, vol. 12, no. 2, pp. 1–224, Dec. 2019, doi: [10.2200/S00954ED2V01Y201909CNT023](https://doi.org/10.2200/S00954ED2V01Y201909CNT023).

- [29] G. Karagiannis *et al.*, “Vehicular networking: A survey and tutorial on requirements, architectures, challenges, standards and solutions,” *IEEE Commun. Surveys Tuts.*, vol. 13, no. 4, pp. 584–616, 4th Quart., 2011.
- [30] B. Hajek and P. Seri, “Lex-optimal online multiclass scheduling with hard deadlines,” *Math. Oper. Res.*, vol. 30, no. 3, pp. 562–596, 2005, doi: [10.1287/moor.1040.0144](https://doi.org/10.1287/moor.1040.0144).
- [31] S. K. Kaul and R. D. Yates, “Age of information: Updates with priority,” in *Proc. IEEE Int. Symp. Inf. Theory (ISIT)*, Jun. 2018, pp. 2644–2648.
- [32] A. Maatouk, M. Assaad, and A. Ephremides, “Age of information with prioritized streams: When to buffer preempted packets?” in *Proc. IEEE Int. Symp. Inf. Theory (ISIT)*, Jul. 2019, pp. 325–329.
- [33] J. Xu and N. Gautam, “Peak age of information in priority queueing systems,” *IEEE Trans. Inf. Theory*, vol. 67, no. 1, pp. 373–390, Oct. 2020.
- [34] E. S. Egge, *An introduction to Symmetric Functions Their Combinatorics*. Providence, RI, USA: American Mathematical Society, 2019.
- [35] M. Shaked and J. G. Shanthikumar, Eds., *Stochastic Orders*. New York, NY, USA: Springer, 2007.
- [36] A. G. Phadke *et al.*, “Synchronized sampling and phasor measurements for relaying and control,” *IEEE Trans. Power Del.*, vol. 9, no. 1, pp. 442–452, Jan. 1994.
- [37] F. Sivrikaya and B. Yener, “Time synchronization in sensor networks: A survey,” *IEEE Netw.*, vol. 18, no. 4, pp. 45–50, Jul. 2004.
- [38] Y. Sun and B. Cyr, “Sampling for data freshness optimization: Non-linear age functions,” *J. Commun. Netw.*, vol. 21, no. 3, pp. 204–219, Jun. 2019.
- [39] H. Vahdat-Nejad, A. Ramazani, T. Mohammadi, and W. Mansoor, “A survey on context-aware vehicular network applications,” *Veh. Commun.*, vol. 3, pp. 43–57, Jan. 2016.



Ali Maatouk (Member, IEEE) received the M.Sc. and Ph.D. degrees from CentraleSupélec, Gif-sur-Yvette, France, in 2017 and 2020, respectively. From 2018 to 2020, he was a Visiting Ph.D. Student with the University of Maryland, College Park, on multiple occasions. His research interests include optimization of wireless systems, 5G and beyond systems, and the notion of age of information. He was a recipient of the Labex Digicosme Scholarship for academic excellence in 2016. He was also a recipient of both the

Regional and National André Blanc-Lapierre Award for the Best Master’s Student in France in the domain of electricity, information technology, and communication. For his Ph.D. degree, he received the Paris-Saclay Ph.D. Award for one of the best scientific contributions.



Yin Sun (Senior Member, IEEE) received the B.Eng. and Ph.D. degrees in electronic engineering from Tsinghua University in 2006 and 2011, respectively. From 2011 to 2017, he was a Post-Doctoral Scholar and a Research Associate with The Ohio State University. He is currently an Assistant Professor with the Department of Electrical and Computer Engineering, Auburn University. He coauthored a monograph *Age of Information: A New Metric for Information Freshness* (Morgan and Claypool Publishers, 2019). His research interests include age of

information, networking, machine learning, robotic control, and information theory. He is a member of ACM. His articles received the Best Student Paper Award from the IEEE/IFIP WiOpt 2013, the Best Paper Award from the IEEE/IFIP WiOpt 2019, runner-up for the Best Paper Award of ACM MobiHoc 2020, and the 2021 *Journal of Communications and Networks* Best

Paper Award. He received the Auburn Author Award in 2020. He co-founded the Age of Information Workshop in 2018. He has been a Guest Editor of the *IEEE Journal on Selected Areas in Communications* for the Special Issue on “Age of Information in Real-time Systems and Networks,” and *Entropy* for the Special Issue on “Age of Information: Concept, Metric and Tool for Network Control,” an Associate Editor of the *IEEE TRANSACTIONS ON NETWORK SCIENCE AND ENGINEERING*, and an Editor of the *Journal of Communications and Networks*.



Anthony Ephremides (Life Fellow, IEEE) received the Ph.D. degree in electrical engineering from Princeton University in 1971.

He holds the Cynthia Kim Professorship of information technology with the Electrical and Computer Engineering Department, University of Maryland, College Park, where he is currently a Distinguished University Professor and has a joint appointment at the Institute for Systems Research, of which he was among the founding members in 1986. He has been with the University of Maryland ever since. He is the

author of several hundred papers, conference presentations, and patents. His research interests lie in the areas of communication systems and networks and all related disciplines, such as information theory, control and optimization, satellite systems, queueing models, and signal processing. He is especially interested in wireless networks, energy efficient systems, and the new notion of age of information.



Mohamad Assaad (Senior Member, IEEE) received the M.Sc. and Ph.D. degrees in telecommunications from Telecom ParisTech, Paris, France, in 2002 and 2006, respectively. Since 2006, he has been with the Telecommunications Department, CentraleSupélec, where he is currently a Professor. He is also a Researcher at the Laboratoire des Signaux et Systèmes (L2S, CNRS) and holds the 5G Chair. He has coauthored one book and more than 120 publications in journals and conference proceedings. His research interests include 5G and beyond systems,

fundamental networking aspects of wireless systems, age of information, resource optimization, and machine learning in wireless networks. He has served as a TPC Member or the TPC Co-Chair for top-tier international conferences, including the TPC Co-Chair for IEEE WCNC’21 and IEEE Globecom’20 Mobile and the Wireless Networks Symposium Co-Chair. He is an Editor of the *IEEE WIRELESS COMMUNICATIONS LETTERS* and the *Journal of Communications and Information Networks*. He served also as a Guest Co-Editor for a Special Issue of the *IEEE TRANSACTIONS ON NETWORK SCIENCE AND ENGINEERING*. He has given in the past successful tutorials on several topics related to 5G systems, and age of information at various conferences, including IEEE ISWCS’15, IEEE WCNC’16, and IEEE ICC’21 conferences.