SciFinder<sup>n</sup>® Page 1



Task History

Initiating Search

July 19, 2023, 5:10PM

References:

Advanced Search:

Author Name: Siamaki, Ali R.

## Search Tasks

Task	Search Type	View
Returned Reference Results (28)	References	View Results
Exported: Viewed Reference Detail	References	View Detail

Copyright © 2023 American Chemical Society (ACS). All Rights Reserved.

Internal use only. Redistribution is subject to the terms of your SciFinder<sup>n</sup> License Agreement and CAS information Use Policies.

SciFinder<sup>n</sup>® Page 2



# Reference Detail

View in SciFinder<sup>n</sup>

Highly efficient and recyclable nickel-palladium bimetallic nanoparticles supported on multi-walled carbon nanotubes for copper-free Sonogashira cross-coupling reactions

By: Siamaki, Ali R.; Coker, Katherine; Picinich, Lacey

Nickel-palladium bimetallic nanoparticles supported on multi-walled carbon nanotubes (Ni-Pd/MWCNTs) were prepared by dry mixing of the nickel and palladium salts using the mech. energy of a ball-mill. These nanoparticles demonstrated remarkable catalytic activity in Sonogashira cross-coupling reactions with a wide range of functio nalized aryl halides and terminal alkynes under ligand and copper free conditions using Monowave 50 heating reactor. The catalyst is air-stable and can be easily removed from the reaction mixture by centrifugation and reused several times with minimal loss of catalytic activity. Furthe rmore, the concentration of catalyst in Sonoga shira reactions can be lowered to a min. amount of 0.01 mol% while still providing a high conversion of the Sonoga shira product with an excellent turnover number (TON) of 7200 and turnover frequency (T OF) of 21600 h<sup>-1</sup>. The Ni-Pd/MWCNTs nanoparticles were fully characterized by a variety of spectro scopic techniques including X-ray diffraction (XRD), transmission electron microscopy (TEM) and XP S. The remarkable reactivity of the Ni-Pd/MWCNTs catalyst toward Sonogashira cross-coupling reactions is attributed to the high degree of the dispersion of Ni-Pd nanoparticles with small particle size of 5- 10 nm due to an efficient grinding method. This work provides a facile, solventless and inexpensive method for large-scale preparation of Ni-Pd/MWCNTs to accomplish often-challenging Sonogashira cross-coupling reactions.

## Conference

#### Source

Abstracts, Northeast Regional Meeting of the American Chemical Society, Rochester, NY, United

States, October 2-5 Pages: NERM-287

Conference; Meeting Abstract

2022

CODEN: 70APMA

View all Sources in Scifinder <sup>n</sup>

## **Database Information**

AN: 2023:500439

CAplus

### Company/Organization

Chemistry, Physics and Materials Science

Fayetteville State University Fayetteville, North Carolina 28301

United States
Publisher

American Chemical Society

Language English

Copyright © 2023 American Chemical Society (ACS). All Rights Reserved.

Internal use only. Redistribution is subject to the terms of your SciFinder<sup>n</sup> License Agreement and CAS information Use Policies.