

Let's Be Litter Free

Author(s): LARA SMETANA, LAUREN WISBROCK, MICAH ZAKER and TIMOTHY HOELLEIN

Source: *Science Scope*, OCTOBER 2019, Vol. 43, No. 3, Earth and Human Activity (OCTOBER 2019), pp. 42-52

Published by: National Science Teachers Association

Stable URL: <https://www.jstor.org/stable/10.2307/26899083>

**REFERENCES**

Linked references are available on JSTOR for this article:

[https://www.jstor.org/stable/10.2307/26899083?seq=1&cid=pdf-reference#references\\_tab\\_contents](https://www.jstor.org/stable/10.2307/26899083?seq=1&cid=pdf-reference#references_tab_contents)

You may need to log in to JSTOR to access the linked references.

---

JSTOR is a not-for-profit service that helps scholars, researchers, and students discover, use, and build upon a wide range of content in a trusted digital archive. We use information technology and tools to increase productivity and facilitate new forms of scholarship. For more information about JSTOR, please contact support@jstor.org.

Your use of the JSTOR archive indicates your acceptance of the Terms & Conditions of Use, available at <https://about.jstor.org/terms>



*National Science Teachers Association* is collaborating with JSTOR to digitize, preserve and extend access to *Science Scope*


JSTOR

# Let's Be Litter Free

## Investigating Anthropogenic Litter in Local Ecosystems

BY LARA SMETANA, LAUREN WISBROCK,  
MICAH ZAKER, AND TIMOTHY HOELLEN

**A**nthropogenic litter (AL), sometimes also referred to as “marine debris” or “urban litter,” is the accumulation of human-made materials (e.g., waste such as plastic, paper, Styrofoam, and metal) in the natural environment. Scientists have long been concerned about AL and the direct harm it has on animals, such as turtles and birds, who might mistake it for food, as well as indirect harm it has on the food chain. Because of the long time it takes for AL to decompose, the debris will persist in the environment with inevitable influences on freshwater and terrestrial ecosystems, many of which are just beginning to be studied. There are also concerns with dissolved pollutants (such as pesticides, solvents and pharmaceuticals) that move through freshwater systems, and also accumulate on the surface of plastic litter, including *microplastics* (tiny bits of plastic that have begun to break down).



We sought to develop a series of activities that would allow sixth- and seventh-grade students to develop an understanding of the occurrence and impact of litter in freshwater ecosystems (such as Lake Michigan and the Chicago River) and apply those understandings to evaluating various methods for monitoring AL in local environments. We also had the opportunity to collaborate with scientists and community partners who are actively engaged in research and education outreach around this issue.

Goals for the learning activities included having students develop an understanding of how pollution caused by human activities affects conditions in rivers, lakes, and other waterways as they analyze and interpret data around the accumulation of AL. Students evaluate methods for measuring and minimizing the impact of AL locally, and communicate action steps that they and their school community can take.

## Enduring understandings

As we set out to design the learning activities, we met with ecologists who are studying AL locally to better understand the issue and their research. From there, we identified the following enduring understandings about AL that guided our curriculum planning:

- Litter is global, pervasive, increasing, and permanent.
- We are all collectively responsible for litter and the consumption culture we perpetuate.
- Litter affects our environment and us.
- Measuring litter (what, where, how much) is important because it helps determine future courses of action, policy, and management.
- Change is possible—laws, cultural shifts, and individual behaviors can be improved.

## Introducing the problem

An intriguing anchoring phenomenon—litter accumulating in our schoolyard and in waterways—kicks off the learning. We take a walk around the school grounds and make a list of the litter we notice. Where do students suppose all this litter ends up? Students mostly think that it ends up in landfills or just keeps blowing around.

Then, we present images from the *Washed Ashore* exhibition (see Resource list) of creative wildlife sculptures made of plastic garbage collected from oceans. Students search for various materials embedded in the sculptures that were on their original list from the school grounds walk, as well as items

### CONTENT AREA

Earth science

### GRADE LEVEL

Middle grades

### BIG IDEA/UNIT

Students analyze the distribution of anthropogenic litter in order to understand the extent of its impact. Students identify relationships between human consumption and anthropogenic litter accumulation.

### ESSENTIAL PRE-EXISTING KNOWLEDGE

Basic graphing skills, familiarity with the cross-cutting concepts of systems and patterns, knowledge of what scientific claims are and the purpose they serve

### TIME REQUIRED

Multiple class sessions

### COST

N/A

### SAFETY

Safety precautions include wearing protective gloves, closed-toe shoes, and other protective clothing and sunscreen; having a first-aid kit; and not attempting to remove or handle trash that is too big, sharp, suspicious, or otherwise dangerous. Depending on the outdoor site, students should also be warned about poison ivy, stinging nettle, ticks, and any other potential dangers.

they used in the past week. We also ask if any of the litter we found in our schoolyard might have made its way to the ocean? Do any of our local waterways have similar problems with accumulating litter? Students again mostly talk about AL blowing into waterways, but are unsure about how it then moves all the way to the center of the ocean.

We ask students what impacts they think the litter that collects in the oceans and other bodies of water has on waterways and the living things that depend on those waterways. Students record their initial ideas in their journals. We also look at images that depict two of the greatest impacts of AL: animals entangled in litter (such as nets, bags, six-pack drink holders) and animals ingesting litter mistaken for food (see Resources for examples). In pairs, students discuss and record what they notice from the images. As a class, we share out and add to students' initial list of ideas about the impacts AL might have on wildlife, as well as on the environment more generally.

This is a good time to introduce the term *anthropogenic litter*, or AL for short. *Anthropogenic* is likely a new term, but we can help students to derive the understanding that it means originating in human activity. From here, we look at graphs depicting historical data reported by Geyer, Jambeck, and Law (2017) of plastic production rates and plastic waste generation over time (see Figures 1 and 2). Because these sorts of graphs may be new to students, it is helpful to pose questions such as, "What do you notice about the chart? What do you think the colors represent? Does

it look like the amounts are increasing or decreasing over time? What do you think might be the reason for the increase?" We discuss what trends students notice. Specifically, students note that packaging and consumer products make up an increasingly large percentage of the total plastic waste. They infer that plastic waste is increasing because plastic production is also increasing. This is also an opportunity to practice writing evidence-based claims, independently or as a full class. Sentence frames can be helpful: Over time, as plastic production \_\_\_\_\_, plastic waste \_\_\_\_\_. As a result, we think that plastic litter has \_\_\_\_\_ over time.


Students also make predictions about what other sorts of AL, besides plastic, they think might wash ashore in area lakes and rivers. Referring back to the initial walk and what they noticed in the sculptures, students suggest things such as cans, shoes, basketballs, tires, etc. We encourage students' thinking by saying that these are the sorts of things that scientists and community members are also thinking about!

## Monitoring anthropogenic litter


Having identified the problem of AL accumulation, we begin to explore how and why we monitor the problem. Students offer initial ideas and then are introduced to local efforts.

Students use the online, interactive Beach Litter Data Exploration table (see Resources) to analyze and interpret actual data collected by Alliance for the Great Lakes volunteers at various cleanup events

**FIGURE 1: Plastic generation over time**



**FIGURE 2: Plastic production over time**



across the Midwest and Canada (see Figure 3.) The volunteers are asked to keep track of all the different types of litter picked up. At the end of the cleanup, they count the total number of items collected and the total number in each category. The data (going back to 2002) are saved in a public database, allowing for comparisons across sites and dates. It is important to share with students that the database and table are used by a variety of users for a variety of purposes, so there are features that the class will not need (such as total person hours spent at cleanup events).

The Beach Litter Data Exploration table (Dunn 2018) allows users to retrieve data about specific cleanup events, such as the types of materials found and the quantity. The data can then be exported into an Excel file. Students can create charts in Excel to analyze the data visually.

We find it valuable for the teacher to demonstrate how to navigate the online tool by doing an example with the whole class (e.g., projecting the computer screen for all to see) before groups (of two or three students) get to work. The teacher can also create and print data files and charts ahead of time for the class to analyze in small groups or as a whole class.

If students will be selecting their own events to analyze, it can be helpful to provide a list of events for students to choose from. Look at the locations and event IDs and check the event locations and

dates. Think about what would allow students to make the clearest comparisons between groups by controlling for variables such as month, the body of water, and beach.

A sample chart is shown in Figure 4 (p. 46). Figure 4 is from North Avenue Beach, one of the most visited beaches along Lake Michigan, in 2018. The other two charts we use (see Online Supplemental Materials) are from Wayne and Keweenaw counties, the most and least populated counties in Michigan in 2016 (so students can compare across population size and water body).

While analyzing the data depicted in the sample chart and/or in their own charts, students answer the following questions on a handout: What item is there the most of? Why do you think there would be so much of this item? At this site? On this date? What other patterns do you notice in these data? What else are you wondering about after looking at these data?

Once students interpret the findings from their group's event, we discuss as a whole class the similarities and differences across cleanup events, as well as what questions the findings raise about the site and the timing of the cleanup. For instance, some students infer that a summer beach cleanup that took place on July 5, after a holiday, may have had an abundance of food containers because of people picnicking.

**FIGURE 3:** Screenshot of Beach Litter Data Exploration online interactive table

### Beach Litter Data Exploration

**State**

**County**

**Beach**

**EventID**

### Using this table

Use the inputs to select a State, County, and Beach to get data from. Lastly, select as many Event IDs as you want to pull up data from different dates. You can use the slider in the EventDate column to refine dates as you want. The buttons above the table will export all the data to the format of your choice! This table was produced by Sam Dunn, PhD for use by Loyola Students. Please direct any issues to [samuel.t.dunn@gmail.com](mailto:samuel.t.dunn@gmail.com)

CSV
Excel
Search:

EventDate	Year	Month	Date	CityName	WaterbodyName	type	
All	All	All	A	All	All	All	
399038	2014-09-20	2014	09	20	Highland Park	Lake Michigan	Take Out/Away Containers (Plastic)
399039	2014-09-20	2014	09	20	Highland Park	Lake Michigan	Bottle Caps (Plastic)
399040	2014-09-20	2014	09	20	Highland Park	Lake Michigan	Lids (Plastic)

October 2019

45

This content downloaded from  
 147.126.10.78 on Mon, 18 Sep 2023 18:14:44 +00:00  
 All use subject to <https://about.jstor.org/terms>

## Analyzing data from an anthropogenic litter cleanup


Now we are ready to tackle the question of how monitoring AL accumulation can inform efforts to minimize AL. This extension activity builds on students' experience analyzing data and challenges students to think critically about how data are best used to support a scientific statement. This activity can be done using AL data from a cleanup of the school-yard. Here are some recommendations to make sure it is a safe and rewarding experience for students:

1. Make sure you have the proper permission to perform the cleanup. Begin with asking the school principal about permissions specific to

your school and class. It may also be beneficial to coordinate with the school maintenance staff.

2. Take proper safety precautions, including wearing protective gloves, closed-toe shoes and other protective clothing and sunscreen; bringing a first-aid kit; and not attempting to remove trash that is too big, sharp, suspicious, or otherwise dangerous. Depending on the site, students should also be warned about poison ivy, stinging nettle, ticks, and any other potential dangers.
3. The following activity requires the counting and sorting of trash in the classroom (see Figure 5), so bring the proper storage containers to bring the collected trash back. Large plastic bins with lids work well, as do large garbage bags, as long

**FIGURE 4:** Trash count by material: datasheet



Data from Alliance for the Great Lakes

as there is nothing sharp that will break through the bag. Again, students should be reminded to wear protective gloves, closed-toe shoes and other protective clothing, and refrain from touching anything sharp, rusty, heavy, or suspicious.

Alternatively, images of trash from a cleanup of the Chicago River are included for students to use (see Online Supplemental Materials). The images are of trash collected for research in November of 2018 from the Bunker Hill Forest Preserve in Chicago. Multiple images are arranged on the pages, with multiple pieces of trash in each picture. If there is more than one picture of a given piece of trash, they are marked with arrows and the label "Same Items." We recommend that each piece of AL be treated sep-

arately, even if they are in the same picture or on the same page together.

Once the trash is collected and sorted (or the trash pictures are prepared), the class splits up into small groups of four or five students each. Half of the groups are given Trash Count Sheets whose categories are organized by use (e.g., food related, dumping), and the other half is given Trash Count Sheets that are organized by material (e.g., plastic, metal). See Figure 6 (p. 48) for a long version. Each group sorts the available trash (physical trash or images depending on which version of the activity is being conducted) into the categories listed on their sheet and counts the pieces of trash in each category.

Next, students use that information to create a bar graph, by hand, of their group's data. Depending on

**FIGURE 5:** Sorting and counting trash



students' familiarity with creating and reading bar graphs to communicate information, it can be helpful to review with questions such as, "Who can remind me what a bar graph, or bar chart, is? When are bar graphs useful? What do they show us?" It is also helpful to look at a blank graph template (see Online Supplemental Materials) and fill some of it in together. Students should write 'Number of Pieces of Trash' on the vertical axis and decide what scale would be most appropriate ("What should we count by?"). The categories should be written along the horizontal axis. Students can select a separate color to use for each different category and note this on the key.

Once all bar graphs are complete, students compare their bar graphs to another group's bar graph with the same categories and answer the following questions:

- Even with the same categories, are the two graphs identical?
- Why do you think this is? (Likely they will not be identical because students could interpret the categories differently.)

Next, two student groups are assigned to come together, and combine and compare their bar graphs and answer the following questions:

- Even with different categories, what similarities do you see between your data?
- Where are the biggest differences? (In the datasheet shown in Figure 4, note the connection between plastic and food-related objects, glass, and fragments.)
- Why might it be important to know about both the use of a piece of trash and the material it's made of? (If we know what it's

used for, we can figure out how it got there and offer ideas for how to prevent it from becoming litter. If we know what it's made of, we can predict how it will act in the environment.)

Groups report their findings in a whole-class discussion, and we record students' ideas on the board or chart paper. If students do not bring it up themselves, they should be encouraged to make predictions about the hazards that particular materials present to the environment. For instance, fishing wire can be an entanglement hazard, biohazards might carry disease, and construction waste can leach harmful chemicals.

**FIGURE 6: Trash count by use**

Trash Count Sheet- Sort by Use			
Smoking Related	Number of Items	Medical/ Personal Hygiene	Number of Items
Cigarettes, butts & filters		Toiletries	
Cigars (plastic tips and other)		Syringes	
Lighters		First Aid and packaging	
Packaging for smoking		Sanitary (diapers, fem. hygiene)	
Other:		Medication, drugs	
Total:	0	Gloves	
Food Related	Number of Items	Other:	Total:
Paper Cups			0
Styrofoam Cups	111	Dumping	Number of Items
Glass Bottles, jars	44444	Aerosol cans	
Plastic Bottles	1	Containers or drums (gas, oil)	
Aluminum Cans		Wire (wire, mesh, barbed wire)	
Plastic Bottle caps & lids	1111	Building & construction materials	
Metal Bottle caps, pull tabs		Building & construction materials	
6-pack rings, carriers		Cardboard boxes, paper bags	
Plastic Straws		Baskets, crates, trays, trash bags	
Plastic Food wrappers	23	Bottles (not food related)	11
Plastic takeout containers		Packing material & strapping	
Styrofoam takeout containers		Packing peanuts, packing material	
Paper food wrappers		Insulation, coolers	
Paper Bags		Tires	
Plastic Bags	1111 + 200 + 12	Construction material	1
Foil wrappers, aluminum foil		Batteries, Electronics, Appliances	
Plastic Cutlery, Straws	1111	Cloth (clothing, shoes, hats, bags)	11
Paper towels & napkins		Carpet, large fabric	
Popsicle sticks, toothpicks		Footwear (shoes, flip-flops)	
Pieces of Food		Other: Metal Sweetening	111
Other: Food (Metal)	1	Total:	3
Plastic Cups 11	Total: 0	Other	Number of Items
Fragments	Number of Items	Toys	11
Paper & Cardboard Fragments		Balloons, balls, toys	
Plastic Fragments		Ceramic	1111
Styrofoam Fragments		Plastic	
Glass Fragments	28	Styrofoam	
Total:	0	Wood	
Waterway Activities	Number of Items	Dead animals	
Fishing Gear (line, hooks, nets)		Other: Rubber Bands	11
Plastic Rope		Pencil	1
Foam buoys		Candles	111
Other:		Phone	1
Total:	0	Total:	13

## Using data to inform solutions

How can the data inform solutions in communities? Groups receive a list of hypothetical scenarios regarding trash (listed below). For these scenarios, students should have access to both a use-organized data sheet and a material-organized data sheet. Student groups work to decide whether or not their data can be used to answer the question presented in that scenario. If

they can, students should answer the question; if not, students should explain why not or what other information would be needed to answer the question.

### Sample scenarios:

- The local government has implemented a plastic bag tax to try and reduce plastic litter in the streams of their town. They want to know, according to

**FIGURE 7:** Science and Engineering Practice: Analyzing and Interpreting Data rubric

	<b>4: Exceeding</b>	<b>3: Meeting</b>	<b>2: Developing</b>	<b>1: Beginning</b>
Organizing data	I can <b>create</b> and <b>compare</b> multiple data displays from collected or presented data.	I can <b>create</b> an accurate* graph, chart, table or map of collected or presented data.	I can <b>create</b> a mostly accurate** graph, chart, table or map of collected or presented data.	With support, I can <b>create</b> a graph or table of collected or presented data.
Analyzing a single data set	I can <b>identify</b> two or more relationships within a data set and <b>evaluate</b> limitations to my analysis of the data.	I can <b>identify</b> two relationships within a data set including: linear and nonlinear relationships, causality, correlation, and anomalies in the data.	I can <b>identify</b> one relationship within a data set including: linear and nonlinear relationships, causality, correlation, and anomalies in the data.	With guidance, I can <b>identify</b> a causality relationship within a data set.
Analyzing multiple data sets	I can <b>identify</b> two or more relationships between dataset and <b>evaluate</b> limitations to my analysis of the data sets.	I can <b>identify</b> two relationships between data sets including: causality, correlation, similarities, and differences.	I can <b>identify</b> one relationship between data sets including: causality, correlation, similarities, and differences.	With guidance, I can <b>identify</b> one similarity and difference between data sets.
Interpreting data	I can <b>synthesize</b> multiple data sources to <b>infer</b> two or more conclusions.	I can <b>infer</b> two conclusions from data to provide evidence for a phenomenon.	I can <b>infer</b> one conclusion from data to provide evidence for a phenomenon.	With guidance, I can <b>infer</b> a conclusion from data.

\*An accurate graph must contain correct and true data and the following components: title of graph, key, axis labels (independent = x-axis, dependent = y-axis), units.


\*\*A mostly accurate graph is missing one or two of the following components: title of graph, key, axis labels (independent = x-axis, dependent = y-axis), units.

your data: "Has the plastic bag ban reduced the number of plastic bags in local streams?"

- The organization that manages the park wants to implement a plan to reduce the amount of waste that gets into the stream. They want to know, according to your data: "What is the number one way people are using the trash before it gets into the stream?"
- A community group is collecting data from river cleanups all over the area. They want to know, according to your data: "What proportion of the trash in this stream is plastic?"

The first question cannot be answered using the given data. One would need additional information about how many plastic bags were in the streams before the bag tax to compare their data. The second question can be answered using the data organized by use. The third question can be answered using the data organized by material.

The above scenarios can also be edited to be specific to the context of a given classroom. For example, the first scenario can be changed to include an action taken by the school's local government in place of a plastic bag ban. Scenario 2 could be framed as a question from the school's administration wanting to reduce the amount of trash on school grounds instead of an organization that manages the park. Teachers



can also add scenarios of their own, especially if the class completed their own trash cleanup.

## Taking action

Finally, student groups are charged with making posters to hang in the school halls that serve as a public service announcement to their peers. The posters should explain: what AL is; how AL accumulates in local and distant waterways and who is responsible; why AL is a problem; how AL accumulation (what, where, how much) can be measured; and why measuring AL is of interest to scientists and communities. Posters should also include students' suggestions for how to take action to reduce AL accumulation in local and global ecosystems.

## Assessment

Both verbal and written questions posed by the teacher allow for regular assessment of students' understanding of the concepts. Questioning also allows students to contribute their ideas, giving the teacher a sense of students' concerns. Ideas can be recorded in student journals and on the class summary table, which also provides a reference point for students to refer back to throughout the lesson.

Given the large role that data analysis plays across these lessons, the charts that students create and their responses to the analysis questions provide a record of students' abilities to organize, analyze, and interpret data. A skills-based rubric in the form of "I" statements was used to assess student's ability to analyze and interpret data, and evaluate whether sufficient data are available to support a claim (see Figure 7, p. 49). Because these generic rubrics are used for various lessons throughout the year, students are familiar with them. However, they can also be edited to be more specific to suit your needs.

Finally, the posters can serve as a summative assessment. We like to develop a checklist of the required elements with students as we introduce the assignment, in order to capture their thoughts on what is most important to include. Then, this check-

list also serves as a scoring guide. The checklist questions include:

1. What is AL?
2. How does AL end up in our rivers, lakes, and oceans?
3. How do people contribute to the problem?
4. Why should we care about AL?
5. How can we measure AL (what, where, how much)?
6. Why do we want to measure AL?
7. What action can we take every day to help minimize AL and its impacts?

## Conclusion

Oftentimes, environmental issues can seem irrelevant to students' lives, or too daunting for youth to overcome. This set of learning activities presents students with an issue that is highly relatable to their own lives and communities. Litter is something we all see every day. Moreover, the learning activities introduce partnership efforts between scientists, volunteers, and organizations in their community focused on solutions to the challenges presented by AL. Most importantly, the learning activities highlight actions that students can take in their daily routines to make a difference. ●

## ACKNOWLEDGMENTS

We acknowledge Alliance for the Great Lakes for the publicly available data used in this article. This material is based upon work supported by the National Science Foundation under Grant No. 1552825. Any opinions, findings, and conclusions or recommendations expressed in this material are those of the author[s] and do not necessarily reflect the views of the National Science Foundation.

---

**Lara Smetana** [*lsmetana@luc.edu*] is an associate professor in the School of Education at Loyola University in Chicago, Illinois. **Lauren Wisbrock** is a former classroom teacher and current graduate student in the Biology Department at Loyola University Chicago. **Micah Zaker** is a middle grades science teacher in Chicago Public Schools. **Timothy Hoellein** is an associate professor in the Biology Department at Loyola University Chicago.

## REFERENCES

Achieve, Next Generation Science Storylines, and STEM Teaching Tools. 2016. Using phenomena in NGSS-designed lessons and units. <http://stemteachingtools.org/brief/42>.

Dunn, S. 2018. dunnsamuel/AGL: Stable Release! Zenodo. <http://doi.org/10.5281/zenodo.1470755>.

Geyer, R., J. Jambeck, and K. Law. 2017. Production, use, and fate of all plastics ever made. *Science Advances* 3 [7]: e1700782. <https://advances.sciencemag.org/content/3/7/e1700782.full>.

National Governors Association Center for Best Practices and Council of Chief State School Officers [NGAC and CCSSO]. 2010. *Common core state standards*. Washington, DC: NGAC and CCSSO.

NGSS Lead States. 2013. *Next Generation Science Standards: For states, by states*. Washington, DC: National Academies Press. [www.nextgenscience.org/next-generation-science-standards](http://www.nextgenscience.org/next-generation-science-standards).

## RESOURCES

Alliance for the Great Lakes classroom resources—<https://greatlakes.org/get-involved/great-lakes-in-your-classroom>

Alliance for the Great Lakes policy toolkit—<https://greatlakes.org/plastic-free>

Bar graphs—[www.mathgoodies.com/lessons/graphs/bar\\_graph](http://www.mathgoodies.com/lessons/graphs/bar_graph)

Beach Litter Data Exploration table—[https://dunnsamuel.shinyapps.io/Interactive\\_Table](https://dunnsamuel.shinyapps.io/Interactive_Table)

Clean Virginia Waterways—[www.longwood.edu/cleanva/littersources.htm](http://www.longwood.edu/cleanva/littersources.htm)

Friends of Chicago River litter free toolkit—[www.chicagoriver.org/get-involved/volunteer/litter-free-north-shore-channel-losethelitter](http://www.chicagoriver.org/get-involved/volunteer/litter-free-north-shore-channel-losethelitter)

Great Pacific Garbage Patch [see site for images for Engage phase]—[www.nationalgeographic.org/encyclopedia/great-pacific-garbage-patch](http://www.nationalgeographic.org/encyclopedia/great-pacific-garbage-patch)

NOAA Marine Debris and Marine Debris Monitoring Program—<https://marinedebris.noaa.gov>

Washed Ashore project [see site for images for Engage phase]—<http://washedashore.org/photos>

## ONLINE SUPPLEMENTAL MATERIALS

Photo of trash cleanup, blank graph template, charts—[www.nsta.org/Scope1019](http://www.nsta.org/Scope1019)

## Connecting to the *Next Generation Science Standards* [NGSS Lead States 2013]

- The chart below makes one set of connections between the instruction outlined in this article and the NGSS. Other valid connections are likely; however, space restrictions prevent us from listing all possibilities.
- The materials, lessons, and activities outlined in the article are just one step toward reaching the performance expectation listed below.

### Standard

MS-ESS 3 Earth and Human Activity

[www.nextgenscience.org/dci-arrangement/ms-ess3-earth-and-human-activity](http://www.nextgenscience.org/dci-arrangement/ms-ess3-earth-and-human-activity)

### Performance Expectation

MS-ESS3-3. Apply scientific principles to design a method for monitoring and minimizing a human impact on the environment.

DIMENSIONS	CLASSROOM CONNECTIONS
Science and Engineering Practice	
Analyzing and Interpreting Data	<p>Students analyze and interpret large publicly accessible data sets and graphical displays, looking for trends around anthropogenic litter accumulation.</p> <p>Students collect, represent, and analyze their own anthropogenic litter data and compare two organizational strategies to determine how that data might best be used in a given real-life scenario.</p>
Disciplinary Core Idea	
ESS3.C: Human Impacts on Earth Systems	<p>Students will analyze the distribution of anthropogenic litter in order to understand the extent of its impact.</p> <p>Students identify relationships between human consumption and anthropogenic litter accumulation.</p>
Crosscutting Concept	
Patterns	Students identify similarities and differences between the patterns seen in two different graphical displays of anthropogenic litter.

## Connections to the *Common Core State Standards* [NGAC and CCSSO 2010]

### ELA

RST.6-8.7. Integrate quantitative or technical information expressed in words in a text with a version of that information expressed visually [e.g., in a flowchart, diagram, model, graph, or table].

WHST.6-8.8. Gather relevant information from multiple print and digital sources, using search terms effectively; assess the credibility and accuracy of each source; and quote or paraphrase the data and conclusions of others while avoiding plagiarism and following a standard format for citation.