Interaction-Shaping Robotics:
Robots that Influence Interactions between Other Agents

SARAH GILLET, KTH Royal Institute of Technology, Sweden

MARYNEL VÁZQUEZ, Yale University, USA

SEAN ANDRIST, Microsoft Research, USA

IOLANDA LEITE, KTH Royal Institute of Technology, Sweden

SARAH SEBO, The University of Chicago, USA

Work in Human-Robot Interaction (HRI) has investigated interactions between one human and one robot as well as human-robot group interactions. Yet, the field lacks a clear definition and understanding of the influence a robot can exert on interactions between other group members (e.g., human-to-human). In this paper, we define Interaction-Shaping Robotics (ISR), a subfield of HRI that investigates robots that influence the behaviors and attitudes exchanged between two (or more) other agents. We highlight key factors of Interaction-Shaping Robots that include the role of the robot, the robot-shaping outcome, the form of robot influence, the type of robot communication, and the timeline of the robot's influence. We also describe three distinct structures of human-robot groups to highlight the potential of ISR in different group compositions and discuss targets for a robot's interaction-shaping behavior. Finally, we propose areas of opportunity and challenges for future research in ISR.

CCS Concepts: • **Human-centered computing → Collaborative and social computing theory, concepts and paradigms**; • **Social and professional topics** → *Computing / technology policy*;

Additional Key Words and Phrases: Human-robot interaction, Multiparty interactions, Social influence, Shaping interactions, Interaction-shaping robotics

1 INTRODUCTION

As the field of Human-Robot Interaction (HRI) continues to grow, researchers are designing and studying increasingly complex human-robot social interactions, including those that involve multiple people and/or multiple robots [29, 106, 111]. Numerous studies examining human-robot group interactions have demonstrated that robots can do more than influence one person's behavior. Robots can also shape current and subsequent interactions between multiple agents, especially including those between people [42, 103, 120, 126].

Authors' addresses: Sarah Gillet, sgillet@kth.se, KTH Royal Institute of Technology, Stockholm, Sweden; Marynel Vázquez, Yale University, 51 Prospect Street, New Haven, USA, marynel.vazquez@yale.edu; Sean Andrist, sandrist@microsoft.com, Microsoft Research, Redmond, USA; Iolanda Leite, iolanda@kth.se, KTH Royal Institute of Technology, Stockholm, Sweden; Sarah Sebo, sarahsebo@uchicago.edu, The University of Chicago, Chicago, USA.

Fig. 1. Schematic depicting an interaction-shaping robot that displays behavior (blue dashed arrows) towards two other agents: one human and one human or robot. The agents may (1) respond reciprocally towards the robot (black dotted arrows) and/or (2) change their interactions with one another as a result of the robot's behavior (green bold arrows). We consider this latter effect to be unique to interaction-shaping robots.

This paper proposes a new research area—Interaction-Shaping Robotics (ISR)—which we define as the study of robots that influence the behaviors and attitudes exchanged between two (or more) other agents. Figure 1 illustrates this definition. The figure represents the robot's behavior towards two other interactants with blue dashed arrows. One of the interactants in the diagram is a human and the other may either be a human or a robot. The robot's behavior can then result in two possible effects: (1) a direct reciprocal effect from the agent (black dotted arrows); and/or (2) an indirect effect of the robot's behavior on the interaction of the other interactants (green bold arrows). This first direct reciprocal effect is characteristic of traditional HRI research spanning both dyadic and multiparty scenarios, where a robot's behavior shapes human behaviors and attitudes back towards the robot. This second indirect effect of the robot's behavior on the interactions between other agents is unique to ISR, where a robot influences how one agent behaves toward and/or thinks about another interactant in a group. While some researchers explicitly design their robots to shape interactions between other agents [29, 30, 44, 120, 132], many robots also produce interaction-shaping effects that are neither designed nor intended by the robot or researcher. ISR represents a critically needed addition to the current topic areas covered in the HRI community, as it invites researchers and practitioners to be more deliberate and thoughtful about the potential of influencing interactions when designing and deploying robots, especially considering how these interactions between other agents may be negative or positive, intended or unintended.

To illustrate an example of an interaction-shaping robot, consider the humanoid robot that made vulnerable expressions in a collaborative game with three people [120]. In response to the robot's vulnerable expressions (e.g., "I sometimes find myself getting a bit discouraged..."), some human team members verbally responded to the robot – which are examples of direct responses to the robot's behavior (black dotted arrows in Figure 1). Later on in the collaborative game, people were more likely to explain their mistakes to their human team members if their robot teammate had made vulnerable utterances, as opposed to neutral utterances [120]. This increased likelihood to explain their mistakes to fellow human team members displays how the robot shaped the interactions between its human teammates (green

bold arrows in Figure 1) by influencing what information these human team members shared with each other. Beyond this one example, other work in HRI has also demonstrated a variety of interaction-shaping robots, including robots that influence the amount of time people spend talking to one another [44, 77, 97, 129] and backchanneling [105, 126], robots that change how people in a group perceive [63] and resolve [108] conflicts, robots that shape people's perceptions of group dynamics such as inclusion [119] and cohesion [112], and robots that influence how people behave towards other robots [29].

In this paper, we present ISR as a subfield of HRI to bring this research area to the attention of the HRI community and align researchers whose work touches on this space. We define five key factors that characterize the distinct methods that interaction-shaping robots use to influence interactions between other agents. We do not claim that the presented key factors represent a complete and sufficient theoretical framework but suggest that these factors support our understanding of the impact interaction-shaping robots have in society and highlight unexplored research directions and possible ethical risks in developing interaction-shaping robots. Additionally, we describe three categories of human-robot group structures, along with example scenarios within each, that highlight distinct opportunities and effects of a robot's interaction-shaping behavior capturing the variation in possible group compositions and targets for interaction-shaping.

To provide a holistic HRI perspective, we highlight ethical, methodological, and computational challenges that arise when building and deploying interaction-shaping robots. Our goal is to inspire future research to carefully consider the ethical risks (e.g., of deception or biased behavior) while recognizing the potential benefits of deliberately influencing human-robot and human-human interactions. Furthermore, we emphasize the need for future research to develop new methodologies for meaningful comparisons between robots, robot behaviors, and scenarios in ISR. By discussing computational challenges, we encourage bridging the gap between related research fields, such as affective computing and network analysis, necessary for developing effective, ethical, and adaptive interaction-shaping robots.

2 BACKGROUND

This section highlights prior work that informs ISR. First, we summarize work on multiparty HRI and the formation of human-robot relationships. Then, we review related work in psychology and sociology that examines how people can shape the behavior and attitudes of other people.

2.1 Human-Robot Multiparty Interactions

ISR is closely related to multi-party HRI. When multiple humans and/or robots interact simultaneously, the scenario is broadly a multi-party interaction. When a multi-party interaction also involves a robot influencing how one agent behaves toward and thinks about another interactant in the group, then the scenario represents both a multi-party HRI scenario and an ISR scenario.

There is a long history of work in multi-party human-robot interaction that motivates ISR. For instance, HRI research in public environments has investigated robot interactions with many people in places like museums [37, 80, 115, 128], office buildings [16, 50], airports [130], train stations [51], hospitals [76], hotels [26], and schools or care centers for children [64, 65, 71, 148]. Recently, there has also been increased interest in studying group human-robot interactions [104, 106], including situations where robots are peripheral companions to groups [55, 126] and situations where robots directly participate in conversational engagements [42, 75, 77, 93, 129, 135], multi-party games [31, 113, 136, 138], or collaborative tasks [29, 62, 63].

While not all these examples focus explicitly on ISR, several of these research directions have motivated studying how robots can influence human behavior towards other interactants. For example, Kanda et al. [64] describe the deployment of Robovie in a school environment. In this setting, 63% of first-grader's interaction time with the robot was in the company of one or more friends. These types of interactions provide opportunities for robots to shape relationships. Also, Yamaji et al. [148] studied children's interaction with Sociable Trash Boxes (STBs). When the STBs moved individually, only 30% of children in the public environment where the robots were deployed helped with trash collection. Meanwhile, when the STBs moved in groups, 70% of children helped with the trash collection. This group effect could be seen as an example of ISR whereby the behavior of a Sociable Trash Box motivated children to interact with another nearby STB in which they deposited trash. We generally see ISR as overlapping with multi-party HRI because a subset of ISR requires multiple colocated interactants but focuses more narrowly on how a robot can shape interpersonal processes among other interactants.

A growing body of work in multi-party HRI has started to explore the benefits and risks of interaction-shaping robotics. For example, robots using non-verbal behaviors can assist a group conversation by balancing engagement [126] or participation [42]. In addition, robots can help to resolve situations of conflict [63, 108], build more trustful relationships in peer groups [14, 120], enhance the interaction among intergenerational groups [113], influence how included people feel in a group [44, 119], and improve interpersonal interactions [36, 95]. Recent pioneering work has also started to uncover the negative effects robots can have on interactions and the consecutive formation or destruction of relationships. For example, in a scenario where only one team member could ask a robot for information, that team member experienced a greater sense of exclusion from the human members of their group [119]. Also, non-anthropomorphic robots have been shown capable of inducing feelings of ostracism [35] in people, which can also shape subsequent human-human interactions [34]. These examples of interaction-shaping robots in multiparty HRI demonstrate the variety of interaction-shaping effects, both positive and negative, robots can have in a range of multiparty interaction settings.

2.2   Human Relationships with Robots

In addition to shaping human-human interactions, interaction-shaping robots may increasingly form and change human-robot interactions and relationships. Several studies have described the formation of relationships between humans and robots, which grow and develop over a series of interactions. Sung et al. [121] found that robot vacuum cleaner owners build an intimate attachment to their robot vacuum cleaners. Further, soldiers working with bomb-disposal robots have been found to form close bonds with these robots [20]. Similarly, dismantling ceremonies for Aibo robots in Buddist temples in Japan are indicative of close bonds and relationships between owners and their robots [19, 90]. While human-human relationships display a mutuality and depth that human-robot relationships have yet to realize, robots are increasingly incorporating methods to personalize their interactions with people [101], which is a step towards building relationships. As human-robot interactions and relationships become increasingly common, it is important to consider the potential for third-party robots to influence human-robot interactions and relationships, a potential we discuss further in this work.

2.3   Human-to-Human Social Influence

How people can shape the behaviors and attitudes of other people through social behavior is important for ISR, since robots can potentially use similar methods of social influence to shape the interactions between other agents. Social influence is typically studied in the field of social psychology. The literature broadly studies aspects of conformity,

obedience and power, attitudes, group processes, and effects of culture and gender concerning social influence [7, 56, 66, 78]. We would like to note that in this section, we focus on social influence a human or robot could exert knowingly, e.g., through language or behavior. In the following paragraphs, we discuss phenomena from the human-to-human social influence literature that we found particularly promising for HRI or that have been used in previous HRI studies. We recommend the interested reader to consult a social psychology textbook [7, 56, 66, 78] for an exhaustive literature review on social influence. One way people can exert social influence is by their behavior or emotion spreading from one person to another through social interactions, an effect known as behavioral or emotional contagion [11, 24, 25]. A variety of behaviors have been found to spread from person to person including selfish behaviors in economic games [61] or aggressive behavior in children [33]. Emotions are also contagious, for example, people are more likely to be happy if they are in contact with others who are happy [41] or become depressed if they are assigned to live with a mildly depressed roommate [59]. Emotions can also spread from one person to an entire group, for example, Barsade [11] demonstrated that one person's positive affect in a collaborative group led to improved cooperation between group members, less conflict, and increased perceived task performance.

In addition to behavioral and emotional contagion, people can influence the behavior and attitudes of other people using other forms of social influence. For example, people change their behavior to match the behavior of others, an effect known as conformity [27]. Famously, Asch [8] demonstrated that participants asked to judge the length of the line would choose a clearly incorrect answer about 37% of the time if their peers also chose the same incorrect answer, displaying the powerful effect of conformity and peer pressure. Compliance is another type of social influence and refers to cases where a person acquiesces to the request of another person (e.g., purchasing items from a door-to-door salesman, voting for a political candidate touted by a colleague) [28]. In addition to conformity and compliance, people are also greatly influenced by social norms - rules about actions to perform or avoid that are upheld by a community of people who follow and enforce them [13, 18]. Examples of social norms include shaking someone's hand when meeting them, not littering in a park, and speaking softly in a library.

In addition to individual behaviors, group-level social influences such as intergroup processes and balance theory can shape people's behaviors and attitudes. Intergroup effects in form of biases describe the natural favoring of one's own group (ingroup) over other groups (outgroup). This ingroup-outgroup bias results in implicit intergroup and cognitive biases to the detriment of the perception of and behaviors toward the outgroup [40]. To overcome those ingroup-outgroup biases, the literature proposes the contact hypothesis that suggests that relationships between groups can be improved through positive contact in a joint interaction [5, 147]. Balance theory suggests that groups naturally strive for a balanced state, meaning that attraction relations are reciprocal [52]. If imbalances occur, the balance can be restored by changes in the individual or interpersonal changes. For example, one person disliking another can change their opinion if they realize that the other group member likes them. On the other hand, a group member can also change their opinion from liking to disliking the other, which can cause ostracism [125].

This section offers a brief overview of the literature that covers aspects of human-human social influence and intergroup effects, demonstrating that people's behaviors and attitudes are strongly influenced by the people around them and their behavior. As people increasingly interact with social robots, they will also inevitably influence the behaviors and attitudes of these people, likely in similar ways (e.g., contagion, conformity, compliance) as in human-human social influence. As a result, effects found in human-human literature offer promising directions for studying interaction-shaping robots.

ISR Factor	Category	Description
Role of the Robot	Guiding Facilitator	The robot leads and directly mediates the interaction between the agents.
	Peripheral Facilitator	The robot is present and active, but is not directly involved in the interaction.
	Peer Group Member	The robot acts as a peer relative to the agents.
	Specialized Group Member	The robot adopts a special role as a group member relative to the agents.
Robot-Shaping Outcome	Cognitive	The shaping outcome is measurable in changes in cognitive attitudes and thoughts (e.g., interpersonal evaluation, feelings, intentions).
	Behavioral	The shaping outcome is measurable as a change in behavior (e.g., spatial repositioning, amount of speaking, gazing).
Form of Robot Influence	Explicit Robot Influence	The robot addresses aspects of the interaction explicitly through clear and exact communication, directly prompting or requesting a change in the interaction (e.g. calls a conflict out and asks for resolving it).
	Implicit Robot Influence	The robot implicitly addresses aspects of the interaction that could lead to a change in the interaction among the other agents.
Type of Robot Communication	Verbal	The robot uses verbal natural language to shape the interaction.
	Non-Verbal	The robot uses non-verbal behavior (e.g., gestures, gaze, movement, resource distribution) to shape the interaction.
Timeline of Robot Influence	Immediate Influence	The robot's behavior immediately shapes the interaction between the agents.
	Long-Lasting Influence	The robot's behavior shapes the interaction between the agents after the robot's interaction-shaping behavior has concluded (e.g., the following day).

Table 1. Key factors of interaction-shaping robots. The ISR factors on the left distinctly identify mechanisms that allow robots to shape interactions between other agents. Categories can be combined for a given application. See Sec. 3 for concrete examples.

3 FACTORS OF INTERACTION-SHAPING ROBOTICS

This section presents key aspects for Interaction-Shaping Robotics as five factors that greatly influence how a robot shapes interactions (see Table 1). To develop these factors, we consulted recently published surveys on group HRI [45, 104, 106] and reviewed the surveyed and more recently published literature. Based on prominent examples from the literature, we discussed distinguishing elements repeatedly among all authors, drafted definitions and naming of the factors, and refined them while mapping works to factors and their categories. Before agreeing on the final five factors, we focused on the overall clarity to a potential reader and the fit of work from the literature. The result of this process is documented in the remainder of this section, in which we describe and exemplify each factor with related work from the HRI community.

The following subsections describe factors that we identified as uniquely relevant and essential for ISR: 1) the role of the robot in the group, 2) the robot-shaping outcome, 3) the form of robot influence, 4) the type of robot communication, and 5) the timeline of robot influence on the interaction(s). Similar to the broader field of HRI, we acknowledge that

many factors other than these five may influence ISR interactions [39], including robot-specific factors (e.g., physical appearance[89], anthropomorphism [151]) and individual differences in human interaction partners (e.g., personality, prior familiarity). While these additional factors can certainly influence ISR interactions considerably, the five factors we have chosen to focus on reflect aspects that have a unique and sizable impact on how robots can shape interactions between other agents.

Similar to work in the field of HRI more broadly, we also expect that some interaction-shaping factors will have similar effects when they are expressed by a robot compared with when they are expressed by a human (e.g., expressions of vulnerability being reciprocated by others [120]). However, the literature shows that effects might not always replicate, as in the case of replicating the effects of Asch's conformity experiment [17, 109] or have an effect with reduced magnitude when compared to human-human interactions [99]. Additionally, robots can adopt some interaction-shaping behaviors that are similar to those that people can express but they can also shape interactions in unique ways by, for example, expressing lights, sounds, and movements impossible for humans. The five interaction-shaping factors we identified represent ways that robots can influence other agents that contain similarities with human-human interaction-shaping and key differences.

3.1 Role of the Robot

The role that a robot adopts in human-robot interactions has a significant impact on how people perceive the robot and respond to its behavior. Interaction-shaping robots in prior work have often adopted the roles of *facilitator* or *group member*, which offer particular opportunities but also challenges when shaping interactions. Some types of interactions, like role-playing games [136], allow robots to switch between the facilitator and group member roles.

Guiding Facilitator: When an interaction-shaping robot adopts a guiding facilitator role, it directly leads the interaction between the other agents. A robot can utilize this role to explicitly draw the agents' attention to the aspects of the interaction the robot wants to shape. For example, Shen et al. [108] showed how a Keepon robot can help children to resolve their resource conflicts by explicitly pointing at the conflict and suggesting to focus on a constructive solution. In addition, Birmingham et al. [14] exemplified how a robot could guide a support group session for stressed students with questions and self-disclosure statements to invite students to share their stress experiences and improve trust between participants. As long as the robot is accepted as the leader, it can effectively guide the group, like eliciting participation from quiet individuals when making hiring decisions [107], or encouraging deeper conversations among strangers [149]. Engagement from other interactants is crucial for robots in this role.

Peripheral Facilitator: An interaction-shaping robot can also facilitate an interaction between agents from the periphery. The robot is present and active, but it is not directly involved in the main task being carried out by the group. For example, Tennent et al. [126] explored this role for a microphone-shaped robot, MicBot. During human group conversations, MicBot followed the speaker and attempted to encourage the least talkative participant to take the floor of the conversation by turning towards them. The authors found that these behaviors led to a more balanced engagement of all group members [126]. In another example, a Cozmo robot used similar behaviors to turn towards children to follow their play, encourage participation, and prompt collaboration to help the process of inclusion among children [44]. These examples demonstrate that peripheral robot facilitators can have a profound impact on an interaction even though engagement from other interactants with the robot is not a requirement. It is important, though, that the robot's actions are recognizable enough for people to not forget about the robot or ignore it [95].

Peer Group Members: Interaction-shaping robots can also take on the role of a peer, similar in function to the other group members. In contrast to the facilitator role, the robot can leverage the establishment of group membership to shape interactions, e.g, leading to higher trust by the other group members [10]. One context where prior work has explored interaction-shaping robots as peers is in collaborative task and game contexts, where the interaction-shaping behavior is embedded within the task or game. For example, Strohkorb Sebo et al. [120] found that a robot that admitted having made mistakes during the game play could increase the number of vulnerable statements made by other people within the group.

Specialized Group Members: An interaction-shaping robot can also fulfill a special role as a group member, where the robot makes a unique contribution to the group but still benefits from emerging group membership. For example, Mutlu et al. [77] studied interactions with a travel agent robot that gave people advice on travel destinations. Because the robot's goal was to help people select a suitable travel location, the robot's primary role (serving as an information source) was distinct from the role of other group members (seeking advice). A robot's special role might thereby offer the robot opportunities for shaping interactions that can be part of the role itself or the task-based behavior. In other examples from prior work, robots have adopted a variety of special roles including an information source in a desert survival task [119], a 'bomb scanner' in a bomb defusal game [63], and a guesser in a word guessing game [42].

3.2 Robot-Shaping Outcome

A robot shaping an interaction might lead to *cognitive* and/or *behavioral* outcomes. Cognitive outcomes typically result in a change in cognitive attitudes often measured through questionnaires or dedicated tasks, e.g., the Implicit Association Test (see [54] for an example). Behavioral outcomes can typically be measured within the interaction between the robot and other agents or in dedicated tasks. Changes in cognitive attitudes may often influence changes in behavioral outcomes. However, it is also possible for people to change their behavior while their cognitive attitudes remain the same, e.g., a requested spatial repositioning might not change how the other agents perceive themselves or the interaction.

Cognitive: Cognitive outcomes are measurable changes, e.g., in interpersonal attitudes, changes in trust between the other agents, or aspects of group dynamics such as cohesion or perception of group identity. For example, researchers explored a non-anthropomorphic robot's leaning gestures and their influence on interpersonal evaluations in conversations [95]. In another example, researchers address intergroup effects through explicit experimental manipulation before the interaction with the robot, and through an implicit manipulation by giving one group member the unique role of the robot liaison. They find that the role of the robot liaison has a stronger effect on perceived inclusion than the explicit formation of ingroup and outgroup before the interaction with the robot [119]. Other works explore the effect of robot exclusion, inclusion and overinclusion on the experience of ostracism [35], the perception of inclusion in groups of mixed visual abilities [79], or trust in support groups [14]. A change in stereotypical thinking as demonstrated by Hitron et al. [54] can also be understood as a cognitive robot-shaping outcome that generally influences how an individual thinks and acts toward others in society.

Behavioral: Robots can also influence how other agents, individually or as a group, behave in interaction-shaping scenarios, including how much time agents spend speaking, how group members communicate with each other, work as a team, or how they change their spatial positioning [15]. Prior work has provided multiple examples that have demonstrated that participants' speaking behavior can be altered by a robot's shaping behavior [42, 77, 79, 86, 114]. Other works demonstrated that robots can change conflict resolution strategies around toys among children [108] or

how children play with members from a different group in the context of social inclusion [44]. Further examples include robots that could elicit prosocial interventions in case of robot mistreatment [29], evoke task-based explanations among children [21], alter a group's decision-making process [119], or prompt more trash disposal to a robotic trash can [148].

3.3 Form of Robot Influence

Another important factor of ISR is how the robot influences the interaction among the other agents. We consider two possible forms of robot influence: *explicit*, and *implicit*. While this section discusses these two forms as distinct categories, we recognize that the form of robot influence is best described by a spectrum where a specific shaping attempt might fall between explicit and implicit. The form of robot influence might affect people's ability to identify and be aware of the robot's shaping behavior. We discuss the ethical considerations of forms of robot influence in combination with other factors in Section 5.1.

Explicit Robot Influence: A robot can shape interactions explicitly by using behaviors or other means that elicit clear expectations on how the interaction between the other agents should change. Typically, a robot would use direct prompts and requests. For instance, one research study investigated the efficacy of a couple's counselor [133]. The robot invited the couples to explore exercises that aim to improve their communication skills among them. In other research, a robot explicitly asked participants to reposition themselves when interacting with the robot [15]. Another example of the explicit influence that does not use verbal communication is the robot MicBot [126]. In this work, the robot takes the form of a microphone which turns to encourage participants to speak. While Micbot cannot verbally explain its actions, swiveling towards a person does clearly indicate Micbot's desire for that person to speak. Other works explore a robot's explicit influence in situations of resource conflict [108], children collaborating in a rocket-building game [118], or general moderation of a collaborative game [113]. In cases where the robot's influence is explicit, other agents have the choice to either accept the robot's influence or reject the robot's influence. Therefore, the ability of a robot to shape interactions explicitly depends on the decisions of the other agents to follow its prompts.

Implicit Robot Influence: In contrast to shaping interactions in ways that clearly communicate expectations toward the other agents, robots can also implicitly shape interactions. For example, in a word-guessing game, a robot used gaze cues to encourage more participation from a less talkative person [42]. Even though participants might notice irregular patterns in the robot's gaze when asked to reflect on the robot's behavior, the robot does not make it explicitly clear to the participant that its gaze may result in a change in their behavior [43]. Additionally, robot expressions of vulnerability in a game context increased people's likelihood to explain their mistakes to one another and console those who made mistakes [120]. Further research has shown that a robot being unreliable in a task could elicit more task-based explanations among children [21], or could harmonize an interaction, i.e., yielding the floor to a less active group member after taking the floor in a short natural exchange with the current speaker(s) [73]. Implicit means of shaping interactions typically use subconscious responses, like gaze or psychological processes, to influence the interaction. These subconscious responses might though be subject to individual differences between people and could affect how effectively a robot can shape interactions through implicit means.

3.4 Type of Communication

Robots can shape interactions through *verbal* and *non-verbal* communication. Verbal communication involves the use of natural language. Non-verbal communication comprises other expressive forms of behaviors, such as movement, gesture, backchanneling, and gaze. This section describes how these behaviors can contribute to how a robot shapes interactions

between other agents. Important to note is that the type of communication only concerns interaction-shaping behaviors. The robot could display additional behaviors intended for other aspects of the interaction that use other types of communication.

Verbal communication: Verbal communication can be used in different ways by robots to shape interactions, e.g., utterances can provide recommendations or mention problematic situations explicitly. For example, Jung et al. [63] studied the effects of a robot with a special role in a shared bomb-defusal task. The robot admonished a confederate for their hostile behavior toward another participant and, through this verbal behavior, called attention to the conflict between the human team members. Robots in guiding facilitator roles, as discussed in Section 3.1, often use verbal communication to shape interactions, acting as a couples counselor [132], reducing conflicts among children [108], and improving the perception of a patient as evaluated from a caregiver's or doctor's perspective [23]. While verbal behavior can be an effective way to shape interactions between agents, a robot's use of verbal behavior may lead people to believe that a robot can both produce and understand natural language. If a robot cannot understand natural language to the same extent that it can produce it, people's expectations of the robot could be violated [92] and, in turn, this could reduce trust [67] and social influence. Therefore, considering human expectations is particularly important for these interaction-shaping robots.

Non-verbal communication: Non-verbal behaviors typically used by interaction-shaping robots include gestures, movement, backchanneling, gaze and functional interaction-shaping behaviors. Non-verbal communication can help coordinate human-human conversations and group interactions and is influential in human-robot interactions [102]. For example, a robot's gaze behavior can balance human participation in conversations [42], shape conversational roles [77], and distribute speaking turns to less talkative members of a conversation [73, 114]. Furthermore, Erel and colleagues explored the effect of gaze and leaning gestures of the non-anthropomorphic robot, Kip, on the interaction between humans. They found that these behaviors can positively influence the perception of conversation partners [95] and improve perceived emotional support within the group [36]. This work points out one advantage of fully non-verbal robots: users have lower expectations of them. This could facilitate creating effective interaction-shaping robots.

Functional non-verbal behavior can also be used by robots to shape interactions among two other agents. For example, non-humanoid robots 'shooting a ball' unequally in a group interaction can raise feelings of exclusion [35]. Additionally, in industrial contexts, a robot arm's unequal distribution of resources has been shown to systematically influence human-human interaction dynamics [62]. Other examples of non-verbal interaction-shaping behaviors include the microphone-shaped robot MicBot that balances engagement [126], the robot Cozmo that encourages active play to improve inclusion among children through body movement, sound and facial expressions[44], and robotic bar-stools that encourage spontaneous conversation [98]. In summary, non-verbal behavior can be designed from human-human communication or following the specific capabilities of the robot, making a robot's possible repertoire of interaction-shaping behaviors both shared and unique relative to those used by people.

3.5 Timeline of Robot Influence

Once a robot has expressed interaction-shaping behavior, the robot's behavior may influence the agents' interactions in both the *short-term* and the *long-term*. A robot's behavior may have immediate interaction-shaping effects on the agents that are physically present with the robot. It is also possible that the robot's interaction-shaping behavior might have

long-lasting effects and influence the agents' subsequent interactions with others, even in the absence of the robot's presence.

Immediate Influence: When a robot exhibits interaction-shaping behavior (e.g., gaze cues [42, 77], supportive comments [105]), often their effects on the agents with whom the robot is interacting are immediate, occurring seconds or minutes after the robot's behavior. Most examples of ISR focus on immediate effects. For example, during one interaction, interaction-shaping robots can lead to more constructive resolution of conflict [108], greater harmony in group conversations [73], more balanced engagement [126] or participation in conversations [42], more vulnerable statements [120] or higher trust among group members [14].

Long-lasting Influence: It is also possible that a robot's behavior shapes interactions that occur after the interaction with the robot took place. These long-lasting effects "carry over" to shape the interaction between multiple agents in subsequent human-agent interactions. For example, Erel et al. [34] studied how the effect of ostracism, induced by multiple robots on one person, influenced the person's subsequent human-human interactions, including their proximity to other people and compliance with an experimenter's request. It is important to note that these long-lasting effects can occur even if not all of the affected agents were present with the robot (the experimenter in Erel et al. [34]) when the robot exhibited its interaction-shaping behavior (the robot ostracizing the human participant in Erel et al. [34]). Another example of an effect that has been found to carry over is prosociality [82]. For example, Shiomi et al. [110] showed that positive feelings from a robot hug could lead to people donating more money to victims of an earthquake. This suggests that long-lasting interaction-shaping robot behaviors have the potential to positively impact human-agent interactions without a dependency on the robot. This is a particularly exciting line of work that would benefit from more research.

4 INTERACTION-SHAPING GROUP STRUCTURES

In this section, we discuss three human-robot group structures (illustrated in Figure 2) that represent distinct interaction-shaping group structures. These group structures characterize different group compositions and thereby give insight into the interactions that a robot might shape (human-human or human-robot) and how many robots (one or more) are acting to influence other agents. Each group structure presents unique opportunities for ISR, which we highlight using examples from related work and by proposing areas of future research.

4.1 Structure I: One Robot Shapes a Human-Human Interaction

Structure I describes a group structure where one robot shapes the interaction between two or more other people (Figure 2a). Scenarios investigating this group structure have received the largest amount of attention as researchers have sought to use robots to improve human-to-human interactions and group dynamics. Several robots have been shown to increase the amount and quality of interactions between people, including those between older adults in care facilities [97, 127], teammates [129], and children with autism and their caregivers [103], therapists [68], and playmates [152]. Other robots have been designed to assist people in collaborative contexts, using a variety of behaviors (e.g., gaze [42], mechanical movement [126], verbal utterances [105]) to encourage more equal participation [42, 105, 126], promote expressions of vulnerability [120], and mediate conflict [63, 108] between human group members.

Since having positive interactions and relationships with other people are critical to our well-being and everyday experiences [91, 134, 142], investigating how robots can positively shape human-human interactions will continue to be an important area of research. For example, for robots that collaborate with people in work teams, it would

Fig. 2. Overview of the three interaction-shaping group structures (Section 4). The relationship-shaping robot(s) are marked with a green ellipse. Relationships are shaped among the remainder of agents.

be helpful for them to contribute positively to the team's dynamics in light of research that has demonstrated the positive influence social team dynamics (e.g., inclusion, trust) have on a team's performance [74, 85]. Other research could further explore how robots can shape other key human-human relationships including long-term romantic partnerships [132], friendships, and caregiver-patient relationships [32] to name a few. In addition to investigating how robots can positively assist human-human interactions, it is also important to explore the negative effects of robots on human-human interactions so that people can be aware of the possible dangers robots pose to human-human interactions and relationships. For example, Sebo et al. [105] showed that giving a human team member a specialized role to interact with the robot significantly reduced how included the human team member felt in the group. With this knowledge, human teams can proactively work to counteract the exclusion a team member may feel if they are given a specialized role to interact with a robot.

4.2   Structure II: One Robot Shapes a Human-Robot Interaction

Structure II pertains to situations where an interaction-shaping robot influences a human-robot interaction between one or more humans and one or more robots (Figure 2b). Although limited prior work has investigated scenarios with this group structure, it is likely that it will become common in the future as robots are increasingly incorporated into everyday activities in human environments. For example, we foresee this type of scenario occurring often with service robots, which may need to hand off their interaction with users to another robot due to being unable to complete the desired task (e.g., because of technical issues or limited robot capabilities). For example, Tan et al. [123] demonstrated that a first robot could set human expectations of a second robot, to whom the first robot makes a hand-off, potentially shaping how the human interacts with the second robot. Further, imagine if the first robot told the group that the second robot was malfunctioning in a particular way, setting low expectations over its functionality. Perhaps the user(s) would then be more forgiving to errors by the second robot, showing greater trust recovery [144]. Another example of Scenario II are situations where the way in which a robot interacts with another robot influences how humans perceive the other robot. Söderlund [117] recently provided initial evidence that this type of effect is possible with human initiated robot-to-robot interactions. Likewise, we suspect that it could emerge in robot-initiated robot-to-robot interactions [51] in multi-party HRI.

In the future, interaction-shaping robots could influence human-robot interactions in a fully reciprocal manner. That is, interaction-shaping robots could influence both how humans interact with other robots and their attitudes towards them, as in the prior examples, and how these other robots interact with humans. This would require future social robots to better perceive changes in behavior and attitudes as well as better process information provided by other robots about users. Then, they could adapt their behavior towards a person according to how another robot acts in their group. For instance, imagine that a robot in a kiosk at a hospital told another guide robot that a visitor was looking for their friend, who was recently in an accident. The information provided by the robot at the kiosk could then influence the guide robot to provide words of encouragement and support to the visitor as it guides the person to the friend's room in the hospital.

4.3 Structure III: Multiple Robots Shape an Interaction between Multiple Others

Structure III implies multiple robots shaping interactions through coordinated behavior. For instance, Sadka et al. [98] showed that the motion of robotic bar-stools can encourage human-human interactions and increase positive encounters. Another example is the study by Connolly et al. [29] on group human-robot interactions involving robot abuse. In a team of 2 humans and 3 Cozmo robots, a confederate abused one of the robots after it made mistakes during the interaction. The other two robots either ignored the abuse events or reacted in response to it by expressing sadness towards the abused robot. Interestingly, the latter reaction led to participants being more likely to prosocially intervene to help the abused robot and stop the mistreatment by the confederate in comparison to former one. This was a surprising group social influence effect by robots because people have many reasons to avoid conflict with a person that abuses a robot in a laboratory study [124]. In the future, we foresee more examples and scenarios with Structure III present demonstrating powerful group social effects in ISR, including conformity [99].

Structure III also brings new perspectives to swarm robotics. While most work in swarm robotics within HRI concerns operator control methods [70], swarm robotics in ISR is more about multiple robots shaping the interaction between other agents. An example is MOSAIX [4], a social swarm system designed to help humans in social tasks like opinion-mixing and brainstorming. The movement and mixing of the swarm appeared to engage people in a public exhibition and led to conversations about climate change. In the future, more work could be done to understand ISR with multiple robots and more human interactants than typically studied today.

5 CHALLENGES AND OPPORTUNITIES

This section discusses current challenges and also opportunities regarding ethical considerations, methodological approaches, and computational advances unique to Interaction-Shaping Robotics.

5.1 Ethical Considerations

In this section, we highlight the opportunities but also ethical risks and challenges of research and development in the field of ISR.

5.1.1 A Robot's Influence on Human-Human Connections. Positive relationships between people bring them feelings of happiness, security, self-esteem, and pleasure [49, 94]. Furthermore, close and positive relationships between people are essential to living a fulfilled and healthy life [134, 142]. On the contrary, when relationships between people are negative or nonexistent, people suffer from social rejection, loneliness, and poorer physical health [57, 116].

IEEE's guidelines on Ethically Aligned Design indicate that autonomous and intelligent systems should support human potential and ensure connections and relationships between humans [83]. Interaction-shaping robots have a unique opportunity to follow this suggestion by enhancing and promoting human-human connections. For example, robots have already been shown to increase human-human interactions and connections between child and caregiver [22, 47] and in care facilities for older adults [84, 97, 127]. Also, they can potentially detect if a person is isolated and encourage connections between them and others. This approach for alleviating human isolation by having robots promote human-human interaction is distinct from other methods in HRI to alleviate loneliness through human-robot interactions alone. While several robots have shown promise in reducing a person's loneliness and raising their mood [141], some have expressed concern that giving a person a robot to reduce their loneliness could isolate the person even further [38]. Regardless of the benefits or drawbacks of using robots to alleviate peoples' loneliness, using robots to encourage human-human interaction is a promising avenue that could increase human well-being and avoid potential risks of further isolation.

While reducing the risk of isolation and improving well-being, the risk of dependency on the robot cannot be fully eliminated. Instead of an individual being dependent on the robot, the functioning of an interaction between people could become dependent on the robot's interaction-shaping efforts. Therefore, we believe that it is valuable for an interaction-shaping robot to sustainably improve interactions and relationships so that the robot eventually becomes obsolete. This way, people can reap the benefits of human-human connections without being fully dependent on a robot to sustain them. Future research should investigate more the long-lasting effects of interaction-shaping robots beyond the interaction with the robot, as discussed in Section 3.5.

5.1.2 People's Unawareness of the Influence of Interaction-Shaping Robots.

Interaction-shaping robots face the ethical risk of deception when people are unaware of the robot's shaping attempts and its effects. Interaction-shaping can positively shape human-human interactions, for example, so that every group member's opinion gets heard [42], or so that people feel more comfortable when discussing difficult problems [14]. However, people are fully aware that a robot is influencing their interactions only in some contexts, while they may not be aware of its influence in others.

A person's possible awareness of the robot's influence might best be described as a spectrum between being fully aware and unaware. The literature has explored scenarios in which the human group members could be fully aware of the robot's influence on their interaction. People could become aware of the robot's influence through the context of interaction, e.g, a robot acting as a couple's counselor [132], or through the behaviors the robot demonstrates during interactions, e.g., when a robot intervenes in a conflict, it can openly address the conflict and suggests conflict resolution strategies [108].

When the robot uses non-verbal communication or shapes the interaction implicitly, it is more likely that human group members are unaware of the robot's influence. A robot acting as a group member or a peripheral facilitator might further increase unawareness of its influence. For example, participants sometimes noticed gaze cues used to encourage more participation from a less talkative person [42] as irregular patterns in the robot's gaze. However, they were unaware that the robot's gaze influenced their behavior relative to other humans in the game [43]. Additionally, people might have been aware of the robot's expressions of vulnerability [120], but they were not aware that their own behavior was shaped by the robot as a result of these vulnerable expressions.

Especially since people may be unaware that their interactions may be shaped by robots, it is important to consider the potential ethical risk of deception in ISR. Deception has been identified as an ethical risk for social robots in general [83, 146] and extends to interaction-shaping robots as humans might not expect their interactions to be shaped by

a robot. IEEE's ethics guidelines suggest that "In general, deception may be acceptable in an affective agent when it is used for the benefit of the person being deceived, not for the agent itself."[83, p. 175] In other words, deception in ISR might be acceptable in cases where there is consensus that the robot's influence benefits people (e.g., robots that express vulnerability [120] to help people feel more comfortable self-disclosing, robots that use gaze to elicit verbal participation from more quiet group members [44]). Nonetheless, research at the intersection of RoboEthics [139] and ISR is important to critically discuss the effects of interaction-shaping robots and establish recommendations for their development. These discussions will further help to prepare the public and policymakers for handling end-user robotic products capable of shaping interactions. Lastly, we suggest that future work explores interesting directions that might arise when thriving to reduce ethical risks. For example, in cases where it might be natural to hide a robot's intent, how would being upfront about the robot's goal to shape other agents' interactions affect how people perceive the robot and its social influence capacity?

5.1.3 Potential Bias in ISR. Interaction-shaping robots might inherit societal biases. The risk for bias is present in all of HRI, but it is of particular importance in ISR where the bias can affect other agents' interaction negatively. For example, Hitron et al. [53] showed that a robot giving turns in a debate according to gender biases reinforced gender stereotypes. However, reversing the robot's behavior dispelled these stereotypes [54]. Further, Rosenthal-von der Pütten and Abrams [96] and Winfield et al. [146] discuss the risk that machine learning algorithms known for developing biases [58] might transfer those biases when used to create robot behaviors, e.g., in resource allocation problems [62]. These biases might stem from societal biases captured in the data or occur due to nonrepresentative datasets [87]. To mitigate potential biases, future work in ISR needs to carefully consider sources of the data used to design or learn interaction-shaping robot behaviors.

5.2 Research Methods

Because multi-party HRI research has explored a large variety of contexts and robot applications, there are not many standardized methods, tasks, and approaches that allow for comparison across studies [81]. Additionally, theoretical models and frameworks for studying group interactions are needed to guide our understanding of how robots can shape interactions between other agents. Abrams and von der Pütten [1] proposed the I-C-E framework for studying groups by presenting definitions for inclusion, cohesion, entitativity, and methods that allow for measuring the different concepts. Despite these contributions, the authors highlight that these methods for understanding groups and their dynamics are scarce and are insufficient to understand the complex interactions in groups. Conversation Analysis which is concerned with the fine-granular qualitative analysis of human-human interactions might offer one possible direction to understand interaction-shaping effects [88, 131]. Future work should invest in exploring new techniques to study interaction-shaping robots.

5.3 Computational Advances

We need computational advancements for developing interaction-shaping robots that can autonomously adapt to different group interactions and support their distinct needs [46]. Current work in HRI often uses sets of simple heuristics and interaction scripts to guide autonomous robot behavior in multi-party interactions. While these heuristics can provide a first approximation to appropriate behavior when driven by human psychology (e.g., [69], [42], [126]), there is no guarantee that these hand-crafted policies capture all the essential information in the interaction that the robot may need to select optimal actions nor account for unexpected human behavior. In order to develop more

robust interaction-shaping robot behavior, advances are needed in modeling relationships and group phenomena, state representations, and robot behavior control.

5.3.1   Modeling Relationships and Group Phenomena: ISR is concerned with shaping interactions which eventually result in shaping relationships among other agents. This can be achieved by leveraging group phenomena (e.g., group social influence [29]) or can in turn induce group social phenomena (e.g., cohesion [112]). This makes the perception of both relationships and group social factors in HRI essential to interaction-shaping robots. A path forward to improve robot perception in this regard is to bridge Social Signal Processing (SSP) [140] and ISR. Social Signal Processing has contributed many methods for computationally modeling social aspects important for human-human interactions. For example, prior work explored identifying dominant individuals [6, 9] or emerging leadership [12, 100]. In terms of group-level phenomena, there is also work on the recognition of social roles [3, 150], social relations [2], and cohesion [60]. In the future, it is important to extend these lines of research to more clearly understand causal relationships between group members' behavior, and how shifting perspectives (top-down camera view often used is SSP versus a robot's first-person view) may influence reasoning about group behavior.

5.3.2   State Representation: Recent work in multi-party Human-Robot Interaction has begun to advocate for representing social interactions with graph abstractions [72, 122, 137, 143], which would also benefit ISR as suggested by Figure 1. In these graphs, nodes often encode information about interactants and edges encode information about relationships. These graph abstractions could be used for a state representations in ISR because they encode relevant data in a well-organized manner, which in turn could lead to algorithms that exploit the structure [48, 145] for better modeling of interactions and group constructs.

5.3.3   Robot Behavior Control: Finally, it is important to close the loop between perception and control in ISR. Advances from Reinforcement Learning and Imitation Learning might be suitable to map perceived group states with effective robot behaviors for shaping interactions among other agents. Early explorations of learning robot policies for ISR compare reinforcement learning and imitation learning approaches in the context of balancing human participation in conversations [43]. A challenge when learning robot shaping behavior is ensuring that the resulting policy is safe and appropriate for the given interaction context, e.g., learned gaze behaviors may be irritating, requiring careful hyper-parameter search and final model selection [43]. If future interaction-shaping robots can learn complex behaviors, then we might be able to discover shaping behaviors that are potentially unique to robots, not something that humans would naturally do or even be capable of doing.

6   CONCLUSION

This paper defines Interaction-Shaping robotics (ISR) as robots that shape interactions among two (or more) other agents. Key factors of ISR characterize interaction-shaping robots according to their role in the interaction, the robot-shaping outcome, the form of robot influence, the type of robot communication, and the timeline of the robot's influence. Further, we highlight three unique ISR group structures where one robot shapes either a human-human or a human-robot interaction, or multiple robots shape the interaction among multiple other humans. These structures, in combination with the discussion on key factors, offer interesting avenues to explore a larger variety of interaction-shaping robots. It is essential that future work further advances our ethical understanding of ISR, robot autonomy, and methodological practices, but most importantly we hope that future interaction-shaping robots can support humans in flourishing by shaping their human-robot and human-human interactions.

ACKNOWLEDGMENTS

REFERENCES

[1] Anna MH Abrams and Astrid M von der Pütten. 2020. I−c−e framework: Concepts for group dynamics research in human-robot interaction. *International Journal of Social Robotics* 12, 6 (2020), 1213–1229.

[2] Emanuel Sánchez Aimar, Petia Radeva, and Mariella Dimiccoli. 2019. Social relation recognition in egocentric photostreams. In *2019 IEEE International Conference on Image Processing (ICIP)*. IEEE, 3227–3231.

[3] Xavier Alameda-Pineda, Yan Yan, Elisa Ricci, Oswald Lanz, and Nicu Sebe. 2015. Analyzing free-standing conversational groups: A multimodal approach. In *Proceedings of the 23rd ACM international conference on Multimedia*. 5–14.

[4] Merihan Alhafnawi, Edmund R Hunt, Severin Lemaignan, Paul O'Dowd, and Sabine Hauert. 2022. MOSAIX: a Swarm of Robot Tiles for Social Human-Swarm Interaction. In *2022 International Conference on Robotics and Automation (ICRA)*. IEEE, 6882–6888.

[5] Gordon Willard Allport, Kenneth Clark, and Thomas Pettigrew. 1954. *The nature of prejudice*. Addison-wesley Reading, MA.

[6] Oya Aran and Daniel Gatica-Perez. 2010. Fusing audio-visual nonverbal cues to detect dominant people in group conversations. In *2010 20th International Conference on Pattern Recognition*. IEEE, 3687–3690.

[7] E. Aronson, T.D. Wilson, and R.M. Akert. 2005. *Social Psychology*. Prentice Hall. https://books.google.de/books?id=Y4hhQgAACAAJ

[8] Solomon E Asch. 1956. Studies of independence and conformity: I. A minority of one against a unanimous majority. *Psychological monographs: General and applied* 70, 9 (1956), 1.

[9] Chongyang Bai, Maksim Bolonkin, Srijan Kumar, Jure Leskovec, Judee K Burgoon, Norah E Dunbar, and VS Subrahmanian. 2019. Predicting dominance in multi-person videos.. In *IJCAI*. 4643–4650.

[10] Daniel Balliet, Junhui Wu, and Carsten KW De Dreu. 2014. Ingroup favoritism in cooperation: a meta-analysis. *Psychological bulletin* 140, 6 (2014), 1556.

[11] Sigal G Barsade. 2002. The ripple effect: Emotional contagion and its influence on group behavior. *Administrative science quarterly* 47, 4 (2002), 644–675.

[12] Cigdem Beyan, Vasiliki-Maria Katsageorgiou, and Vittorio Murino. 2019. A sequential data analysis approach to detect emergent leaders in small groups. *IEEE Transactions on Multimedia* 21, 8 (2019), 2107–2116.

[13] Cristina Bicchieri. 2005. *The grammar of society: The nature and dynamics of social norms*. Cambridge University Press.

[14] Chris Birmingham, Zijian Hu, Kartik Mahajan, Eli Reber, and Maja J Matarić. 2020. Can I trust you? A user study of robot mediation of a support group. In *2020 IEEE International Conference on Robotics and Automation (ICRA)*. IEEE, 8019–8026.

[15] Dan Bohus, Sean Andrist, and Eric Horvitz. 2017. A study in scene shaping: Adjusting F-formations in the wild. In *Proceedings of the 2017 AAAI Fall Symposium: Natural Communication for Human-Robot Collaboration*.

[16] Dan Bohus, Chit W Saw, and Eric Horvitz. 2014. Directions robot: in-the-wild experiences and lessons learned. In *Proceedings of the 2014 international conference on Autonomous agents and multi-agent systems*. 637–644.

[17] Jürgen Brandstetter, Péter Rácz, Clay Beckner, Eduardo B Sandoval, Jennifer Hay, and Christoph Bartneck. 2014. A peer pressure experiment: Recreation of the Asch conformity experiment with robots. In *2014 IEEE/RSJ International Conference on Intelligent Robots and Systems*. IEEE, 1335–1340.

[18] Geoffrey Brennan, Lina Eriksson, Robert E Goodin, and Nicholas Southwood. 2013. *Explaining norms*. Oxford University Press.

[19] Andrew Brown. 2015. To mourn a robotic dog is to be truly human. *The Guardian* (2015).

[20] Julie Carpenter. 2016. *Culture and human-robot interaction in militarized spaces: A war story*. Routledge.

[21] Vicky Charisi, Luis Merino, Marina Escobar, Fernando Caballero, Randy Gomez, and Emilia Gómez. 2021. The Effects of Robot Cognitive Reliability and Social Positioning on Child-Robot Team Dynamics. In *2021 IEEE International Conference on Robotics and Automation (ICRA)*. IEEE, 9439–9445.

[22] Huili Chen, Anastasia K Ostrowski, Soo Jung Jang, Cynthia Breazeal, and Hae Won Park. 2022. Designing Long-term Parent-child-robot Triadic Interaction at Home through Lived Technology Experiences and Interviews. In *2022 31st IEEE International Conference on Robot and Human Interactive Communication (RO-MAN)*. IEEE, 401–408.

[23] Meia Chita-Tegmark, Janet M Ackerman, Matthias Scheutz, et al. 2019. Effects of assistive robot behavior on impressions of patient psychological attributes: Vignette-based human-robot interaction study. *Journal of medical Internet research* 21, 6 (2019), e13729.

[24] Nicholas A Christakis and James H Fowler. 2009. *Connected: The surprising power of our social networks and how they shape our lives*. Little, Brown Spark.

[25] Nicholas A Christakis and James H Fowler. 2013. Social contagion theory: examining dynamic social networks and human behavior. *Statistics in medicine* 32, 4 (2013), 556–577.

[26] Michael Jae-Yoon Chung and Maya Cakmak. 2018. "How was Your Stay?": Exploring the Use of Robots for Gathering Customer Feedback in the Hospitality Industry. In *2018 27th IEEE International Symposium on Robot and Human Interactive Communication (RO-MAN)*. IEEE, 947–954.

[27] Robert B Cialdini. 1987. *Influence*. Vol. 3. A. Michel Port Harcourt.

[28] Robert B Cialdini and Noah J Goldstein. 2004. Social influence: Compliance and conformity. *Annual review of psychology* 55, 1 (2004), 591–621.

[29] Joe Connolly, Viola Mocz, Nicole Salomons, Joseph Valdez, Nathan Tsoi, Brian Scassellati, and Marynel Vázquez. 2020. Prompting prosocial human interventions in response to robot mistreatment. In *Proceedings of the 2020 ACM/IEEE international conference on human-robot interaction*. 211–220.

[30] Filipa Correia, Samuel Mascarenhas, Rui Prada, Francisco S Melo, and Ana Paiva. 2018. Group-based emotions in teams of humans and robots. In *2018 13th ACM/IEEE International Conference on Human-Robot Interaction (HRI)*. IEEE, 261–269.

[31] Filipa Correia, Samuel F Mascarenhas, Samuel Gomes, Patrícia Arriaga, Iolanda Leite, Rui Prada, Francisco S Melo, and Ana Paiva. 2019. Exploring prosociality in human-robot teams. In *2019 14th ACM/IEEE International Conference on Human-Robot Interaction (HRI)*. IEEE, 143–151.

[32] Ayelet Dembovski, Yael Amitai, and Shelly Levy-Tzedek. 2022. A Socially Assistive Robot for Stroke Patients: Acceptance, Needs, and Concerns of Patients and Informal Caregivers. *Frontiers in Rehabilitation Sciences* 2 (2022). https://doi.org/10.3389/fresc.2021.793233

[33] Thomas J Dishion and Jessica M Tipsord. 2011. Peer contagion in child and adolescent social and emotional development. *Annual review of psychology* 62 (2011), 189.

[34] Hadas Erel, Elior Carsenti, and Oren Zuckerman. 2022. A Carryover Effect in HRI: Beyond Direct Social Effects in Human-Robot Interaction. In *Proceedings of the 2022 ACM/IEEE International Conference on Human-Robot Interaction* (Sapporo, Hokkaido, Japan) *(HRI '22)*. IEEE Press, 342–352.

[35] Hadas Erel, Yoav Cohen, Klil Shafrir, Sara Daniela Levy, Idan Dov Vidra, Tzachi Shem Tov, and Oren Zuckerman. 2021. Excluded by Robots: Can Robot-Robot-Human Interaction Lead to Ostracism?. In *Proceedings of the 2021 ACM/IEEE International Conference on Human-Robot Interaction* (Boulder, CO, USA) *(HRI '21)*. Association for Computing Machinery, New York, NY, USA, 312–321. https://doi.org/10.1145/3434073.3444648

[36] Hadas Erel, Denis Trayman, Chen Levy, Adi Manor, Mario Mikulincer, and Oren Zuckerman. 2022. Enhancing emotional support: The effect of a robotic object on human–human support quality. *International Journal of Social Robotics* 14, 1 (2022), 257–276.

[37] Vanessa Evers, Nuno Menezes, Luis Merino, Dariu Gavrila, Fernando Nabais, Maja Pantic, Paulo Alvito, and Daphne Karreman. 2014. The development and real-world deployment of frog, the fun robotic outdoor guide. In *Proceedings of the 2014 ACM/IEEE international conference on Human-robot interaction*. 100–100.

[38] David Feil-Seifer and Maja J. Matarić. 2005. Defining socially assistive robotics. *Proceedings of the 2005 IEEE 9th International Conference on Rehabilitation Robotics* 2005, Ci (2005), 465–468. https://doi.org/10.1109/ICORR.2005.1501143

[39] Terrence Fong, Illah Nourbakhsh, and Kerstin Dautenhahn. 2003. A survey of socially interactive robots. *Robotics and autonomous systems* 42, 3-4 (2003), 143–166.

[40] Donelson R Forsyth. 2018. *Group dynamics*. Cengage Learning.

[41] James H Fowler and Nicholas A Christakis. 2008. Dynamic spread of happiness in a large social network: longitudinal analysis over 20 years in the Framingham Heart Study. *BMJ* 337 (2008). https://doi.org/10.1136/bmj.a2338 arXiv:https://www.bmj.com/content/337/bmj.a2338.full.pdf

[42] Sarah Gillet, Ronald Cumbal, André Pereira, José Lopes, Olov Engwall, and Iolanda Leite. 2021. Robot gaze can mediate participation imbalance in groups with different skill levels. In *Proceedings of the 2021 ACM/IEEE International Conference on Human-Robot Interaction*. 303–311.

[43] Sarah Gillet, Maria Teresa Parreira, Marynel Vázquez, and Iolanda Leite. 2022. Learning Gaze Behaviors for Balancing Participation in Group Human-Robot Interactions. In *Proceedings of the 2022 ACM/IEEE International Conference on Human-Robot Interaction* (Sapporo, Hokkaido, Japan) *(HRI '22)*. IEEE Press, 265–274.

[44] Sarah Gillet, Wouter van den Bos, and Iolanda Leite. 2020. A social robot mediator to foster collaboration and inclusion among children. In *Proceedings of Robotics: Science and Systems*. Corvalis, Oregon, USA. https://doi.org/10.15607/RSS.2020.XVI.103

[45] Sarah Gillet, Marynel Vázquez, Christopher Peters, Fangkai Yang, and Iolanda Leite. 2022. *Multiparty Interaction Between Humans and Socially Interactive Agents* (1 ed.). Association for Computing Machinery, New York, NY, USA, 113–154. https://doi.org/10.1145/3563659.3563665

[46] Sarah Gillet*, Katie Winkle*, Giulia Belgiovine*, and Iolanda Leite. 2022. Ice-Breakers, Turn-Takers and Fun-Makers: Exploring Robots for Groups with Teenagers. In *31st IEEE International Conference on Robot & Human Interactive Communication (RO-MAN)* (Naples, Italy). IEEE.

[47] Omer Gvirsman, Yaacov Koren, Tal Norman, and Goren Gordon. 2020. Patricc: A platform for triadic interaction with changeable characters. In *2020 15th ACM/IEEE International Conference on Human-Robot Interaction (HRI)*. IEEE, 399–407.

[48] Jessica B. Hamrick, Kelsey Allen, Victor Bapst, Tina Zhu, Kevin R. McKee, Josh Tenenbaum, and Peter Battaglia. 2018. Relational inductive bias for physical construction in humans and machines. In *Proceedings of the 40th Annual Meeting of the Cognitive Science Society, CogSci 2018, Madison, WI, USA, July 25-28, 2018*, Chuck Kalish, Martina A. Rau, Xiaojin (Jerry) Zhu, and Timothy T. Rogers (Eds.). cognitivesciencesociety.org. https://mindmodeling.org/cogsci2018/papers/0341/index.html

[49] Michelle A Harris and Ulrich Orth. 2020. The link between self-esteem and social relationships: A meta-analysis of longitudinal studies. *Journal of personality and social psychology* 119, 6 (2020), 1459.

[50] Nick Hawes, Christopher Burbridge, Ferdian Jovan, Lars Kunze, Bruno Lacerda, Lenka Mudrova, Jay Young, Jeremy Wyatt, Denise Hebesberger, Tobias Kortner, et al. 2017. The strands project: Long-term autonomy in everyday environments. *IEEE Robotics & Automation Magazine* 24, 3 (2017), 146–156.

[51] Kotaro Hayashi, Daisuke Sakamoto, Takayuki Kanda, Masahiro Shiomi, Satoshi Koizumi, Hiroshi Ishiguro, Tsukasa Ogasawara, and Norihiro Hagita. 2007. Humanoid robots as a passive-social medium-a field experiment at a train station. In *2007 2nd ACM/IEEE International Conference on Human-Robot Interaction (HRI)*. IEEE, 137–144.

[52] Fritz Heider. 2013. *The psychology of interpersonal relations*. Psychology Press.

[53] Tom Hitron, Benny Megidish, Etay Todress, Noa Morag, and Hadas Erel. 2022. AI bias in Human-Robot Interaction: An evaluation of the Risk in Gender Biased Robots. In *2022 31st IEEE International Conference on Robot and Human Interactive Communication (RO-MAN)*. 1598–1605. https://doi.org/10.1109/RO-MAN53752.2022.9900673

[54] Tom Hitron, Noa Morag Yaar, and Hadas Erel. 2023. Implications of AI Bias in HRI: Risks (and Opportunities) When Interacting with a Biased Robot. In *Proceedings of the 2023 ACM/IEEE International Conference on Human-Robot Interaction* (Stockholm, Sweden) *(HRI '23)*. Association for Computing Machinery, New York, NY, USA, 83–92. https://doi.org/10.1145/3568162.3576977

[55] Guy Hoffman, Oren Zuckerman, Gilad Hirschberger, Michal Luria, and Tal Shani Sherman. 2015. Design and evaluation of a peripheral robotic conversation companion. In *Proceedings of the tenth annual ACM/IEEE international conference on human-robot interaction*. 3–10.

[56] M.A. Hogg and G.M. Vaughan. 2008. *Social Psychology*. Prentice Hall. https://books.google.de/books?id=7MtEr4r2pRcC

[57] Julianne Holt-Lunstad. 2018. Why Social Relationships Are Important for Physical Health: A Systems Approach to Understanding and Modifying Risk and Protection. *Annual Review of Psychology* 69, 1 (2018), 437–458. https://doi.org/10.1146/annurev-psych-122216-011902

[58] Ayanna Howard and Jason Borenstein. 2018. The ugly truth about ourselves and our robot creations: the problem of bias and social inequity. *Science and engineering ethics* 24, 5 (2018), 1521–1536.

[59] Mary J Howes, Jack E Hokanson, and David A Loewenstein. 1985. Induction of depressive affect after prolonged exposure to a mildly depressed individual. *Journal of personality and social psychology* 49, 4 (1985), 1110.

[60] Hayley Hung and Daniel Gatica-Perez. 2010. Estimating cohesion in small groups using audio-visual nonverbal behavior. *IEEE Transactions on Multimedia* 12, 6 (2010), 563–575.

[61] Jillian J Jordan, David G Rand, Samuel Arbesman, James H Fowler, and Nicholas A Christakis. 2013. Contagion of cooperation in static and fluid social networks. *PloS one* 8, 6 (2013), e66199.

[62] Malte F. Jung, Dominic Difranzo, Solace Shen, Brett Stoll, Houston Claure, and Austin Lawrence. 2020. Robot-Assisted Tower Construction—A Method to Study the Impact of a Robot's Allocation Behavior on Interpersonal Dynamics and Collaboration in Groups. 10, 1, Article 2 (oct 2020), 23 pages. https://doi.org/10.1145/3394287

[63] Malte F. Jung, Nikolas Martelaro, and Pamela J. Hinds. 2015. Using Robots to Moderate Team Conflict: The Case of Repairing Violations. In *Proceedings of the Tenth Annual ACM/IEEE International Conference on Human-Robot Interaction*. Association for Computing Machinery, Portland, Oregon, USA, 229–236. https://doi.org/10.1145/2696454.2696460

[64] Takayuki Kanda, Takayuki Hirano, Daniel Eaton, and Hiroshi Ishiguro. 2004. Interactive robots as social partners and peer tutors for children: A field trial. *Human–Computer Interaction* 19, 1-2 (2004), 61–84.

[65] Takayuki Kanda, Rumi Sato, Naoki Saiwaki, and Hiroshi Ishiguro. 2007. A two-month field trial in an elementary school for long-term human–robot interaction. *IEEE Transactions on robotics* 23, 5 (2007), 962–971.

[66] S. Kassin, S. Fein, and H.R. Markus. 2010. *Social Psychology*. Cengage Learning. https://books.google.de/books?id=3aCdjhGxDjgC

[67] Zahra Rezaei Khavas, S Reza Ahmadzadeh, and Paul Robinette. 2020. Modeling trust in human-robot interaction: A survey. In *International conference on social robotics*. Springer, 529–541.

[68] Elizabeth S Kim, Lauren D Berkovits, Emily P Bernier, Dan Leyzberg, Frederick Shic, Rhea Paul, and Brian Scassellati. 2013. Social robots as embedded reinforcers of social behavior in children with autism. *Journal of autism and developmental disorders* 43, 5 (2013), 1038–1049.

[69] Nathan Kirchner, Alen Alempijevic, and Gamini Dissanayake. 2011. Nonverbal robot-group interaction using an imitated gaze cue. In *Proceedings of the 6th international conference on Human-robot interaction*. 497–504.

[70] Andreas Kolling, Phillip Walker, Nilanjan Chakraborty, Katia Sycara, and Michael Lewis. 2015. Human interaction with robot swarms: A survey. *IEEE Transactions on Human-Machine Systems* 46, 1 (2015), 9–26.

[71] Iolanda Leite, Marissa McCoy, Monika Lohani, Daniel Ullman, Nicole Salomons, Charlene Stokes, Susan Rivers, and Brian Scassellati. 2015. Emotional storytelling in the classroom: Individual versus group interaction between children and robots. In *Proceedings of the Tenth Annual ACM/IEEE International Conference on Human-Robot Interaction*. 75–82.

[72] Luis J Manso, Ronit R Jorvekar, Diego R Faria, Pablo Bustos, and Pilar Bachiller. 2020. Graph neural networks for human-aware social navigation. In *Workshop of Physical Agents*. Springer, 167–179.

[73] Yoichi Matsuyama, Iwao Akiba, Shinya Fujie, and Tetsunori Kobayashi. 2015. Four-participant group conversation: A facilitation robot controlling engagement density as the fourth participant. *Computer Speech and Language* 33, 1 (2015), 1–24. https://doi.org/10.1016/j.csl.2014.12.001

[74] Roger C Mayer, James H Davis, and F David Schoorman. 1995. An integrative model of organizational trust. *Academy of management review* 20, 3 (1995), 709–734.

[75] Nicole Mirnig, Astrid Weiss, Gabriel Skantze, Samer Al Moubayed, Joakim Gustafson, Jonas Beskow, Björn Granström, and Manfred Tscheligi. 2013. Face-to-face with a robot: What do we actually talk about? *International Journal of Humanoid Robotics* 10, 01 (2013), 1350011.

[76] Bilge Mutlu and Jodi Forlizzi. 2008. Robots in organizations: the role of workflow, social, and environmental factors in human-robot interaction. In *2008 3rd ACM/IEEE International Conference on Human-Robot Interaction (HRI)*. IEEE, 287–294.

[77] Bilge Mutlu, Toshiyuki Shiwa, Takayuki Kanda, Hiroshi Ishiguro, and Norihiro Hagita. 2009. Footing in human-robot conversations: how robots might shape participant roles using gaze cues. In *Proceedings of the 4th ACM/IEEE international conference on Human robot interaction*. ACM, 61–68.

[78] D.G. Myers and J.M. Twenge. 2019. *Social Psychology*. McGraw-Hill Education. https://books.google.de/books?id=c67uuQEACAAJ

[79] Isabel Neto, Filipa Correia, Filipa Rocha, Patricia Piedade, Ana Paiva, and Hugo Nicolau. 2023. The Robot Made Us Hear Each Other: Fostering Inclusive Conversations among Mixed-Visual Ability Children. In *Proceedings of the 2023 ACM/IEEE International Conference on Human-Robot Interaction*. 13–23.

[80] Illah R Nourbakhsh, Clayton Kunz, and Thomas Willeke. 2003. The mobot museum robot installations: A five year experiment. In *Proceedings 2003 IEEE/RSJ International Conference on Intelligent Robots and Systems (IROS 2003)(Cat. No. 03CH37453)*, Vol. 4. IEEE, 3636–3641.

[81] Raquel Oliveira, Patrícia Arriaga, and Ana Paiva. 2021. Human-robot interaction in groups: Methodological and research practices. *Multimodal Technologies and Interaction* 5, 10 (2021), 59.

[82] Raquel Oliveira, Patrícia Arriaga, Fernando P. Santos, Samuel Mascarenhas, and Ana Paiva. 2021. Towards prosocial design: A scoping review of the use of robots and virtual agents to trigger prosocial behaviour. *Comput. Hum. Behav.* 114, C (Jan 2021), 106547. https://doi.org/10.1016/j.chb.2020.106547

[83] The IEEE Global Initiative on Ethics of Autonomous and Intelligent Systems. 2017. *Ethically Aligned Design: A Vision for Prioritizing Human Well-being with Autonomous and Intelligent Systems, Version 2*. IEEE. https://standards.ieee.org/content/ieee-standards/en/industry-connections/ec/autonomous-systems.html

[84] Anastasia K Ostrowski, Daniella DiPaola, Erin Partridge, Hae Won Park, and Cynthia Breazeal. 2019. Older adults living with social robots: Promoting social connectedness in long-term communities. *IEEE Robotics & Automation Magazine* 26, 2 (2019), 59–70.

[85] Cliff Oswick and Mike Noon. 2014. Discourses of diversity, equality and inclusion: trenchant formulations or transient fashions? *British Journal of Management* 25, 1 (2014), 23–39.

[86] Maria Teresa Parreira, Sarah Gillet, Marynel Vázquez, and Iolanda Leite. 2022. Design Implications for Effective Robot Gaze Behaviors in Multiparty Interactions. In *2022 17th ACM/IEEE International Conference on Human-Robot Interaction (HRI)*. 976–980. https://doi.org/10.1109/HRI53351.2022.9889481

[87] Maria Teresa Parreira, Sarah Gillet, Katie Winkle, and Iolanda Leite. 2023. How Did We Miss This? A Case Study on Unintended Biases in Robot Social Behavior. In *Companion of the 2023 ACM/IEEE International Conference on Human-Robot Interaction* (Stockholm, Sweden) *(HRI '23)*. Association for Computing Machinery, New York, NY, USA, 11–20. https://doi.org/10.1145/3568294.3580032

[88] Hannah RM Pelikan, Mathias Broth, and Leelo Keevallik. 2020. "Are You Sad, Cozmo?" How Humans Make Sense of a Home Robot's Emotion Displays. In *2020 15th ACM/IEEE International Conference on Human-Robot Interaction (HRI)*. IEEE, 461–470.

[89] Elizabeth Phillips, Xuan Zhao, Daniel Ullman, and Bertram F Malle. 2018. What is human-like? decomposing robots' human-like appearance using the anthropomorphic robot (abot) database. In *Proceedings of the 2018 ACM/IEEE international conference on human-robot interaction*. 105–113.

[90] Tony J. Prescott and Julie M. Robillard. 2021. Are friends electric? The benefits and risks of human-robot relationships. *iScience* 24, 1 (2021), 101993. https://doi.org/10.1016/j.isci.2020.101993

[91] Sarah D Pressman, Sheldon Cohen, Gregory E Miller, Anita Barkin, Bruce S Rabin, and John J Treanor. 2005. Loneliness, social network size, and immune response to influenza vaccination in college freshmen. *Health Psychology* 24, 3 (2005), 297.

[92] Byron Reeves and Clifford Ivar Nass. 1996. *The media equation: How people treat computers, television, and new media like real people and places*. Cambridge University Press.

[93] Samantha Reig, Michal Luria, Janet Z Wang, Danielle Oltman, Elizabeth Jeanne Carter, Aaron Steinfeld, Jodi Forlizzi, and John Zimmerman. 2020. Not Some Random Agent: Multi-person interaction with a personalizing service robot. In *Proceedings of the 2020 ACM/IEEE international conference on human-robot interaction*. 289–297.

[94] Harry T Reis, W Andrew Collins, and Ellen Berscheid. 2000. The relationship context of human behavior and development. *Psychological bulletin* 126, 6 (2000), 844.

[95] Danielle Rifinski, Hadas Erel, Adi Feiner, Guy Hoffman, and Oren Zuckerman. 2021. Human-human-robot interaction: robotic object's responsive gestures improve interpersonal evaluation in human interaction. *Human–Computer Interaction* 36, 4 (2021), 333–359.

[96] Astrid Rosenthal-von der Pütten and Anna M. H. Abrams. 2020. Social Dynamics in Human-Robot Groups – Possible Consequences of Unequal Adaptation to Group Members Through Machine Learning in Human-Robot Groups. In *Artificial Intelligence in HCI*, Helmut Degen and Lauren Reinerman-Jones (Eds.). Springer International Publishing, Cham, 396–411.

[97] Selma Šabanović, Casey C Bennett, Wan-Ling Chang, and Lesa Huber. 2013. PARO robot affects diverse interaction modalities in group sensory therapy for older adults with dementia. In *2013 IEEE 13th international conference on rehabilitation robotics (ICORR)*. IEEE, 1–6.

[98] Ofir Sadka, Alon Jacobi, Andrey Grishko, Udi Lumnitz, Benny Megidish, and Hadas Erel. 2022. "By the Way, What's Your Name?": The Effect of Robotic Bar-Stools on Human-Human Opening-Encounters. In *Extended Abstracts of the 2022 CHI Conference on Human Factors in Computing Systems* (New Orleans, LA, USA) *(CHI EA '22)*. Association for Computing Machinery, New York, NY, USA, Article 331, 6 pages. https://doi.org/10.1145/3491101.3519726

[99] Nicole Salomons, Michael Van Der Linden, Sarah Strohkorb Sebo, and Brian Scassellati. 2018. Humans conform to robots: Disambiguating trust, truth, and conformity. In *Proceedings of the 2018 acm/ieee international conference on human-robot interaction*. 187–195.

[100] Dairazalia Sanchez-Cortes, Oya Aran, Marianne Schmid Mast, and Daniel Gatica-Perez. 2010. Identifying emergent leadership in small groups using nonverbal communicative cues. In *International conference on multimodal interfaces and the workshop on machine learning for multimodal*

interaction. 1–4.

[101] Joe Saunders, Dag Sverre Syrdal, Kheng Lee Koay, Nathan Burke, and Kerstin Dautenhahn. 2015. "teach me–show me"—end-user personalization of a smart home and companion robot. *IEEE Transactions on Human-Machine Systems* 46, 1 (2015), 27–40.

[102] Shane Saunderson and Goldie Nejat. 2019. How robots influence humans: A survey of nonverbal communication in social human–robot interaction. *International Journal of Social Robotics* 11, 4 (2019), 575–608.

[103] Brian Scassellati, Laura Boccanfuso, Chien-Ming Huang, Marilena Mademtzi, Meiying Qin, Nicole Salomons, Pamela Ventola, and Frederick Shic. 2018. Improving social skills in children with ASD using a long-term, in-home social robot. *Science Robotics* 3, 21 (2018), eaat7544.

[104] Eike Schneiders, EunJeong Cheon, Jesper Kjeldskov, Matthias Rehm, and Mikael B Skov. 2022. Non-dyadic interaction: A literature review of 15 years of human-robot interaction conference publications. *ACM Transactions on Human-Robot Interaction (THRI)* 11, 2 (2022), 1–32.

[105] Sarah Sebo, Ling Liang Dong, Nicholas Chang, Michal Lewkowicz, Michael Schutzman, and Brian Scassellati. 2020. The Influence of Robot Verbal Support on Human Team Members: Encouraging Outgroup Contributions and Suppressing Ingroup Supportive Behavior. *Frontiers in Psychology* 11 (2020). https://doi.org/10.3389/fpsyg.2020.590181

[106] Sarah Sebo, Brett Stoll, Brian Scassellati, and Malte F Jung. 2020. Robots in Groups and Teams: A Literature Review. *Proc. ACM Hum.-Comput* 4 (2020), 37. Issue October. https://doi.org/10.1145/3415247

[107] Ameneh Shamekhi and Timothy W. Bickmore. 2019. A multimodal robot-driven meeting facilitation system for group decision-making sessions. *ICMI 2019 - Proceedings of the 2019 International Conference on Multimodal Interaction* (2019), 279–290. https://doi.org/10.1145/3340555.3353756

[108] Solace Shen, Petr Slovak, and Malte F Jung. 2018. " Stop. I See a Conflict Happening." A Robot Mediator for Young Children's Interpersonal Conflict Resolution. In *Proceedings of the 2018 ACM/IEEE international conference on human-robot interaction.* 69–77.

[109] Masahiro Shiomi and Norihiro Hagita. 2016. Do synchronized multiple robots exert peer pressure?. In *Proceedings of the fourth international conference on human agent interaction.* 27–33.

[110] Masahiro Shiomi, Aya Nakata, Masayuki Kanbara, and Norihiro Hagita. 2017. A hug from a robot encourages prosocial behavior. In *2017 26th IEEE international symposium on robot and human interactive communication (RO-MAN).* IEEE, 418–423.

[111] Masahiro Shiomi, Yumiko Tamura, Mitsuhiko Kimoto, Takamasa Iio, Reiko Akahane-Yamada, and Katsunori Shimohara. 2021. Two is better than one: verification of the effect of praise from two robots on pre-school children's learning time. *Advanced Robotics* 35, 19 (2021), 1132–1144.

[112] Elaine Short and Maja J Mataric. 2017. Robot moderation of a collaborative game: Towards socially assistive robotics in group interactions. In *2017 26th IEEE International Symposium on Robot and Human Interactive Communication (RO-MAN).* IEEE, 385–390.

[113] Elaine Schaertl Short, Katelyn Swift-Spong, Hyunju Shim, Kristi M Wisniewski, Deanah Kim Zak, Shinyi Wu, Elizabeth Zelinski, and Maja J Matarić. 2017. Understanding social interactions with socially assistive robotics in intergenerational family groups. In *2017 26th IEEE International Symposium on Robot and Human Interactive Communication (RO-MAN).* IEEE, 236–241.

[114] Gabriel Skantze. 2017. Predicting and Regulating Participation Equality in Human-robot Conversations: Effects of Age and Gender. *ACM/IEEE International Conference on Human-Robot Interaction* Part F1271 (2017), 196–204. https://doi.org/10.1145/2909824.3020210

[115] Gabriel Skantze, Samer Al Moubayed, Joakim Gustafson, Jonas Beskow, and Björn Granström. 2012. Furhat at robotville: A robot head harvesting the thoughts of the public through multi-party dialogue. In *International Conference on Intelligent Virtual Agents.*

[116] George M. Slavich. 2020. Social Safety Theory: A Biologically Based Evolutionary Perspective on Life Stress, Health, and Behavior. *Annual Review of Clinical Psychology* 16, 1 (2020), 265–295. https://doi.org/10.1146/annurev-clinpsy-032816-045159

[117] Magnus Söderlund. 2021. The robot-to-robot service encounter: an examination of the impact of inter-robot warmth. *Journal of Services Marketing* 35, 9 (2021), 15–27.

[118] Sarah Strohkorb, Ethan Fukuto, Natalie Warren, Charles Taylor, Bobby Berry, and Brian Scassellati. 2016. Improving human-human collaboration between children with a social robot. *25th IEEE International Symposium on Robot and Human Interactive Communication, RO-MAN 2016* (2016), 551–556. https://doi.org/10.1109/ROMAN.2016.7745172

[119] Sarah Strohkorb Sebo, Ling Liang Dong, Nicholas Chang, and Brian Scassellati. 2020. Strategies for the inclusion of human members within human-robot teams. In *Proceedings of the 2020 ACM/IEEE International Conference on Human-Robot Interaction.* 309–317.

[120] Sarah Strohkorb Sebo, Margaret Traeger, Malte Jung, and Brian Scassellati. 2018. The ripple effects of vulnerability: The effects of a robot's vulnerable behavior on trust in human-robot teams. In *Proceedings of the 2018 ACM/IEEE International Conference on Human-Robot Interaction.* 178–186.

[121] Ja-Young Sung, Lan Guo, Rebecca E Grinter, and Henrik I Christensen. 2007. "My Roomba is Rambo": intimate home appliances. In *International conference on ubiquitous computing.* Springer, 145–162.

[122] Mason Swofford, John Peruzzi, Nathan Tsoi, Sydney Thompson, Roberto Martín-Martín, Silvio Savarese, and Marynel Vázquez. 2020. Improving social awareness through dante: Deep affinity network for clustering conversational interactants. *Proceedings of the ACM on Human-Computer Interaction* 4, CSCW1 (2020), 1–23.

[123] Xiang Zhi Tan, Michal Luria, and Aaron Steinfeld. 2020. Defining Transfers Between Multiple Service Robots. In *Companion of the 2020 ACM/IEEE International Conference on Human-Robot Interaction.* 465–467.

[124] Xiang Zhi Tan, Marynel Vázquez, Elizabeth J Carter, Cecilia G Morales, and Aaron Steinfeld. 2018. Inducing bystander interventions during robot abuse with social mechanisms. In *2018 13th ACM/IEEE International Conference on Human-Robot Interaction (HRI).* IEEE, 169–177.

[125] Howard Francis Taylor. 1970. *Balance in small groups.* New York: Van Nostrand Reinhold Company.

[126] Hamish Tennent, Solace Shen, and Malte Jung. 2019. Micbot: a peripheral robotic object to shape conversational dynamics and team performance. In *2019 14th ACM/IEEE International Conference on Human-Robot Interaction (HRI)*. IEEE, 133–142.

[127] Christopher Thompson, Sharaf Mohamed, Wing-Yue G Louie, Jiang Chen He, Jacob Li, and Goldie Nejat. 2017. The robot Tangy facilitating Trivia games: A team-based user-study with long-term care residents. In *2017 IEEE international symposium on robotics and intelligent sensors (IRIS)*. IEEE, 173–178.

[128] Sebastian Thrun, Maren Bennewitz, Wolfram Burgard, Armin B Cremers, Frank Dellaert, Dieter Fox, Dirk Hähnel, Charles Rosenberg, Nicholas Roy, Jamieson Schulte, et al. 1999. MINERVA: A tour-guide robot that learns. In *Annual Conference on Artificial Intelligence*. Springer, 14–26.

[129] Margaret L Traeger, Sarah Strohkorb Sebo, Malte Jung, Brian Scassellati, and Nicholas A Christakis. 2020. Vulnerable robots positively shape human conversational dynamics in a human–robot team. *Proceedings of the National Academy of Sciences* 117, 12 (2020), 6370–6375.

[130] Rudolph Triebel, Kai Arras, Rachid Alami, Lucas Beyer, Stefan Breuers, Raja Chatila, Mohamed Chetouani, Daniel Cremers, Vanessa Evers, Michelangelo Fiore, et al. 2016. Spencer: A socially aware service robot for passenger guidance and help in busy airports. In *Field and service robotics*. Springer, 607–622.

[131] Sylvaine Tuncer, Sarah Gillet, and Iolanda Leite. 2022. Robot-Mediated Inclusive Processes in Groups of Children: From Gaze Aversion to Mutual Smiling Gaze. *Frontiers in Robotics and AI* 9 (2022), 729146. https://doi.org/10.3389/frobt.2022.729146

[132] Dina Utami and Timothy Bickmore. 2019. Collaborative user responses in multiparty interaction with a couples counselor robot. In *2019 14th ACM/IEEE International Conference on Human-Robot Interaction (HRI)*. IEEE, 294–303.

[133] Dina Utami, Timothy W. Bickmore, and Louis J. Kruger. 2017. A robotic couples counselor for promoting positive communication. In *2017 26th IEEE International Symposium on Robot and Human Interactive Communication (RO-MAN)*. 248–255. https://doi.org/10.1109/ROMAN.2017.8172310

[134] George E Vaillant. 2008. *Aging well: Surprising guideposts to a happier life from the landmark study of adult development*. Hachette UK.

[135] Marynel Vázquez, Elizabeth J Carter, Braden McDorman, Jodi Forlizzi, Aaron Steinfeld, and Scott E Hudson. 2017. Towards robot autonomy in group conversations: Understanding the effects of body orientation and gaze. In *2017 12th ACM/IEEE International Conference on Human-Robot Interaction (HRI*. IEEE, 42–52.

[136] Marynel Vázquez, Elizabeth J Carter, Jo Ana Vaz, Jodi Forlizzi, Aaron Steinfeld, and Scott E Hudson. 2015. Social group interactions in a role-playing game. In *Proceedings of the Tenth Annual ACM/IEEE International Conference on Human-Robot Interaction Extended Abstracts*. 9–10.

[137] Marynel Vázquez, Alexander Lew, Eden Gorevoy, and Joe Connolly. 2021. Pose Generation for Social Robots in Conversational Group Formations. *Frontiers in Robotics and AI* 8 (2021), 703807.

[138] Marynel Vázquez, Alexander May, Aaron Steinfeld, and Wei-Hsuan Chen. 2011. A deceptive robot referee in a multiplayer gaming environment. In *2011 international conference on collaboration technologies and systems (CTS)*. IEEE, 204–211.

[139] Gianmarco Veruggio, Fiorella Operto, and George Bekey. 2016. Roboethics: Social and ethical implications. In *Springer handbook of robotics*. Springer, 2135–2160.

[140] Alessandro Vinciarelli, Maja Pantic, and Hervé Bourlard. 2009. Social signal processing: Survey of an emerging domain. *Image and vision computing* 27, 12 (2009), 1743–1759.

[141] Kazuyoshi Wada, Takanori Shibata, Tomoko Saito, and Kazuo Tanie. 2004. Effects of robot-assisted activity for elderly people and nurses at a day service center. *Proc. IEEE* 92, 11 (2004), 1780–1788.

[142] Robert Waldinger and Marc Schulz. 2023. *The Good Life: Lessons from the World's Longest Scientific Study of Happiness*. Simon and Schuster.

[143] Zheyuan Wang, Chen Liu, and Matthew Gombolay. 2022. Heterogeneous graph attention networks for scalable multi-robot scheduling with temporospatial constraints. *Autonomous Robots* 46, 1 (2022), 249–268.

[144] Auriel Washburn, Akanimoh Adeleye, Thomas An, and Laurel D Riek. 2020. Robot errors in proximate HRI: how functionality framing affects perceived reliability and trust. *ACM Transactions on Human-Robot Interaction (THRI)* 9, 3 (2020), 1–21.

[145] Douglas Brent West et al. 2001. *Introduction to graph theory*. Vol. 2. Prentice hall Upper Saddle River.

[146] Alan Winfield, John McDermid, Vincent C Müller, Zoë Porter, and Tony Pipe. 2019. Ethical Issues for Robotics and Autonomous Systems. (2019).

[147] Stephen C Wright, Arthur Aron, Tracy McLaughlin-Volpe, and Stacy A Ropp. 1997. The extended contact effect: Knowledge of cross-group friendships and prejudice. *Journal of Personality and Social psychology* 73, 1 (1997), 73.

[148] Yuto Yamaji, Taisuke Miyake, Yuta Yoshiike, P Ravindra S De Silva, and Michio Okada. 2011. Stb: Child-dependent sociable trash box. *International Journal of Social Robotics* 3, 4 (2011), 359–370.

[149] Alex Wuqi Zhang, Ting-Han Lin, Xuan Zhao, and Sarah Sebo. 2023. Ice-Breaking Technology: Robots and Computers Can Foster Meaningful Connections between Strangers through In-Person Conversations. In *Proceedings of the 2023 CHI Conference on Human Factors in Computing Systems* (Hamburg, Germany) *(CHI '23)*. Association for Computing Machinery, New York, NY, USA. https://doi.org/10.1145/3544548.3581135

[150] Lingyu Zhang and Richard J Radke. 2020. A Multi-Stream Recurrent Neural Network for Social Role Detection in Multiparty Interactions. *IEEE Journal of Selected Topics in Signal Processing* 14, 3 (2020), 554–567.

[151] Jakub Zlotowski, Diane Proudfoot, Kumar Yogeeswaran, and Christoph Bartneck. 2015. Anthropomorphism: Opportunities and Challenges in Human-Robot Interaction. *International Journal of Social Robotics* 7, 3 (2015), 347–360.

[152] Igor Zubrycki and Grzegorz Granosik. 2016. Understanding therapists' needs and attitudes towards robotic support. The roboterapia project. *International Journal of Social Robotics* 8, 4 (2016), 553–563.