Publication of the Association for Biology Laboratory Education Volume 44, Extended Abstract 66, 2024



# Techniques for conducting the bean beetle microbiome project on eggs

**Ethell Vereen Jr., Terrence G. Gardner and Lawrence S. Blumer**Morehouse College, Department of Biology, 830 Westview Drive, Atlanta GA 30314 USA

### **Extended Abstract**

The Bean Beetle Microbiome Project (www.beanbeetles.org) provides a set of class-tested protocols that permit undergraduates to conduct original research. Using a course-based undergraduate research experience (CURE) approach, students explore the bacterial microbiome communities found in the digestive tract of bean beetles, Callosobruchus maculatus. Female bean beetles attach individual fertilized eggs to the surface of the host bean in which their offspring feed, develop, and pupate. We have developed a simple and reliable method for students to obtain bean beetle eggs to conduct bacterial microbiome studies. Individual fertilized adult female bean beetles were introduced to a small number (4-5) of sterile 5 or 6mm glass beads in a 35mm sterile Petri dish. Females readily laid eggs on these glass beads. The collection of glass beads with eggs (at least 5 eggs total) from one female provided enough material to either extract the bacterial microbiome for culturing or to perform DNA extraction for diversity assay sequencing of the V4 region of the 16S rRNA bacterial gene. Eggs laid on glass beads cannot develop beyond the embryonic and first instar larval stage since they cannot burrow into a substrate, and they are prevented from feeding. We surface sterilized the beads and eggs in the same manner as adult beetles (Cole et al., 2018) by placing the beads in a cell strainer cup before dipping through a sequence of bleach, sterile water, ethanol, and then sterile water. A sterile 2mL microfuge tube containing 4-5 glass beads with saline (for culture plating) or the first extraction buffer (for DNA extraction) placed in a pulsing vortex machine for 60 seconds will crush the eggs and strip the eggs from the beads. This technique has permitted our students to successfully perform studies comparing the bacterial microbiomes of virgin adult bean beetles to eggs and embryos.

One of the challenges in attempting to extract microbiome samples from such limited substrates as insect eggs is the very limited amount of bacterial cells and DNA that can be obtained. Obviously, more eggs would result in more bacteria and DNA that could be extracted, but using eggs from the same female for a given sample has the benefit of ensuring that each sample is independent. Thus, a minimum of 5 eggs are needed in each sample, but more is better. It is also essential that a negative control is prepared since there is always contamination and even the DNA extraction reagents contain bacterial contamination.

The data shown in the poster were based on using the pulsing vortex for 5 minutes, but this long vortex interval is unnecessary. We evaluated shorter time intervals to judge whether the eggs were fully stripped from the beads and homogenized. We also evaluated 10 second, 30 second and 60 second pulsing vortex durations. The 60 second time best achieved both outcomes and has the benefit of minimizing the production of heat, bead shattering and mechanical failure of the pulsing vortex unit. The quality of extracted DNA (based on the shape of the absorption curves) was best at 60 seconds, but the concentrations were not significantly different for any of the pulsing vortex

durations.

We used glass beads for this project because they can be steam sterilized prior to use. However, once eggs are laid on beads, the first step is to surface sterilize the beads again. Thus, other substrates may be successfully substituted for glass beads. We have previously observed bean beetles readily lay eggs on plastic and wood beads, but these substrates would be more challenging to sterilize prior to use.

# **CITED REFERENCES**

Cole MF, Acevedo-Gonzalez T, Gerardo NM, Harris EV, Beck CW. 2018. Effect of Diet on Bean Beetle Microbial Communities. Article 3 In: McMahon K, editor. Tested studies for laboratory teaching. Volume 39. Proceedings of the 39th Conference of the Association for Biology Laboratory Education (ABLE). http://www.ableweb.org/volumes/vol-39/?art=3

### **ACKNOWLEDGEMENTS**

We thank the students in BIO 114, Population, Community and Biosphere, at Morehouse College who conducted this research. This work was supported in part by a grant from the US Department of Education Title III program at Morehouse College and National Science Foundation Grants DUE-1821533 and DUE-1821184 to Morehouse College and Emory University. Any opinions, findings, and conclusions or recommendations expressed in this material are those of the authors and do not necessarily reflect the views of the National Science Foundation.

# **About the Authors**

Dr. Ethell Vereen is an Assistant Professor of Biology at Morehouse College whose research interests are in aquatic microbial ecology and science pedagogy. Dr. Terrence Gardner is Visiting Assistant Professor of Biology at Morehouse College whose research interests are in soil and environmental microbial ecology. Dr. Larry Blumer is a Professor of Biology at Morehouse College. All three authors teach the Bean Beetle Microbiome CURE (www.beanbeetles.org) in introductory courses.

Keywords: CURE, microbiome, Callosobruchus maculatus, bean beetles, DNA extraction

Link to Original Poster File: https://doi.org/10.37590/able.v44.poster66

**Citation**: Vereen E, Gardner TG and Blumer LS. 2024. Techniques for Conducting the Bean Beetle Microbiome Project on Eggs. Extended Abstract 66 In: Boone E and Thuecks S, eds. *Advances in biology laboratory education*. Volume 44. Publication of the 44th Conference of the Association for Biology Laboratory Education (ABLE). DOI: <a href="https://doi.org/10.37590/able.v44.extabs66">https://doi.org/10.37590/able.v44.extabs66</a>

Correspondence to: Ethell Vereen ethell.vereen@morehouse.edu

# Mission, Review Process & Disclaimer

The Association for Biology Laboratory Education (ABLE) was founded in 1979 to promote information exchange among university and college educators actively concerned with teaching biology in a laboratory setting. The focus of ABLE is to improve the undergraduate biology laboratory experience by promoting the development and dissemination of interesting, innovative, and reliable laboratory exercises. For more information about ABLE, please visit https://www.ableweb.org/.

Papers published in *Advances in Biology Laboratory Education: Peer-Reviewed Publication of the Conference of the Association for Biology Laboratory Education* are evaluated and selected by a committee prior to presentation at the conference, peer-reviewed by participants at the conference, and edited by members of the ABLE Editorial Board.

Compilation © 2024 by the Association for Biology Laboratory Education, ISSN 2769-1810. All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of the copyright owner. ABLE strongly encourages individuals to use the exercises in this volume in their teaching program. If this exercise is used solely at one's own institution with no intent for profit, it is excluded from the preceding copyright restriction, unless otherwise noted on the copyright notice of the individual chapter in this volume. Proper credit to this publication must be included in your laboratory outline for each use; a sample citation is given below the abstract.