

# Efficient Algorithms for Attributed Graph Alignment with Vanishing Edge Correlation

**Ziao Wang**

ZIAOW@ECE.UBC.CA

*Department of Electrical and Computer Engineering, The University of British Columbia*

**Weina Wang**

WEINAW@CS.CMU.EDU

*Department of Computer Science, Carnegie Mellon University*

**Lele Wang**

LELEWANG@ECE.UBC.CA

*Department of Electrical and Computer Engineering, The University of British Columbia*

**Editors:** Shipra Agrawal and Aaron Roth

## Abstract

The graph alignment problem, also referred to as the graph matching or noisy graph isomorphism problem, is the problem of finding the correspondence between the vertices of two correlated graphs. This problem has garnered significant attention due to its widespread use in various real-world applications (Singh et al., 2007; Cho and Lee, 2012). Extensive study has been done on polynomial-time algorithms for the graph alignment problem under the Erdős–Rényi graph pair model  $\mathcal{G}(n, q, \rho)$ , where the two graphs are Erdős–Rényi graphs with  $n$  vertices and edge probability  $q$ , correlated under certain vertex correspondence. The correlation coefficient between the corresponding edges in the two graphs is given by  $\rho$ . Given a pair of graphs generated from the model, the goal is to exactly recover the vertex correspondence between the two graphs. Polynomial-time algorithms for graph alignment have been studied in the line of work (Dai et al., 2019; Fan et al., 2020; Ding et al., 2021; Mao et al., 2023a, 2021, 2023b; Ding and Li, 2023). To achieve exact recovery of the correspondence, all existing algorithms at least require the edge correlation coefficient  $\rho$  between the two graphs to be *non-vanishing* as  $n \rightarrow \infty$ . Moreover, it is conjectured that no polynomial-time algorithm can achieve exact recovery under vanishing edge correlation  $\rho < 1/\text{polylog}(n)$ .

In this work, we study the attributed graph alignment problem (Zhang et al., 2024), where additional side information about the vertices, termed attributes, is assumed to be publicly available. The consideration of attribute information is motivated by real-world applications such as LinkedIn and Twitter, where user attributes like birthplace and educational background can aid alignment. We show that with a vanishing amount of additional attribute information, exact recovery of the vertex correspondence is polynomial-time feasible under *vanishing* edge correlation  $\rho_u \geq n^{-\Theta(1)}$ . The key step in the proposed algorithm is a tree-counting process. We identify a family of *local* tree structures to count, which incorporates one layer of user information and one layer of attribute information. We construct a feature vector for each vertex by counting the trees in the family. The vertices are then matched based on the similarity of their feature vectors. Compared to existing polynomial-time algorithms for attributed graph alignment by Wang et al. (2024), the proposed algorithm requires strictly less attribute information and tolerates weaker edge correlation. When specialized to the problem of seeded graph alignment, the proposed algorithm strictly improves the best-known feasible region by polynomial-time algorithms (Mossel and Xu, 2020).<sup>1</sup>

**Keywords:** Graph matching, statistical inference, efficient algorithms

1. Extended abstract. Full version appears as [arXiv 2308.09210, v2 (Wang et al., 2023)]

## References

M. Cho and K. M. Lee. Progressive graph matching: Making a move of graphs via probabilistic voting. In *Proc. IEEE Comput. Vision and Pattern Recognit.*, pages 398–405. IEEE, 2012. doi: 10.1109/CVPR.2012.6247701.

Osman Dai, Daniel Cullina, Negar Kiyavash, and Matthias Grossglauser. Analysis of a canonical labeling algorithm for the alignment of correlated erdős-rényi graphs. *ACM SIGMETRICS Perform. Evaluation Rev.*, 47:96–97, 12 2019. doi: 10.1145/3376930.3376992.

Jian Ding and Zhangsong Li. A polynomial-time iterative algorithm for random graph matching with non-vanishing correlation, 2023.

Jian Ding, Zongming Ma, Yihong Wu, and Jiaming Xu. Efficient random graph matching via degree profiles. *Probability Theory and Related Fields*, 179:29–115, 2021.

Zhou Fan, Cheng Mao, Yihong Wu, and Jiaming Xu. Spectral graph matching and regularized quadratic relaxations: Algorithm and theory. In Hal Daumé III and Aarti Singh, editors, *Proceedings of the 37th International Conference on Machine Learning*, volume 119 of *Proceedings of Machine Learning Research*, pages 2985–2995. PMLR, 13–18 Jul 2020.

Cheng Mao, Mark Rudelson, and Konstantin Tikhomirov. Random graph matching with improved noise robustness. In Mikhail Belkin and Samory Kpotufe, editors, *Proceedings of Thirty Fourth Conference on Learning Theory*, volume 134 of *Proceedings of Machine Learning Research*, pages 3296–3329. PMLR, 15–19 Aug 2021.

Cheng Mao, Mark Rudelson, and Konstantin Tikhomirov. Exact matching of random graphs with constant correlation. *Probability Theory and Related Fields*, 186(1-2):327–389, 2023a.

Cheng Mao, Yihong Wu, Jiaming Xu, and Sophie H. Yu. Random graph matching at otter’s threshold via counting chandeliers. In *Proceedings of the 55th Annual ACM Symposium on Theory of Computing*, STOC 2023, page 1345–1356, New York, NY, USA, 2023b. Association for Computing Machinery. ISBN 9781450399135. doi: 10.1145/3564246.3585156.

Elchanan Mossel and Jiaming Xu. Seeded graph matching via large neighborhood statistics. *Random Structures & Algorithms*, 57(3):570–611, 2020. doi: <https://doi.org/10.1002/rsa.20934>.

Rohit Singh, Jinbo Xu, and Bonnie Berger. Pairwise global alignment of protein interaction networks by matching neighborhood topology. In *Annual International Conference on Research in Computational Molecular Biology*, pages 16–31, Berlin, Heidelberg, 2007. Springer.

Ziao Wang, Weina Wang, and Lele Wang. Efficient algorithms for attributed graph alignment with vanishing edge correlation, 2023. <https://arxiv.org/abs/2308.09210>.

Ziao Wang, Ning Zhang, Weina Wang, and Lele Wang. On the feasible region of efficient algorithms for attributed graph alignment. *IEEE Transactions on Information Theory*, 70(5):3622–3639, 2024. doi: 10.1109/TIT.2024.3351107.

Ning Zhang, Ziao Wang, Weina Wang, and Lele Wang. Attributed graph alignment. *IEEE Transactions on Information Theory (Early Access)*, 2024. doi: 10.1109/TIT.2024.3403810.