

Group Fairness in Multi-period Mobile Facility Location Problems

Extended Abstract

Haris Aziz
UNSW Sydney
Sydney, Australia
haris.aziz@unsw.edu.au

Hau Chan
University of Nebraska-Lincoln
Lincoln, Nebraska, USA
hchan3@unl.edu

Xingchen Sha
Columbia University
New York, New York, USA
xingchen.sha@columbia.edu

Toby Walsh
UNSW Sydney
Sydney, Australia
t.walsh@unsw.edu.au

Lirong Xia
Rutgers University
New Brunswick, New Jersey, USA
lirong.xia@rutgers.edu

ABSTRACT

We study the group-fair multi-period mobile facility location problems, where agents from different groups are located on a real line and arrive in different periods. Our goal is to locate k mobile facilities at each period to serve the arriving agents in order to minimize the maximum total group-fair cost and the maximum average group-fair cost objectives that measure the costs or distances of groups of agents to their corresponding facilities across all periods. We first consider the problems from the algorithmic perspective for both group-fair cost objectives. We then consider the problems from the mechanism design perspective, where the agents' locations and arrival periods are private. For both objectives, we design deterministic strategyproof mechanisms to elicit the agents' locations and arrival periods truthfully while optimizing the group-fair cost objectives and show that our mechanisms have almost tight bounds on the approximation ratios for certain periods and settings. Finally, we discuss the extensions of our results to the online setting where agent arrival information is only known at each period.

KEYWORDS

Facility Location; Group Fairness; Mechanism Design

ACM Reference Format:

Haris Aziz, Hau Chan, Xingchen Sha, Toby Walsh, and Lirong Xia. 2025. Group Fairness in Multi-period Mobile Facility Location Problems: Extended Abstract. In *Proc. of the 24th International Conference on Autonomous Agents and Multiagent Systems (AAMAS 2025), Detroit, Michigan, USA, May 19 – 23, 2025*, IFAAMAS, 3 pages.

1 INTRODUCTION

In recent decades, there has been a notable surge of applicational and theoretical interests in facility location problems within the fields of mechanism design and social choice. For instance, the increased interest in these problems is due to their potential ability to capture and model various real-world preference aggregation scenarios (e.g., voting [4, 5, 15] and site locations [6, 16]). In the

most general setting of facility location problems in these fields, a social planner aims to locate facilities to serve agents that have preferences on the facility locations within a given region in order to optimize the total or maximum cost objective, which measures the total or maximum distances of the agents to their allocated facilities, respectively.

While most existing studies have focused on the static aspects of facility location problems, recent studies [7–9, 11, 17–19] have started to consider the multi-period aspects of the problems that often deal with locating or reallocating some forms of mobile facilities (e.g., mobile health clinic services or blood donation centers) within some regions over multiple periods. For example, consider a mobile vaccination vehicle that provides certain medical services for residents, who may choose different time periods to be vaccinated at preferred locations. Therefore, the health providers need to decide where to locate several vehicles over different time periods. Beyond health services, the problems can also be applied to determining the locations of polling centers at different periods by taking into consideration agent location preferences and availabilities [10, 12]. Finally, the multi-period mobile settings can also model problems that are not geographical in nature (e.g., general preference aggregation [1–3, 15]). We refer the readers to other related work [17] for more relevant motivations and examples of mobile facilities.

However, there has been a lack of consideration of group fairness in multi-period mobile studies. As a result, existing models and approaches can lead to certain groups of agents incurring significantly higher costs than other groups of agents. Such a lack of consideration is often not ideal in modern society, especially when providing medical, polling, and education services to groups of agents from different social and economic backgrounds. Therefore, we examine group fairness in multi-period facility location problems, focusing on locating facilities to serve groups of agents fairly over multiple periods subject to group-fair cost objectives over multiple periods.

2 PRELIMINARIES

In a group-fair multi-period mobile facility location problem (GF-MPMFLP), we have a set $N = \{1, \dots, n\}$ of n agents, where each agent will be served once over $T \geq 1$ periods. The agents are partitioned into $m \geq 1$ disjoint groups based on their associations (e.g., ages, ethnicities, and needs). Let $G = \{G_1, \dots, G_m\}$ be the set of disjoint groups of the agents. We use $|G_j|$ to denote the



This work is licensed under a Creative Commons Attribution International 4.0 License.

Proc. of the 24th International Conference on Autonomous Agents and Multiagent Systems (AAMAS 2025), Y. Vorobeychik, S. Das, A. Nowé (eds.), May 19 – 23, 2025, Detroit, Michigan, USA. © 2025 International Foundation for Autonomous Agents and Multiagent Systems (www.ifaamas.org).

total number of agents in group G_g . Without loss of generality, we assume $|G_g| > 0$ for each $g = 1, \dots, m$.

Each agent $i \in N$ has a profile $r_i = (x_i, a_i, g_i)$ where the agent location preference is $x_i \in \mathbb{R}$, the arrival period is $a_i \in \{1, \dots, T\}$, and the group membership is $g_i \in \{1, \dots, m\}$. A tuple $r = (r_1, \dots, r_n)$ is a collection of locations, arrival periods, and group memberships.

k facilities are located to serve all the agents arriving at each period. We denote the facility j 's location in period t as $f_j^t \in \mathbb{R}$, and let $f_t = (f_1^t, \dots, f_k^t) \in \mathbb{R}^k$ be the locations of k facilities in period t . A deterministic algorithm (resp. mechanism) is a function F that maps each tuple r to the facility locations of all periods, i.e., $F(r) = (f_1, \dots, f_T) \in \mathbb{R}^{T \times k}$. Given F and a tuple r , the cost of an agent i is the distance between their preferred location and the closest facility in their arrival period, i.e., $cost(F(r), x_i, a_i) = \min_{1 \leq j \leq k} |f_j^{a_i} - x_i|$.

Following the existing studies of facility location problems with group fairness [13, 14, 20], we aim to minimize two group-fair cost objectives: the maximum total group cost (*mtgc*) and maximum average group cost (*magc*). Given a tuple r and a function F , *mtgc* is defined as

$$mtgc(r, F) = \max_{1 \leq g \leq m} \left\{ \sum_{i \in G_g} cost(F(r), x_i, a_i) \right\}. \quad (1)$$

Moreover, *magc* is defined as

$$magc(r, F) = \max_{1 \leq g \leq m} \left\{ \frac{\sum_{i \in G_g} cost(F(r), x_i, a_i)}{|G_g|} \right\}. \quad (2)$$

From the mechanism design perspective, because the agents' locations and arrival periods are private, our goal is to design strategyproof mechanisms to elicit their true information while simultaneously determining facility locations to optimize *mtgc* and *magc* objectives. Denote (r'_i, r_{-i}) as the tuple r with r'_i in place of r_i .

DEFINITION 1. *A deterministic mechanism F is strategyproof if for any tuple r , any agent i can never benefit by misreporting their location or arrival period regardless of the profiles of other agents. That is, for all agents, r and $r'_i = (x'_i, a'_i, g_i)$, we have,*

$$cost(F(r), x_i, a_i) \leq cost(F((r'_i, r_{-i})), x_i, a_i).$$

An algorithm (resp. mechanism) F achieves an approximation ratio of α for minimizing the *mtgc* (resp. *magc*) in the offline setting, if for any profile r , $mtgc(r, F) \leq \alpha \cdot mtgc(r, OPT)$ (resp. $magc(r, F) \leq \alpha \cdot magc(r, OPT)$) where OPT is the optimal algorithm that minimizes the *mtgc* (resp. *magc*) in the offline setting, i.e., with complete knowledge of the agents' information at all periods. Similarly, an algorithm (resp. mechanism) F achieves a competitive ratio of α for minimizing the *mtgc* (resp. *magc*) in the online setting, if for any profile r , $mtgc(r, F) \leq \alpha \cdot mtgc(r, OPT)$ (resp. $magc(r, F) \leq \alpha \cdot magc(r, OPT)$) where OPT is the optimal algorithm that minimizes the *mtgc* (resp. *magc*) in the offline setting.

3 RESULTS

We study the group-fair multi-period mobile facility location problems (GF-MPMFLPs) from both algorithmic and mechanism design perspectives. We summarize our contributions below for different settings from both perspectives.

Single Facility	MTGC	MAGC
Single Period	UB: 2 LB: 2	UB: 2 LB: 2
Multiple Periods	UB: $\min(T + 1, m)$ LB: 2	UB: $T + 1$ LB: 2
Online Setting	UB: $\min(T + 1, m)$ LB: $\min(T, \log m) + 1$	UB: $2(n - m + 1)$ LB: $n - m + 1$
Multiple Facilities Offline & Online	MTGC	MAGC
$k = 2$	UB: $n - m + 2$ LB: $\max(n - m - 1, 1)$	UB: $n - m + 2$ LB: $\max(n - m - 1, 1)$
$k \geq 3$	∞^*	∞^*

* Anonymous mechanisms.

Table 1: Summary of mechanism approximation results. UB and LB stand for the upper bound and lower bound.

- From the algorithmic perspective, the locations and arrival periods of the agents are publicly known. Our contributions are as follows.
 - For the single facility setting ($k = 1$), we show that GF-MPMFLPs can be solved in polynomial time using linear programming for both *mtgc* and *magc* objectives.
 - For the setting with k facilities, we give a slice-wise polynomial (*XP*) algorithm (i.e., solvable in time $n^{f(k)}$ for some fixed parameter k and computable function f , where n is the input size) to solve the GF-MPMFLPs for both *mtgc* and *magc* objectives.
- From the mechanism design perspective, the location and arrival period preferences of the agents are privately known to the agents themselves. We design several mechanisms that elicit the true locations and arrival periods of the agents while simultaneously optimizing the *mtgc* and *magc* objectives based on the agents' reported information. Table 1 summarizes our mechanism design results.
- We additionally consider the online GF-MPMFLPs from mechanism design perspective, where the agent arrival information is only known at each period. For the single facility setting ($k = 1$), we establish almost tight bounds for the *mtgc* objective. We also show that our deterministic strategyproof mechanism has a competitive ratio of $2(n - m + 1)$ for the *magc* objective, and complement this result with a lower bound of $n - m + 1$ for the *magc* objective. For the setting with more facilities, we show that our previous results can all be extended to the online version.

We refer readers to the full paper for complete results and proofs.

ACKNOWLEDGMENTS

Hau Chan is supported by the National Institute of General Medical Sciences of the National Institutes of Health [P20GM130461], the Rural Drug Addiction Research Center at the University of Nebraska-Lincoln, and the National Science Foundation under grants IIS:RI #2302999 and IIS:RI #2414554. Lirong Xia acknowledges NSF #2450124 for support. Toby Walsh is supported by the ARC through Laureate Fellowship FL200100204.

REFERENCES

- [1] Kenneth Joseph Arrow, Michael D Intriligator, Werner Hildenbrand, and Hugo Sonnenschein. 1981. *Handbook of mathematical economics*. Vol. 1. North-Holland Amsterdam.
- [2] Kenneth Joseph Arrow, Amartya Sen, and Kotaro Suzumura. 2010. *Handbook of social choice and welfare*. Elsevier.
- [3] Salvador Barberà, Faruk Gul, and Ennio Stacchetti. 1993. Generalized median voter schemes and committees. *Journal of Economic Theory* 61, 2 (1993), 262–289.
- [4] Duncan Black. 1948. The decisions of a committee using a special majority. *Econometrica: Journal of the Econometric Society* (1948), 245–261.
- [5] Jean Marie Blin and Mark A Satterthwaite. 1976. Strategy-proofness and single-peakedness. *Public Choice* (1976), 51–58.
- [6] Hau Chan, Aris Filos-Ratsikas, Bo Li, Minming Li, and Chenhao Wang. 2021. Mechanism Design for Facility Location Problems: A Survey. In *Proceedings of the Thirtieth International Joint Conference on Artificial Intelligence, IJCAI-21*, Zhi-Hua Zhou (Ed.). International Joint Conferences on Artificial Intelligence Organization, 4356–4365. <https://doi.org/10.24963/ijcai.2021/596> Survey Track.
- [7] Da Qi Chen, Ann Li, George Z Li, Madhav Marathe, Aravind Srinivasan, Leonidas Tsepenekas, and Anil Vullikanti. 2023. Efficient and equitable deployment of mobile vaccine distribution centers. In *Proceedings of the Thirty-Second International Joint Conference on Artificial Intelligence*. 64–72.
- [8] Bart De Keijzer and Dominik Wojtczak. 2022. Facility reallocation on the line. *Algorithmica* (2022), 1–28.
- [9] Erik D Demaine, MohammadTaghi Hajiaghayi, Hamid Mahini, Amin S Sayedi-Roshkhar, Shayan Oveisgharan, and Morteza Zadimoghaddam. 2009. Minimizing movement. *ACM Transactions on Algorithms (TALG)* 5, 3 (2009), 1–30.
- [10] Michal Feldman, Amos Fiat, and Iddan Golomb. 2016. On voting and facility location. In *Proceedings of the 2016 ACM Conference on Economics and Computation*. 269–286.
- [11] Dimitris Fotakis, Loukas Kavouras, Panagiotis Kostopanagiotis, Philip Lazos, Stratis Skoulakis, and Nikos Zarifis. 2021. Reallocating multiple facilities on the line. *Theoretical Computer Science* 858 (2021), 13–34.
- [12] Moshe Haspel and H Gibbs Knotts. 2005. Location, location, location: Precinct placement and the costs of voting. *The Journal of Politics* 67, 2 (2005), 560–573.
- [13] Jiaqian Li, Minming Li, and Hau Chan. 2024. Strategyproof Mechanisms for Group-Fair Obnoxious Facility Location Problems. In *Proceedings of the AAAI Conference on Artificial Intelligence*, Vol. 38. 9832–9839.
- [14] Michael T Marsh and David A Schilling. 1994. Equity measurement in facility location analysis: A review and framework. *European journal of operational research* 74, 1 (1994), 1–17.
- [15] Hervé Moulin. 1980. On strategy-proofness and single peakedness. *Public Choice* 35, 4 (1980), 437–455.
- [16] Ariel D Procaccia and Moshe Tennenholtz. 2013. Approximate mechanism design without money. *ACM Transactions on Economics and Computation (TEAC)* 1, 4 (2013), 1–26.
- [17] S Raghavan, Mustafa Sahin, and F Sibel Salman. 2019. The capacitated mobile facility location problem. *European Journal of Operational Research* 277, 2 (2019), 507–520.
- [18] Yuho Wada, Tomohiro Ono, Taiki Todo, and Makoto Yokoo. 2018. Facility Location with Variable and Dynamic Populations.. In *AAMAS*. 336–344.
- [19] Xuezhen Wang, Vincent Chau, Hau Chan, Chi Kit Ken Fong, and Minming Li. 2023. Multi-Stage Facility Location Problems with Transient Agents. In *Proceedings of the AAAI Conference on Artificial Intelligence*.
- [20] Houyu Zhou, Minming Li, and Hau Chan. 2022. Strategyproof Mechanisms for Group-Fair Facility Location Problems. In *Proceedings of the Thirty-First International Joint Conference on Artificial Intelligence, IJCAI-22*, Lud De Raedt (Ed.). International Joint Conferences on Artificial Intelligence Organization, 613–619. <https://doi.org/10.24963/ijcai.2022/87> Main Track.