

Original Paper

# Designing a Multimodal and Culturally Relevant Alzheimer Disease and Related Dementia Generative Artificial Intelligence Tool for Black American Informal Caregivers: Cognitive Walk-Through Usability Study

Cristina Bosco<sup>1</sup>, MSc; Ege Otenen<sup>1</sup>, MSc; John Osorio Torres<sup>1</sup>, MSc; Vivian Nguyen<sup>1</sup>, BSc; Darshil Chheda<sup>1</sup>, MSc; Xinran Peng<sup>1</sup>, MSc; Nenet M Jessup<sup>2</sup>, MPH; Anna K Himes<sup>2</sup>, BS; Bianca Cureton<sup>2</sup>, BSPH; Yvonne Lu<sup>2</sup>, PhD; Carl V Hill<sup>3</sup>, PhD; Hugh C Hendrie<sup>4</sup>, MD; Priscilla A Barnes<sup>5</sup>, PhD; Patrick C Shih<sup>1</sup>, PhD

<sup>1</sup>Luddy School of Informatics, Computing, and Engineering, Indiana University, Bloomington, IN, United States

<sup>2</sup>School of Nursing, Indiana University, Indianapolis, IN, United States

<sup>3</sup>Alzheimer's Association, Chicago, IL, United States

<sup>4</sup>School of Medicine, Indiana University, Indianapolis, IN, United States

<sup>5</sup>School of Public Health, Indiana University, Bloomington, IN, United States

**Corresponding Author:**

Cristina Bosco, MSc

Luddy School of Informatics, Computing, and Engineering

Indiana University

700 N Woodlawn Ave

Bloomington, IN, 4740

United States

Phone: 1 812 856 5754

Email: [cribosco@iu.edu](mailto:cribosco@iu.edu)

## Abstract

**Background:** Many members of Black American communities, faced with the high prevalence of Alzheimer disease and related dementias (ADRD) within their demographic, find themselves taking on the role of informal caregivers. Despite being the primary individuals responsible for the care of individuals with ADRD, these caregivers often lack sufficient knowledge about ADRD-related health literacy and feel ill-prepared for their caregiving responsibilities. Generative AI has become a new promising technological innovation in the health care domain, particularly for improving health literacy; however, some generative AI developments might lead to increased bias and potential harm toward Black American communities. Therefore, rigorous development of generative AI tools to support the Black American community is needed.

**Objective:** The goal of this study is to test Lola, a multimodal mobile app, which, by relying on generative AI, facilitates access to ADRD-related health information by enabling speech and text as inputs and providing auditory, textual, and visual outputs.

**Methods:** To test our mobile app, we used the cognitive walk-through methodology, and we recruited 15 informal ADRD caregivers who were older than 50 years and part of the Black American community living within the region. We asked them to perform 3 tasks on the mobile app (ie, searching for an article on brain health, searching for local events, and finally, searching for opportunities to participate in scientific research in their area), then we recorded their opinions and impressions. The main aspects to be evaluated were the mobile app's usability, accessibility, cultural relevance, and adoption.

**Results:** Our findings highlight the users' need for a system that enables interaction with different modalities, the need for a system that can provide personalized and culturally and contextually relevant information, and the role of community and physical spaces in increasing the use of Lola.

**Conclusions:** Our study shows that, when designing for Black American older adults, a multimodal interaction with the generative AI system can allow individuals to choose their own interaction way and style based upon their interaction preferences and external constraints. This flexibility of interaction modes can guarantee an inclusive and engaging generative AI experience.

(*JMIR Aging* 2025;8:e60566) doi: [10.2196/60566](https://doi.org/10.2196/60566)

**KEYWORDS**

multimodality; artificial intelligence; AI; generative AI; usability; black; African American; cultural; Alzheimer's; dementia; caregivers; mobile app; interaction; cognition; user opinion; geriatrics; smartphone; mHealth; digital health; aging

## Introduction

### Background

Alzheimer disease and related dementias (ADRD) are brain health conditions impacting cognitive abilities such as memory, language, problem-solving, and executive functions [1,2]. Within the United States, older Black American and Black adults have been identified as being twice as likely as individuals from other ethnic groups to develop ADRD over the course of their lifetime [3-5]. In a study conducted with 59,555 individuals, Black American adults had a 65% greater risk of developing ADRD (with 26.6/1000 Black American adults developing ADRD, compared with rates of 19.6/1000 for Latinos, 19.6/1000 for Pacific Islanders, 19.3/1000 for Whites, and 15.2/1000 for Asian Americans) [6].

However, despite being significantly more likely to develop ADRD, Black Americans exhibit lower levels of ADRD-related health literacy compared with other demographic groups [7]. This disparity impacts informal caregivers who often find themselves unprepared and uninformed about ADRD treatment and diagnosis, as well as about ADRD-related sources and help [8]. Therefore, providing essential medical information to these caregivers is crucial in combating the disease.

Considering the potential of new technologies to aid patients and caregivers with understanding medical language by simplifying content and removing jargon [9], generative artificial intelligence (AI) tools, like ChatGPT developed by OpenAI, could offer innovative opportunities in health care, particularly for improving ADRD-related health literacy. Indeed, recent studies proposed using ChatGPT for reliable and comprehensive health information [10-13].

However, relying solely on generative AI to improve underrepresented communities' health literacy can lead to several issues like providing inaccurate or false health information [14,15]. Additionally, studies have shown that using generative AI exclusively for health diagnosis and treatment can reinforce sexist and racial stereotypes and biases [16-18].

For instance, predictive models trained on historical data that lack representation from diverse demographics can reinforce existing biases in diagnosis and treatment plans [19,20]. The exclusion of certain populations in the studies and design process can lead to misdiagnosis and inappropriate treatment [21-23], exacerbating health inequalities rather than reducing them [20,24,25]. Therefore, it is crucial to ensure greater diversity in model training data and include diverse participants in studies and design processes to improve the generalizability of findings [26] and the fit of the technology use for the target population.

Therefore, given the potential of generative AI to improve health literacy and mitigate health inequalities among underrepresented populations, such as the Black American community, it is imperative to design inclusive ADRD health literacy interventions.

Previous studies, especially in the domain of human-centered design, highlight the importance of integrating cultural insights into health care technologies for this community [27-31]. Hence, it is crucial to tailor generative AI-based health interventions to meet the unique needs of Black American informal caregivers of individuals with ADRD.

Thus, this study identified the needs of Black American caregivers of individuals with ADRD by testing Lola, an ADRD-focused generative AI tool. Lola is a multimodal mobile app that provides access to health information from the Alzheimer's Association online repository [1] via text, chatbot, and voice assistant.

### Related Work

#### *Generative AI in Health Care*

Generative AI has become a transformative force in health care, offering innovative solutions in diagnostics, personalized medicine, and patient care. Recent studies have highlighted the role of generative models in enhancing diagnostic accuracy by analyzing complex medical data and generating synthetic patient data to train other AI systems. For example, a study by Chen and Esmaeilzadeh [32] demonstrated that generative models like generative adversarial networks could significantly improve the detection and diagnosis of diseases by creating high-quality medical images from existing data. Additionally, variational autoencoders have been used to generate realistic medical imaging data, further aiding disease research and model training. Moreover, the use of large language models (LLMs) such as GPT-4 has shown potential for assisting clinicians by generating comprehensive patient histories and suggesting personalized treatment plans [33].

Moreover, the use of LLMs such as generative pretrained transformer (GPT)-4 has shown potential for assisting clinicians by generating comprehensive patient histories and suggesting personalized treatment plans [33]. Studies have also explored the use of LLMs in generating patient education materials and automating routine documentation tasks [34]. Despite still being in its developmental stages, generative AI holds significant promise for enhancing the accessibility of health care [10-13].

#### *Human-Centered Generative AI*

Generative AI models are trained on large data sets that may contain biases, further perpetuating stereotypes and disparities in health care [20,24]. More diversity is needed in both data used to train AI models and participants included in studies to ensure the generalizability of findings [26]. Additionally, addressing ethical and regulatory considerations is crucial when deploying AI in health care.

The integration of human-centered design principles into generative AI applications is crucial to ensure these technologies are accessible, intuitive, and beneficial to end users. Research has emphasized the importance of involving end users in the development process to create AI systems that meet their needs

and preferences. For instance, a study explored the application of ChatGPT for developing digital health interventions, finding that user involvement in the design phase led to higher satisfaction and engagement rates among patients [35]. Specifically, user feedback was gathered through focus groups and iterative testing phases, allowing developers to continuously refine the AI user interface and functionality.

### ***Generative AI and the African American and Black Community***

Inequalities have been observed in health care and accessibility to these services for underrepresented communities [36-40]. AI systems that initially aim to reduce the disparities in health care also present challenges for health care accessibility for Black American communities.

Addressing the unique health care challenges faced by Black American communities through generative AI is a growing area of interest. It is essential to ensure that these AI systems do not perpetuate existing biases or disparities. Studies have highlighted the potential of generative AI to provide culturally sensitive health care solutions. For example, a study explored the use of mobile health [41] interventions to mitigate the impact of COVID-19 in Black American communities, emphasizing the need for community-specific content and trusted communication channels to improve health outcomes.

### ***Informal Caregivers of Individuals With ADRD and Their Use of Technology***

In 2023, approximately 15 million people served as caregivers for individuals with ADRD [1], with African Americans accounting for one-tenth of these caregivers [1]. This unpaid work amounted to an estimated 16 billion hours [1]. Caregivers often feel unprepared for their roles [42], lacking information on diagnosis, treatment, and available resources [8,43].

Technology has been crucial in supporting these caregivers [44], and technologies have been developed to reduce caregiver stress and anxiety [45] and facilitate access to information for caregivers [46]. However, these technologies targeted different demographics than African American and Black populations. For instance, Hong et al [45] developed and tested a technological intervention aimed at reducing the stress and anxiety related with caregiving by focusing exclusively on Chinese participants. On a similar note, Boutilier et al [46] developed and tested a web app to help informal caregivers document information on their ADRD-diagnosed patients and share important changes with the care team. Boutilier et al [46] tested this system with mainly non-Hispanic White participants, with only 1% of participants being Black Americans.

However, no study has focused on Black American caregivers, which is extremely important and challenging at the same time, considering this population's lower level of technology use and adoption [47]. Additionally, a recent systematic review of technological interventions (mainly mobile apps) [48] found that most of these systems did not present any culturally relevant health information and were characterized by low accessibility and low readability.

Previous studies have shown that online health communities (OHCs) offer emotional and instrumental support to caregivers of individuals with ADRD [49] and chronic diseases [50], providing a platform to share experiences and find support from peers [49,51]. Furthermore, only a few technological support interventions for informal caregivers focus on ADRD-related information. Most aim to enhance caregivers' psychological well-being by providing stress management strategies [52] or developing social games to promote physical activity and mutual support networks [53].

We identified 2 gaps in the previous literature. Although OHCs offer instrumental support by sharing caregiving tips, they often lack localized, actionable ADRD information or personalized support tailored to caregivers' and patients' specific needs. Additionally, there is limited representation of Black American caregivers in research, raising concerns about the ability to understand and address their sociocultural background as well as their unique needs compared with other populations, which is vital for developing health technologies for them [49].

## **Methods**

### **Recruitment**

We conducted recruitment and research sessions in close collaboration with a community engagement team who ensured that participants were all caregivers in some capacity for individuals living with ADRD and fulfilled the inclusion criteria. To meet the inclusion criteria, participants had to be older than 50 years, identify as Black Americans, reside in the target area, and actively provide care for a person with ADRD. Throughout this study, emphasis was placed on collaboration with the Black American community within the region. Consequently, 2 community engagement specialists joined the research team to organize monthly community advisory team board meetings to maintain community involvement and awareness of research insights and findings. Prior to implementing any major design decisions, the advisory team board was consulted to ensure cultural relevance. These measures enabled the research team to make more culturally competent decisions.

### **Ethical Considerations**

Ethical approval was provided by the institutional review board at Indiana University (approval number 12241). All participants received a full explanation of the consent procedures, and any special needs were accommodated during sessions. Participants were compensated with a US \$50 gift card for taking part. Participants' privacy and confidentiality were protected by anonymizing the data, changing the wording of the quotes presented in the Results section, and deleting all the audio recordings after the transcriptions were completed.

### **Data Collection and Analysis**

We performed an adapted cognitive walkthrough with users [54,55]. We conducted 15 sessions in 2 regions in the Midwest region of the United States. Each session was completed in a 1-on-1 meeting that involved 1 researcher and 1 notetaker with the participant. Each session lasted approximately 30 minutes. Although we were aware that longer testing sessions might guarantee the collection of more comprehensive feedback, we

made sure to construct the tasks and testing in a way that allowed the emergence of in-depth insights and findings. Moreover, given the older age of our participants, we did not want to induce cognitive fatigue.

During a session, each participant was introduced to the platform and a set of 3 tasks. Those 3 tasks consisted of searching for an article about brain health, searching for ADRD-related local events, and finally, searching for opportunities to participate in scientific research.

As participants performed the tasks, they were asked to voice their thoughts out loud in real time (“think aloud” method [56]), and after each task was complete, there was a brief semistructured discussion centered around 4 tenets: (1) usability (eg, Did you find anything in this task confusing? In what way?), (2) accessibility (eg, How do you expect Lola to answer you? Did you find the information easy to understand? If not, why?), (3) cultural relevance (eg, Did you find the tone of interactions appropriate? If not, how so? How do you think this platform can be made better for the Black American community?), (4) adoption (eg, What do you think would be a good way of spreading knowledge about this so that people you know can properly adopt it and use it?)

Each session was audio-recorded and transcribed. The generated transcripts were spell-checked. Guided by the principles of usability, accessibility, and relevance, 6 researchers coded the transcripts using the open-source software Taguette [57]. The team took an analytical, iterative approach by discussing the codes and consolidating them into themes [58] through second and third rounds of discussion. The resulting major themes about the needs of the users are described in the Results section.

## System Design

### Overview

Generative AI is at the forefront of technological advancements in health care applications, specifically in the development of interactive tools such as chatbots and voice assistants. In the context of Lola, an innovative app tailored for Black Americans coping with ADRD, generative AI plays a crucial role. It powers both the chatbot and voice assistant, enabling them to deliver intuitive and empathetic user interactions. These AI-driven tools analyze complex user queries, source relevant information, and articulate responses that are both informative and comforting.

### Integration With ChatGPT Technology

The core functionalities of Lola—the chatbot and voice assistant—use the natural language processing prowess of ChatGPT 3.5 Turbo.

### Voice Assistant and Chatbot Mechanism

These multimodal features enhance the accessibility of the app, providing users with options for both auditory and textual communication. This is particularly beneficial for users with

different levels of technological literacy or physical abilities. The real-time response generation capability of ChatGPT ensures that every interaction is smooth and engaging.

### Data Utilization and Information Sourcing

Lola’s AI systems are designed to draw information from authoritative sources such as the Alzheimer’s Association online repository [1], supplemented by curated recommendations from a team of medical doctors specializing in ADRD. This method ensures that the information provided is not only accurate but also up to date with current medical standards and practices.

### Ensuring Clear and Meaningful Communication

The generative process involves a sophisticated workflow in which initial responses, structured using LLM techniques, are refined by ChatGPT for clarity and empathy. This ensures that the communication is not only technically accurate but also tailored to meet the emotional and cognitive needs of the users.

### Technical Infrastructure


The comprehensive technical infrastructure of Lola uses Flutter for development of the front end to maintain a consistent and engaging user experience with visually appealing, high-performance interactions across various devices and modalities. The back end is powered by Python’s Flask framework, paired with a PostgreSQL database for robust data management and fast data retrieval during the human-app interactions. The deployment of Docker for containerization, along with the use of the research team’s university servers, provides a secure and reliable environment for hosting and managing Lola’s functionalities. By reducing compatibility issues, this setup ensures consistent system performance and reliability.

### App Features


In response to the challenges faced by older Black Americans regarding the accessibility of credible ADRD information, Lola’s interface serves as a platform for accessing ADRD-related articles, local and virtual events, and opportunities to engage in the latest ADRD research. Lola incorporates a chatbot feature represented by a floating green bubble in the bottom right corner, accessible to users throughout their interaction with the app (Figure 1).

Users can interact with the Lola chatbot by clicking the green call-to-action button, which initiates a conversation through text or voice input. Using generative AI, the Lola chatbot provides responses in text format or as voice messages by clicking the “Play” button, facilitating accessibility for users with varying literacy levels or preferences for voice interaction. Users can also copy the response as text or share the response with their contacts. When users choose to end the conversation, the system saves the conversation in the chat history (Figure 2).

**Figure 1.** Example of a user having a conversation with the Lola chatbot using the interface designed by the research team.



**Figure 2.** Example of a user using voice input and the possibility of browsing the history.



## Results

### Participant Demographic Information

A total of 15 participants were included in this study. All of them were informal caregivers for someone living with ADRD and were Black American. All participants shared that they were born and raised in the United States. Regarding family origins, 5 participants identified having African family origins, 9 were unsure of their family origins, and 1 chose not to disclose. [Table 1](#) summarizes the participants' demographic data. Of the 15

participants, 12 (80%) were 65 years or older. Most participants were female (11/15, 73%), with 2 (2/15, 13%) being male and 2 (2/15, 13%) providing no gender response. Regarding education, 10 participants (10/15, 67%) indicated having at least some college education (partial completion, a bachelor's degree, or an associate degree), while 2 (2/15, 13%) had a graduate degree, 2 (2/15, 13%) indicated a high school education, and 1 (1/15, 7%) did not provide a response. Most participants (11/15, 73%) were retired, only 3 participants (3/15, 20%) worked either part-time or full-time, and 1 (1/15, 7%) did not respond.

**Table 1.** Participant demographic information.

Participant number	Age (years)	Gender	Education level	Employment	Work sector
1	72	Female	Some college	Retired	Health care
2	74	Male	Some college	Retired	Utilities
3	68	Female	Associate's degree	Retired	NR <sup>a</sup>
4	69	Male	Some college	Retired	Construction
5	54	Female	Associate's degree	Part-time	Health care
6	66	NR	NR	NR	NR
7	69	Female	Graduate degree	Retired	Community advocacy
8	69	Female	Some college	Retired	Health care
9	75	Female	Some college	Retired	Faith-based
10	71	Female	High school	Retired	Customer service
11	69	Female	Associate's degree	Retired	Insurance
12	72	NR	High school	Retired	Health care
13	68	Female	Some college	Retired	Health care
14	63	Female	Graduate degree	Full-time	Employment specialist
15	62	Female	Bachelor's degree	Part-time	Education

<sup>a</sup>NR: not reported.

## Overview of Lola

The Lola system includes 3 different models of interaction: (1) accessing information in a traditional touch screen app format, (2) texting with an AI-powered text-based chatbot, and (3) talking to a voice assistant that accompanies the chatbot. Participants experienced all 3 models of interaction during user testing.

## Themes

From the analysis of the data collected, 3 main themes emerged: (1) the need for a multimodal AI tool that relies on multiple senses, (2) the need for culturally specific ADRD content, and (3) the importance of physical places and existing social networks to spread Lola among the community. This section will explore these themes in depth and how they relate to the goals of the research.

### **Theme 1: The Need for a Multimodal AI Tool That Relies on Different Senses**

This theme describes participants' need for interacting with the Lola system in different ways aside from the traditional touch screen gesturing predominant in most mobile apps. This multimodal interaction could take several forms, for example, voice interaction that can read content generated as text out loud. This would allow participants with low vision, which is common among older adults, to access the content.

*Because with the people that I work with on a daily basis, one is not able to read anymore because she's going blind. So, it's not just Alzheimer's dementia that needs to be looked at, at least all the senses need to be looked at because people are going through so many different things at the same time. [P4]*

Consistently, auditory access to information positively influenced participants' interactions with the system. Some participants preferred to engage with the tool using their voice, hence treating the tool as a voice assistant and asking it questions. For the participants, this was a valuable addition to the traditional touch screen interaction. For people not only with low vision but also with lower digital skills, voice interaction resembles a conversational exchange with which they are familiar and comfortable.

*I think that this was good to be able to speak it. Because, if you're dealing with people who are not computer savvy or internet savvy, being able to speak it, and it automatically pops up or speaks your question and then being able to close that area so it won't keep recording. That was quick and easy. It was simple. [P9]*

Speaking features (as opposed to just reading and typing information) are especially helpful since they would enable people to access their usual methods of dealing with health-related information, such as writing it down on a piece of paper and saving it for later reference while someone is sharing the information. Having an auditory feature to provide health care information in addition to other interaction models can improve the accessibility of relevant information for those with difficulties accessing digital content due to low visual capacity.

*That would help too if it played. And then they spoke out the information. And there's different ways I can have a pen and a pad. And then while she's speaking, I could write the information down. Because it is printed small. And you have to read all this information. But if she tells me, and the number you can call is one 800, I'd be writing it down. [P1]*

However, solely relying on the sense of hearing could be a limitation for people with auditory impairments, who could get frustrated by the tool.

*But I couldn't hear it. I was kind of frustrated. So, it kind of forced me to read it in my eyes are strained.*  
[P14]

One participant highlighted the benefit of a multimodal approach pairing visual and auditory stimuli together, drawing on their experience in church where reading and listening occur simultaneously.

*For me and people lazy, they don't want to have to go through the reading it would have, because I would like to hear it while I'm reading it. It is better. If it were just speaking it, I probably wouldn't grasp. But it was speaking in I was reading it and I was falling through. It would have been like being in church. And the preacher is preaching a sermon, he tell you what he coming out of and you fall you open your Bible to that. John 316, and you follow him as he's talking.*  
[P5]

This theme highlights the importance of creating a system with multimodal interaction and pairing auditory and visual inputs in a way that makes the tool more accessible and allows a broader audience to meaningfully engage.

### **Theme 2: The Need for Context and Culture-Specific ADRD Content**

This theme highlighted the need for contextually and culturally specific mobile apps that integrate relevant and accessible ADRD information. When combined with a multimodal AI tool, these tailored apps can significantly enhance participants' access to the information they need, which is not always directly related to health care.

One participant expressed their discontent with the lack of relevant information in the Lola app, stating that they wanted more than just medical information such as actionable lifestyle changes that can improve their health.

*Definitely more than just medical information. Because I'm not one to push drugs, I don't take none. If a doctor tells me something is going on, I'm asking first and foremost, what can I do? Or how can you help me get to this process? Naturally? Do I need to implement exercise, do I need to change my diet, what vitamins, whatever. But if they talk about medication, it's gonna be a big turn off for me instantly. So that's just me. Some people think a quick fix is the answer. But every Quick Fix has consequences.* [P4]

Additionally, another participant mentioned the need for accessible ADRD mobile apps. Being able to operate and navigate through the app with little or without outside help is ideal.

*Well, you know I just had therapy at the hospital, okay. And I was so amazed that every time I went to therapy, they gave me a folder with exercises, and one time they gave me an app. A girl was there, and she showed that to me. And I was just shocked. She*

*used the app to show me the exercises, and every time I went back, she added exercises for me to do on the app. So that was amazing to me. So yeah, the apps are important. They really are. And they're to be simple. And they got to be informative. And they got to be to the point where even the agent can navigate through them.* [P10]

Some participants expressed discontent with the use of language in the Lola app, as it was perceived as too technical and not catering to the target population well enough.

*Now all these big words, that's what we get me. I wouldn't understand them. Okay, so there's too many words, too many big words, I would not understand.*  
[P15]

Certain participants expressed a desire for the mobile app to cater to their Black American communities by offering culturally specific ADRD information tailored to their needs. Consequently, they sought additional content that would address their unique concerns and circumstances.

*So I'm thinking on the other side as the creators of it, maybe you don't want to offend other races or whatever. But if Alzheimer's is more prevalent in my community, I feel like we need to have that target. So we will know exactly where to go, filter through some of the other stuff, some of the things but Alzheimer's and dementia are across the board. But maybe some things are just specific toward my race. Sure. And I want to know that, and I want to know that in the most timely fashion possible.* [P9]

Last, some of the participants highlighted the necessity for the mobile app to include community-centric information and information about local resources and organizations for ADRD, which could be tailored to individual users and their community based on their location.

*I don't travel too far for it. So, I think there needs to be something located in their community.* [P4]

*More websites because a lot of people are interested in a study of Alzheimer's or dementia. And it's national, local. So, I would rather you know, her give me the local if I had to visit it. It's good to know the national, but also there's local organizations as well.*  
[P1]

This section showed how providing context and culturally relevant ADRD information that is accessible is requested by the Black American community.

### **Theme 3: Physical Places and Existing Social Networks Are Necessary to Spread Lola Among the Community**

This last theme is related to the importance of using physical community-oriented places and pre-existing social networks to spread technological tools among the Black American community. Our participants suggested community-oriented ways to advertise these health-related technologies to be adopted and used by the community. Most of the participants mentioned the importance of doing demonstrations of the Lola app in physical community places such as a town hall.

*I think if they're going to implement this process, then they should have maybe a town hall meeting to go through the process have a big screen. The people that are interested in finding out more than they'll do it step by step. So I think that will be a demonstration we're having at a community center or, or even in a building like this, and advertise that we have a new application now called Lola that will help. [P1]*

Finally, participants mentioned how, in the advertisement of the Lola app, it is important to leverage pre-existing social networks within the community, such as relying on word of mouth and showing how people within the community are using Lola.

*More information to let us know, what makes Lola different from the other? That will make me want to go to Lola more. And that could cover word of mouth, that could cover the internet, having more of these to get people involved to know more, maybe part of the marketing or the draw from my community would be Lola specifically, or is more strategic as far as getting information out to Black communities. [P9]*

This section highlighted how physical locations where the community gathers and existing social networks are vital to promote increased use of Lola, as word-of-mouth marketing is effective when performed by trustworthy individuals.

## Discussion

### Principal Findings

Deployment of generative AI in the health care domain offers the promise of innovation and expands the potential of equitable health technologies. However, erroneous design and development of generative AI could increase bias and potential harm toward historically marginalized and underserved communities. Including underserved populations in the design and development of a technological intervention has been shown to increase the opportunity for representation and inclusivity [27-31]. Following this line of research, our study investigated the experiences of Black American caregivers using a generative AI tool to seek ADRD-related information (such as symptoms, community resources, financial aid).

This is the first study that specifically addresses the needs, demands, and challenges of this specific population from the perspective of caregivers of individuals with ADRD. An in-depth description of the 3 key design implications to create an inclusive and culturally relevant AI-supported platform for health will follow.

### Fostering Inclusivity Through Multimodality

We observed how Black American caregivers expressed the need for multimodality of interaction to equitably access what generative AI tools have to offer. Indeed, they expressed the importance of being able to “talk with the tool” and hear back (eg, read content out loud) in the fashion of a conversational voice assistant. Several participants’ insights suggested a preference toward multimedia, emphasizing the auditory and visual senses and providing modes (speaking, reading, and listening) to support these interaction styles. These implications

may originate from their day-to-day time constraints, requiring short and efficient interactions.

Previous work addressed the efficiency of using multimodal systems that provide health care. Linders et al [59] created a multimodal health assistant to provide health information. Soubutts et al [60] used a multimodal device to support the needs of households for health and care purposes during COVID-19. The need for multimodal interactions for memory aid systems has been also highlighted [61].

Additionally, multimodality can guarantee a larger audience who will interact with the system [62], thereby allowing people with low vision and low hearing to access the system and seek ADRD health-related information. Within the landscape of designing for inclusive and equitable computing, our study took the approach of multimodal interaction. Our findings emphasize the need to tailor technology to accommodate different interaction styles. This can be achieved by designing multimodal technologies that can meet the needs of differently abled users.

### Answering the Call for Context and Culture-Specific ADRD Information

Our findings reflected the caregivers’ need for contextually and culturally relevant ADRD information that is specific to their communities or personalized based on their needs and preferences. They indicated their need for lifestyle tips and actionable tools for ADRD rather than only medical information in the system. They also did not want to be offered only general ADRD medical information; rather, they wanted ADRD-related information specific to their community, local resources, and geography. Locality and cultural relevance emerged as 2 of the most important factors influencing the perceived usefulness of the information sought. This is in line with previous studies [63,64] showing that providing community-centered information can increase the acceptance and adoption of generative AI tools. Compared with the use of OHC, which provides general emotional and social support, as identified by previous studies [49-51], our study reveals the need for specialized information on health care. Our participants expressed their need for instrumental and informational support specific to their social and cultural context as well as geographic location. This finding complements the benefits of OHCs to meet all the needs of caregivers including instrumental and information support.

Furthermore, our participants wanted to be sure that the information provided was accessible to people with low literacy skills within their own communities. This is in line with the collectivist nature of African American communities observed in a prior study on technology use [30], wherein, for a technological intervention to be accepted, it must be inclusive of all the members of the Black American community.

### Keeping Not Only the People But Also the Community in the Loop

Finally, our study offers a novel contribution in generative AI research investigating how generative AI tools can be advertised and spread among the Black American community. To our knowledge, this is the only study that has investigated this aspect of generative AI use and adoption. Indeed, low technology adoption is a striking problem within Black American

communities, especially among people with low economic status, which prevents them from using online tools to access health information and improve their health literacy [65]. However, low adoption does not arise from the lack of digital tools but also from a skepticism toward digital tools [66]. Privacy is also a crucial concern, as Black American populations tend to be more skeptical toward the use of technology based on a fear of privacy intrusions and breaches of privacy [41,63]; thus, generative AI-based technologies for this population should foster a transparent and reliable way of handling user privacy.

Some studies [35,66-68] have investigated how faith-based organizations can be important for health dissemination and assisting Black American adults seeking health information. Our study expands on these previous studies by exploring the strategies suggested by our participants, which could be used to foster generative AI adoption and its use among their communities.

Hence, although most studies have focused on programs designed to disseminate information based upon the creation of seminars and physical events, our study provides evidence of how physical organizations (faith-based organizations, public as well as medical organizations) could be strategic actors in fostering the adoption and use of a generative AI tool for ADRD. Additionally, given that these populations have limited resources and opportunities to interact with AI systems and often have difficulties accessing any technology (eg, software, hardware, internet) due to financial and infrastructural challenges [39], incorporating these physical organizations is significant. Building trust and familiarity by involving faith-based organizations and communities in the dissemination of the tool, as well as in the tool's use, facilitates not only dissemination but also the ability to break the barrier of skepticism toward health technology, by showing the community how it could embrace the tool.

Finally, ethical implications and concerns must be addressed in the discussion of the findings, even though ethical concerns did not explicitly emerge in this study as its focus was on usability, accessibility, cultural relevance, and adoption. However, it is crucial to discuss how topics such as consent, privacy, and bias can impact the use of generative AI for an underrepresented community. As suggested by previous studies, ethical guidelines committed to social good and human well-being should be developed and followed by AI system developers [32]. Consent and data management must be at the core of every generative AI system, allowing users to be in full control of their own data and their interaction with the tool. Furthermore, it is critical that users who interact with or provide data for AI systems fully understand what they are consenting to. This is especially important for populations with lower literacy rates, for whom the clarity and accessibility of consent forms must be carefully considered.

### Limitations

This study is subject to several limitations. First, the sample characteristics are not representative of the broader population. The age range of our participants may not adequately capture the unique challenges faced by younger caregivers who juggle

multiple responsibilities alongside caregiving. Future studies should aim to recruit a more diverse sample to better understand the challenges different demographics face in accessing health information for caregiving.

Furthermore, our participants demonstrated a high level of education, with the majority (12/15, 80%) having some college education. This could have influenced our findings, potentially skewing the results toward those with higher educational backgrounds. We recommend future research include Black American individuals with lower literacy levels to better understand their specific needs and how they engage with AI-generated health technologies.

Last, the user experience testing sessions for this study were conducted outside of the participants' daily environments, which may not accurately reflect the day-to-day challenges they might encounter when interacting with Lola. This limitation could restrict the scope of identified problems. Future studies should consider conducting tests in settings and scenarios that more closely mimic real-life conditions to gain deeper insights into the tool's practical efficacy and user engagement.

Apart from the opportunities already identified, our study opens the research space on the intersection between generative AI and underrepresented populations living in the United States. One possibility could be investigating the effectiveness of tailoring ADRD content to the community's values; hence, future studies could quantify the effectiveness of such interventions on user engagement as well as on ADRD-related health literacy. Second, future studies could investigate the impact of different interaction modalities on user engagement, thus understanding whether multimodality is preferred over solely having the opportunity of interacting with one modality, and explore the potential benefit of using different modalities over others in groups with various needs.

### Conclusions

This study adds to the expanding field of research focused on deploying generative AI to improve health literacy. More specifically, the emphasis of this study was on improving the ADRD-related health literacy of Black American informal caregivers, who often are solely responsible for individuals with ADRD. Our objective in testing our intervention, Lola, was to identify the specific aspects of our design that need to be tailored and modified. This approach aims to develop a tool that can genuinely assist this population, enhance their ADRD-related health literacy, and support them in their caregiving responsibilities.

Our findings showed that ADRD-specific content should be made contextually and culturally relevant to be perceived as useful by informal caregivers, thereby including information on local, geographically dependent resources. This shows how generative AI designed to improve ADRD-related health literacy should be highly personalized and dependent upon the user's social and cultural context. Additionally, concerning the interactions, relying on multimodality can contribute to creating an accessible tool for informal caregivers, by offering them multiple and diverse interaction strategies. Once again, this

finding indicates the need for a generative AI tool that can adapt to the users' physical and cognitive needs and demands.

Finally, through active collaboration and community engagement, this study provides evidence of the importance of

including the users and population of interest in the evaluation of a design as a way to guarantee that generative AI technologies will benefit all individuals within society, even underrepresented communities such as Black American populations.

### Acknowledgments

Funding was provided by the National Health Institute (NIA 1R24AG071471) and the National Science Foundation (NSF number 2145049).

### Authors' Contributions

CB and EO wrote the majority of the manuscript and led the writing process and some of the detailed cognitive walk-through sessions. EO, JOT, VN, DC, and XP wrote and edited portions of the manuscript and led some of the detailed cognitive walk-through sessions. BC, AKH, and NMJ led participant recruitment and community engagement. PAB, YL, CVH, HCH, and PCS initiated and ideated the project.

### Conflicts of Interest

None declared.

### References

1. Alzheimer's Disease Facts and Figures. Alzheimer's Association. URL: <https://www.alz.org/alzheimers-dementia/facts-figures> [accessed 2024-12-21]
2. Shojaei F. Uncovering the Impact of Co-Design and Design Thinking in Enhancing the Empowerment of People with Dementia. 2024. Presented at: International Conference on Innovation of Emerging Communication and Information Technology; October 20-23, 2024; Casablanca, Morocco.
3. Barnes LL. Alzheimer disease in African American individuals: increased incidence or not enough data? *Nat Rev Neurol*. Jan 2022;18(1):56-62. [FREE Full text] [doi: [10.1038/s41582-021-00589-3](https://doi.org/10.1038/s41582-021-00589-3)] [Medline: [34873310](https://pubmed.ncbi.nlm.nih.gov/34873310/)]
4. Barnes LL, Bennett DA. Alzheimer's disease in African Americans: risk factors and challenges for the future. *Health Aff (Millwood)*. Apr 2014;33(4):580-586. [FREE Full text] [doi: [10.1377/hlthaff.2013.1353](https://doi.org/10.1377/hlthaff.2013.1353)] [Medline: [24711318](https://pubmed.ncbi.nlm.nih.gov/24711318/)]
5. Brewster P, Barnes L, Haan M, Johnson JK, Manly JJ, Nápoles AM, et al. Progress and future challenges in aging and diversity research in the United States. *Alzheimers Dement*. Jul 18, 2019;15(7):995-1003. [FREE Full text] [doi: [10.1016/j.jalz.2018.07.221](https://doi.org/10.1016/j.jalz.2018.07.221)] [Medline: [30240574](https://pubmed.ncbi.nlm.nih.gov/30240574/)]
6. Mayeda ER, Glymour M, Quesenberry CP, Whitmer RA. Inequalities in dementia incidence between six racial and ethnic groups over 14 years. *Alzheimers Dement*. Mar 10, 2016;12(3):216-224. [FREE Full text] [doi: [10.1016/j.jalz.2015.12.007](https://doi.org/10.1016/j.jalz.2015.12.007)] [Medline: [26874595](https://pubmed.ncbi.nlm.nih.gov/26874595/)]
7. Muvuka B, Combs RM, Ayangeakaa SD, Ali NM, Wendel ML, Jackson T. Health literacy in African-American communities: barriers and strategies. *Health Lit Res Pract*. Jul 16, 2020;4(3):e138-e143. [doi: [10.3928/24748307-20200617-01](https://doi.org/10.3928/24748307-20200617-01)] [Medline: [32674161](https://pubmed.ncbi.nlm.nih.gov/32674161/)]
8. Xie B, Champion JD, Kwak J, Fleischmann KR. Mobile health, information preferences, and surrogate decision-making preferences of family caregivers of people with dementia in rural Hispanic communities: cross-sectional questionnaire study. *J Med Internet Res*. Dec 10, 2018;20(12):e11682. [FREE Full text] [doi: [10.2196/11682](https://doi.org/10.2196/11682)] [Medline: [30530450](https://pubmed.ncbi.nlm.nih.gov/30530450/)]
9. Ayre J, Mac O, McCaffery K, McKay BR, Liu M, Shi Y, et al. New frontiers in health literacy: using ChatGPT to simplify health information for people in the community. *J Gen Intern Med*. Mar 2024;39(4):573-577. [FREE Full text] [doi: [10.1007/s11606-023-08469-w](https://doi.org/10.1007/s11606-023-08469-w)] [Medline: [37940756](https://pubmed.ncbi.nlm.nih.gov/37940756/)]
10. Gilson A, Safranek CW, Huang T, Socrates V, Chi L, Taylor RA, et al. How does ChatGPT perform on the United States Medical Licensing Examination (USMLE)? The implications of large language models for medical education and knowledge assessment. *JMIR Med Educ*. Feb 08, 2023;9:e45312. [FREE Full text] [doi: [10.2196/45312](https://doi.org/10.2196/45312)] [Medline: [36753318](https://pubmed.ncbi.nlm.nih.gov/36753318/)]
11. Kung TH, Cheatham M, Medenilla A, Sillos C, De Leon L, Elepaño C, et al. Performance of ChatGPT on USMLE: potential for AI-assisted medical education using large language models. *PLOS Digit Health*. Feb 2023;2(2):e0000198. [FREE Full text] [doi: [10.1371/journal.pdig.0000198](https://doi.org/10.1371/journal.pdig.0000198)] [Medline: [36812645](https://pubmed.ncbi.nlm.nih.gov/36812645/)]
12. Samaan JS, Yeo YH, Rajeev N, Hawley L, Abel S, Ng WH, et al. Assessing the accuracy of responses by the language model ChatGPT to questions regarding bariatric surgery. *OBES SURG*. Apr 27, 2023;33(6):1790-1796. [doi: [10.1007/s11695-023-06603-5](https://doi.org/10.1007/s11695-023-06603-5)]
13. Walker HL, Ghani S, Kuemmerli C, Nebiker CA, Müller BP, Raptis DA, et al. Reliability of medical information provided by ChatGPT: assessment against clinical guidelines and patient information quality instrument. *J Med Internet Res*. Jun 30, 2023;25:e47479. [FREE Full text] [doi: [10.2196/47479](https://doi.org/10.2196/47479)] [Medline: [37389908](https://pubmed.ncbi.nlm.nih.gov/37389908/)]

14. Bahrini A, Khamoshifar M, Abbasimehr H, Riggs RJ, Esmaceli M, Majdabadkohne RM. ChatGPT: Applications, Opportunities, and Threats. 2023. Presented at: Systems and Information Engineering Design Symposium (SIEDS); April 27-28, 2023; Charlottesville, VA. [doi: [10.1109/sieds58326.2023.10137850](https://doi.org/10.1109/sieds58326.2023.10137850)]
15. Biswas SS. Role of Chat GPT in public health. *Ann Biomed Eng*. May 15, 2023;51(5):868-869. [doi: [10.1007/s10439-023-03172-7](https://doi.org/10.1007/s10439-023-03172-7)] [Medline: [36920578](https://pubmed.ncbi.nlm.nih.gov/36920578/)]
16. Baldassarre MT, Caivano D, Fernandez Nieto B, Gigante D, Ragone A. The Social Impact of Generative AI: An Analysis on ChatGPT. 2023. Presented at: GoodIT '23: ACM International Conference on Information Technology for Social Good; September 6-8, 2023; Lisbon, Portugal. [doi: [10.1145/3582515.3609555](https://doi.org/10.1145/3582515.3609555)]
17. McDuff D, Song Y, Kapoor A, Ma S. Characterizing bias in classifiers using generative models. 2019. Presented at: NIPS'19: 33rd International Conference on Neural Information Processing Systems; December 8-14, 2019; Vancouver, British Columbia, Canada.
18. Spector-Bagdady K. Generative-AI-generated challenges for health data research. *Am J Bioeth*. Oct 09, 2023;23(10):1-5. [doi: [10.1080/15265161.2023.2252311](https://doi.org/10.1080/15265161.2023.2252311)] [Medline: [37831940](https://pubmed.ncbi.nlm.nih.gov/37831940/)]
19. Jiang F, Jiang Y, Zhi H, Dong Y, Li H, Ma S, et al. Artificial intelligence in healthcare: past, present and future. *Stroke Vasc Neurol*. Jun 21, 2017;2(4):230-243. [doi: [10.1136/svn-2017-000101](https://doi.org/10.1136/svn-2017-000101)]
20. Zhang P, Kamel Boulos MN. Generative AI in medicine and healthcare: promises, opportunities and challenges. *Future Internet*. Aug 24, 2023;15(9):286. [doi: [10.3390/fi15090286](https://doi.org/10.3390/fi15090286)]
21. Bautista YJP, Theran C, Aló R, Lima V. Health Disparities Through Generative AI Models: A Comparison Study Using a Domain Specific Large Language Model. In: *Lecture Notes in Networks and Systems*. Cham, Switzerland. Springer Nature; 2023:220-232.
22. Hoffman KM, Trawalter S, Axt JR, Oliver MN. Racial bias in pain assessment and treatment recommendations, and false beliefs about biological differences between blacks and whites. *Proc Natl Acad Sci U S A*. Apr 19, 2016;113(16):4296-4301. [FREE Full text] [doi: [10.1073/pnas.1516047113](https://doi.org/10.1073/pnas.1516047113)] [Medline: [27044069](https://pubmed.ncbi.nlm.nih.gov/27044069/)]
23. Panch T, Mattie H, Atun R. Artificial intelligence and algorithmic bias: implications for health systems. *J Glob Health*. Dec 2019;9(2):010318. [doi: [10.7189/jogh.09.020318](https://doi.org/10.7189/jogh.09.020318)] [Medline: [31788229](https://pubmed.ncbi.nlm.nih.gov/31788229/)]
24. Petti U, Nyrup R, Skopek JM, Korhonen A. Ethical considerations in the early detection of Alzheimer's disease using speech and AI. 2023. Presented at: FAccT '23: the 2023 ACM Conference on Fairness, Accountability, and Transparency; June 12-15, 2023; Chicago, IL. [doi: [10.1145/3593013.3594063](https://doi.org/10.1145/3593013.3594063)]
25. Tamkin A, Brundage M, Clark J, Ganguli D. Understanding the Capabilities, Limitations, and Societal Impact of Large Language Models. The Stanford Natural Language Processing Group. URL: <https://www-nlp.stanford.edu/pubs/tamkin2021understanding.pdf> [accessed 2024-12-21]
26. Mirkin S, Albeni BC. Should artificial intelligence be used in conjunction with neuroimaging in the diagnosis of Alzheimer's disease? *Front Aging Neurosci*. Apr 18, 2023;15:1094233. [FREE Full text] [doi: [10.3389/fnagi.2023.1094233](https://doi.org/10.3389/fnagi.2023.1094233)] [Medline: [37187577](https://pubmed.ncbi.nlm.nih.gov/37187577/)]
27. Dillahunt TR. Fostering social capital in economically distressed communities. 2014. Presented at: CHI '14: CHI Conference on Human Factors in Computing Systems; April 26-May 1, 2014; Toronto, Ontario, Canada. [doi: [10.1145/2556288.2557123](https://doi.org/10.1145/2556288.2557123)]
28. Dillahunt TR, Kameswaran V, Li L, Rosenblat T. Uncovering the Values and Constraints of Real-time Ridesharing for Low-resource Populations. 2017. Presented at: CHI '17: CHI Conference on Human Factors in Computing Systems; May 6-11, 2017; Denver, CO. [doi: [10.1145/3025453.3025470](https://doi.org/10.1145/3025453.3025470)]
29. Harrington CN, Piper AM. Informing Design through Sociocultural Values: Co-Creation with Low-Income African-American Older Adults. 2018. Presented at: PervasiveHealth '18: 12th EAI International Conference on Pervasive Computing Technologies for Healthcare; May 21-24, 2018; New York, NY. [doi: [10.1145/3240925.3240966](https://doi.org/10.1145/3240925.3240966)]
30. Parker AG, Grinte RE. Collectivistic health promotion tools: Accounting for the relationship between culture, food and nutrition. *International Journal of Human-Computer Studies*. Feb 2014;72(2):185-206. [doi: [10.1016/j.ijhcs.2013.08.008](https://doi.org/10.1016/j.ijhcs.2013.08.008)]
31. Richards OK, Marcu G, Brewer RN. Hugs, Bible Study, and Speakeasies: Designing for Older Adults' Multimodal Connectedness. 2021. Presented at: DIS '21: Designing Interactive Systems Conference 2021; June 28-July 2, 2021; Virtual meeting. [doi: [10.1145/3461778.3462075](https://doi.org/10.1145/3461778.3462075)]
32. Chen Y, Esmacelzadeh P. Generative AI in medical practice: in-depth exploration of privacy and security challenges. *J Med Internet Res*. Mar 08, 2024;26:e53008. [FREE Full text] [doi: [10.2196/53008](https://doi.org/10.2196/53008)] [Medline: [38457208](https://pubmed.ncbi.nlm.nih.gov/38457208/)]
33. Mesko B. The ChatGPT (generative artificial intelligence) revolution has made artificial intelligence approachable for medical professionals. *J Med Internet Res*. Jun 22, 2023;25:e48392. [FREE Full text] [doi: [10.2196/48392](https://doi.org/10.2196/48392)] [Medline: [37347508](https://pubmed.ncbi.nlm.nih.gov/37347508/)]
34. Rodriguez DV, Lawrence K, Gonzalez J, Brandfield-Harvey B, Xu L, Tasneem S, et al. Leveraging generative AI tools to support the development of digital solutions in health care research: case study. *JMIR Hum Factors*. Mar 06, 2024;11:e52885. [FREE Full text] [doi: [10.2196/52885](https://doi.org/10.2196/52885)] [Medline: [38446539](https://pubmed.ncbi.nlm.nih.gov/38446539/)]
35. Knott CL, Miech EJ, Slade J, Woodard N, Robinson-Shaneman B, Huq M. Evaluation of organizational capacity in the implementation of a church-based cancer education program. *Glob Implement Res Appl*. Jan 07, 2022;2(1):22-33. [doi: [10.1007/s43477-021-00033-0](https://doi.org/10.1007/s43477-021-00033-0)]

36. Etori N, Temesgen E, Gini M. What we know so far: artificial intelligence in African healthcare. arXiv. Preprint posted online on May 10, 2023.
37. Ganju A, Satyan S, Tanna V, Menezes SR. AI for improving children's health: a community case study. *Front Artif Intell.* 2020;3:544972. [[FREE Full text](#)] [doi: [10.3389/frai.2020.544972](https://doi.org/10.3389/frai.2020.544972)] [Medline: [33733204](https://pubmed.ncbi.nlm.nih.gov/33733204/)]
38. Guo J, Li B. The application of medical artificial intelligence technology in rural areas of developing countries. *Health Equity.* Aug 2018;2(1):174-181. [[FREE Full text](#)] [doi: [10.1089/heq.2018.0037](https://doi.org/10.1089/heq.2018.0037)] [Medline: [30283865](https://pubmed.ncbi.nlm.nih.gov/30283865/)]
39. Hoodbhoy Z, Hasan B, Siddiqui K. Does artificial intelligence have any role in healthcare in low resource settings? *J Med Artif Intell.* Jul 2019;2:13-13. [doi: [10.21037/jmai.2019.06.01](https://doi.org/10.21037/jmai.2019.06.01)]
40. Senteio C, Murdock PJ. The Efficacy of Health Information Technology in supporting health equity for Black and Hispanic patients with chronic diseases: systematic review. *J Med Internet Res.* Apr 04, 2022;24(4):e22124. [[FREE Full text](#)] [doi: [10.2196/22124](https://doi.org/10.2196/22124)] [Medline: [35377331](https://pubmed.ncbi.nlm.nih.gov/35377331/)]
41. Harris KM, Mayo Gamble T, Yoo MG, Spell LA, Minor TN, Jones H, et al. Leveraging mHealth to mitigate the impact of COVID-19 in Black American communities: qualitative analysis. *JMIR Hum Factors.* Dec 22, 2023;10:e47294. [[FREE Full text](#)] [doi: [10.2196/47294](https://doi.org/10.2196/47294)] [Medline: [37874735](https://pubmed.ncbi.nlm.nih.gov/37874735/)]
42. Brodaty H, Donkin M. Family caregivers of people with dementia. *Dialogues in Clinical Neuroscience.* Apr 01, 2022;11(2):217-228. [doi: [10.31887/dens.2009.11.2/hbrodaty](https://doi.org/10.31887/dens.2009.11.2/hbrodaty)]
43. Wozney L, Freitas de Souza LM, Kervin E, Queluz F, McGrath PJ, Keefe J. Commercially available mobile apps for caregivers of people with Alzheimer disease or other related dementias: systematic search. *JMIR Aging.* Dec 07, 2018;1(2):e12274. [[FREE Full text](#)] [doi: [10.2196/12274](https://doi.org/10.2196/12274)] [Medline: [31518255](https://pubmed.ncbi.nlm.nih.gov/31518255/)]
44. Bangerter LR, Griffin J, Harden K, Rutten LJ. Health information-seeking behaviors of family caregivers: analysis of the health information national trends survey. *JMIR Aging.* Jan 14, 2019;2(1):e11237. [[FREE Full text](#)] [doi: [10.2196/11237](https://doi.org/10.2196/11237)] [Medline: [31518309](https://pubmed.ncbi.nlm.nih.gov/31518309/)]
45. Hong Y, Shen K, Han H, Ta Park V, Bagchi P, Lu H, et al. A WeChat-based intervention, Wellness Enhancement for Caregivers (WECARE), for Chinese American dementia caregivers: pilot assessment of feasibility, acceptability, and preliminary efficacy. *JMIR Aging.* Apr 5, 2023;6:e42972. [doi: [10.2196/42972](https://doi.org/10.2196/42972)]
46. Boutilier JJ, Loganathar P, Linden A, Scheer E, Noejovich S, Elliott C, et al. A web-based platform (CareVirtue) to support caregivers of people living with Alzheimer disease and related dementias: mixed methods feasibility study. *JMIR Aging.* Aug 04, 2022;5(3):e36975. [[FREE Full text](#)] [doi: [10.2196/36975](https://doi.org/10.2196/36975)] [Medline: [35925654](https://pubmed.ncbi.nlm.nih.gov/35925654/)]
47. Quinn C, Staub S, Barr E, Gruber-Baldini A. Mobile support for older adults and their caregivers: dyad usability study. *JMIR Aging.* May 23, 2019;2(1):e12276. [doi: [10.2196/12276](https://doi.org/10.2196/12276)]
48. Guo Y, Yang F, Hu F, Li W, Ruggiano N, Lee HY. Existing mobile phone apps for self-care management of people with Alzheimer disease and related dementias: systematic analysis. *JMIR Aging.* Jan 24, 2020;3(1):e15290. [[FREE Full text](#)] [doi: [10.2196/15290](https://doi.org/10.2196/15290)] [Medline: [32012045](https://pubmed.ncbi.nlm.nih.gov/32012045/)]
49. Johnson J, Arnold V, Piper AM, Hayes GR. "It's a lonely disease": Cultivating Online Spaces for Social Support among People Living with Dementia and Dementia Caregivers. 2022. Presented at: ACM Conference on Human Factors in Computing Systems; April 30-May 5, 2022; New Orleans, LA. [doi: [10.1145/3555133](https://doi.org/10.1145/3555133)]
50. Smith CE, Levonian Z, Ma H, Giaquinto R, Lein-McDonough G, Li Z, et al. "I Cannot Do All of This Alone". *ACM Trans. Comput.-Hum. Interact.* Aug 17, 2020;27(5):1-41. [doi: [10.1145/3402855](https://doi.org/10.1145/3402855)]
51. Al-Megren S, Majrashi K, Allwihan RM. "The Dementia Diva Strikes Again!": A Thematic Analysis of How Informal Carers of Persons with Dementia Use TikTok. 2021. Presented at: MobileHCI '21: 23rd International Conference on Mobile Human-Computer Interaction; September 27 - October 1, 2021; Toulouse, France. [doi: [10.1145/3447527.3474857](https://doi.org/10.1145/3447527.3474857)]
52. Yuan F, Bowland S, Proctor L, Blackburn J, Mukherjee N, Bray R, et al. Robot-assisted Psycho-education to Enhance Alzheimer's Caregiver Health. 2022. Presented at: IEEE/ACM Conference on Connected Health: Applications, Systems and Engineering Technologies (CHASE); November 17-19, 2022; Arlington, VA. [doi: [10.1109/chase52844.2021.00027](https://doi.org/10.1109/chase52844.2021.00027)]
53. Lin XY, Saksono H, Stowell E, Lachman ME, Castaneda-Sceppa C, Parker AG. Go and Grow: an evaluation of a pervasive social exergame for caregivers of loved ones with dementia. *Proc ACM Hum Comput Interact.* Oct 2020;4(CSCW 2):1. [[FREE Full text](#)] [doi: [10.1145/3415222](https://doi.org/10.1145/3415222)] [Medline: [33150303](https://pubmed.ncbi.nlm.nih.gov/33150303/)]
54. Granollers T, Lorés J. Incorporation of users in the Evaluation of Usability by Cognitive Walkthrough. In: Navarro-Prieto R, Vidal J, editors. *HCI related papers of Interacción 2004*. Dordrecht, The Netherlands. Springer; 2006:243-255.
55. Mahatody T, Sagar M, Kolski C. State of the art on the cognitive walkthrough method, its variants and evolutions. *International Journal of Human-Computer Interaction.* Jul 30, 2010;26(8):741-785. [doi: [10.1080/10447311003781409](https://doi.org/10.1080/10447311003781409)]
56. Lewis C. Using the "Thinking Aloud" Method in Cognitive Interface Design. Yorktown Heights, NY. IBM Thomas J. Watson Research Division; 1982.
57. Rampin R, Rampin V. Taguette: open-source qualitative data analysis. *JOSS.* Dec 2021;6(68):3522. [doi: [10.21105/joss.03522](https://doi.org/10.21105/joss.03522)]
58. Braun V, Clarke V. What can "thematic analysis" offer health and wellbeing researchers? *Int J Qual Stud Health Well-being.* 2014;9:26152. [[FREE Full text](#)] [doi: [10.3402/qhw.v9.26152](https://doi.org/10.3402/qhw.v9.26152)] [Medline: [25326092](https://pubmed.ncbi.nlm.nih.gov/25326092/)]

59. Linders GM, Vaitonytė J, Alimardani M, Mitev KO, Louwerse MM. A realistic, multimodal virtual agent for the healthcare domain. 2022. Presented at: 22nd ACM International Conference on Intelligent Virtual Agents; September 6-9, 2022; Faro, Portugal. [doi: [10.1145/3514197.3551250](https://doi.org/10.1145/3514197.3551250)]
60. Soubutts E, Ayobi A, Eardley R, McNaney R, Cater K, O'Kane AA. Amazon Echo Show as a multimodal human-to-human care support tool within self-isolating older UK households. *Proc. ACM Hum.-Comput. Interact.* Nov 11, 2022;6(CSCW2):1-31. [doi: [10.1145/3555193](https://doi.org/10.1145/3555193)]
61. Otenen E. Towards Designing for Multimodal Remembering: Findings from an Interview Study. 2024. Presented at: CHI '24: CHI Conference on Human Factors in Computing Systems; May 11-16, 2024; Honolulu, HI. URL: <https://doi.org/10.1145/3613905.3647965> [doi: [10.1145/3613905.3647965](https://doi.org/10.1145/3613905.3647965)]
62. Kuriakose B, Shrestha R, Sandnes FE. Multimodal navigation systems for users with visual impairments—a review and analysis. *MTI.* Oct 16, 2020;4(4):73. [doi: [10.3390/mti4040073](https://doi.org/10.3390/mti4040073)]
63. Hindricks KV, Meyer JJC. Artificial intelligence in health care and medicine: a personalized approach. *Acta Scientific Medical Sciences.* 2019;3(1):71-78. [doi: [10.31080/ASMS.2019.03.0410](https://doi.org/10.31080/ASMS.2019.03.0410)]
64. Kozyreva A, Lorenz-Spreen P, Hertwig R, Lewandowsky S, Herzog SM. Public attitudes towards algorithmic personalization and use of personal data online: evidence from Germany, Great Britain, and the United States. *Humanit Soc Sci Commun.* May 14, 2021;8(1):1. [doi: [10.1057/s41599-021-00787-w](https://doi.org/10.1057/s41599-021-00787-w)]
65. Seo H, Erba J, Geana M, Lumpkins C. Calling Doctor Google? Technology adoption and health information seeking among low-income African-American older adults. *JPIC.* Dec 22, 2017;1(2):153. [doi: [10.32473/jpic.v1.i2.p153](https://doi.org/10.32473/jpic.v1.i2.p153)]
66. Santos SLZ, Tagai EK, Scheirer MA, Bowie J, Haider M, Slade J, et al. Adoption, reach, and implementation of a cancer education intervention in African American churches. *Implement Sci.* Mar 14, 2017;12(1):36. [FREE Full text] [doi: [10.1186/s13012-017-0566-z](https://doi.org/10.1186/s13012-017-0566-z)] [Medline: [28292299](https://pubmed.ncbi.nlm.nih.gov/28292299/)]
67. Davis CM. Health beliefs and breast cancer screening practices among African American women in California. *Int Q Community Health Educ.* Jul 13, 2020;41(3):259-266. [doi: [10.1177/0272684x20942084](https://doi.org/10.1177/0272684x20942084)]
68. Tagai EK, Scheirer MA, Santos SLZ, Haider M, Bowie J, Slade J, et al. Assessing capacity of faith-based organizations for health promotion activities. *Health Promot Pract.* Sep 23, 2018;19(5):714-723. [FREE Full text] [doi: [10.1177/1524839917737510](https://doi.org/10.1177/1524839917737510)] [Medline: [29058956](https://pubmed.ncbi.nlm.nih.gov/29058956/)]

## Abbreviations

- ADRD:** Alzheimer disease and related dementias  
**AI:** artificial intelligence  
**GPT:** generative pretrained transformer  
**LLM:** large language model  
**OHC:** online health community

*Edited by J Wang; submitted 11.06.24; peer-reviewed by M Gasmı , K Bonds Johnson; comments to author 02.10.24; revised version received 15.10.24; accepted 03.12.24; published 08.01.25*

*Please cite as:*

*Bosco C, Otenen E, Osorio Torres J, Nguyen V, Chheda D, Peng X, Jessup NM, Himes AK, Cureton B, Lu Y, Hill CV, Hendrie HC, Barnes PA, Shih PC*

*Designing a Multimodal and Culturally Relevant Alzheimer Disease and Related Dementia Generative Artificial Intelligence Tool for Black American Informal Caregivers: Cognitive Walk-Through Usability Study*

*JMIR Aging* 2025;8:e60566

URL: <https://aging.jmir.org/2025/1/e60566>

doi: [10.2196/60566](https://doi.org/10.2196/60566)

PMID:

©Cristina Bosco, Ege Otenen, John Osorio Torres, Vivian Nguyen, Darshil Chheda, Xinran Peng, Nnette M Jessup, Anna K Himes, Bianca Cureton, Yvonne Lu, Carl V Hill, Hugh C Hendrie, Priscilla A Barnes, Patrick C Shih. Originally published in *JMIR Aging* (<https://aging.jmir.org>), 08.01.2025. This is an open-access article distributed under the terms of the Creative Commons Attribution License (<https://creativecommons.org/licenses/by/4.0/>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work, first published in *JMIR Aging*, is properly cited. The complete bibliographic information, a link to the original publication on <https://aging.jmir.org>, as well as this copyright and license information must be included.