

# A deep search for large complex organic species toward IRAS16293-2422 B at 3 mm with ALMA

P. Nazari<sup>1</sup>, J. S. Y. Cheung<sup>2</sup>, J. Ferrer Asensio<sup>3</sup>, N. M. Murillo<sup>4,5</sup>, E. F. van Dishoeck<sup>1,3</sup>, J. K. Jørgensen<sup>6</sup>, T. L. Bourke<sup>7</sup>, K. -J. Chuang<sup>8</sup>, M. N. Drozdovskaya<sup>9</sup>, G. Fedoseev<sup>10</sup>, R. T. Garrod<sup>11</sup>, S. Ioppolo<sup>12</sup>, H. Linnartz<sup>8</sup>, B. A. McGuire<sup>2,13</sup>, H. S. P. Müller<sup>14</sup>, D. Qasim<sup>15</sup>, and S. F. Wampfler<sup>9</sup>

<sup>1</sup> Leiden Observatory, Leiden University, P.O. Box 9513, 2300 RA Leiden, the Netherlands  
e-mail: nazari@strw.leidenuniv.nl

<sup>2</sup> Department of Chemistry, Massachusetts Institute of Technology, Cambridge, MA 02139, USA

<sup>3</sup> Max-Planck-Institut für extraterrestrische Physik, Giessenbachstr. 1, 85748 Garching, Germany

<sup>4</sup> Instituto de Astronomía, Universidad Nacional Autónoma de México, AP106, Ensenada CP 22830, B. C., México

<sup>5</sup> Star and Planet Formation Laboratory, RIKEN Cluster for Pioneering Research, Wako, Saitama 351-0198, Japan

<sup>6</sup> Niels Bohr Institute, University of Copenhagen, Øster Voldgade 5–7, 1350 Copenhagen K., Denmark

<sup>7</sup> SKA Organization, Jodrell Bank Observatory, Lower Withington, Macclesfield, Cheshire SK11 9FT, UK

<sup>8</sup> Laboratory for Astrophysics, Leiden Observatory, Leiden University, P.O. Box 9513, 2300 RA Leiden, the Netherlands

<sup>9</sup> Center for Space and Habitability, Universität Bern, Gesellschaftsstrasse 6, CH-3012 Bern, Switzerland

<sup>10</sup> INAF - Osservatorio Astrofisico di Catania, via Santa Sofia 78, 95123 Catania

<sup>11</sup> Departments of Astronomy and Chemistry, University of Virginia, Charlottesville, VA 22904, USA

<sup>12</sup> Center for Interstellar Catalysis, Department of Physics and Astronomy, Aarhus University, Ny Munkegade 120, Aarhus C 8000, Denmark

<sup>13</sup> National Radio Astronomy Observatory, Charlottesville, VA 22903, USA

<sup>14</sup> Astrophysik/I. Physikalisches Institut, Universität zu Köln, Zùlpicher Str. 77, 50937 Köln, Germany

<sup>15</sup> Southwest Research Institute, San Antonio, TX 78238, USA

Received 30 August 2023 / Accepted 13 December 2023

## ABSTRACT

**Context.** Complex organic molecules (COMs) have been detected ubiquitously in protostellar systems. However, at shorter wavelengths ( $\sim 0.8$  mm) it is generally more difficult to detect larger molecules than at longer wavelengths ( $\sim 3$  mm) because of the increase of millimeter dust opacity, line confusion, and unfavorable partition function.

**Aims.** We aim to search for large molecules ( $> 8$  atoms) in the Atacama Large Millimeter/submillimeter Array (ALMA) Band 3 spectrum of IRAS 16293-2422 B. In particular, the goal is to quantify the usability of ALMA Band 3 for molecular line surveys in comparison to similar studies at shorter wavelengths.

**Methods.** We use deep ALMA Band 3 observations of IRAS 16293-2422 B to search for more than 70 molecules and identify as many lines as possible in the spectrum. The spectral settings were set to specifically target three-carbon species such as *i*- and *n*-propanol and glycerol, the next step after glycolaldehyde and ethylene glycol in the hydrogenation of CO. We then derive the column densities and excitation temperatures of the detected species and compare the ratios with respect to methanol between Band 3 ( $\sim 3$  mm) and Band 7 ( $\sim 1$  mm, Protostellar Interferometric Line Survey) observations of this source to examine the effect of dust optical depth.

**Results.** We identify lines of 31 molecules including many oxygen-bearing COMs such as CH<sub>3</sub>OH, CH<sub>2</sub>OHCHO, CH<sub>3</sub>CH<sub>2</sub>OH, *c*-C<sub>2</sub>H<sub>4</sub>O and a few nitrogen- and sulfur-bearing ones such as HOCH<sub>2</sub>CN and CH<sub>3</sub>SH. The largest detected molecules are gGg-(CH<sub>2</sub>OH)<sub>2</sub> and CH<sub>3</sub>COCH<sub>3</sub>. We do not detect glycerol or *i*- and *n*-propanol but provide upper limits for them which are in line with previous laboratory and observational studies. The line density in Band 3 is only  $\sim 2.5$  times lower in frequency space than in Band 7. From the detected lines in Band 3 at a  $\geq 6\sigma$  level,  $\sim 25 - 30\%$  of them could not be identified indicating the need for more laboratory data of rotational spectra. We find similar column densities and column density ratios of COMs (within a factor  $\sim 2$ ) between Band 3 and Band 7.

**Conclusions.** The effect of dust optical depth for IRAS 16293-2422 B at an off-source location on column densities and column density ratios is minimal. Moreover, for warm protostars, long wavelength spectra ( $\sim 3$  mm) are not only crowded and complex, but also take significantly longer integration times than shorter wavelength observations ( $\sim 0.8$  mm) to reach the same sensitivity limit. The 3 mm search has not yet resulted in detection of larger and more complex molecules in warm sources. A full deep ALMA Band 2–3 (i.e.,  $\sim 3 - 4$  mm wavelengths) survey is needed to assess whether low frequency data have the potential to reveal more complex molecules in warm sources.

**Key words.** Astrochemistry – Stars: low-mass – Stars: protostars – ISM: abundances – ISM: molecules

## 1. Introduction

In the interstellar medium (ISM) complex organic molecules (COMs), defined as species with at least 6 atoms containing car-

bon (Herbst & van Dishoeck 2009), are particularly prominent in the protostellar phase. Although other phases of star formation such as the prestellar phase (e.g., Bacmann et al. 2012; Jiménez-Serra et al. 2016; McGuire et al. 2020; Scibelli & Shirley 2020)

and the later protoplanetary disk phase (Öberg et al. 2015; Walsh et al. 2016; Booth et al. 2021; Brunken et al. 2022) show detections of these species, COMs are easier detectable in the line-rich protostellar envelopes due to their higher temperatures (e.g., Blake et al. 1987; Belloche et al. 2013; Bergner et al. 2017; van Gelder et al. 2020; Nazari et al. 2021; Yang et al. 2021; McGuire 2022; Bianchi et al. 2022; Hsu et al. 2022).

Many COMs, including species with more than 8 atoms, are expected to form in ices under laboratory conditions (ethanol ( $\text{CH}_3\text{CH}_2\text{OH}$ ), Öberg et al. 2009; Chuang et al. 2020; Fedoseev et al. 2022; aminomethanol ( $\text{NH}_2\text{CH}_2\text{OH}$ ), Theulé et al. 2013; glycerol ( $\text{HOCH}_2\text{CH}(\text{OH})\text{CH}_2\text{OH}$ ), Fedoseev et al. 2017; 1-propanol ( $\text{CH}_3\text{CH}_2\text{CH}_2\text{OH}$ ), Qasim et al. 2019a,b; glycine ( $\text{NH}_2\text{CH}_2\text{COOH}$ ), Ioppolo et al. 2021). However, there is a lot of debate regarding the ice or gas-phase formation of particular COMs (e.g., Ceccarelli et al. 2022). Two examples of these species are formamide ( $\text{NH}_2\text{CHO}$ ) and acetaldehyde ( $\text{CH}_3\text{CHO}$ ) for which both gas and ice formation pathways are suggested (e.g., Jones et al. 2011; Barone et al. 2015; Vazart et al. 2020; Chuang et al. 2020, 2021, 2022; Fedoseev et al. 2022; Garrod et al. 2022). To obtain clues to the formation mechanism of COMs from an observational perspective, it is possible to search for the solid state signatures of COMs in ices (Schutte et al. 1999; Öberg et al. 2011) with telescopes such as the *James Webb Space Telescope* (Yang et al. 2022; McClure et al. 2023; Rocha et al. in prep.) using laboratory spectra available from for example, Leiden Ice Database for Astrochemistry (Rocha et al. 2022) and to examine the gas-phase correlations between different COMs in large samples of sources (Belloche et al. 2020; Coletta et al. 2020; Jørgensen et al. 2020; Nazari et al. 2022a; Taniguchi et al. 2023; Chen et al. 2023). However, observations and models show that physical effects such as source structure or dust optical depth could affect the snowline locations, gas-phase emission, and column density correlations of simple and complex molecules (Jørgensen et al. 2002; Persson et al. 2016; De Simone et al. 2020; Nazari et al. 2022b; Murillo et al. 2022a; Nazari et al. 2023a,b). Hence, interpretations of COM formation routes based on gas-phase observations can be affected by these physical factors. For example, an anti-correlation between column densities of two species (or a large scatter in the column density ratios) could have a physical origin rather than a chemical origin.

Among the low-mass protostars, IRAS16293-2422 (IRAS16293 hereafter) triple protostellar system (Wootten 1989; Maureira et al. 2020) is one of the closest protostars, and one of the richest and most well-studied objects from a chemical perspective. The first detection of methanol ( $\text{CH}_3\text{OH}$ ; the simplest COM) toward a low-mass protostar was made by van Dishoeck et al. (1995) for this system. Since then, its chemistry and in particular COMs in this system have been studied in more detail (Cazaux et al. 2003; Butner et al. 2007; Bisschop et al. 2008; Ceccarelli et al. 2010; Jørgensen et al. 2011; Jørgensen et al. 2012; Kahane et al. 2013; Jaber et al. 2014). More recently, the Protostellar Interferometric Line Survey (PILS; Jørgensen et al. 2016) studied IRAS16293 in Band 7 ( $\sim 329.147 - 362.896$  GHz) of the Atacama Large Millimeter/submillimeter Array (ALMA). This survey detected many COMs for the first time in the interstellar medium adding further information on complexity in space (Coutens et al. 2016; Lykke et al. 2017; Calcutt et al. 2018a; Jørgensen et al. 2018; Manigand et al. 2019; Manigand et al. 2021; Coutens et al. 2022).

However, a limitation of higher-frequency observations of ALMA ( $\sim 330$  GHz) is the higher degree of line blending. The

reason is that for observations probing the same gas the line width, although constant in velocity space, increases in frequency space (Jørgensen et al. 2020). Therefore, the detection of larger COMs with more than 8 atoms, that have relatively weak lines, is expected to be easier at lower frequencies. Moreover, the heavier molecules have their Boltzmann distribution peak at lower frequencies than the lighter molecules at the same excitation temperature, thus their lines are stronger at lower frequencies and they are easier detected at long wavelength observations. On the other hand, the Boltzmann peak moves to the higher frequencies for higher temperatures (see Fig. 2 of Herbst & van Dishoeck 2009). Therefore, if the large molecules are thermally sublimated in the inner hot regions around the protostar (tracing warm or hot regions) it will be difficult to observe these larger species even at low frequencies (although favored), unless the data is sensitive enough, which can be achieved at the expense of the angular resolution and longer integration times. The combination of the increase in line width in frequency space and the Boltzmann distribution peak of the lighter molecules being at higher frequencies is also that the spectra are more crowded and thus, it is more difficult to detect large molecules at high frequencies.

Moreover, dust optical depth effects could be an important issue at higher-frequency ALMA Bands 6 ( $\sim 240$  GHz) and 7 ( $\sim 330$  GHz). This is because of the larger dust opacity of  $\sim 1$  mm-sized grains at shorter wavelengths (i.e., higher frequencies). For example, López-Sepulcre et al. (2017) found that NGC 1333 IRAS 4A1 in Perseus does not host any COMs when searched for with ALMA and the Plateau de Bure Interferometer. However, later De Simone et al. (2020) detected methanol around this source at longer wavelengths with the Very Large Array (VLA). Another example is the ring-shaped structure of methanol around the dust continuum in the massive protostellar system 693050 (also known as G301.1364-00.2249) observed by van Gelder et al. (2022b) at  $\sim 220$  GHz with ALMA, which indicates dust attenuation on-source.

In this work, we use the deep Band 3 ALMA observations of IRAS16293 B to search for larger species ( $> 8$  atoms). This data set was specifically optimized to hunt for molecules such as glycerol and i- and n-propanol. Although the main aim is to specifically hunt for large molecules, we identify as many molecules as possible from the Cologne Database for Molecular Spectroscopy (CDMS; Müller et al. 2001; Müller et al. 2005) and the Jet Propulsion Laboratory database (JPL; Pickett et al. 1998) in our data. We fit the spectrum to derive the column densities and excitation temperatures of the detected species and compare our results with those of PILS in Band 7. In particular, we examine whether dust attenuation is important for column densities and their ratios with respect to methanol (typically used as a reference species).

The paper is structured such that the observations are explained in Sect. 2. The results including the detected species and their column densities and excitation temperatures are given in Sect. 3. We discuss our findings, in particular the comparison with the PILS results in Sect. 4. Finally, we present our conclusions in Sect. 5.

## 2. Observations and methods

### 2.1. Data

This paper uses the data of IRAS16293 B taken with ALMA in Band 3 (project code: 2017.1.00518.S; PI: E. F. van Dishoeck). For more information on the data calibration, reduction and




Fig. 1: The spectrum of IRAS16293 B Band 3 data for the continuum window. A few strong lines are highlighted, for the full line identification and fitting see Fig. B.1. ‘X’ indicates a line that is not yet identified and is not (fully) fitted with the considered molecules in this work. The spectrum of IRAS16293 B is line rich even at ALMA Band 3 wavelengths ( $\sim 3$  mm).

imaging, as well as first results on gas accretion flow in the IRAS16293 system see Murillo et al. (2022b), here we give a brief description of the data. We used the data with configuration C43-4 which were calibrated with the CASA pipeline (McMullin et al. 2007) and then self-calibrated with CASA. Continuum subtraction was done on the self-calibrated image datacubes using STATCONT (Sánchez-Monge et al. 2018).

The data have an angular resolution of  $\sim 0.9'' \times 0.7''$  which is larger than that of PILS ( $\sim 0.5''$ ). The frequency ranges covered were  $\sim 90.59 - 91.41$  GHz (continuum),  $\sim 93.14 - 93.20$  GHz and  $\sim 103.28 - 103.52$  GHz. After conversion of the flux to brightness temperature the rms found from line-free regions in each spectral window is  $\sim 0.1$  K,  $\sim 0.3$  K and  $0.2$  K (comparable to PILS), respectively, following 171.7 minutes on-source integration time. The spectral resolution was  $0.805$  km s $^{-1}$ ,  $0.049$  km s $^{-1}$ , and  $0.088$  km s $^{-1}$ . Given that the lines have full width at half maximum (FWHM) of  $\sim 1 - 2$  km s $^{-1}$ , some lines are not fully resolved in the continuum window. The frequency range was optimized to cover transitions of larger species such as glycerol, i- and n-propanol. It also serendipitously covered transitions from other oxygen- and nitrogen-bearing complex organic molecules including glycolaldehyde ( $\text{CH}_2\text{OHCHO}$ ), propanal ( $\text{g-C}_2\text{H}_5\text{CHO}$ ) and glycolonitrile ( $\text{HOCH}_2\text{CN}$ ). The spectrum of IRAS16293 B (Fig. 1) was extracted from the same  $0.5''$  offset position from the continuum peak of B that was used in many of the works from ALMA-PILS ( $\alpha_{J2000} = 16^{\text{h}}32^{\text{m}}22^{\text{s}}.58$  and  $\delta_{J2000} = -24^\circ28'32.8''$ , Coutens et al. 2016; Jørgensen et al. 2018; Calcutt et al. 2018b). Maps of a few common species tracing cold gas structures are presented in Murillo et al. (2022b).

## 2.2. Spectral modeling

In this work, we identified as many molecules as possible using the CASSIS<sup>1</sup> spectral analysis tool (Vastel et al. 2015). We consider a molecule as detected if it has at least three lines at a peak of  $\geq 3\sigma$  level. We also report column densities of the molecules that have one or two detected lines without any over prediction of the emission in the spectrum. These column densities are only tentative and not as robust as those found for molecules with many detected lines because of the limited frequency coverage but should be reliable for the most abundant and common molecules such as  $^{13}\text{CH}_3\text{OH}$ . Using CASSIS, we fitted for the identified molecules. In the fitting procedure, the spectrum was

considered as a whole; and all the lines of a molecule were fitted simultaneously assuming local thermodynamic equilibrium (LTE) conditions. The fitting followed a similar procedure as the fit-by-eye method used in Nazari et al. (2022a). This includes varying the column densities ( $N$ ) and excitation temperatures ( $T_{\text{ex}}$ ) in the LTE models to produce a synthetic spectrum that matches the data (for more information on this process see below). The line lists were taken from the CDMS (Müller et al. 2001; Müller et al. 2005) or the JPL database (Pickett et al. 1998). Appendix A gives more information on the spectroscopic studies used for our assignments and Table B.2 presents the transitions covered in the data.

In the fitting process, the FWHM was first fitted for the unblended line(s) of each molecule. Then it was fixed to that value when the column density and excitation temperature were being determined. The FWHM for all considered species is  $\sim 1.8 \pm 0.5$  km s $^{-1}$ , except for (formic acid) t-HCOOH which is slightly lower (i.e.,  $\sim 1$  km s $^{-1}$ ). The typical FWHM here is  $\sim 1.5 - 2$  times larger than the typical FWHM found in PILS ( $\sim 1$  km s $^{-1}$ ). However, the spectral resolution for the continuum spectral window (i.e., the major spectral window where most lines lie; Fig. B.1) is  $\sim 0.8$  km s $^{-1}$  in this work. This implies that not all lines are spectrally resolved. Therefore, the higher FWHM measured here could be due to this low spectral resolution. The excitation temperature was only fitted if there were enough ( $\geq 2$ ) detected lines of a molecule with a range of  $E_{\text{up}}$  (e.g.,  $\sim 100 - 400$  K). The typical uncertainty on the excitation temperature is  $\sim \pm 50$  K. If not enough lines with a range of  $E_{\text{up}}$  were detected, the temperature is fixed to  $100$  K, which is similar to excitation temperatures assumed or found for many species in PILS (Lykke et al. 2017; Calcutt et al. 2018b; Jørgensen et al. 2018). The exceptions to this rule were t-HCOOH and  $\text{NH}_2\text{CHO}$ . Only one line was detected for each of these two molecules and their temperatures were fixed to  $300$  K to be consistent with PILS (Coutens et al. 2016; Jørgensen et al. 2018). Moreover, for the isotopologues for which a determination of the excitation temperature was not possible, the temperature was fixed to that of the other isotopologues with determined  $T_{\text{ex}}$ . Deuterated methanol,  $\text{CH}_2\text{DOH}$ , has three detected lines, with upper energy levels of  $\sim 10$  K,  $\sim 100$  K and  $\sim 400$  K. It was not possible to fit all three lines of this molecule with a single excitation temperature. Therefore, we adopted the same temperature as the methanol isotopologue that has the most number of lines detected (i.e.,  $\text{CHD}_2\text{OH}$ ). However, this temperature fits the  $\sim 100$  K line better than the other two. For aGg'-( $\text{CH}_2\text{OH}$ ) $_2$ ,

<sup>1</sup> <http://cassis.irap.omp.eu/>

we note that again a single temperature cannot fit all its lines. In particular, the line at 90.593 GHz with  $E_{\text{up}} = 19$  K gets over-estimated regardless of the temperature assumed. This could be because of this line being (marginally) optically thick, therefore, we ignored this line and fixed the temperature to that of  $\text{gGg}'-(\text{CH}_2\text{OH})_2$ . A similar two-component temperature structure was found for glycolonitrile ( $\text{HOCH}_2\text{CN}$ ) toward IRAS 16293 B (Zeng et al. 2019). Using this method the rest of the lines are explained reasonably well (i.e., within  $\sim 20 - 30\%$ ; see Fig. B.1).

The column density was always treated as a free parameter. The uncertainty on column densities was measured from the same method explained in Nazari et al. (2022a) and the typical uncertainty from the fits is on the order of 20%. Figure B.1 shows the final fitted model for each molecule. As this figure shows, there are still unidentified lines in the spectrum (see Sect. 3.1 for more detail). In this process, the source velocity was fixed to  $V_{\text{lsr}} = 2.7 \text{ km s}^{-1}$  and a beam dilution of unity was assumed resulting in our column densities being representative of those within a beam. This is different from the assumption in PILS where the source size was set to  $0.5''$ . Nevertheless, this assumption does not change the conclusions as long as the lines are optically thin. This is because only the number of molecules and their ratios are of interest here. The number of molecules ( $N$ ) is constant regardless of the source size assumed. The number of molecules is equal to  $N \times A$ , where  $A$  is the emitting area. Hence a decrease in the emitting area will increase the fitted column densities and vice versa such that the number of molecules stays the same as long as the lines stay optically thin (also see van Gelder et al. 2022a; Nazari et al. 2023c). However, we note that with this assumption we ignore any potential differences between the emitting areas of various molecules. This assumption can only be improved with higher angular resolution data than presented in this work.

### 3. Results

#### 3.1. Deep search and the considered species

The spectrum of IRAS16293 B at  $\sim 3$  mm wavelengths is line-rich and crowded (see Fig. 1 for an overview). In total 16 molecules are detected and 15 are tentatively detected (see Table 1). Ratios of the detected molecules with respect to methanol are presented in left panel of Fig. 2 (see Sect. 4.2.3 for discussion on comparison with PILS). Among these species many ‘standard’ complex organic molecules such as methanol ( $\text{CH}_3\text{OH}$ ), ethanol ( $\text{CH}_3\text{CH}_2\text{OH}$ ), ethyl cyanide ( $\text{CH}_3\text{CH}_2\text{CN}$ ), acetaldehyde ( $\text{CH}_3\text{CHO}$ ), methyl formate ( $\text{CH}_3\text{OCHO}$ ), and dimethyl ether ( $\text{CH}_3\text{OCH}_3$ ) with some of their isotopologues are apparent. The frequency range did not cover transitions of  $\text{CH}_3\text{CN}$  and  $\text{HNCO}$  or their isotopologues. We also detect one carbon chain molecule, cyanoacetylene ( $\text{HCCCN}$ ). It should be noted that the frequency range of the observations covers  $\text{HC}_5\text{N}$  transitions, but this carbon chain is not detected toward IRAS16293 B. It is, however, detected  $\sim 12''$  off-source to the west of IRAS16293 B (Murillo et al. 2022b).

This data set was specifically taken to search for large species due to the expected lower line density and line confusion in Band 3 in comparison with Band 7 used for PILS. Moreover, at the same excitation temperature heavier molecules have their Boltzmann distribution peak at lower frequencies which increases the chance of detecting them in Band 3. Particularly, the frequency windows were selected to search for glycerol ( $\text{HOCH}_2\text{CH}(\text{OH})\text{CH}_2\text{OH}$ ) and propanol ( $\text{C}_3\text{H}_7\text{OH}$ ). Isopropanol ( $i\text{-C}_3\text{H}_7\text{OH}$ ) and normal-propanol ( $n\text{-C}_3\text{H}_7\text{OH}$ ) have

Table 1: Fitted parameters for detected and tentatively detected Band 3 species toward IRAS 16293 B.

| Species                                   | $N$<br>( $\text{cm}^{-2}$ )        | $T_{\text{ex}}$<br>(K) | $N_{\text{X}}/N_{\text{CH}_3\text{OH}}$ | # Detected<br>lines |
|-------------------------------------------|------------------------------------|------------------------|-----------------------------------------|---------------------|
| $^{13}\text{CH}_3\text{OH}$               | $1.2^{+0.4}_{-0.2} \times 10^{17}$ | $130^{+30}_{-20}$      | $1.5^{+0.7}_{-0.4} \times 10^{-2}$      | 2                   |
| $\text{CH}_2\text{DOH}$                   | $1.5^{+0.1}_{-0.3} \times 10^{17}$ | [170]                  | $1.8^{+0.6}_{-0.5} \times 10^{-2}$      | 3                   |
| $\text{CHD}_2\text{OH}$                   | $1.9^{+0.4}_{-0.3} \times 10^{17}$ | $170^{+40}_{-40}$      | $2.3^{+0.9}_{-0.6} \times 10^{-2}$      | 9                   |
| $\text{CD}_3\text{OH}$                    | $5.6^{+0.7}_{-0.9} \times 10^{16}$ | [170]                  | $6.9^{+2.4}_{-1.8} \times 10^{-3}$      | 1                   |
| $\text{CH}_3\text{CHO}$                   | $3.5^{+0.2}_{-0.4} \times 10^{16}$ | $70^{+20}_{-10}$       | $4.3^{+1.5}_{-1.0} \times 10^{-3}$      | 3                   |
| $^{13}\text{CH}_3\text{CHO}$              | $2.1^{+0.3}_{-0.3} \times 10^{15}$ | [100]                  | $2.6^{+0.9}_{-0.7} \times 10^{-4}$      | 2                   |
| $\text{CH}_2\text{DCHO}$                  | $4.0^{+0.5}_{-0.5} \times 10^{15}$ | [100]                  | $4.9^{+1.7}_{-1.2} \times 10^{-4}$      | 2                   |
| $\text{CH}_3\text{CDO}$                   | $5.0^{+2.0}_{-2.0} \times 10^{15}$ | $110^{+30}_{-30}$      | $6.1^{+3.2}_{-2.8} \times 10^{-4}$      | 3                   |
| $\text{CHD}_2\text{CHO}$                  | $3.0^{+0.5}_{-0.8} \times 10^{15}$ | [100]                  | $3.7^{+1.4}_{-1.2} \times 10^{-4}$      | 3                   |
| $\text{CH}_3\text{COOH}$                  | $1.0^{+0.6}_{-0.2} \times 10^{16}$ | $170^{+30}_{-70}$      | $1.2^{+0.8}_{-0.4} \times 10^{-3}$      | 3                   |
| $\text{CH}_2\text{OHCHO}$                 | $4.6^{+0.6}_{-0.6} \times 10^{16}$ | $280^{+20}_{-40}$      | $5.6^{+2.0}_{-1.4} \times 10^{-3}$      | 6                   |
| $^{13}\text{CH}_2\text{OHCHO}$            | $\sim 2.0 \times 10^{15}$          | [280]                  | $\sim 2.4 \times 10^{-4}$               | 2                   |
| $\text{CHDOHCHO}$                         | $2.5^{+0.8}_{-0.8} \times 10^{15}$ | $120^{+50}_{-50}$      | $3.1^{+1.5}_{-1.2} \times 10^{-4}$      | 4                   |
| $\text{CH}_3\text{CH}_2\text{OH}$         | $6.2^{+0.8}_{-0.7} \times 10^{16}$ | $170^{+20}_{-20}$      | $7.6^{+2.7}_{-1.8} \times 10^{-3}$      | 5                   |
| $\alpha\text{-CH}_2\text{DCH}_2\text{OH}$ | $2.4^{+0.5}_{-0.3} \times 10^{16}$ | [170]                  | $3.0^{+1.1}_{-0.7} \times 10^{-3}$      | 1                   |
| $\alpha\text{-CH}_3\text{CHDOH}$          | $2.1^{+0.4}_{-0.3} \times 10^{16}$ | [170]                  | $2.5^{+1.0}_{-0.6} \times 10^{-3}$      | 3                   |
| $\text{CH}_3\text{OCH}_3$                 | $8.5^{+2.5}_{-2.5} \times 10^{16}$ | $100^{+20}_{-20}$      | $1.0^{+0.5}_{-0.4} \times 10^{-2}$      | 10                  |
| $\text{CH}_3\text{OCHO}$                  | $1.0^{+0.1}_{-0.2} \times 10^{17}$ | $140^{+20}_{-30}$      | $1.2^{+0.4}_{-0.4} \times 10^{-2}$      | 10                  |
| $\text{aGg}'-(\text{CH}_2\text{OH})_2$    | $\sim 1.4 \times 10^{17}$          | [160]                  | $\sim 1.7 \times 10^{-2}$               | 15                  |
| $\text{gGg}'-(\text{CH}_2\text{OH})_2$    | $5.0^{+1.7}_{-1.4} \times 10^{16}$ | $160^{+40}_{-40}$      | $6.1^{+2.9}_{-2.1} \times 10^{-3}$      | 15                  |
| $\text{D}_2\text{CO}$                     | $6.9^{+0.6}_{-0.6} \times 10^{15}$ | [100]                  | $8.5^{+2.9}_{-1.9} \times 10^{-4}$      | 1                   |
| $\text{HCCCN}$                            | $6.2^{+0.9}_{-0.8} \times 10^{13}$ | [100]                  | $7.6^{+2.8}_{-1.8} \times 10^{-6}$      | 1                   |
| $\text{CH}_3\text{CH}_2\text{CN}$         | $1.4^{+0.2}_{-0.1} \times 10^{16}$ | [100]                  | $1.8^{+0.7}_{-0.4} \times 10^{-3}$      | 1                   |
| $\text{NH}_2\text{CHO}$                   | $5.6^{+1.2}_{-1.1} \times 10^{16}$ | [300]                  | $6.8^{+2.7}_{-1.9} \times 10^{-3}$      | 1                   |
| $\text{CH}_3\text{COCH}_3$                | $1.6^{+0.6}_{-0.5} \times 10^{16}$ | $130^{+20}_{-20}$      | $2.0^{+1.0}_{-0.7} \times 10^{-3}$      | 17                  |
| $\text{t-HCOOH}$                          | $7.7^{+1.1}_{-1.1} \times 10^{16}$ | [300]                  | $9.5^{+3.4}_{-2.4} \times 10^{-3}$      | 1                   |
| $\text{c-C}_2\text{H}_4\text{O}$          | $5.5^{+0.7}_{-0.5} \times 10^{15}$ | [100]                  | $6.7^{+2.4}_{-1.5} \times 10^{-4}$      | 2                   |
| $\text{c-C}_2\text{H}_3\text{DO}$         | $1.2^{+0.2}_{-0.2} \times 10^{15}$ | [100]                  | $1.5^{+0.5}_{-0.4} \times 10^{-4}$      | 2                   |
| $\text{CH}_3\text{SH}$                    | $4.5^{+0.5}_{-0.7} \times 10^{15}$ | [100]                  | $5.5^{+1.9}_{-1.4} \times 10^{-4}$      | 2                   |
| $\text{HOCH}_2\text{CN}$                  | $1.0^{+0.1}_{-0.1} \times 10^{15}$ | [100]                  | $1.2^{+0.4}_{-0.3} \times 10^{-4}$      | 2                   |

**Notes.** Measured column densities toward the  $0.5''$  offset position from B in a  $\sim 1''$  beam. If a source size of  $0.5''$  was assumed, these column densities would increase by a factor of  $\sim 5$  (i.e.,  $\frac{0.5^2 + 1^2}{0.5^2}$ ). The major isotopologue of methanol is detected but its column density is calculated by scaling the  $^{13}\text{CH}_3\text{OH}$  column density by  $^{12}\text{C}/^{13}\text{C} = 68$  (Milam et al. 2005). The FWHM for all molecules is  $\sim 1.8 \pm 0.5 \text{ km s}^{-1}$ . Species whose excitation temperature is fixed have their temperature given in square brackets. The right-most column gives an estimate of the number of relatively unblended lines that are detected for each molecule. Those detected with only one line should be taken with caution. However, we note that all of these species are detected in PILS (see the text for references).

been detected previously in the interstellar medium (Belloche et al. 2022; Jiménez-Serra et al. 2022), although not yet in IRAS16293 B (Taquet et al. 2018). In addition to these molecules, we searched for and detected large and complex species such as  $\text{aGg}'$ - and  $\text{gGg}'$ -ethylene glycol ( $\text{CH}_2\text{OH})_2$ , glycolaldehyde ( $\text{CH}_2\text{OHCHO}$ ), and acetone ( $\text{CH}_3\text{COCH}_3$ ).

Table B.1 presents the upper limits of the molecules searched for, but not detected including glycerol and isopropanol. The largest molecule that we searched for is cyanonaphthalene ( $\text{C}_{10}\text{H}_7\text{CN}$ ; McNaughton et al. 2018) and its upper limit is given in Table B.1. Figures 3, B.2, and B.3 present the lines of  $\text{g-Isopropanol}$ ,  $\text{Ga-n-propanol}$ , and  $\text{G'Gg'gg'-Glycerol}$  with the model upper limits. We note that in Fig. 3 the lines that seem to



roughly ordered by increasing binding energies in the ice from left to right (Minissale et al. 2022; Ligterink & Minissale 2023). The error bars are too large to robustly confirm whether there is any correlation between the excitation temperature and binding energy.

The column densities measured here span a range of  $\sim 4$  orders of magnitude. The most abundant molecule is methanol, after that (and its isotopologues),  $\text{CH}_3\text{OCHO}$  and  $\text{CH}_3\text{OCH}_3$  are found to be the second and third most abundant species as found in many other protostellar systems (Coletta et al. 2020; Chen et al. 2023). The column density of  $\text{CH}_3\text{OH}$  is determined by scaling the  $^{13}\text{CH}_3\text{OH}$  column density by  $^{12}\text{C}/^{13}\text{C}$  of 68 (Milam et al. 2005) and is found to be  $8.2 \times 10^{18} \text{ cm}^{-2}$  in the  $\sim 1''$  beam. We note that the  $^{13}\text{CH}_3\text{OH}$  lines used for measurement of column density of this molecule are relatively weak and hence optically thin. They either have a large  $E_{\text{up}}$  ( $\sim 500 \text{ K}$ ) or a low  $A_{\text{ij}}$  ( $\sim 6 \times 10^{-8} \text{ s}^{-1}$ ). Therefore,  $^{13}\text{CH}_3\text{OH}$  in this study should robustly determine the column density of the major isotopologue without the need for  $\text{CH}_3^{18}\text{OH}$ . The least abundant molecule at the  $0.5''$  offset location is  $\text{HCCCN}$  with a column density of  $6.2 \times 10^{13} \text{ cm}^{-2}$  (see Murillo et al. 2022b for its map).

### 3.3. Glycolonitrile and ethylene oxide

Here we focus on the tentative detection of  $\text{HOCH}_2\text{CN}$  (glycolonitrile) and  $\text{c-C}_2\text{H}_4\text{O}$  (ethylene oxide). These two molecules are among the less common species studied toward protostars in Table 1. Glycolonitrile is an interesting interstellar molecule to study given that it is a rarely observed prebiotic molecule. Ethylene oxide is an interesting molecule because it is the only species in Table 1 with a cyclic structure.

Glycolonitrile was detected toward IRAS 16293 B using lower frequency ( $\lesssim 266 \text{ GHz}$ ) observations than PILS (Zeng et al. 2019). Later it was also detected in PILS by Ligterink et al. (2021) mainly toward the half-beam offset position ( $\sim 0.25''$  offset from the continuum peak) and not the full-beam offset position ( $0.5''$  offset). It is interesting that in the Band 3 data  $\text{HOCH}_2\text{CN}$  is tentatively detected toward the full-beam offset position of PILS. This could be due to the larger beam size of the Band 3 observations and inclusion of the hotter gas close to the protostar in the beam given that the binding energy of this molecule is relatively high ( $\sim 10400 \text{ K}$ ; Ligterink & Minissale 2023).

Our tentative column density ratio of  $\text{HOCH}_2\text{CN}/\text{CH}_3\text{OH}$  ( $\sim 10^{-4}$ ) agrees well with what Ligterink et al. (2021) found for this source in Band 7. Moreover, our column density for  $\text{HOCH}_2\text{CN}$ , after correction for beam dilution (see Sect. 4.2.2), is within a factor of  $\sim 2$  of what Zeng et al. (2019) find for their warm component of the same source from their Band 3 data. Moreover, glycolonitrile has been (tentatively) detected toward other objects such as the Serpens SMM1-a protostar and the G+0.693-0.027 molecular cloud with similar  $\text{HOCH}_2\text{CN}/\text{CH}_3\text{OH}$  ratios of a few  $10^{-4}$  (Requena-Torres et al. 2006; Ligterink et al. 2021; Rivilla et al. 2022). A recent study searched for its minor isotopologues in IRAS16293B and SMM1-a but resulted in non-detections (Margulès et al. 2023).

Ethylene oxide has been detected toward several objects mainly high-mass protostars but also pre-stellar cores and the comet 67P (Dickens et al. 1997; Nummelin et al. 1998; Ikeda et al. 2001; Requena-Torres et al. 2008; Bacmann et al. 2019; Drozdovskaya et al. 2019). This molecule has also been detected toward IRAS16293 A and B by the PILS (Lykke et al. 2017; Manigand et al. 2020). The ratio for ethylene oxide to methanol

from this work is  $\sim 7 \times 10^{-4}$  which agrees well with the ratio from PILS of  $\sim 3 - 6 \times 10^{-4}$  (Lykke et al. 2017; Jørgensen et al. 2016, 2018). Its deuterated species were studied and detected toward IRAS16293 B by Müller et al. (2023a,b). We also tentatively detect one of its deuterated species,  $\text{c-C}_2\text{H}_3\text{DO}$ , in our Band 3 data. The ratio of this molecule with respect to methanol in our data is  $\sim 1 - 2 \times 10^{-4}$  which agrees well with the same ratio in PILS ( $\sim 9 \times 10^{-5}$ ; Jørgensen et al. 2018; Müller et al. 2023a).

## 4. Discussion

### 4.1. Dust optical depth

In this section we calculate the continuum optical depth at  $\sim 348.815 \text{ GHz}$  (corresponding to ALMA Band 7) and at  $\sim 91 \text{ GHz}$  (corresponding to ALMA Band 3). The continuum optical depth as a zeroth-order approximation is given by (see Rivilla et al. 2017 and van Gelder et al. 2022b)

$$\tau_\nu = -\ln\left(1 - \frac{F_\nu}{\Omega_{\text{beam}} B_\nu(T_{\text{dust}})}\right), \quad (1)$$

where  $F_\nu$  is the continuum flux density within the beam,  $\Omega_{\text{beam}} = \pi\theta_{\text{min}}\theta_{\text{maj}}/(4\ln(2))$  is the beam solid angle with  $\theta_{\text{min}}$  and  $\theta_{\text{maj}}$  as the beam minor and major axes,  $B_\nu$  is the Planck function and  $T_{\text{dust}}$  is the dust temperature. We took the continuum image of the PILS survey at  $\nu \sim 348.815 \text{ GHz}$  from the ALMA archive and found  $F_\nu$  within the beam of those observations at the peak of the continuum and at the  $\sim 0.5''$  offset position where the spectrum was extracted. For this measurement we used CASA (McMullin et al. 2007) version 6.5.2.26 and found the continuum flux density as  $\sim 1.16 \text{ Jy beam}^{-1}$  and  $\sim 0.55 \text{ Jy beam}^{-1}$  at the peak and the offset position. We did the same for the Band 3 data at a frequency of  $\sim 91 \text{ GHz}$  and found the Band 3 continuum flux density as  $\sim 9.07 \times 10^{-2} \text{ Jy beam}^{-1}$  and  $\sim 5.25 \times 10^{-2} \text{ Jy beam}^{-1}$  at the peak and the offset positions, respectively. Next, we calculated  $\tau_{\text{dust}}$  for a range of dust temperatures that are feasible for IRAS16293B as suggested by Jacobsen et al. (2018).

Figure 4 presents the continuum optical depth for the various temperatures. The temperature of the inner regions based on models of Jacobsen et al. (2018) is  $\sim 90 \text{ K}$ . At  $90 \text{ K}$  both the PILS and Band 3 peak continuum are marginally optically thick with the PILS continuum having an optical depth of  $\sim 1.5$  times larger. However, at the location off-source the dust optical depth for the PILS continuum is almost the same as that of Band 3 which is  $\sim 0.15$ . Therefore, it is safe to assume that the dust at the offset location at  $T_{\text{dust}} = 90 \text{ K}$  is almost completely optically thin in Band 3 and Band 7 data sets. Even taking the unrealistic worst case scenario of  $T_{\text{dust}} = 30 \text{ K}$  in Fig. 4 and assuming that all the dust is in a column between the observer and the protostar, the difference between Band 3 and Band 7 dust attenuation (i.e.,  $e^{-\tau}$ ) is at most around 25% at the offset location.

### 4.2. Comparison with PILS

In this section we compare the excitation temperatures and column densities of the same molecules detected in the PILS Band 7 survey and this work.

#### 4.2.1. Excitation temperature

The measured excitation temperatures are presented in Fig. B.4. The species are roughly ordered by increasing binding energy (a




Fig. 4: Continuum optical depth as a function of temperature at the peak of the continuum (dashed) and the 0.5'' offset position where the spectrum is extracted (solid line). Blue shows the optical depth for the Band 3 continuum at frequency of  $\sim 91$  GHz and pink shows the PILS continuum at frequency of  $\sim 348.815$  GHz.

measure of how strongly bound a molecule is in ices) from left to right. However, given that the uncertainties are relatively large, the number of detected lines for each species is small, and the lines are biased toward lower  $E_{\text{up}}$ , it is not possible to identify a clear trend between the binding energies (or sublimation temperatures) and excitation temperatures. Another effect that can complicate the picture and change Fig. B.4 is that the molecules with lower binding energies than water are expected to desorb with water if initially mixed with it (Collings et al. 2004; Busch et al. 2022; Garrod et al. 2022). This would be inline with the measured excitation temperatures of the molecules toward the left hand side of Fig. B.4 being at around  $\sim 100$  K (i.e., the desorption temperature of water). Therefore, a strong trend might not be expected in Fig. B.4.

Nevertheless, our excitation temperatures mostly agree with those found by Jørgensen et al. (2018) for IRAS16293 B. The only exceptions are  $\text{CH}_3\text{OCHO}$  and  $\text{CH}_3\text{CH}_2\text{OH}$  where their excitation temperatures are found to be higher in PILS. This could be due to the lines that are covered in the Band 3 data having lower  $E_{\text{up}}$  than those covered in the Band 7 data. For example, if the two lines of  $\text{CH}_3\text{CH}_2\text{OH}$  with  $E_{\text{up}} \sim 80 - 90$  K are ignored, a fit at  $T_{\text{ex}} \sim 240$  K (i.e., agreeing with PILS temperature) can match the brightness temperatures of the rest of the lines within  $\sim 40 - 50\%$ . Our excitation temperatures also agree well with what is found for the companion source, IRAS16293A, in PILS (Manigand et al. 2020).

#### 4.2.2. Column density

Direct comparison of the column densities from the PILS and this work should be made with caution due to the different beam sizes in the two sets of observations. Therefore, before comparison, column densities of Band 7 are corrected to match the Band 3 results. PILS studies use a source size of 0.5'' in their analysis while we find the column densities averaged over the Band 3 beam. Our assumption corresponds to the Band 3 emission filling the beam uniformly (i.e.,  $\theta_s \gg \theta_b$ ). The PILS column den-




Fig. 5: Column density of the various molecules from the ALMA Band 7 observations (PILS;  $\sim 345$  GHz) as a function of those from Band 3 ( $\sim 100$  GHz). Beam dilution is corrected for the column densities in this figure. Dashed lines present where the values of y-axis are the same as values of x-axis, where they are 10 times higher and 10 times lower than the values of x-axis.

sities are converted to an average over the PILS beam (or filling the PILS beam uniformly) by multiplication with their beam dilution factor of  $\frac{0.5^2}{0.5^2 + 0.5^2} = 0.5$ . After this modification, we also investigated how the different beam sizes in PILS and our study can affect the comparison (assuming that the column densities are averaged over the respective beams). Figure B.5 presents a two dimensional Gaussian distribution with two circular regions representing the beams of Band 3 and Band 7. Assuming a uniform beam, we calculated the mean in the two beams and found around a 10% difference between these two, which is smaller than the typical uncertainties on the column densities and thus is ignored.

Figure 5 presents the column densities from PILS and this work after correction for beam dilution. The column densities of PILS are taken from Coutens et al. (2016) ( $\text{NH}_2\text{CHO}$ ), Jørgensen et al. (2016) ( $\text{CH}_2\text{OHCHO}$ ,  $\text{CHDOHCHO}$ ,  $\text{gGg}-(\text{CH}_2\text{OH})_2$ ,  $\text{CH}_3\text{COOH}$ ), Calcutt et al. (2018b) ( $\text{CH}_3\text{CH}_2\text{CN}$ ,  $\text{HC}_3\text{N}$ ), Jørgensen et al. (2018) ( $\text{CH}_3\text{OH}$ ,  $^{13}\text{CH}_3\text{CHO}$ ,  $\text{CH}_3\text{CDO}$ ,  $\text{CH}_3\text{CHO}$ ,  $\text{CH}_2\text{DOH}$ ,  $\text{CH}_3\text{CH}_2\text{OH}$ ,  $\text{a-CH}_3\text{CHDOH}$ ,  $\text{CH}_3\text{OCH}_3$ ,  $\text{CH}_3\text{OCHO}$ ,  $\text{a-a-CH}_2\text{DCH}_2\text{OH}$ , and  $\text{t-HCOOH}$ ), Persson et al. (2018) ( $\text{D}_2\text{CO}$ ), Manigand et al. (2020) ( $\text{CH}_2\text{DCHO}$ , Drozdovskaya et al. (2022) ( $\text{CHD}_2\text{OH}$ ), Ilyushin et al. (2022) ( $\text{CD}_3\text{OH}$ ), Drozdovskaya et al. (2018) ( $\text{CH}_3\text{SH}$ ), Ferrer Asensio et al. (2023) ( $\text{CHD}_2\text{CHO}$ ), and Lykke et al. (2017) ( $\text{CH}_3\text{COCH}_3$ ). In addition, we do not include  $^{13}\text{CH}_2\text{OHCHO}$  and  $\text{gGg}-(\text{CH}_2\text{OH})_2$  in Fig. 5 because our measured column densities are approximate. Moreover, the column density of  $\text{CH}_3\text{COOH}$  in PILS was found from old spectroscopic data (Jørgensen et al. 2016). To avoid bias we re-did the fit to  $\text{CH}_3\text{COOH}$  in the Band 7 data using new spectroscopic data (Ilyushin et al. 2013; see Appendix A), and found that the column density in Jørgensen et al. (2016) was underestimated by a factor of  $\sim 2$ .

Therefore, in this work we refer to the updated column density of  $\text{CH}_3\text{COOH}$  using the new spectroscopic data ( $\sim 1.2 \times 10^{16}$ ).

Figure 5 shows that the column densities from the Band 3 observations generally agree with those of PILS. There are a few data points where the Band 3 column densities are  $\geq 3$  times higher than those of Band 7. Among those molecules  $\text{NH}_2\text{CHO}$  and  $\text{CH}_3\text{CH}_2\text{CN}$  seem to be outliers which have Band 3 column densities that are 10 times higher than Band 7. However, because the column densities of these two molecules in this work are measured based on only one line those values should be taken with caution. Therefore, we exclude these two molecules from further analysis.

Taking only the molecules with at least 3 detected lines in Band 3 (see Table 1), the average of ( $\log_{10}$  of) the Band 3 column densities weighted by the uncertainty on each data point is  $4.4 \times 10^{16} \text{ cm}^{-2}$ . This value for Band 7 column densities (measured using many more lines per molecule due to the larger frequency coverage) is  $2.7 \times 10^{16} \text{ cm}^{-2}$ . These two agree well within the uncertainties. Moreover, the scatter around the line of  $N_{\text{Band3}} = N_{\text{Band7}}$  is a factor of 1.9 below the line and 1.8 above the line. Therefore, it can be concluded that there is a tight, one-to-one correlation between the two column densities with a scatter of less than a factor of 2. This agrees well with the low dust optical depth found for the Band 3 and Band 7 observations at the offset location where the spectra were extracted.

#### 4.2.3. Ratios

The column density ratios are normally more informative than absolute column densities because the latter depends on the beam and the assumed beam dilution factor. Left panel of Fig. 2 shows that the ratios with respect to methanol from Band 3 agree well with those from Band 7 (PILS) for almost all molecules. Figure 6 presents the ratio between Band 3 and Band 7 results for individual molecules. This figure shows even more clearly that the results from the Band 3 data (this work) generally agree within a factor of  $\sim 2$  with the results from the Band 7 data. Four molecules show larger than a factor of 2 difference between the two data sets and are marked with an ellipse. This could be due to the lines of these species becoming optically thick. This argument is more convincing for  $\text{CH}_3\text{CHO}$  and  $\text{CH}_3\text{CH}_2\text{OH}$  given that there is a good agreement between Band 3 and Band 7 results for their minor isotopologues. Moreover, the value for  $\text{CH}_2\text{DOH}$  is likely uncertain given that no single temperature could be fitted to its lines and hence the assumed  $T_{\text{ex}}$  does not fit all its lines equally well in this work (see Sect. 2.2). The slight variations between the Band 3 and Band 7 ratios could be due to the smaller number of lines covered in the Band 3 data set compared with the PILS data set, which also sets a looser constraints on the excitation temperatures. Another factor in these variations could be the different beam sizes in the two data sets (see Sect. 4.2.2).

We find a good match between Band 3 and Band 7 data when comparing the ratios of the various COMs relative to methanol. The molecules that have column densities with a factor of  $> 2$  different between Band 3 and Band 7 in Fig. 5 (i.e.,  $\text{t-HCOOH}$ ,  $\text{CD}_3\text{OH}$ , and  $\text{CHD}_2\text{CHO}$ ), show a good agreement (factor of  $< 2$ ) when their column density ratios with respect to methanol are compared between the two sets of observations.




Fig. 6: Ratio between Band 3 and PILS column density ratios with respect to methanol (i.e., the ratio of blue to pink from the left panel of Fig. 2). The horizontal dashed line indicates where the ratio between Band 3 and PILS are the same. The shaded gray area indicates the region with a factor of 2 difference between Band 3 and PILS results. The species are ordered in the same way as left panel of Fig. 2. The hollow symbols show the species that have only one detected line.

#### 4.3. Comparison with other studies

In this section we put some of the measured ratios (Fig. 2) in context of other works. We mainly focus on the upper limit ratios because similar comparisons have been made in the PILS papers between the measured column density ratios of IRAS 16293 B and other sources. The ratios of  $\text{aGg}'$ - and  $\text{gGg}'$ -( $\text{CH}_2\text{OH}$ )<sub>2</sub> to  $\text{CH}_3\text{OH}$  from our observations is between  $\sim 4 \times 10^{-3}$  and  $\sim 2 \times 10^{-2}$ . The laboratory experiments and Monte Carlo simulations found ( $\text{CH}_2\text{OH}$ )<sub>2</sub>/ $\text{CH}_3\text{OH}$  ratio to be  $\sim 10^{-2} - 9 \times 10^{-2}$  and  $\sim 2 \times 10^{-2} - 4 \times 10^{-2}$  (Fedoseev et al. 2015) which agrees with our observations. Moreover, Fedoseev et al. (2017) found a ratio of glycerol/ethylene glycol upper limit of around 0.01 in laboratory experiments which from the ethylene glycol/methanol ratio of Fedoseev et al. (2015) gives glycerol/methanol upper limit of between  $10^{-4}$  and  $9 \times 10^{-4}$ . Our upper limit ratios of  $\text{GGag}'$ g'- and  $\text{G'Gg}'$ gg'-glycerol to methanol are  $< 10^{-4}$  and  $< 8 \times 10^{-4}$ , which are on the same order of magnitude as reported in laboratory experiments and Monte Carlo simulations (Fedoseev et al. 2015, 2017).

Propanal was found to form n-propanol (Qasim et al. 2019a,b), and both are not detected in the Band 3 data. However, we note that propanal is detected toward IRAS 16293 B by PILS (Lykke et al. 2017) and Qasim et al. (2019a) found that the ratio of their upper limit ratio for n-propanol/propanal for IRAS 16293 B is consistent with their laboratory experiments. Our upper limit ratio of Ga-n-propanol/methanol is  $< 7 \times 10^{-4}$  which is a factor of  $\sim 6$  lower than the detected ratio toward G+0.693-0.027 ( $\sim 4 \times 10^{-3}$ ; Jiménez-Serra et al. 2022 and methanol from Rodríguez-Almeida et al. 2021). Our upper limit ratios of g-, a-Isopropanol, and Ga-n-propanol with respect to methanol agree within a factor of about 2 with those of detected toward Sgr B2(N2b) ( $\sim 0.002$ ; Bellocche et al. 2022). Band 3 ratios of s- and g-propanal/methanol are  $< 2 \times 10^{-4}$  and  $< 0.04$ , respectively. These are in agreement with the abundance ratios of

propanal/methanol in TMC-1 (around 0.01, Agúndez et al. 2023) and PILS (around  $2 \times 10^{-4}$ ; Lykke et al. 2017). Moreover, the abundance of indene with respect to  $H_2$  toward TMC-1 (Cernicharo et al. 2021), is on the same order of magnitude as our upper limit ratio of indene/ $H_2$ , assuming a lower limit on  $H_2$  column density of  $10^{25} \text{ cm}^{-2}$  from Jørgensen et al. (2016) for IRAS 16293 B. However, using the same lower limit column density for  $H_2$  toward IRAS 16293 B, our upper limit abundances of 1-CNN, 2-CNN and benzonitrile are a factor of  $\sim 2 - 10$  lower than what is found for TMC-1 (Gratier et al. 2016; McGuire et al. 2021).

The Band 3 upper limit ratio of urea/methanol is  $< 2 \times 10^{-5}$  which is inline and on the lower end of the observed range (either upper limit or detected) in the literature toward SgrB2 (Belloche et al. 2019), NGC 6334I (Ligterink et al. 2020), and G+0.693-0.027 systems (Zeng et al. 2023). The upper limit  $NH^{13}CHO/CH_3OH$  in this work is consistent with the detected ratios toward NGC 6334I (Ligterink et al. 2020; methanol from Bøgelund et al. 2018) and G+0.693-0.027 systems (Zeng et al. 2023; methanol from Rodríguez-Almeida et al. 2021). Moreover, the upper limit ratios of z-cyanomethanimine and glyceraldehyde to methanol toward G+0.693-0.027 (Jiménez-Serra et al. 2020) are consistent with our upper limit ratios. However, the ratio of ethanolamine/methanol toward this source (Rivilla et al. 2021) was found to be around one order of magnitude higher than Band 3 upper limit measurement of IRAS 16293 B. The discussed ratios in this section may be generally higher in G+0.693-0.027 than IRAS 16293 B. Given the small sample size and the upper limit nature of our results, it is not possible to draw further conclusions on the significance of these differences and similarities. In particular, given that the upper limits reported here depend on the assumed excitation temperature and more importantly the lines covered in our data.

## 5. Conclusions

We analyzed the deep ALMA Band 3 ( $\sim 100 \text{ GHz}$ ) data of IRAS16293 B in this work. We searched for large organic species in this data set and derived the corresponding column densities and excitation temperatures of various oxygen-, nitrogen-, and sulfur-bearing molecules. Below are the main conclusions of this work.

- The line density for lines detected at a  $\geq 6\sigma$  level in Band 3 observations is 1 per  $\sim 8.5 \text{ MHz}$  which is only  $\sim 2.5$  times lower than that of PILS: the spectrum is relatively rich and crowded even at  $\sim 3 \text{ mm}$  observations.
- We detect around 31 molecules (including minor isotopologues), thereof  $\sim 15$  tentatively, in the Band 3 data set. These include O-bearing COMs such as  $CH_3OH$ ,  $CH_2OHCHO$ ,  $CH_3OCH_3$ ,  $CH_3OCHO$ ,  $gGg-(CH_2OH)_2$ ,  $CH_3COCH_3$ , and  $c-C_2H_4O$ . We also tentatively detect a few N- and S-bearing species such as  $HOCH_2CN$  and  $CH_3SH$ .
- We search for many large COMs among which are glycerol and isopropanol, but we do not detect them. The upper limits on the 41 non-detected species are also provided, which generally agree with the previous laboratory experiments and observations.
- In the Band 3 spectrum,  $\sim 25 - 30\%$  of all lines at  $\geq 6\sigma$  level are not identified. This points to the need for additional spectroscopic information.
- We find a good agreement between column densities of Band 3 and Band 7 observations with a scatter of less than a factor of 2. Moreover, the Band 3 ratios with respect to methanol

agree within a factor of  $\sim 2$  with those from the Band 7 observations.

- We conclude that around IRAS16293 B dust optical depth does not affect the column densities and the ratios of various molecules, especially for the spectrum extracted from a position off source (where the dust column density is lower than on-source).

**Acknowledgements.** We thank the referee for the helpful and constructive comments. We thank A. Hacar for his invaluable help with the data reduction. Astrochemistry in Leiden is supported by the Netherlands Research School for Astronomy (NOVA), by funding from the European Research Council (ERC) under the European Union's Horizon 2020 research and innovation programme (grant agreement No. 101019751 MOLDISK), and by the Dutch Research Council (NWO) grant 618.000.001. Support by the Danish National Research Foundation through the Center of Excellence "InterCat" (Grant agreement no.: DNRF150) is also acknowledged. J.K.J. acknowledges support from the Independent Research Fund Denmark (grant number 0135-00123B). M.N.D. acknowledges the Swiss National Science Foundation (SNSF) Ambizione grant number 180079, the Center for Space and Habitability (CSH) Fellowship, and the IAU Gruber Foundation Fellowship. G.F. acknowledges the financial support from the European Union's Horizon 2020 research and innovation program under the Marie Skłodowska-Curie grant agreement No. 664931. R.T.G. acknowledges funding from the National Science Foundation Astronomy & Astrophysics program (grant number 2206516). H.S.P.M. acknowledges support by the Deutsche Forschungsgemeinschaft (DFG) via the collaborative research grant SFB 956 (project ID 184018867). S.F.W. acknowledges the financial support of the SNSF Eccellenza Professorial Fellowship (PCEFP2\_181150). This paper makes use of the following ALMA data: ADS/JAO.ALMA#2017.1.00518.S and #2013.1.00278.S. ALMA is a partnership of ESO (representing its member states), NSF (USA) and NINS (Japan), together with NRC (Canada), MOST and ASIAA (Taiwan), and KASI (Republic of Korea), in cooperation with the Republic of Chile. The Joint ALMA Observatory is operated by ESO, AUI/NRAO and NAOJ. The National Radio Astronomy Observatory is a facility of the National Science Foundation operated under cooperative agreement by Associated Universities, Inc.

## References

- Agúndez, M., Loison, J. C., Hickson, K. M., et al. 2023, *A&A*, 673, A34  
 Bacmann, A., Faure, A., & Berteaud, J. 2019, *ACS Earth and Space Chemistry*, 3, 1000  
 Bacmann, A., Taquet, V., Faure, A., Kahane, C., & Ceccarelli, C. 2012, *A&A*, 541, L12  
 Barone, V., Latouche, C., Skouteris, D., et al. 2015, *MNRAS*, 453, L31  
 Baskakov, O. I., Alekseev, E. A., Motiyenko, R. A., et al. 2006, *Journal of Molecular Spectroscopy*, 240, 188  
 Belloche, A., Garrod, R. T., Müller, H. S. P., et al. 2019, *A&A*, 628, A10  
 Belloche, A., Garrod, R. T., Zingsheim, O., Müller, H. S. P., & Menten, K. M. 2022, *A&A*, 662, A110  
 Belloche, A., Maury, A. J., Maret, S., et al. 2020, *A&A*, 635, A198  
 Belloche, A., Müller, H. S. P., Menten, K. M., Schilke, P., & Comito, C. 2013, *A&A*, 559, A47  
 Bergner, J. B., Öberg, K. I., Garrod, R. T., & Graninger, D. M. 2017, *ApJ*, 841, 120  
 Bianchi, E., López-Sepulcre, A., Ceccarelli, C., et al. 2022, *ApJ*, 928, L3  
 Bisschop, S. E., Jørgensen, J. K., Bourke, T. L., Bottinelli, S., & van Dishoeck, E. F. 2008, *A&A*, 488, 959  
 Blake, G. A., Sutton, E. C., Masson, C. R., & Phillips, T. G. 1987, *ApJ*, 315, 621  
 Bocquet, R., Demaison, J., Cosléou, J., et al. 1999, *Journal of Molecular Spectroscopy*, 195, 345  
 Bøgelund, E. G., McGuire, B. A., Ligterink, N. F. W., et al. 2018, *A&A*, 615, A88  
 Booth, A. S., Walsh, C., Terwisscha van Scheltinga, J., et al. 2021, *Nature Astronomy*, 5, 684  
 Bouchez, A., Margulès, L., Motiyenko, R. A., et al. 2012, *A&A*, 540, A51  
 Brauer, C. S., Pearson, J. C., Drouin, B. J., & Yu, S. 2009, *ApJS*, 184, 133  
 Brunken, N. G. C., Booth, A. S., Leemker, M., et al. 2022, *A&A*, 659, A29  
 Busch, L. A., Belloche, A., Garrod, R. T., Müller, H. S. P., & Menten, K. M. 2022, *A&A*, 665, A96  
 Butner, H. M., Charnley, S. B., Ceccarelli, C., et al. 2007, *ApJ*, 659, L137  
 Calcutt, H., Fiechter, M. R., Willis, E. R., et al. 2018a, *A&A*, 617, A95  
 Calcutt, H., Jørgensen, J. K., Müller, H. S. P., et al. 2018b, *A&A*, 616, A90  
 Cazaux, S., Tielens, A. G. G. M., Ceccarelli, C., et al. 2003, *ApJ*, 593, L51  
 Ceccarelli, C., Bacmann, A., Boogert, A., et al. 2010, *A&A*, 521, L22  
 Ceccarelli, C., Codella, C., Balucani, N., et al. 2022, *arXiv e-prints*, arXiv:2206.13270

- Cernicharo, J., Agúndez, M., Cabezas, C., et al. 2021, *A&A*, 649, L15
- Chen, Y., van Gelder, M. L., Nazari, P., et al. 2023, arXiv e-prints, arXiv:2308.02688
- Christen, D., Coudert, L. H., Larsson, J. A., & Cremer, D. 2001, *Journal of Molecular Spectroscopy*, 205, 185
- Christen, D., Coudert, L. H., Suenram, R. D., & Lovas, F. J. 1995, *Journal of Molecular Spectroscopy*, 172, 57
- Christen, D. & Müller, H. S. P. 2003, *Physical Chemistry Chemical Physics (Incorporating Faraday Transactions)*, 5, 3600
- Chuang, K. J., Fedoseev, G., Qasim, D., et al. 2020, *A&A*, 635, A199
- Chuang, K. J., Fedoseev, G., Scire, C., et al. 2021, *A&A*, 650, A85
- Chuang, K. J., Jäger, C., Krasnokutski, S. A., Fulvio, D., & Henning, T. 2022, *ApJ*, 933, 107
- Coletta, A., Fontani, F., Rivilla, V. M., et al. 2020, *A&A*, 641, A54
- Collings, M. P., Anderson, M. A., Chen, R., et al. 2004, *MNRAS*, 354, 1133
- Coudert, L. H., Margulès, L., Vastel, C., et al. 2019, *A&A*, 624, A70
- Coutens, A., Jørgensen, J. K., van der Wiel, M. H. D., et al. 2016, *A&A*, 590, L6
- Coutens, A., Loison, J. C., Boulanger, A., et al. 2022, *A&A*, 660, L6
- Creswell, R. A. & Schwendeman, R. H. 1974, *Chemical Physics Letters*, 27, 521
- Creswell, R. A., Winnemisser, G., & Gerry, M. C. L. 1977, *Journal of Molecular Spectroscopy*, 65, 420
- Dangoisse, D., Willemot, E., & Bellet, J. 1978, *Journal of Molecular Spectroscopy*, 71, 414
- De Simone, M., Ceccarelli, C., Codella, C., et al. 2020, *ApJ*, 896, L3
- de Zafra, R. L. 1971, *Astrophysical Journal*, vol. 170, p. 165, 170, 165
- Dickens, J. E., Irvine, W. M., Ohishi, M., et al. 1997, *ApJ*, 489, 753
- Drozdovskaya, M. N., Coudert, L. H., Margulès, L., et al. 2022, *A&A*, 659, A69
- Drozdovskaya, M. N., van Dishoeck, E. F., Jørgensen, J. K., et al. 2018, *MNRAS*, 476, 4949
- Drozdovskaya, M. N., van Dishoeck, E. F., Rubin, M., Jørgensen, J. K., & Al-twegg, K. 2019, *MNRAS*, 490, 50
- Durig, J. R., Bucy, W. E., Wurrey, C. J., & Carreira, L. A. 1975, *The Journal of Physical Chemistry*, 79, 988
- Endres, C. P., Drouin, B. J., Pearson, J. C., et al. 2009, *A&A*, 504, 635
- Fedoseev, G., Chuang, K. J., Ioppolo, S., et al. 2017, *ApJ*, 842, 52
- Fedoseev, G., Cuppen, H. M., Ioppolo, S., Lamberts, T., & Linnartz, H. 2015, *MNRAS*, 448, 1288
- Fedoseev, G., Qasim, D., Chuang, K.-J., et al. 2022, *ApJ*, 924, 110
- Ferrer Asensio, J., Spezzano, S., Coudert, L. H., et al. 2023, *A&A*, 670, A177
- Fukuyama, Y., Odashima, H., Takagi, K., & Tsunekawa, S. 1996, *ApJS*, 104, 329
- Garrod, R. T., Jin, M., Matis, K. A., et al. 2022, *ApJS*, 259, 1
- Gratier, P., Majumdar, L., Ohishi, M., et al. 2016, *ApJS*, 225, 25
- Groner, P., Albert, S., Herbst, E., et al. 2002, *ApJS*, 142, 145
- Haykal, I., Motiyenko, R. A., Margulès, L., & Huet, T. R. 2013, *A&A*, 549, A96
- Herbst, E. & van Dishoeck, E. F. 2009, *ARA&A*, 47, 427
- Hirose, C. 1974, *ApJ*, 189, L145
- Hirota, E., Sugisaki, R., Nielsen, C. J., & Sørensen, G. O. 1974, *Journal of Molecular Spectroscopy*, 49, 251
- Hsu, S.-Y., Liu, S.-Y., Liu, T., et al. 2022, *ApJ*, 927, 218
- Ikeda, M., Ohishi, M., Nummelin, A., et al. 2001, *ApJ*, 560, 792
- Ilyushin, V., Kryvda, A., & Alekseev, E. 2009, *Journal of Molecular Spectroscopy*, 255, 32
- Ilyushin, V. V., Endres, C. P., Lewen, F., Schlemmer, S., & Drouin, B. J. 2013, *Journal of Molecular Spectroscopy*, 290, 31
- Ilyushin, V. V., Müller, H. S. P., Jørgensen, J. K., et al. 2022, *A&A*, 658, A127
- Ioppolo, S., Fedoseev, G., Chuang, K. J., et al. 2021, *Nature Astronomy*, 5, 197
- Jaber, A. A., Ceccarelli, C., Kahane, C., & Caux, E. 2014, *ApJ*, 791, 29
- Jacobsen, S. K., Jørgensen, J. K., van der Wiel, M. H. D., et al. 2018, *A&A*, 612, A72
- Jiménez-Serra, I., Martín-Pintado, J., Rivilla, V. M., et al. 2020, *Astrobiology*, 20, 1048
- Jiménez-Serra, I., Rodríguez-Almeida, L. F., Martín-Pintado, J., et al. 2022, *A&A*, 663, A181
- Jiménez-Serra, I., Vasyunin, A. I., Caselli, P., et al. 2016, *ApJ*, 830, L6
- Jones, B. M., Bennett, C. J., & Kaiser, R. I. 2011, *ApJ*, 734, 78
- Jørgensen, J. K., Belloche, A., & Garrod, R. T. 2020, *ARA&A*, 58, 727
- Jørgensen, J. K., Bourke, T. L., Nguyen Luong, Q., & Takakuwa, S. 2011, *A&A*, 534, A100
- Jørgensen, J. K., Favre, C., Bisschop, S. E., et al. 2012, *ApJ*, 757, L4
- Jørgensen, J. K., Müller, H. S. P., Calcutt, H., et al. 2018, *A&A*, 620, A170
- Jørgensen, J. K., Schöier, F. L., & van Dishoeck, E. F. 2002, *A&A*, 389, 908
- Jørgensen, J. K., van der Wiel, M. H. D., Coutens, A., et al. 2016, *A&A*, 595, A117
- Kahane, C., Ceccarelli, C., Faure, A., & Caux, E. 2013, *ApJ*, 763, L38
- Kleiner, I., Lovas, F. J., & Godefroid, M. 1996, *Journal of Physical and Chemical Reference Data*, 25, 1113
- Kryvda, A. V., Gerasimov, V. G., Dyubko, S. F., Alekseev, E. A., & Motiyenko, R. A. 2009, *Journal of Molecular Spectroscopy*, 254, 28
- Kukolich, S. G. & Nelson, A. C. 1971, *Chemical Physics Letters*, 11, 383
- Lauvergnat, D., Coudert, L. H., Klee, S., & Smirnov, M. 2009, *Journal of Molecular Spectroscopy*, 256, 204
- Ligterink, N. F. W., Ahmadi, A., Coutens, A., et al. 2021, *A&A*, 647, A87
- Ligterink, N. F. W., El-Abd, S. J., Brogan, C. L., et al. 2020, *ApJ*, 901, 37
- Ligterink, N. F. W. & Minissale, M. 2023, arXiv e-prints, arXiv:2306.09071
- López-Sepulcre, A., Sakai, N., Neri, R., et al. 2017, *A&A*, 606, A121
- Lykke, J. M., Coutens, A., Jørgensen, J. K., et al. 2017, *A&A*, 597, A53
- Mallinson, P. & Fayt, A. 1976, *Molecular Physics*, 32, 473
- Manigand, S., Calcutt, H., Jørgensen, J. K., et al. 2019, *A&A*, 623, A69
- Manigand, S., Coutens, A., Loison, J. C., et al. 2021, *A&A*, 645, A53
- Manigand, S., Jørgensen, J. K., Calcutt, H., et al. 2020, *A&A*, 635, A48
- Margulès, L., Coutens, A., Ligterink, N. F. W., et al. 2023, *MNRAS*, 524, 1211
- Margulès, L., McGuire, B. A., Senent, M. L., et al. 2017, *A&A*, 601, A50
- Margulès, L., Motiyenko, R. A., Ilyushin, V. V., & Guillemin, J. C. 2015, *A&A*, 579, A46
- Maureira, M. J., Pineda, J. E., Segura-Cox, D. M., et al. 2020, *ApJ*, 897, 59
- McClure, M. K., Rocha, W. R. M., Pontoppidan, K. M., et al. 2023, *Nature Astronomy*, 7, 431
- McGuire, B. A. 2022, *ApJS*, 259, 30
- McGuire, B. A., Burkhardt, A. M., Loomis, R. A., et al. 2020, *ApJ*, 900, L10
- McGuire, B. A., Loomis, R. A., Burkhardt, A. M., et al. 2021, *Science*, 371, 1265
- McMullin, J. P., Waters, B., Schiebel, D., Young, W., & Golap, K. 2007, in *Astronomical Society of the Pacific Conference Series*, Vol. 376, *Astronomical Data Analysis Software and Systems XVI*, ed. R. A. Shaw, F. Hill, & D. J. Bell, 127
- McNaughton, D., Jahn, M. K., Travers, M. J., et al. 2018, *MNRAS*, 476, 5268
- Medcraft, C., Thompson, C. D., Robertson, E. G., Appadoo, D. R. T., & McNaughton, D. 2012, *ApJ*, 753, 18
- Milam, S. N., Savage, C., Brewster, M. A., Ziurys, L. M., & Wyckoff, S. 2005, *ApJ*, 634, 1126
- Minissale, M., Aikawa, Y., Bergin, E., et al. 2022, *ACS Earth and Space Chemistry*, 6, 597
- Motiyenko, R. A., Tercero, B., Cernicharo, J., & Margulès, L. 2012, *A&A*, 548, A71
- Müller, H. S. P., Belloche, A., Xu, L.-H., et al. 2016, *A&A*, 587, A92
- Müller, H. S. P. & Christen, D. 2004, *Journal of Molecular Spectroscopy*, 228, 298
- Müller, H. S. P., Jørgensen, J. K., Guillemin, J.-C., Lewen, F., & Schlemmer, S. 2023a, *MNRAS*, 518, 185
- Müller, H. S. P., Jørgensen, J. K., Guillemin, J.-C., Lewen, F., & Schlemmer, S. 2023b, *Journal of Molecular Spectroscopy*, 394, 111777
- Müller, H. S. P., Schlöder, F., Stutzki, J., & Winnemisser, G. 2005, *Journal of Molecular Structure*, 742, 215
- Müller, H. S. P., Thorwirth, S., Roth, D. A., & Winnemisser, G. 2001, *A&A*, 370, L49
- Murillo, N. M., Hsieh, T. H., & Walsh, C. 2022a, *A&A*, 665, A68
- Murillo, N. M., van Dishoeck, E. F., Hacer, A., Harsono, D., & Jørgensen, J. K. 2022b, *A&A*, 658, A53
- Nazari, P., Meijerhof, J. D., van Gelder, M. L., et al. 2022a, *A&A*, 668, A109
- Nazari, P., Tabone, B., & Rosotti, G. P. 2023a, *A&A*, 671, A107
- Nazari, P., Tabone, B., Rosotti, G. P., & van Dishoeck, E. F. 2023b, Submitted to *A&A*
- Nazari, P., Tabone, B., Rosotti, G. P., et al. 2022b, *A&A*, 663, A58
- Nazari, P., Tabone, B., van 't Hoff, M. L. R., Jørgensen, J. K., & van Dishoeck, E. F. 2023c, arXiv e-prints, arXiv:2306.11778
- Nazari, P., van Gelder, M. L., van Dishoeck, E. F., et al. 2021, *A&A*, 650, A150
- Nummelin, A., Dickens, J. E., Bergman, P., et al. 1998, *A&A*, 337, 275
- Öberg, K. I., Boogert, A. C. A., Pontoppidan, K. M., et al. 2011, *ApJ*, 740, 109
- Öberg, K. I., Garrod, R. T., van Dishoeck, E. F., & Linnartz, H. 2009, *A&A*, 504, 891
- Öberg, K. I., Guzmán, V. V., Furuya, K., et al. 2015, *Nature*, 520, 198
- Ordu, M. H., Zingsheim, O., Belloche, A., et al. 2019, *A&A*, 629, A72
- Pearson, J. C., Brauer, C. S., & Drouin, B. J. 2008, *Journal of Molecular Spectroscopy*, 251, 394
- Pearson, J. C., Sastry, K. V. L. N., Herbst, E., & De Lucia, F. C. 1994, *ApJS*, 93, 589
- Pearson, J. C., Yu, S., & Drouin, B. J. 2012, *Journal of Molecular Spectroscopy*, 280, 119
- Perrin, A., Flaud, J. M., Bakri, B., et al. 2002, *Journal of Molecular Spectroscopy*, 216, 203
- Persson, M. V., Harsono, D., Tobin, J. J., et al. 2016, *A&A*, 590, A33
- Persson, M. V., Jørgensen, J. K., Müller, H. S. P., et al. 2018, *A&A*, 610, A54
- Pickett, H. M., Poynter, R. L., Cohen, E. A., et al. 1998, *J. Quant. Spectr. Rad. Transf.*, 60, 883
- Qasim, D., Fedoseev, G., Chuang, K. J., et al. 2019a, *A&A*, 627, A1
- Qasim, D., Fedoseev, G., Lamberts, T., et al. 2019b, *ACS Earth and Space Chemistry*, 3, 986
- Requena-Torres, M. A., Martín-Pintado, J., Martín, S., & Morris, M. R. 2008, *ApJ*, 672, 352

- Requena-Torres, M. A., Martín-Pintado, J., Rodríguez-Franco, A., et al. 2006, *A&A*, 455, 971
- Rivilla, V. M., Beltrán, M. T., Cesaroni, R., et al. 2017, *A&A*, 598, A59
- Rivilla, V. M., Jiménez-Serra, I., Martín-Pintado, J., et al. 2021, *Proceedings of the National Academy of Science*, 118, e2101314118
- Rivilla, V. M., Jiménez-Serra, I., Martín-Pintado, J., et al. 2022, *Frontiers in Astronomy and Space Sciences*, 9, 876870
- Rocha, W. R. M., Rachid, M. G., Olsthoorn, B., et al. 2022, *A&A*, 668, A63
- Rodríguez-Almeida, L. F., Jiménez-Serra, I., Rivilla, V. M., et al. 2021, *ApJ*, 912, L11
- Sánchez-Monge, Á., Schilke, P., Ginsburg, A., Cesaroni, R., & Schmiedeke, A. 2018, *A&A*, 609, A101
- Schutte, W. A., Boogert, A. C. A., Tielens, A. G. G. M., et al. 1999, *A&A*, 343, 966
- Scibelli, S. & Shirley, Y. 2020, *ApJ*, 891, 73
- Taniguchi, K., Sanhueza, P., Olguin, F. A., et al. 2023, *ApJ*, 950, 57
- Taquet, V., van Dishoeck, E. F., Swayne, M., et al. 2018, *A&A*, 618, A11
- Theulé, P., Duvernay, F., Danger, G., et al. 2013, *Advances in Space Research*, 52, 1567
- Thorwirth, S., Müller, H. S. P., & Winnewisser, G. 2000, *Journal of Molecular Spectroscopy*, 204, 133
- van Dishoeck, E. F., Blake, G. A., Jansen, D. J., & Groesbeck, T. D. 1995, *ApJ*, 447, 760
- van Gelder, M. L., Jaspers, J., Nazari, P., et al. 2022a, *A&A*, 667, A136
- van Gelder, M. L., Nazari, P., Tabone, B., et al. 2022b, *A&A*, 662, A67
- van Gelder, M. L., Tabone, B., Tychoniec, Ł., et al. 2020, *A&A*, 639, A87
- Vastel, C., Bottinelli, S., Caux, E., Glorian, J. M., & Boiziot, M. 2015, in *SF2A-2015: Proceedings of the Annual meeting of the French Society of Astronomy and Astrophysics*, 313–316
- Vazart, F., Ceccarelli, C., Balucani, N., Bianchi, E., & Skouteris, D. 2020, *MNRAS*, 499, 5547
- Walsh, C., Loomis, R. A., Öberg, K. I., et al. 2016, *ApJ*, 823, L10
- Walters, A., Schäfer, M., Ordu, M. H., et al. 2015, *Journal of Molecular Spectroscopy*, 314, 6
- Winnewisser, M., Winnewisser, B. P., Stein, M., et al. 2002, *Journal of Molecular Spectroscopy*, 216, 259
- Wooten, A. 1989, *ApJ*, 337, 858
- Xu, L.-H. & Lovas, F. J. 1997, *Journal of Physical and Chemical Reference Data*, 26, 17
- Yamada, K. M. T., Moravec, A., & Winnewisser, G. 1995, *Zeitschrift Naturforschung Teil A*, 50, 1179
- Yang, Y.-L., Green, J. D., Pontoppidan, K. M., et al. 2022, *ApJ*, 941, L13
- Yang, Y.-L., Sakai, N., Zhang, Y., et al. 2021, *ApJ*, 910, 20
- Zakharenko, O., Ilyushin, V. V., Lewen, F., et al. 2019, *A&A*, 629, A73
- Zeng, S., Quénard, D., Jiménez-Serra, I., et al. 2019, *MNRAS*, 484, L43
- Zeng, S., Rivilla, V. M., Jiménez-Serra, I., et al. 2023, *MNRAS*, 523, 1448

Table A.1: Spectroscopic information

| Name                 | Species                                 | Catalog    | References                                                                             |
|----------------------|-----------------------------------------|------------|----------------------------------------------------------------------------------------|
| Methanol             | $^{13}\text{CH}_3\text{OH}$             | CDMS       | Xu & Lovas (1997)                                                                      |
| Methanol             | $\text{CH}_2\text{DOH}$                 | JPL        | Pearson et al. (2012)                                                                  |
| Methanol             | $\text{CHD}_2\text{OH}$                 | CDMS       | Drozdzovskaya et al. (2022)                                                            |
| Methanol             | $\text{CD}_3\text{OH}$                  | CDMS       | Ilyushin et al. (2022)                                                                 |
| Acetaldehyde         | $\text{CH}_3\text{CHO}$                 | JPL        | Kleiner et al. (1996)                                                                  |
| Acetaldehyde         | $^{13}\text{CH}_3\text{CHO}$            | CDMS       | Margulès et al. (2015)                                                                 |
| Acetaldehyde         | $\text{CH}_2\text{DCHO}$                | CDMS       | Coudert et al. (2019)                                                                  |
| Acetaldehyde         | $\text{CH}_3\text{CDO}$                 | CDMS       | Coudert et al. (2019)                                                                  |
| Acetaldehyde         | $\text{CHD}_2\text{CHO}$                | JPL format | Ferrer Asensio et al. (2023)                                                           |
| Acetic acid          | $\text{CH}_3\text{COOH}$                | CDMS       | Ilyushin et al. (2013)                                                                 |
| Glycolaldehyde       | $\text{CH}_2\text{OHCHO}$               | CDMS       | Müller 2021, unpublished                                                               |
| Glycolaldehyde       | $^{13}\text{CH}_2\text{OHCHO}$          | CDMS       | Haykal et al. (2013)                                                                   |
| Glycolaldehyde       | $\text{CHDOHCHO}$                       | CDMS       | Bouchez et al. (2012)                                                                  |
| Ethanol              | $\text{CH}_3\text{CH}_2\text{OH}$       | CDMS       | Pearson et al. (2008); Müller et al. (2016)                                            |
| Ethanol              | a-a- $\text{CH}_2\text{DCH}_2\text{OH}$ | CDMS       | Walters et al. (2015)                                                                  |
| Ethanol              | a- $\text{CH}_3\text{CHDOH}$            | CDMS       | Walters et al. (2015)                                                                  |
| Dimethyl ether       | $\text{CH}_3\text{OCH}_3$               | CDMS       | Endres et al. (2009)                                                                   |
| Methyl formate       | $\text{CH}_3\text{OCHO}$                | JPL        | Ilyushin et al. (2009)                                                                 |
| aGg'-ethylene glycol | aGg'-( $\text{CH}_2\text{OH}$ ) $_2$    | CDMS       | Christen et al. (1995); Christen & Müller (2003)                                       |
| gGg'-ethylene glycol | gGg'-( $\text{CH}_2\text{OH}$ ) $_2$    | CDMS       | Christen et al. (2001); Müller & Christen (2004)                                       |
| Formaldehyde         | $\text{D}_2\text{CO}$                   | CDMS       | Dangoisse et al. (1978); Bocquet et al. (1999)                                         |
| Cyanoacetylene       | $\text{HCCCN}$                          | CDMS       | de Zafra (1971); Creswell et al. (1977); Yamada et al. (1995); Thorwirth et al. (2000) |
| Ethyl cyanide        | $\text{CH}_3\text{CH}_2\text{CN}$       | CDMS       | Pearson et al. 1994; Fukuyama et al. 1996; Brauer et al. 2009                          |
| Formamide            | $\text{NH}_2\text{CHO}$                 | CDMS       | Kukulich & Nelson 1971; Hirota et al. 1974; Kryvda et al. 2009; Motiyenko et al. 2012  |
| Acetone              | $\text{CH}_3\text{COCH}_3$              | JPL        | Groner et al. (2002); Ordu et al. (2019)                                               |
| Formic acid          | t- $\text{HCOOH}$                       | CDMS       | Winnewisser et al. (2002)                                                              |
| Ethylene oxide       | c- $\text{C}_2\text{H}_4\text{O}$       | CDMS       | Creswell & Schwendeman (1974); Hirose (1974); Medcraft et al. (2012)                   |
| Ethylene oxide       | c- $\text{C}_2\text{H}_3\text{DO}$      | CDMS       | Müller et al. (2023a)                                                                  |
| Methanethiol         | $\text{CH}_3\text{SH}$                  | CDMS       | Zakharenko et al. (2019)                                                               |
| Glycolonitrile       | $\text{HOCH}_2\text{CN}$                | CDMS       | Margulès et al. (2017)                                                                 |

**Notes.** For acetone, we use a corrected entry (Ordu et al. 2019) for the apparent issues seen in Lykke et al. (2017).

## Appendix A: Spectroscopic data

The spectroscopic information are summarized in Table A.1. The vibrational correction factor is assumed as 1 for all molecules except for the following species. Vibrational correction factor of 1.457 is used for  $\text{CH}_2\text{DOH}$  at a temperature of 300 K (Lauvergnat et al. 2009; Jørgensen et al. 2018). For  $\text{CH}_2\text{OHCHO}$ , a factor of 2.86 is adopted at 300K to take into account the higher (than ground state) vibrational states which are calculated in the harmonic approximation. For  $^{13}\text{CH}_2\text{OHCHO}$  and  $\text{CHDOHCHO}$  a vibrational factor of 2.8 is used at a temperature of 300 K (Jørgensen et al. 2016). An upper limit vibrational factor of 2.824 at 300 K (Durig et al. 1975; Jørgensen et al. 2018) is assumed for a-a- $\text{CH}_2\text{DCH}_2\text{OH}$  and a- $\text{CH}_3\text{CHDOH}$ . Moreover, following Jørgensen et al. (2018), we multiply the column densities of these two species by an additional factor of  $\sim 2.69$  to account for the presence of the gauche conformer. We assume a vibration correction factor of 4.02 for aGg-( $\text{CH}_2\text{OH}$ ) $_2$  and gGg-( $\text{CH}_2\text{OH}$ ) $_2$  and add an additional factor of  $\sim 1.38$  to include the contribution from the higher gGg conformer at 300 K (Müller & Christen 2004; Jørgensen et al. 2016). A vibrational correction factor of 1.09 at 100 K is used for  $\text{HCCCN}$  (Mallinson & Fayt 1976; Calcutt et al. 2018b). For  $\text{CH}_3\text{CH}_2\text{CN}$  a vibrational correction factor of 1.113 is assumed at 100 K. A vibrational correction factor of 1.5 is assumed for  $\text{NH}_2\text{CHO}$  at 300 K. For t- $\text{HCOOH}$  a vibrational correction factor of 1.103 at 300 K is assumed (Perrin et al. 2002; Baskakov et al. 2006; Jørgensen et al. 2018).

## Appendix B: Additional plots and tables

Figure B.1 presents the fitted models of each molecule to the Band 3 data, highlighting a number of lines yet to be determined.

Figures B.2 and B.3 present the transitions of Ga-n-propanol and G'Gg'gg'-Glycerol with the models determining their upper limits in orange. The total fit to the detected and tentatively molecules is also shown in cyan. Figure B.4 presents the excitation temperatures when a measurement was possible for Band 3 results (PILS temperatures are shown for comparison). Figure B.5 shows the comparison of Band 3 and Band 7 beams on top of a two-dimensional Gaussian distribution representing the spatial extents of COMs (e.g., see Jørgensen et al. 2016). This is done to examine the difference between the mean flux in the two beams which is around 10%. Table B.1 shows the upper limits found for the molecules searched for but not detected. Table B.2 presents the covered transitions of the (tentatively) detected molecules in the data.




Fig. B.1: The fitted model for each molecule; on top of the Band 3 data in gray. For readability the y-axis limit is set to 5 K, however, no line is overestimated except those of methanol and one line of  $\text{aGg}'-(\text{CH}_2\text{OH})_2$ , which are potentially optically thick. The lines that have an intensity higher than 2 K (i.e., detected at a  $\geq 7 - 10\sigma$  level), but are not identified are indicated by an 'X'.




Fig. B.1: Continued




Fig. B.1: Continued




Fig. B.2: Lines of Ga-n-propanol and the model for its upper limit ( $6 \times 10^{15} \text{ cm}^{-2}$ ) in red. The symbols are the same as Fig. 3.




Fig. B.3: Lines of G'Gg'gg'-Glycerol and the model for its upper limit ( $7 \times 10^{15} \text{ cm}^{-2}$ ) in red. The symbols are the same as Fig. 3.




Fig. B.4: Excitation temperatures for molecules where a determination was possible. The species are ordered by their binding energies taken from [Minissale et al. \(2022\)](#) and [Ligterink & Minissale \(2023\)](#). The binding energy of the isotopologues is assumed to be the same as the major isotopologue. Band 3 results are shown in blue and Band 7 (PILS) in pink. PILS results with a fixed temperature are not shown. The temperatures for molecules from [Jørgensen et al. \(2018\)](#) are shown with either  $300 \pm 60 \text{ K}$  or  $125 \pm 25 \text{ K}$  depending on the group they were associated with.




Fig. B.5: A two-dimensional Gaussian function with a total integration of one and a FWHM of  $0.5''$  (color scale). This is assumed as a typical emission distribution for COMs based on the results of PILS (e.g., [Jørgensen et al. 2016](#)). Two circular regions with radii of  $0.25''$  and  $0.5''$  are over plotted representing beams of PILS (white) and Band 3 (black), respectively. The crosses show the peak position,  $0.25''$ , and  $0.5''$  offset positions.

Table B.1: Upper limits of non-detections

| Name                        | Molecular formula                                   | Upper limit (cm <sup>-2</sup> ) |
|-----------------------------|-----------------------------------------------------|---------------------------------|
| Methanol                    | CH <sub>3</sub> <sup>18</sup> OH                    | <5.0 × 10 <sup>17</sup>         |
| Formamide                   | NH <sub>2</sub> CDO                                 | <2.0 × 10 <sup>15</sup>         |
| Formamide                   | NH <sub>2</sub> <sup>13</sup> CHO                   | <1.2 × 10 <sup>16</sup>         |
| Formamide                   | cis-NHDCHO                                          | <2.5 × 10 <sup>15</sup>         |
| Formamide                   | trans-NHDCHO                                        | <5.0 × 10 <sup>15</sup>         |
| Formamide                   | NH <sub>2</sub> CHO( $\nu_{12} = 1$ )               | <5.0 × 10 <sup>17</sup>         |
| Z-cyanomethanimine          | Z-HNCHCN                                            | <5.5 × 10 <sup>15</sup>         |
| Methanethiol                | <sup>13</sup> CH <sub>3</sub> SH                    | <7.0 × 10 <sup>15</sup>         |
| Cyanodiacetylene            | HC <sub>5</sub> N                                   | <2.0 × 10 <sup>13</sup>         |
| Ethylene oxide              | c-CD <sub>2</sub> CH <sub>2</sub> O                 | <6.0 × 10 <sup>14</sup>         |
| Acetaldehyde                | CH <sub>3</sub> <sup>13</sup> CHO                   | <6.0 × 10 <sup>15</sup>         |
| Vinyl cyanide               | C <sub>2</sub> H <sub>3</sub> CN                    | <4.0 × 10 <sup>15</sup>         |
| Glycolaldehyde              | CH <sub>2</sub> OHCHO                               | <1.0 × 10 <sup>15</sup>         |
| Glycolaldehyde              | CH <sub>2</sub> ODCHO                               | <5.0 × 10 <sup>14</sup>         |
| Glycolaldehyde              | CH <sub>2</sub> OH <sup>13</sup> CHO                | <1.5 × 10 <sup>15</sup>         |
| Methyl formate              | CH <sub>3</sub> O <sup>13</sup> CHO                 | <7.0 × 10 <sup>15</sup>         |
| Propargyl cyanide           | HCCCH <sub>2</sub> CN                               | <7.0 × 10 <sup>14</sup>         |
| Propenal                    | C <sub>2</sub> H <sub>3</sub> CHO                   | <1.5 × 10 <sup>14</sup>         |
| Protonated cyanodiacetylene | HC <sub>5</sub> NH <sup>+</sup>                     | <1.5 × 10 <sup>13</sup>         |
| Urea                        | H <sub>2</sub> NCONH <sub>2</sub>                   | <1.5 × 10 <sup>14</sup>         |
| Ethanol                     | a- <sup>13</sup> CH <sub>3</sub> CH <sub>2</sub> OH | <8.0 × 10 <sup>14</sup>         |
| Ethanol                     | a-CH <sub>3</sub> <sup>13</sup> CH <sub>2</sub> OH  | <1.5 × 10 <sup>18</sup>         |
| Ethanol                     | a-CH <sub>3</sub> CH <sub>2</sub> OD                | <1.0 × 10 <sup>15</sup>         |
| Ethanol                     | a-s-CH <sub>2</sub> DCH <sub>2</sub> OH             | <3.0 × 10 <sup>15</sup>         |
| Gauche-ethyl mercaptan      | g-C <sub>2</sub> H <sub>5</sub> SH                  | <1.0 × 10 <sup>15</sup>         |
| Methoxymethanol             | CH <sub>3</sub> OCH <sub>2</sub> OH                 | <4.0 × 10 <sup>17</sup>         |
| s-propanal                  | s-C <sub>2</sub> H <sub>5</sub> CHO                 | <1.5 × 10 <sup>15</sup>         |
| g-propanal                  | g-C <sub>2</sub> H <sub>5</sub> CHO                 | <3.5 × 10 <sup>17</sup>         |
| Cyclopentadiene             | c-C <sub>5</sub> H <sub>6</sub>                     | <5.0 × 10 <sup>16</sup>         |
| Ethanolamine                | NH <sub>2</sub> CH <sub>2</sub> CH <sub>2</sub> OH  | <6.0 × 10 <sup>14</sup>         |
| Ga-n-propanol               | Ga-n-C <sub>3</sub> H <sub>7</sub> OH               | <6.0 × 10 <sup>15</sup>         |
| Glyceraldehyde              | HCOCHOHCH <sub>2</sub> OH                           | <8.0 × 10 <sup>15</sup>         |
| g-Isopropanol               | g-i-C <sub>3</sub> H <sub>7</sub> OH                | <1.5 × 10 <sup>16</sup>         |
| a-Isopropanol               | a-i-C <sub>3</sub> H <sub>7</sub> OH                | <2.0 × 10 <sup>16</sup>         |
| Benzonitrile                | c-C <sub>6</sub> H <sub>5</sub> CN                  | <1.0 × 10 <sup>14</sup>         |
| Benzaldehyde                | c-C <sub>6</sub> H <sub>5</sub> CHO                 | <7.0 × 10 <sup>14</sup>         |
| GGag'g'-Glycerol            | GGag'g'-HOCH <sub>2</sub> CH(OH)CH <sub>2</sub> OH  | <8.0 × 10 <sup>14</sup>         |
| G'Gg'gg'-Glycerol           | G'Gg'gg'-HOCH <sub>2</sub> CH(OH)CH <sub>2</sub> OH | <7.0 × 10 <sup>15</sup>         |
| Indene                      | c-C <sub>9</sub> H <sub>8</sub>                     | <1.0 × 10 <sup>16</sup>         |
| 1-cyanonaphthalene          | 1-C <sub>10</sub> H <sub>7</sub> CN                 | <1.0 × 10 <sup>14</sup>         |
| 2-cyanonaphthalene          | 2-C <sub>10</sub> H <sub>7</sub> CN                 | <2.0 × 10 <sup>14</sup>         |

**Notes.** Upper limits on column densities toward the 0.5'' offset position from source B in a ~1'' beam. If a source size of 0.5'' was assumed, these values would increase by a factor of ~5. The upper limits are measured by fixing  $T_{\text{ex}}$  to 100 K and FWHM to 2 km s<sup>-1</sup>. Vibrational correction factors are not included in these values.

Table B.2: Transitions of the species studied here in the data that have  $E_{\text{up}} < 1000$  K and  $A_{ij} > 10^{-9} \text{ s}^{-1}$  (not all are detected).

| Species                          | Transition<br>J K L M   | Frequency<br>(MHz) | $A_{ij}$<br>( $\text{s}^{-1}$ ) | $E_{\text{up}}$<br>(K) |
|----------------------------------|-------------------------|--------------------|---------------------------------|------------------------|
| CH <sub>3</sub> OH               | 20 3 18 5 - 19 2 18 5   | 90 813.078         | $2.80 \times 10^{-6}$           | 808.3                  |
|                                  | 20 2 18 2 - 20 2 19 1   | 91 254.751         | $5.29 \times 10^{-8}$           | 514.3                  |
|                                  | 1 0 1 4 - 2 1 2 4       | 93 196.672         | $4.19 \times 10^{-6}$           | 302.9                  |
|                                  | 12 3 10 1 - 13 0 13 1   | 103 325.252        | $1.81 \times 10^{-8}$           | 228.8                  |
|                                  | 12 2 10 2 - 12 1 11 1   | 103 381.258        | $3.98 \times 10^{-7}$           | 207.1                  |
| <sup>13</sup> CH <sub>3</sub> OH | 18 -4 15 0 - 17 -5 12 0 | 90 862.42          | $1.17 \times 10^{-6}$           | 475.4                  |
|                                  | 8 -2 7 0 - 8 1 7 0      | 103 399.296        | $6.15 \times 10^{-8}$           | 107.6                  |
| CH <sub>2</sub> DOH              | 22 3 19 0 - 21 4 17 2   | 90 762.771         | $5.43 \times 10^{-8}$           | 580.9                  |
|                                  | 2 1 1 0 - 1 1 0 0       | 90 779.841         | $1.57 \times 10^{-6}$           | 10.6                   |
|                                  | 25 0 25 1 - 24 3 21 2   | 91 043.068         | $2.77 \times 10^{-7}$           | 702.0                  |
|                                  | 9 1 8 1 - 9 0 9 1       | 91 179.518         | $2.06 \times 10^{-6}$           | 113.9                  |
|                                  | 29 2 28 1 - 28 4 24 2   | 91 392.257         | $1.91 \times 10^{-8}$           | 955.2                  |
|                                  | 28 3 25 0 - 28 3 26 0   | 91 395.302         | $9.47 \times 10^{-8}$           | 911.8                  |
|                                  | 18 4 14 0 - 17 5 13 0   | 93 190.407         | $1.27 \times 10^{-6}$           | 430.1                  |
|                                  | 26 1 25 1 - 25 4 22 1   | 93 193.888         | $2.35 \times 10^{-9}$           | 772.1                  |
|                                  | 18 6 12 2 - 18 6 12 1   | 103 347.889        | $1.51 \times 10^{-9}$           | 522.9                  |
|                                  | 18 6 13 2 - 18 6 13 1   | 103 347.925        | $1.51 \times 10^{-9}$           | 522.9                  |
| CHD <sub>2</sub> OH              | 10 3 2 1 - 11 0 2 1     | 90 701.939         | $5.61 \times 10^{-8}$           | 144.1                  |
|                                  | 20 4 1 1 - 20 4 2 0     | 90 717.394         | $1.02 \times 10^{-9}$           | 474.9                  |
|                                  | 18 4 2 0 - 18 3 1 2     | 90 737.495         | $7.34 \times 10^{-7}$           | 392.4                  |
|                                  | 10 4 2 1 - 11 3 2 0     | 90 756.808         | $4.52 \times 10^{-7}$           | 165.0                  |
|                                  | 10 2 1 2 - 9 3 1 2      | 90 757.511         | $5.45 \times 10^{-7}$           | 141.1                  |
|                                  | 2 1 1 2 - 3 1 1 1       | 90 767.952         | $1.35 \times 10^{-9}$           | 27.7                   |
|                                  | 8 2 1 0 - 8 0 2 1       | 90 863.187         | $3.73 \times 10^{-9}$           | 84.9                   |
|                                  | 6 2 1 2 - 7 2 1 0       | 90 945.187         | $1.94 \times 10^{-9}$           | 73.2                   |
|                                  | 12 0 1 2 - 12 2 2 0     | 90 972.887         | $6.69 \times 10^{-9}$           | 173.9                  |
|                                  | 10 4 1 1 - 11 3 1 0     | 91 059.907         | $4.61 \times 10^{-7}$           | 165.0                  |
|                                  | 22 5 1 0 - 21 6 1 1     | 91 083.326         | $3.39 \times 10^{-7}$           | 583.4                  |
|                                  | 24 0 1 0 - 23 3 1 1     | 91 110.901         | $1.39 \times 10^{-8}$           | 590.9                  |
|                                  | 18 10 1 0 - 19 9 1 2    | 91 193.289         | $2.03 \times 10^{-7}$           | 647.5                  |
|                                  | 18 10 2 0 - 19 9 2 2    | 91 193.289         | $2.03 \times 10^{-7}$           | 647.5                  |
|                                  | 18 4 1 0 - 18 3 2 2     | 91 198.598         | $6.93 \times 10^{-7}$           | 392.4                  |
|                                  | 22 5 2 0 - 21 6 2 1     | 91 235.311         | $3.40 \times 10^{-7}$           | 583.5                  |
|                                  | 12 2 2 0 - 12 1 1 1     | 91 401.917         | $1.16 \times 10^{-7}$           | 169.5                  |
|                                  | 10 3 1 2 - 11 2 1 1     | 103 468.208        | $7.46 \times 10^{-7}$           | 156.7                  |
|                                  | 6 1 2 2 - 7 1 2 0       | 103 504.343        | $3.22 \times 10^{-9}$           | 63.3                   |
| CD <sub>3</sub> OH               | 10 4 6 1 - 11 3 8 1     | 103 298.627        | $1.47 \times 10^{-6}$           | 156.5                  |
| CH <sub>3</sub> CHO              | 25 3 23 3 - 26 0 26 3   | 90 618.941         | $2.12 \times 10^{-8}$           | 526.0                  |
|                                  | 7 3 5 4 - 8 2 7 4       | 90 622.765         | $5.86 \times 10^{-7}$           | 250.3                  |
|                                  | 4 2 3 1 - 5 0 5 2       | 90 636.495         | $3.21 \times 10^{-9}$           | 18.3                   |
|                                  | 34 4 30 8 - 35 2 34 7   | 90 670.793         | $8.13 \times 10^{-9}$           | 970.9                  |
|                                  | 11 1 10 2 - 11 0 11 2   | 90 682.574         | $3.14 \times 10^{-6}$           | 64.9                   |
|                                  | 28 5 23 3 - 29 3 26 3   | 90 723.537         | $1.86 \times 10^{-8}$           | 636.9                  |
|                                  | 31 2 29 0 - 32 0 32 0   | 90 730.219         | $2.82 \times 10^{-9}$           | 475.7                  |
|                                  | 13 2 11 6 - 14 1 14 6   | 90 731.485         | $6.83 \times 10^{-7}$           | 471.1                  |
|                                  | 37 4 33 5 - 37 4 34 4   | 90 737.826         | $3.52 \times 10^{-7}$           | 897.9                  |
|                                  | 21 6 15 5 - 22 5 17 5   | 90 743.918         | $6.78 \times 10^{-7}$           | 500.7                  |
|                                  | 35 4 32 4 - 36 2 35 4   | 90 746.919         | $3.37 \times 10^{-9}$           | 825.9                  |
|                                  | 29 3 27 4 - 29 2 27 5   | 90 791.888         | $1.23 \times 10^{-9}$           | 628.4                  |
|                                  | 21 2 19 6 - 22 1 22 6   | 90 856.686         | $3.05 \times 10^{-7}$           | 604.1                  |
|                                  | 9 0 9 5 - 8 1 7 5       | 90 868.634         | $2.84 \times 10^{-7}$           | 245.7                  |
|                                  | 28 2 26 2 - 27 4 23 2   | 90 905.459         | $2.57 \times 10^{-8}$           | 391.5                  |
|                                  | 5 0 5 8 - 4 0 4 8       | 90 910.33          | $2.42 \times 10^{-5}$           | 391.6                  |
|                                  | 24 4 20 8 - 24 4 21 7   | 90 999.685         | $4.68 \times 10^{-8}$           | 693.0                  |
|                                  | 40 5 36 0 - 41 2 39 0   | 91 005.733         | $6.98 \times 10^{-8}$           | 817.0                  |
|                                  | 17 2 16 3 - 16 3 13 3   | 91 095.085         | $5.97 \times 10^{-7}$           | 355.3                  |

Table B.2: continued.

| Species                           | Transition<br>J K L M   | Frequency<br>(MHz) | $A_{ij}$<br>(s <sup>-1</sup> ) | $E_{up}$<br>(K) |
|-----------------------------------|-------------------------|--------------------|--------------------------------|-----------------|
|                                   | 30 3 28 7 - 31 0 31 8   | 91 155.32          | $5.90 \times 10^{-9}$          | 829.2           |
|                                   | 11 1 10 0 - 11 0 11 0   | 91 188.823         | $3.22 \times 10^{-6}$          | 64.8            |
|                                   | 36 4 33 4 - 37 2 36 4   | 91 189.824         | $3.10 \times 10^{-9}$          | 859.3           |
|                                   | 34 4 31 4 - 35 2 34 4   | 91 213.789         | $3.73 \times 10^{-9}$          | 793.4           |
|                                   | 31 5 27 0 - 30 6 24 0   | 91 296.802         | $7.77 \times 10^{-7}$          | 516.1           |
|                                   | 20 1 19 8 - 19 3 17 7   | 93 202.965         | $6.38 \times 10^{-9}$          | 581.1           |
|                                   | 33 4 30 1 - 34 2 33 1   | 103 321.687        | $1.06 \times 10^{-8}$          | 556.4           |
|                                   | 5 2 4 7 - 4 1 3 8       | 103 326.134        | $2.76 \times 10^{-9}$          | 401.5           |
|                                   | 33 2 32 0 - 32 3 29 0   | 103 354.087        | $1.84 \times 10^{-7}$          | 520.8           |
|                                   | 34 4 31 1 - 35 2 34 1   | 103 378.41         | $1.03 \times 10^{-8}$          | 587.9           |
|                                   | 32 2 30 5 - 33 0 33 5   | 103 395.991        | $3.64 \times 10^{-9}$          | 711.1           |
|                                   | 36 5 32 1 - 37 3 35 1   | 103 429.039        | $1.42 \times 10^{-8}$          | 674.0           |
|                                   | 11 2 9 3 - 11 1 10 3    | 103 456.903        | $4.86 \times 10^{-6}$          | 275.9           |
|                                   | 30 8 23 3 - 31 7 24 3   | 103 489.605        | $9.90 \times 10^{-7}$          | 779.4           |
|                                   | 30 8 22 3 - 31 7 25 3   | 103 496.344        | $9.90 \times 10^{-7}$          | 779.4           |
| <sup>13</sup> CH <sub>3</sub> CHO | 37 6 32 -3 - 36 7 29 -3 | 90 765.097         | $7.94 \times 10^{-7}$          | 918.8           |
|                                   | 27 7 21 -3 - 28 6 22 -3 | 90 791.095         | $7.33 \times 10^{-7}$          | 655.2           |
|                                   | 16 2 14 1 - 15 3 12 1   | 90 802.2           | $6.92 \times 10^{-8}$          | 132.8           |
|                                   | 27 7 20 -3 - 28 6 23 -3 | 90 830.059         | $7.34 \times 10^{-7}$          | 655.2           |
|                                   | 22 3 20 -3 - 23 0 23 -3 | 90 904.355         | $2.60 \times 10^{-8}$          | 452.6           |
|                                   | 5 1 5 0 - 4 1 4 0       | 90 935.753         | $2.41 \times 10^{-5}$          | 15.4            |
|                                   | 5 1 5 1 - 4 1 4 1       | 90 951.18          | $2.41 \times 10^{-5}$          | 15.4            |
|                                   | 33 4 30 -3 - 34 2 33 -3 | 90 961.839         | $1.73 \times 10^{-8}$          | 746.1           |
|                                   | 5 1 5 -3 - 4 1 4 -3     | 91 052.078         | $2.44 \times 10^{-5}$          | 221.8           |
|                                   | 34 4 31 -3 - 35 2 34 -3 | 91 058.163         | $1.68 \times 10^{-8}$          | 776.8           |
|                                   | 29 2 27 -2 - 28 4 24 -2 | 91 172.915         | $1.78 \times 10^{-8}$          | 612.2           |
|                                   | 25 3 23 -3 - 26 0 26 -3 | 91 232.409         | $2.32 \times 10^{-8}$          | 517.4           |
|                                   | 29 3 26 -3 - 29 3 27 -3 | 91 304.282         | $6.05 \times 10^{-7}$          | 620.5           |
|                                   | 5 2 4 1 - 4 2 2 1       | 91 305.92          | $1.01 \times 10^{-7}$          | 22.5            |
|                                   | 23 1 22 1 - 22 3 19 1   | 91 313.98          | $3.30 \times 10^{-8}$          | 253.5           |
|                                   | 32 5 28 0 - 31 6 25 0   | 91 370.438         | $8.31 \times 10^{-7}$          | 531.6           |
|                                   | 11 2 10 -2 - 11 1 10 -2 | 91 386.732         | $7.84 \times 10^{-7}$          | 272.2           |
|                                   | 39 5 35 0 - 40 3 38 0   | 91 395.629         | $8.97 \times 10^{-9}$          | 758.9           |
|                                   | 36 9 27 -3 - 37 8 29 -3 | 93 187.027         | $8.16 \times 10^{-7}$          | 985.7           |
|                                   | 5 0 5 1 - 4 0 4 1       | 93 192.298         | $2.70 \times 10^{-5}$          | 13.5            |
|                                   | 36 9 28 -3 - 37 8 30 -3 | 93 194.864         | $8.16 \times 10^{-7}$          | 985.7           |
|                                   | 39 4 36 -3 - 40 2 39 -3 | 103 353.904        | $2.05 \times 10^{-8}$          | 943.5           |
|                                   | 18 3 16 -3 - 19 0 19 -3 | 103 463.152        | $4.01 \times 10^{-8}$          | 378.7           |
|                                   | 38 5 34 -2 - 39 2 37 -2 | 103 484.196        | $7.87 \times 10^{-8}$          | 928.7           |
|                                   | 12 2 10 -3 - 12 1 11 -3 | 103 487.851        | $5.26 \times 10^{-6}$          | 285.2           |
| CH <sub>3</sub> CDO               | 5 1 5 0 - 4 1 4 0       | 90 703.205         | $2.39 \times 10^{-5}$          | 14.8            |
|                                   | 5 1 5 1 - 4 1 4 1       | 90 703.424         | $2.39 \times 10^{-5}$          | 14.8            |
|                                   | 16 3 13 5 - 15 4 12 4   | 90 707.948         | $5.88 \times 10^{-8}$          | 341.0           |
|                                   | 5 1 5 3 - 4 1 4 3       | 90 773.736         | $2.41 \times 10^{-5}$          | 216.4           |
|                                   | 4 2 2 3 - 4 1 3 3       | 90 799.825         | $2.55 \times 10^{-6}$          | 217.0           |
|                                   | 22 2 21 1 - 21 3 18 2   | 90 823.11          | $2.02 \times 10^{-7}$          | 232.9           |
|                                   | 10 1 9 5 - 10 0 10 5    | 90 849.045         | $2.77 \times 10^{-6}$          | 253.5           |
|                                   | 8 2 6 0 - 8 1 7 0       | 90 918.912         | $3.66 \times 10^{-6}$          | 39.8            |
|                                   | 14 3 12 3 - 15 0 15 3   | 90 926.592         | $2.93 \times 10^{-8}$          | 311.4           |
|                                   | 17 2 16 1 - 16 3 13 2   | 90 947.817         | $4.54 \times 10^{-7}$          | 144.3           |
|                                   | 11 5 6 2 - 12 4 8 2     | 91 192.805         | $5.21 \times 10^{-7}$          | 102.6           |
|                                   | 15 2 14 4 - 14 3 12 4   | 91 214.539         | $3.12 \times 10^{-7}$          | 315.3           |
|                                   | 22 8 14 5 - 23 7 16 5   | 91 278.766         | $6.04 \times 10^{-7}$          | 539.7           |
|                                   | 25 12 13 2 - 24 6 19 4  | 103 300.073        | $9.11 \times 10^{-7}$          | 539.8           |
|                                   | 16 11 6 1 - 15 3 13 4   | 103 316.694        | $3.40 \times 10^{-7}$          | 329.6           |
|                                   | 2 2 1 4 - 2 1 2 4       | 103 470.435        | $2.49 \times 10^{-6}$          | 209.1           |

Table B.2: continued.

| Species                            | Transition<br>J K L M   | Frequency<br>(MHz) | $A_{ij}$<br>( $s^{-1}$ ) | $E_{up}$<br>(K) |
|------------------------------------|-------------------------|--------------------|--------------------------|-----------------|
| CH <sub>2</sub> DCHO               | 6 3 4 2 - 7 2 6 1       | 90 671.76          | $1.70 \times 10^{-7}$    | 59.2            |
|                                    | 5 2 3 1 - 4 2 3 2       | 90 897.364         | $4.40 \times 10^{-7}$    | 43.7            |
|                                    | 5 2 3 2 - 4 2 3 1       | 90 979.724         | $2.97 \times 10^{-7}$    | 43.7            |
|                                    | 3 1 3 0 - 2 0 2 0       | 91 090.016         | $3.43 \times 10^{-6}$    | 7.0             |
|                                    | 13 1 12 2 - 13 0 13 2   | 91 104.13          | $3.02 \times 10^{-6}$    | 104.7           |
|                                    | 18 2 16 0 - 18 2 17 0   | 91 308.321         | $5.09 \times 10^{-7}$    | 162.7           |
|                                    | 13 1 12 1 - 13 0 13 1   | 91 334.229         | $3.06 \times 10^{-6}$    | 104.6           |
|                                    | 6 3 4 1 - 7 2 6 2       | 91 344.243         | $5.69 \times 10^{-8}$    | 59.3            |
|                                    | 25 8 18 0 - 26 7 19 0   | 103 303.817        | $1.11 \times 10^{-6}$    | 409.4           |
|                                    | 25 8 17 0 - 26 7 20 0   | 103 308.431        | $1.11 \times 10^{-6}$    | 409.4           |
|                                    | 16 4 12 0 - 17 2 15 0   | 103 450.4          | $1.69 \times 10^{-8}$    | 151.2           |
|                                    | 11 2 10 1 - 11 1 10 2   | 103 463.833        | $1.35 \times 10^{-8}$    | 87.7            |
| CHD <sub>2</sub> CHO               | 6 1 5 2 - 5 1 4 2       | 103 473.67         | $3.75 \times 10^{-9}$    | 40.1            |
|                                    | 6 0 6 1 - 5 0 5 1       | 103 476.11         | $3.72 \times 10^{-9}$    | 17.4            |
|                                    | 6 0 6 0 - 5 0 5 0       | 103 480.72         | $3.72 \times 10^{-9}$    | 17.4            |
| CH <sub>3</sub> CH <sub>2</sub> OH | 39 13 27 1 - 38 14 25 0 | 90 616.41          | $4.90 \times 10^{-7}$    | 916.5           |
|                                    | 39 13 26 1 - 38 14 24 0 | 90 616.41          | $4.90 \times 10^{-7}$    | 916.5           |
|                                    | 39 3 36 1 - 39 4 36 0   | 90 634.74          | $5.11 \times 10^{-6}$    | 728.3           |
|                                    | 47 1 46 2 - 46 1 46 1   | 90 673.782         | $1.70 \times 10^{-8}$    | 916.6           |
|                                    | 47 1 46 2 - 46 0 46 1   | 90 673.816         | $3.95 \times 10^{-8}$    | 916.6           |
|                                    | 47 2 46 2 - 46 1 46 1   | 90 674.536         | $3.95 \times 10^{-8}$    | 916.6           |
|                                    | 47 2 46 2 - 46 0 46 1   | 90 674.571         | $1.70 \times 10^{-8}$    | 916.6           |
|                                    | 42 5 38 1 - 43 5 38 2   | 90 701.878         | $1.88 \times 10^{-8}$    | 844.8           |
|                                    | 31 8 24 2 - 30 6 24 1   | 90 724.54          | $2.48 \times 10^{-8}$    | 497.7           |
|                                    | 28 12 17 2 - 29 11 18 2 | 90 736.55          | $7.33 \times 10^{-7}$    | 521.5           |
|                                    | 28 12 16 2 - 29 11 19 2 | 90 736.571         | $7.33 \times 10^{-7}$    | 521.5           |
|                                    | 38 6 33 1 - 39 7 33 2   | 90 809.192         | $1.68 \times 10^{-8}$    | 724.0           |
|                                    | 19 3 16 1 - 19 2 17 1   | 90 824.709         | $5.78 \times 10^{-8}$    | 232.3           |
|                                    | 21 20 1 2 - 21 19 2 0   | 90 947.962         | $6.04 \times 10^{-8}$    | 694.1           |
|                                    | 21 20 2 2 - 21 19 3 0   | 90 947.962         | $6.04 \times 10^{-8}$    | 694.1           |
|                                    | 21 2 19 1 - 21 2 19 0   | 90 968.68          | $7.21 \times 10^{-8}$    | 262.0           |
|                                    | 7 2 6 1 - 6 3 4 0       | 90 981.716         | $5.24 \times 10^{-7}$    | 89.7            |
|                                    | 29 2 27 1 - 29 7 23 2   | 90 992.97          | $8.40 \times 10^{-8}$    | 432.1           |
|                                    | 14 2 13 2 - 13 3 10 2   | 91 007.739         | $9.91 \times 10^{-7}$    | 92.6            |
|                                    | 36 10 27 1 - 35 11 24 1 | 91 030.651         | $3.31 \times 10^{-8}$    | 737.8           |
|                                    | 36 10 26 1 - 35 11 25 1 | 91 030.969         | $3.31 \times 10^{-8}$    | 737.8           |
|                                    | 18 3 15 1 - 18 2 16 1   | 91 047.417         | $5.85 \times 10^{-8}$    | 216.2           |
|                                    | 25 2 24 2 - 24 3 21 2   | 91 058.798         | $1.52 \times 10^{-7}$    | 272.8           |
|                                    | 25 11 15 2 - 26 10 16 2 | 91 204.078         | $8.20 \times 10^{-7}$    | 424.7           |
|                                    | 25 11 14 2 - 26 10 17 2 | 91 204.079         | $8.20 \times 10^{-7}$    | 424.7           |
|                                    | 20 3 17 1 - 20 3 17 0   | 91 219.35          | $5.52 \times 10^{-8}$    | 249.4           |
|                                    | 7 2 6 0 - 7 1 7 0       | 91 241.609         | $7.12 \times 10^{-9}$    | 84.9            |
|                                    | 30 3 28 2 - 31 0 31 2   | 91 250.931         | $1.83 \times 10^{-8}$    | 399.7           |
|                                    | 38 16 22 1 - 38 16 22 0 | 91 332.886         | $8.06 \times 10^{-8}$    | 990.3           |
|                                    | 38 16 23 1 - 38 16 23 0 | 91 332.886         | $8.06 \times 10^{-8}$    | 990.3           |
|                                    | 31 8 23 2 - 30 6 25 1   | 93 145.898         | $3.66 \times 10^{-8}$    | 497.7           |
|                                    | 35 10 26 2 - 34 9 25 0  | 93 180.157         | $6.27 \times 10^{-9}$    | 655.1           |
|                                    | 35 10 25 2 - 34 9 26 0  | 93 183.533         | $6.27 \times 10^{-9}$    | 655.1           |
|                                    | 25 6 20 1 - 25 6 20 0   | 103 300.62         | $4.91 \times 10^{-9}$    | 376.3           |
|                                    | 7 0 7 0 - 6 1 6 0       | 103 300.759        | $6.84 \times 10^{-8}$    | 79.9            |
|                                    | 4 2 3 1 - 4 0 4 1       | 103 320.469        | $1.28 \times 10^{-8}$    | 74.8            |
|                                    | 34 8 26 1 - 34 8 26 0   | 103 381.264        | $9.03 \times 10^{-9}$    | 635.1           |
|                                    | 34 8 27 1 - 34 8 27 0   | 103 385.983        | $8.98 \times 10^{-9}$    | 635.1           |
|                                    | 9 2 8 1 - 9 1 9 1       | 103 387.337        | $2.99 \times 10^{-8}$    | 103.7           |
|                                    | 37 9 28 1 - 37 9 28 0   | 103 403.957        | $2.12 \times 10^{-8}$    | 745.6           |
|                                    | 37 9 29 1 - 37 9 29 0   | 103 404.936        | $2.12 \times 10^{-8}$    | 745.6           |

Table B.2: continued.

| Species                             | Transition<br>J K L M   | Frequency<br>(MHz) | $A_{ij}$<br>(s <sup>-1</sup> ) | $E_{up}$<br>(K) |
|-------------------------------------|-------------------------|--------------------|--------------------------------|-----------------|
|                                     | 27 5 22 0 - 26 6 20 1   | 103 422.99         | $1.25 \times 10^{-6}$          | 403.0           |
|                                     | 15 2 13 0 - 15 0 15 1   | 103 431.155        | $1.90 \times 10^{-8}$          | 163.3           |
|                                     | 6 2 5 0 - 5 2 4 0       | 103 452.151        | $8.32 \times 10^{-6}$          | 79.2            |
|                                     | 38 11 27 1 - 38 11 27 0 | 103 457.114        | $1.75 \times 10^{-8}$          | 825.6           |
|                                     | 38 11 28 1 - 38 11 28 0 | 103 457.118        | $1.75 \times 10^{-8}$          | 825.6           |
|                                     | 6 2 5 0 - 6 0 6 0       | 103 463.245        | $5.33 \times 10^{-7}$          | 79.2            |
|                                     | 6 0 6 2 - 5 0 5 2       | 103 480.355        | $1.26 \times 10^{-8}$          | 17.5            |
|                                     | 9 1 8 0 - 8 2 7 0       | 103 488.524        | $7.92 \times 10^{-8}$          | 96.5            |
| CH <sub>2</sub> DCH <sub>2</sub> OH | 44 3 41 - 43 6 38       | 90 856.753         | $1.14 \times 10^{-7}$          | 811.0           |
|                                     | 8 2 7 - 8 1 8           | 90 874.001         | $3.63 \times 10^{-6}$          | 33.4            |
| CH <sub>3</sub> CHDOH               | 46 6 40 - 45 9 37       | 90 764.508         | $9.58 \times 10^{-8}$          | 946.6           |
|                                     | 11 3 8 - 11 2 9         | 90 800.322         | $5.71 \times 10^{-6}$          | 64.1            |
|                                     | 13 2 12 - 12 3 9        | 90 973.356         | $8.44 \times 10^{-7}$          | 78.6            |
|                                     | 5 5 1 - 6 4 2           | 91 219.103         | $1.43 \times 10^{-7}$          | 38.3            |
|                                     | 5 5 0 - 6 4 3           | 91 220.883         | $1.43 \times 10^{-7}$          | 38.3            |
|                                     | 15 9 7 - 16 8 8         | 91 235.784         | $5.29 \times 10^{-7}$          | 183.0           |
|                                     | 15 9 6 - 16 8 9         | 91 235.788         | $5.29 \times 10^{-7}$          | 183.0           |
|                                     | 10 7 4 - 11 6 5         | 91 299.292         | $4.07 \times 10^{-7}$          | 96.2            |
|                                     | 10 7 3 - 11 6 6         | 91 299.396         | $4.07 \times 10^{-7}$          | 96.2            |
|                                     | 7 3 4 - 7 2 5           | 103 415.2          | $6.61 \times 10^{-6}$          | 32.5            |
|                                     | 20 2 19 - 19 3 16       | 103 499.655        | $3.16 \times 10^{-7}$          | 174.2           |
|                                     | 11 2 9 - 10 3 8         | 103 508.282        | $2.08 \times 10^{-6}$          | 59.8            |
| CH <sub>3</sub> OCHO                | 27 16 12 4 - 28 15 14 4 | 90 592.278         | $1.03 \times 10^{-7}$          | 580.3           |
|                                     | 23 3 20 0 - 24 2 23 0   | 90 649.201         | $7.44 \times 10^{-9}$          | 173.2           |
|                                     | 33 19 14 2 - 34 18 16 2 | 90 707.602         | $1.06 \times 10^{-7}$          | 570.2           |
|                                     | 33 19 15 1 - 34 18 17 1 | 90 719.908         | $1.06 \times 10^{-7}$          | 570.2           |
|                                     | 33 19 14 0 - 34 18 17 0 | 90 740.574         | $1.06 \times 10^{-7}$          | 570.2           |
|                                     | 33 19 15 0 - 34 18 16 0 | 90 740.574         | $1.06 \times 10^{-7}$          | 570.2           |
|                                     | 9 4 6 1 - 9 3 6 2       | 90 876.84          | $6.31 \times 10^{-8}$          | 37.2            |
|                                     | 17 3 14 5 - 17 2 15 5   | 90 937.614         | $1.13 \times 10^{-6}$          | 286.2           |
|                                     | 27 16 11 5 - 28 15 13 5 | 91 018.326         | $1.04 \times 10^{-7}$          | 580.5           |
|                                     | 19 5 14 5 - 19 4 15 5   | 91 089.478         | $1.38 \times 10^{-6}$          | 316.9           |
|                                     | 36 5 31 3 - 35 7 28 3   | 91 134.07          | $2.89 \times 10^{-8}$          | 603.3           |
|                                     | 26 8 19 3 - 25 9 16 3   | 91 161.894         | $2.21 \times 10^{-7}$          | 437.0           |
|                                     | 26 8 18 5 - 25 9 16 5   | 91 164.314         | $2.14 \times 10^{-7}$          | 437.1           |
|                                     | 36 20 16 5 - 37 19 18 5 | 91 179.846         | $1.14 \times 10^{-7}$          | 845.3           |
|                                     | 34 6 29 0 - 35 4 32 0   | 91 179.968         | $8.61 \times 10^{-9}$          | 377.6           |
|                                     | 34 6 29 0 - 35 3 32 0   | 91 194.313         | $1.29 \times 10^{-8}$          | 377.6           |
|                                     | 9 4 5 0 - 9 3 6 0       | 91 356.766         | $1.03 \times 10^{-6}$          | 37.2            |
|                                     | 9 4 5 2 - 9 3 6 2       | 91 366.495         | $9.71 \times 10^{-7}$          | 37.3            |
|                                     | 14 2 12 2 - 14 2 13 1   | 91 381.738         | $4.08 \times 10^{-7}$          | 67.0            |
|                                     | 10 3 8 1 - 10 1 9 2     | 93 160.968         | $2.82 \times 10^{-7}$          | 38.5            |
|                                     | 12 3 10 3 - 12 2 11 3   | 93 180.635         | $9.90 \times 10^{-7}$          | 239.5           |
|                                     | 10 3 8 0 - 10 1 9 0     | 93 190.933         | $2.83 \times 10^{-7}$          | 38.5            |
|                                     | 43 15 29 4 - 42 16 27 4 | 103 307.836        | $2.85 \times 10^{-7}$          | 893.2           |
|                                     | 32 19 13 2 - 33 18 15 2 | 103 335.016        | $1.47 \times 10^{-7}$          | 550.7           |
|                                     | 32 19 14 1 - 33 18 16 1 | 103 342.834        | $1.47 \times 10^{-7}$          | 550.7           |
|                                     | 25 6 19 5 - 25 5 20 5   | 103 367.418        | $2.23 \times 10^{-6}$          | 405.1           |
|                                     | 32 19 13 0 - 33 18 16 0 | 103 367.795        | $1.47 \times 10^{-7}$          | 550.7           |
|                                     | 32 19 14 0 - 33 18 15 0 | 103 367.795        | $1.47 \times 10^{-7}$          | 550.7           |
|                                     | 24 6 18 0 - 24 5 19 0   | 103 376.842        | $2.21 \times 10^{-6}$          | 203.8           |
|                                     | 24 6 18 2 - 24 5 19 2   | 103 387.2          | $2.21 \times 10^{-6}$          | 203.8           |
|                                     | 36 12 24 5 - 35 13 22 5 | 103 456.449        | $3.03 \times 10^{-7}$          | 675.5           |
|                                     | 8 2 6 2 - 7 2 5 2       | 103 466.572        | $1.52 \times 10^{-5}$          | 24.6            |
|                                     | 25 6 19 3 - 25 5 20 3   | 103 469.71         | $2.28 \times 10^{-6}$          | 405.0           |
|                                     | 8 2 6 0 - 7 2 5 0       | 103 478.663        | $1.52 \times 10^{-5}$          | 24.6            |

Table B.2: continued.

| Species                           | Transition<br>J K L M   | Frequency<br>(MHz) | $A_{ij}$<br>( $s^{-1}$ ) | $E_{up}$<br>(K) |
|-----------------------------------|-------------------------|--------------------|--------------------------|-----------------|
| CH <sub>3</sub> OCH <sub>3</sub>  | 15 3 12 0 - 14 4 11 0   | 90 889.262         | $1.02 \times 10^{-6}$    | 122.5           |
|                                   | 15 3 12 1 - 14 4 11 1   | 90 892.26          | $1.02 \times 10^{-6}$    | 122.5           |
|                                   | 15 3 12 5 - 14 4 11 5   | 90 895.187         | $1.02 \times 10^{-6}$    | 122.5           |
|                                   | 15 3 12 3 - 14 4 11 3   | 90 895.33          | $1.02 \times 10^{-6}$    | 122.5           |
|                                   | 6 0 6 0 - 5 1 5 0       | 90 937.508         | $3.63 \times 10^{-6}$    | 19.0            |
|                                   | 6 0 6 1 - 5 1 5 1       | 90 938.107         | $3.63 \times 10^{-6}$    | 19.0            |
|                                   | 6 0 6 5 - 5 1 5 5       | 90 938.705         | $3.63 \times 10^{-6}$    | 19.0            |
|                                   | 6 0 6 3 - 5 1 5 3       | 90 938.707         | $3.63 \times 10^{-6}$    | 19.0            |
|                                   | 5 3 2 3 - 6 4 2 3       | 91 164.996         | $1.15 \times 10^{-7}$    | 36.1            |
|                                   | 5 3 2 1 - 6 4 3 1       | 91 175.203         | $1.44 \times 10^{-7}$    | 36.1            |
|                                   | 5 3 2 5 - 6 4 3 5       | 91 176.676         | $3.45 \times 10^{-7}$    | 36.1            |
|                                   | 5 3 2 0 - 6 4 3 0       | 91 184.531         | $3.46 \times 10^{-7}$    | 36.1            |
|                                   | 5 3 2 3 - 6 4 3 3       | 91 185.031         | $2.31 \times 10^{-7}$    | 36.2            |
|                                   | 5 3 2 1 - 6 4 2 1       | 91 185.221         | $2.02 \times 10^{-7}$    | 36.1            |
|                                   | 5 3 3 3 - 6 4 2 3       | 91 223.214         | $2.31 \times 10^{-7}$    | 36.1            |
|                                   | 5 3 3 1 - 6 4 3 1       | 91 230.878         | $2.02 \times 10^{-7}$    | 36.1            |
|                                   | 5 3 3 5 - 6 4 2 5       | 91 231.569         | $3.46 \times 10^{-7}$    | 36.1            |
|                                   | 5 3 3 0 - 6 4 2 0       | 91 239.423         | $3.47 \times 10^{-7}$    | 36.1            |
|                                   | 5 3 3 1 - 6 4 2 1       | 91 240.896         | $1.44 \times 10^{-7}$    | 36.1            |
|                                   | 5 3 3 3 - 6 4 3 3       | 91 243.249         | $1.16 \times 10^{-7}$    | 36.2            |
|                                   | 9 0 9 3 - 10 3 8 3      | 91 345.408         | $2.47 \times 10^{-8}$    | 53.6            |
|                                   | 9 0 9 5 - 10 3 8 5      | 91 345.55          | $2.47 \times 10^{-8}$    | 53.6            |
|                                   | 9 0 9 1 - 10 3 8 1      | 91 351.871         | $2.51 \times 10^{-8}$    | 53.6            |
|                                   | 9 0 9 0 - 10 3 8 0      | 91 358.263         | $2.53 \times 10^{-8}$    | 53.6            |
|                                   | 32 12 20 3 - 33 13 20 3 | 103 489.911        | $1.08 \times 10^{-6}$    | 717.6           |
|                                   | 32 12 21 1 - 33 13 21 1 | 103 489.975        | $1.08 \times 10^{-6}$    | 717.6           |
|                                   | 32 12 20 0 - 33 13 21 0 | 103 490.039        | $1.08 \times 10^{-6}$    | 717.6           |
|                                   | 32 12 21 0 - 33 13 20 0 | 103 490.039        | $1.08 \times 10^{-6}$    | 717.6           |
|                                   | 32 12 20 5 - 33 13 21 5 | 103 490.157        | $1.08 \times 10^{-6}$    | 717.6           |
|                                   | 32 12 21 5 - 33 13 20 5 | 103 490.157        | $1.08 \times 10^{-6}$    | 717.6           |
|                                   | 32 12 20 1 - 33 13 20 1 | 103 490.221        | $1.08 \times 10^{-6}$    | 717.6           |
|                                   | 32 12 21 3 - 33 13 21 3 | 103 490.403        | $1.08 \times 10^{-6}$    | 717.6           |
| CH <sub>3</sub> COCH <sub>3</sub> | 41 27 14 0 - 41 26 15 0 | 90 595.197         | $2.62 \times 10^{-5}$    | 708.7           |
|                                   | 20 17 3 2 - 20 16 4 2   | 90 598.617         | $1.28 \times 10^{-5}$    | 186.7           |
|                                   | 20 17 4 2 - 20 16 5 2   | 90 636.946         | $1.29 \times 10^{-5}$    | 186.7           |
|                                   | 20 17 3 3 - 20 16 4 3   | 90 688.355         | $1.29 \times 10^{-5}$    | 186.8           |
|                                   | 13 3 10 1 - 13 2 11 1   | 90 690.157         | $9.47 \times 10^{-6}$    | 59.9            |
|                                   | 13 4 10 1 - 13 3 11 1   | 90 690.212         | $9.47 \times 10^{-6}$    | 59.9            |
|                                   | 9 7 2 3 - 8 8 0 3       | 90 808.887         | $4.05 \times 10^{-7}$    | 38.5            |
|                                   | 27 19 8 1 - 27 18 10 1  | 90 812.649         | $6.42 \times 10^{-7}$    | 315.8           |
|                                   | 12 2 10 2 - 12 1 11 2   | 90 841.133         | $7.02 \times 10^{-6}$    | 48.5            |
|                                   | 12 3 10 2 - 12 2 11 2   | 90 841.14          | $7.02 \times 10^{-6}$    | 48.5            |
|                                   | 12 2 10 3 - 12 1 11 3   | 90 841.209         | $7.02 \times 10^{-6}$    | 48.5            |
|                                   | 12 3 10 3 - 12 2 11 3   | 90 841.217         | $7.02 \times 10^{-6}$    | 48.5            |
|                                   | 13 3 10 0 - 13 2 11 0   | 90 842.133         | $9.52 \times 10^{-6}$    | 59.8            |
|                                   | 13 4 10 0 - 13 3 11 0   | 90 842.19          | $9.53 \times 10^{-6}$    | 59.8            |
|                                   | 20 17 4 1 - 20 16 5 1   | 90 855.834         | $1.29 \times 10^{-5}$    | 186.7           |
|                                   | 13 6 7 1 - 12 9 4 1     | 90 879.456         | $1.57 \times 10^{-7}$    | 70.3            |
|                                   | 7 3 5 3 - 6 2 4 3       | 90 884.785         | $2.10 \times 10^{-5}$    | 19.7            |
|                                   | 7 3 5 2 - 6 2 4 2       | 90 889.558         | $2.10 \times 10^{-5}$    | 19.7            |
|                                   | 20 17 3 1 - 20 16 4 1   | 90 927.486         | $1.29 \times 10^{-5}$    | 186.8           |
|                                   | 26 19 8 3 - 26 18 9 3   | 90 930.919         | $1.63 \times 10^{-5}$    | 296.2           |
|                                   | 7 3 5 1 - 6 2 4 1       | 90 936.196         | $2.10 \times 10^{-5}$    | 19.6            |
|                                   | 23 12 11 2 - 23 11 12 2 | 90 947.328         | $2.04 \times 10^{-5}$    | 218.4           |
|                                   | 23 12 11 3 - 23 11 12 3 | 90 950.792         | $2.04 \times 10^{-5}$    | 218.4           |
|                                   | 27 19 8 3 - 27 18 10 3  | 90 959.492         | $1.83 \times 10^{-6}$    | 315.8           |

Table B.2: continued.

| Species              | Transition<br>J K L M       | Frequency<br>(MHz) | $A_{ij}$<br>(s <sup>-1</sup> ) | $E_{up}$<br>(K) |
|----------------------|-----------------------------|--------------------|--------------------------------|-----------------|
|                      | 23 12 11 1 - 23 11 12 1     | 90 964.992         | $2.04 \times 10^{-5}$          | 218.4           |
|                      | 9 7 3 3 - 8 8 1 3           | 90 965.369         | $4.04 \times 10^{-7}$          | 38.3            |
|                      | 41 27 14 1 - 41 26 15 1     | 90 972.394         | $2.64 \times 10^{-5}$          | 708.7           |
|                      | 22 8 14 1 - 21 11 11 1      | 90 977.509         | $7.34 \times 10^{-8}$          | 183.5           |
|                      | 23 12 11 0 - 23 11 12 0     | 90 981.426         | $2.04 \times 10^{-5}$          | 218.4           |
|                      | 7 3 5 0 - 6 2 4 0           | 90 985.117         | $2.10 \times 10^{-5}$          | 19.5            |
|                      | 12 2 10 1 - 12 1 11 1       | 91 005.085         | $7.06 \times 10^{-6}$          | 48.4            |
|                      | 12 3 10 1 - 12 2 11 1       | 91 005.092         | $7.06 \times 10^{-6}$          | 48.4            |
|                      | 9 7 2 1 - 8 8 0 1           | 91 057.153         | $3.53 \times 10^{-7}$          | 38.4            |
|                      | 11 1 10 2 - 11 0 11 2       | 91 077.508         | $3.96 \times 10^{-6}$          | 37.8            |
|                      | 11 2 10 2 - 11 1 11 2       | 91 077.509         | $3.96 \times 10^{-6}$          | 37.8            |
|                      | 11 1 10 3 - 11 0 11 3       | 91 077.598         | $3.96 \times 10^{-6}$          | 37.8            |
|                      | 11 2 10 3 - 11 1 11 3       | 91 077.598         | $3.96 \times 10^{-6}$          | 37.8            |
|                      | 23 18 5 2 - 23 17 6 2       | 91 131.97          | $1.70 \times 10^{-5}$          | 238.0           |
|                      | 22 9 14 1 - 21 10 11 1      | 91 132.382         | $7.38 \times 10^{-8}$          | 183.5           |
|                      | 20 17 3 0 - 20 16 4 0       | 91 146.721         | $1.30 \times 10^{-5}$          | 186.7           |
|                      | 12 2 10 0 - 12 1 11 0       | 91 168.75          | $7.11 \times 10^{-6}$          | 48.3            |
|                      | 12 3 10 0 - 12 2 11 0       | 91 168.757         | $7.11 \times 10^{-6}$          | 48.3            |
|                      | 20 17 4 0 - 20 16 5 0       | 91 183.074         | $1.30 \times 10^{-5}$          | 186.7           |
|                      | 41 25 16 2 - 41 24 17 2     | 91 202.244         | $2.72 \times 10^{-5}$          | 700.6           |
|                      | 41 25 16 3 - 41 24 17 3     | 91 205.905         | $2.72 \times 10^{-5}$          | 700.6           |
|                      | 11 1 10 1 - 11 0 11 1       | 91 252.28          | $3.99 \times 10^{-6}$          | 37.7            |
|                      | 11 2 10 1 - 11 1 11 1       | 91 252.281         | $3.99 \times 10^{-6}$          | 37.7            |
|                      | 41 27 14 2 - 41 26 15 2     | 91 294.888         | $2.67 \times 10^{-5}$          | 708.7           |
|                      | 23 18 6 3 - 23 17 7 3       | 91 296.205         | $1.70 \times 10^{-5}$          | 237.9           |
|                      | 41 25 16 1 - 41 24 17 1     | 91 318.968         | $2.73 \times 10^{-5}$          | 700.7           |
|                      | 41 27 14 3 - 41 26 15 3     | 91 393.556         | $2.66 \times 10^{-5}$          | 708.7           |
|                      | 9 6 4 3 - 8 7 1 3           | 93 175.842         | $5.69 \times 10^{-7}$          | 36.6            |
|                      | 25 19 7 1 - 25 18 7 1       | 93 183.007         | $1.96 \times 10^{-6}$          | 277.6           |
|                      | 8 5 3 1 - 8 2 6 1           | 103 297.162        | $1.37 \times 10^{-7}$          | 29.4            |
|                      | 31 22 10 2 - 31 21 11 2     | 103 298.616        | $3.10 \times 10^{-5}$          | 415.4           |
|                      | 24 10 15 1 - 23 11 12 1     | 103 309.761        | $1.14 \times 10^{-7}$          | 219.0           |
|                      | 31 22 10 1 - 31 21 11 1     | 103 352.24         | $3.07 \times 10^{-5}$          | 415.4           |
|                      | 42 28 14 1 - 42 27 15 1     | 103 365.841        | $3.62 \times 10^{-5}$          | 745.1           |
|                      | 31 22 10 0 - 31 21 11 0     | 103 425.624        | $3.11 \times 10^{-5}$          | 415.5           |
| CH <sub>3</sub> COOH | 9 5 4 0 0 - 8 7 1 0 0       | 90 619.38          | $1.29 \times 10^{-8}$          | 40.6            |
|                      | 21 13 9 0 2 - 20 16 4 0 1   | 90 638.822         | $4.29 \times 10^{-9}$          | 207.8           |
|                      | 22 8 14 0 1 - 21 10 11 0 2  | 90 670.076         | $4.28 \times 10^{-9}$          | 203.4           |
|                      | 22 9 14 0 1 - 21 10 11 0 2  | 90 670.227         | $1.80 \times 10^{-8}$          | 203.4           |
|                      | 23 17 6 0 1 - 23 16 7 0 2   | 90 689.582         | $4.84 \times 10^{-6}$          | 260.4           |
|                      | 35 13 23 0 2 - 34 15 20 0 1 | 90 716.134         | $2.96 \times 10^{-9}$          | 496.3           |
|                      | 35 12 23 0 2 - 34 15 20 0 1 | 90 716.134         | $1.12 \times 10^{-8}$          | 496.3           |
|                      | 35 12 23 0 2 - 34 14 20 0 1 | 90 716.15          | $2.96 \times 10^{-9}$          | 496.3           |
|                      | 35 13 23 0 2 - 34 14 20 0 1 | 90 716.15          | $1.12 \times 10^{-8}$          | 496.3           |
|                      | 8 6 2 0 0 - 8 4 5 0 0       | 90 727.049         | $2.18 \times 10^{-8}$          | 34.4            |
|                      | 6 3 4 0 1 - 5 2 3 0 2       | 90 757.201         | $4.46 \times 10^{-6}$          | 17.0            |
|                      | 13 7 7 0 0 - 12 9 3 0 0     | 90 762.796         | $2.50 \times 10^{-9}$          | 78.4            |
|                      | 9 3 6 0 0 - 8 4 4 0 0       | 90 771.09          | $2.25 \times 10^{-9}$          | 36.3            |
|                      | 36 26 10 0 0 - 35 29 6 0 0  | 90 852.622         | $1.11 \times 10^{-9}$          | 623.9           |
|                      | 27 19 8 0 1 - 27 18 9 0 2   | 90 859.346         | $5.46 \times 10^{-6}$          | 351.7           |
|                      | 10 8 3 0 0 - 10 5 5 0 0     | 90 898.339         | $1.21 \times 10^{-7}$          | 52.9            |
|                      | 8 6 2 0 0 - 7 7 0 0 0       | 90 901.78          | $1.30 \times 10^{-7}$          | 34.4            |
|                      | 25 13 13 0 0 - 24 16 8 0 0  | 90 917.361         | $3.12 \times 10^{-9}$          | 280.1           |
|                      | 22 14 9 0 2 - 21 17 4 0 1   | 90 947.862         | $3.54 \times 10^{-9}$          | 229.2           |
|                      | 35 19 16 0 0 - 34 24 11 0 0 | 90 949.971         | $1.58 \times 10^{-9}$          | 558.0           |
|                      | 15 9 6 0 0 - 14 12 2 0 0    | 90 983.691         | $3.65 \times 10^{-9}$          | 108.9           |

Table B.2: continued.

| Species | Transition<br>J K L M       | Frequency<br>(MHz) | $A_{ij}$<br>(s <sup>-1</sup> ) | $E_{up}$<br>(K) |
|---------|-----------------------------|--------------------|--------------------------------|-----------------|
|         | 44 28 16 0 0 - 44 27 17 0 0 | 90 987.155         | $7.54 \times 10^{-6}$          | 901.4           |
|         | 4 3 1 0 2 - 3 2 2 0 1       | 91 024.622         | $1.97 \times 10^{-6}$          | 9.4             |
|         | 7 5 2 0 0 - 7 3 5 0 0       | 91 062.482         | $1.18 \times 10^{-8}$          | 26.6            |
|         | 8 6 2 0 0 - 8 3 5 0 0       | 91 071.232         | $1.01 \times 10^{-7}$          | 34.4            |
|         | 12 8 5 0 0 - 11 10 2 0 0    | 91 077.987         | $2.76 \times 10^{-9}$          | 71.2            |
|         | 23 17 7 0 0 - 23 16 8 0 0   | 91 088.715         | $4.68 \times 10^{-6}$          | 259.9           |
|         | 38 25 13 0 2 - 38 24 14 0 1 | 91 102.138         | $6.82 \times 10^{-6}$          | 678.6           |
|         | 16 7 9 0 0 - 16 7 10 0 0    | 91 104.88          | $7.50 \times 10^{-7}$          | 115.2           |
|         | 16 7 9 0 0 - 16 6 10 0 0    | 91 109.457         | $4.22 \times 10^{-6}$          | 115.2           |
|         | 33 20 13 0 2 - 33 19 14 0 1 | 91 118.246         | $6.41 \times 10^{-6}$          | 507.8           |
|         | 22 12 10 0 1 - 22 12 11 0 2 | 91 139.444         | $8.11 \times 10^{-7}$          | 224.9           |
|         | 7 5 2 0 0 - 7 2 5 0 0       | 91 145.635         | $5.62 \times 10^{-8}$          | 26.6            |
|         | 9 7 2 0 1 - 9 5 5 0 2       | 91 159.53          | $5.66 \times 10^{-8}$          | 42.9            |
|         | 16 8 9 0 0 - 16 7 10 0 0    | 91 190.673         | $4.23 \times 10^{-6}$          | 115.2           |
|         | 16 8 9 0 0 - 16 6 10 0 0    | 91 195.251         | $7.52 \times 10^{-7}$          | 115.2           |
|         | 8 4 4 0 0 - 7 6 2 0 0       | 91 196.807         | $1.85 \times 10^{-8}$          | 32.0            |
|         | 27 14 14 0 0 - 26 17 9 0 0  | 91 250.365         | $2.62 \times 10^{-9}$          | 325.9           |
|         | 6 3 3 0 0 - 5 4 2 0 0       | 91 269.118         | $1.58 \times 10^{-6}$          | 18.9            |
|         | 21 16 6 0 1 - 21 15 7 0 2   | 91 299.04          | $4.57 \times 10^{-6}$          | 220.0           |
|         | 25 18 7 0 2 - 25 17 8 0 1   | 91 334.072         | $5.25 \times 10^{-6}$          | 304.3           |
|         | 23 15 9 0 0 - 23 13 10 0 0  | 91 339.865         | $5.76 \times 10^{-7}$          | 251.5           |
|         | 30 8 23 0 2 - 31 5 26 0 1   | 91 340.082         | $1.66 \times 10^{-9}$          | 333.7           |
|         | 30 7 23 0 2 - 31 6 26 0 1   | 91 340.082         | $1.66 \times 10^{-9}$          | 333.7           |
|         | 17 12 5 0 0 - 17 10 7 0 0   | 91 354.78          | $8.80 \times 10^{-8}$          | 142.6           |
|         | 16 7 9 0 2 - 16 7 10 0 1    | 91 372.165         | $7.96 \times 10^{-7}$          | 115.0           |
|         | 16 7 9 0 2 - 16 6 10 0 1    | 91 380.62          | $4.25 \times 10^{-6}$          | 115.0           |
|         | 21 14 8 0 1 - 21 12 9 0 2   | 91 402.908         | $4.92 \times 10^{-7}$          | 211.6           |
|         | 5 3 3 0 0 - 4 1 3 0 0       | 103 295.419        | $3.09 \times 10^{-9}$          | 13.2            |
|         | 37 13 24 0 1 - 36 16 21 0 2 | 103 296.257        | $1.76 \times 10^{-8}$          | 557.0           |
|         | 37 14 24 0 1 - 36 16 21 0 2 | 103 296.257        | $4.57 \times 10^{-9}$          | 557.0           |
|         | 37 14 24 0 1 - 36 15 21 0 2 | 103 296.268        | $1.76 \times 10^{-8}$          | 557.0           |
|         | 37 13 24 0 1 - 36 15 21 0 2 | 103 296.268        | $4.57 \times 10^{-9}$          | 557.0           |
|         | 46 30 16 0 0 - 46 29 17 0 0 | 103 322.329        | $1.03 \times 10^{-5}$          | 987.8           |
|         | 39 26 13 0 2 - 39 25 14 0 1 | 103 324.61         | $9.26 \times 10^{-6}$          | 716.2           |
|         | 17 13 4 0 0 - 16 15 1 0 0   | 103 347.172        | $1.82 \times 10^{-9}$          | 145.9           |
|         | 25 15 11 0 2 - 25 13 12 0 1 | 103 356.352        | $1.15 \times 10^{-6}$          | 290.6           |
|         | 14 4 10 0 0 - 14 4 11 0 0   | 103 356.454        | $8.11 \times 10^{-7}$          | 80.3            |
|         | 14 4 10 0 0 - 14 3 11 0 0   | 103 356.459        | $4.22 \times 10^{-6}$          | 80.3            |
|         | 14 5 10 0 0 - 14 4 11 0 0   | 103 356.671        | $4.22 \times 10^{-6}$          | 80.3            |
|         | 14 5 10 0 0 - 14 3 11 0 0   | 103 356.676        | $8.11 \times 10^{-7}$          | 80.3            |
|         | 23 18 6 0 0 - 23 17 7 0 0   | 103 357.115        | $6.18 \times 10^{-6}$          | 264.9           |
|         | 37 25 12 0 0 - 37 24 13 0 0 | 103 369.818        | $8.93 \times 10^{-6}$          | 647.3           |
|         | 24 9 15 0 2 - 23 11 12 0 1  | 103 397.728        | $6.75 \times 10^{-9}$          | 242.8           |
|         | 24 10 15 0 2 - 23 11 12 0 1 | 103 397.836        | $2.84 \times 10^{-8}$          | 242.8           |
|         | 30 20 11 0 0 - 30 19 12 0 0 | 103 402.047        | $8.44 \times 10^{-6}$          | 426.4           |
|         | 38 10 29 0 0 - 39 7 32 0 0  | 103 406.702        | $2.41 \times 10^{-9}$          | 531.8           |
|         | 38 9 29 0 0 - 39 8 32 0 0   | 103 406.702        | $2.41 \times 10^{-9}$          | 531.8           |
|         | 4 2 2 0 0 - 3 1 3 0 0       | 103 412.258        | $5.21 \times 10^{-7}$          | 9.3             |
|         | 18 14 5 0 0 - 17 16 2 0 0   | 103 452.707        | $1.38 \times 10^{-9}$          | 163.5           |
|         | 6 4 2 0 1 - 5 4 1 0 2       | 103 468.297        | $2.68 \times 10^{-6}$          | 19.3            |
|         | 15 5 10 0 1 - 15 5 11 0 2   | 103 469.421        | $9.90 \times 10^{-7}$          | 94.9            |
|         | 15 5 10 0 1 - 15 4 11 0 2   | 103 469.491        | $4.83 \times 10^{-6}$          | 94.9            |
|         | 15 6 10 0 1 - 15 5 11 0 2   | 103 471.5          | $4.83 \times 10^{-6}$          | 94.9            |
|         | 15 6 10 0 1 - 15 4 11 0 2   | 103 471.57         | $9.90 \times 10^{-7}$          | 94.9            |
|         | 34 24 11 0 0 - 33 27 6 0 0  | 103 481.533        | $2.07 \times 10^{-9}$          | 553.7           |
|         | 4 2 2 0 0 - 3 0 3 0 0       | 103 486.332        | $1.19 \times 10^{-7}$          | 9.3             |

Table B.2: continued.

| Species                             | Transition<br>J K L M | Frequency<br>(MHz) | $A_{ij}$<br>(s <sup>-1</sup> ) | $E_{up}$<br>(K) |
|-------------------------------------|-----------------------|--------------------|--------------------------------|-----------------|
| CH <sub>2</sub> OHCHO               | 11 2 10 - 11 1 11     | 90 591.344         | $5.85 \times 10^{-6}$          | 38.2            |
|                                     | 4 2 2 - 3 1 3         | 90 785.464         | $6.54 \times 10^{-6}$          | 8.0             |
|                                     | 11 4 8 - 11 3 9       | 90 922.214         | $1.24 \times 10^{-5}$          | 46.5            |
|                                     | 32 11 22 - 31 12 19   | 90 940.226         | $2.43 \times 10^{-6}$          | 368.0           |
|                                     | 32 11 21 - 31 12 20   | 90 977.093         | $2.43 \times 10^{-6}$          | 368.0           |
|                                     | 43 16 28 - 42 17 25   | 91 277.849         | $2.30 \times 10^{-6}$          | 682.0           |
|                                     | 43 16 27 - 42 17 26   | 91 277.921         | $2.30 \times 10^{-6}$          | 682.0           |
|                                     | 10 0 10 - 9 1 9       | 103 391.285        | $2.79 \times 10^{-5}$          | 28.3            |
|                                     | 15 4 12 - 15 3 13     | 103 461.311        | $1.78 \times 10^{-5}$          | 76.8            |
| <sup>13</sup> CH <sub>2</sub> OHCHO | 49 19 31 - 48 20 28   | 90 623.698         | $2.17 \times 10^{-6}$          | 891.0           |
|                                     | 49 19 30 - 48 20 29   | 90 623.7           | $2.17 \times 10^{-6}$          | 891.0           |
|                                     | 23 5 18 - 23 4 19     | 90 629.152         | $1.69 \times 10^{-5}$          | 171.7           |
|                                     | 24 6 18 - 24 5 19     | 90 745.683         | $1.83 \times 10^{-5}$          | 190.0           |
|                                     | 33 20 13 - 34 19 16   | 90 765.157         | $1.15 \times 10^{-6}$          | 546.9           |
|                                     | 33 20 14 - 34 19 15   | 90 765.157         | $1.15 \times 10^{-6}$          | 546.9           |
|                                     | 6 4 3 - 7 1 6         | 90 791.284         | $1.47 \times 10^{-8}$          | 21.1            |
|                                     | 23 3 20 - 24 2 23     | 90 833.934         | $7.95 \times 10^{-8}$          | 161.2           |
|                                     | 12 3 10 - 12 1 11     | 91 019.113         | $9.70 \times 10^{-9}$          | 48.3            |
|                                     | 17 3 14 - 17 2 15     | 91 123.479         | $1.24 \times 10^{-5}$          | 93.1            |
|                                     | 18 13 5 - 19 12 8     | 91 151.742         | $7.59 \times 10^{-7}$          | 194.7           |
|                                     | 18 13 6 - 19 12 7     | 91 151.742         | $7.59 \times 10^{-7}$          | 194.7           |
|                                     | 25 6 19 - 25 5 20     | 91 236.931         | $1.88 \times 10^{-5}$          | 204.6           |
|                                     | 12 4 9 - 12 3 10      | 91 277.72          | $1.26 \times 10^{-5}$          | 52.7            |
|                                     | 9 7 3 - 8 7 2         | 103 285.896        | $1.65 \times 10^{-7}$          | 53.9            |
|                                     | 9 7 2 - 8 7 1         | 103 285.9          | $1.65 \times 10^{-7}$          | 53.9            |
|                                     | 37 13 25 - 36 14 22   | 103 343.428        | $3.52 \times 10^{-6}$          | 489.6           |
|                                     | 37 13 24 - 36 14 23   | 103 349.948        | $3.52 \times 10^{-6}$          | 489.6           |
|                                     | 9 6 4 - 8 6 3         | 103 420.473        | $2.33 \times 10^{-7}$          | 46.2            |
|                                     | 9 6 3 - 8 6 2         | 103 420.752        | $2.33 \times 10^{-7}$          | 46.2            |
|                                     | 26 8 18 - 25 9 17     | 103 459.303        | $3.85 \times 10^{-6}$          | 233.1           |
|                                     | 52 8 44 - 53 7 47     | 103 468.404        | $2.66 \times 10^{-7}$          | 815.0           |
| CHDOHCHO                            | 8 5 4 - 7 5 3         | 90 593.937         | $1.71 \times 10^{-7}$          | 33.1            |
|                                     | 22 16 6 - 23 15 9     | 90 597.888         | $6.78 \times 10^{-7}$          | 276.4           |
|                                     | 22 16 7 - 23 15 8     | 90 597.888         | $6.78 \times 10^{-7}$          | 276.4           |
|                                     | 8 5 3 - 7 5 2         | 90 599.345         | $1.71 \times 10^{-7}$          | 33.1            |
|                                     | 3 3 0 - 2 2 1         | 90 655.047         | $1.65 \times 10^{-5}$          | 8.2             |
|                                     | 8 3 6 - 7 3 5         | 90 678.44          | $2.41 \times 10^{-7}$          | 24.5            |
|                                     | 46 8 39 - 47 5 42     | 90 679.401         | $1.48 \times 10^{-7}$          | 625.6           |
|                                     | 17 3 14 - 17 2 15     | 90 722.053         | $1.16 \times 10^{-5}$          | 91.2            |
|                                     | 20 15 5 - 21 14 8     | 90 728.937         | $6.15 \times 10^{-7}$          | 236.2           |
|                                     | 20 15 6 - 21 14 7     | 90 728.937         | $6.15 \times 10^{-7}$          | 236.2           |
|                                     | 23 5 18 - 23 4 19     | 90 751.425         | $1.59 \times 10^{-5}$          | 168.3           |
|                                     | 9 0 9 - 8 1 8         | 90 833.314         | $1.85 \times 10^{-5}$          | 22.7            |
|                                     | 18 14 4 - 19 13 7     | 90 851.935         | $5.40 \times 10^{-7}$          | 199.3           |
|                                     | 18 14 5 - 19 13 6     | 90 851.935         | $5.40 \times 10^{-7}$          | 199.3           |
|                                     | 8 4 5 - 7 4 4         | 90 856.595         | $2.12 \times 10^{-7}$          | 28.3            |
|                                     | 16 13 3 - 17 12 6     | 90 964.082         | $4.53 \times 10^{-7}$          | 165.7           |
|                                     | 16 13 4 - 17 12 5     | 90 964.082         | $4.53 \times 10^{-7}$          | 165.7           |
|                                     | 20 4 16 - 20 3 17     | 91 001.685         | $1.40 \times 10^{-5}$          | 126.9           |
|                                     | 8 4 4 - 7 4 3         | 91 021.872         | $2.13 \times 10^{-7}$          | 28.3            |
|                                     | 14 12 2 - 15 11 5     | 91 062.071         | $3.52 \times 10^{-7}$          | 135.3           |
|                                     | 14 12 3 - 15 11 4     | 91 062.071         | $3.52 \times 10^{-7}$          | 135.3           |
|                                     | 12 11 1 - 13 10 4     | 91 141.943         | $2.36 \times 10^{-7}$          | 108.1           |
|                                     | 12 11 2 - 13 10 3     | 91 141.943         | $2.36 \times 10^{-7}$          | 108.1           |
|                                     | 24 3 21 - 25 2 24     | 91 154.596         | $6.48 \times 10^{-8}$          | 170.4           |
|                                     | 10 10 1 - 11 9 2      | 91 198.912         | $1.11 \times 10^{-7}$          | 84.2            |

Table B.2: continued.

| Species                               | Transition<br>J K L M   | Frequency<br>(MHz) | $A_{ij}$<br>( $s^{-1}$ ) | $E_{up}$<br>(K) |
|---------------------------------------|-------------------------|--------------------|--------------------------|-----------------|
|                                       | 10 10 0 - 11 9 3        | 91 198.912         | $1.11 \times 10^{-7}$    | 84.2            |
|                                       | 9 1 9 - 8 1 8           | 91 353.121         | $2.83 \times 10^{-7}$    | 22.7            |
|                                       | 52 8 44 - 53 7 47       | 93 165.385         | $1.71 \times 10^{-7}$    | 797.6           |
| aGg-(CH <sub>2</sub> OH) <sub>2</sub> | 8 1 7 1 - 7 1 6 0       | 90 593.579         | $1.61 \times 10^{-5}$    | 19.1            |
|                                       | 35 8 28 0 - 35 7 28 1   | 90 635.988         | $3.82 \times 10^{-7}$    | 343.2           |
|                                       | 20 1 19 0 - 19 2 17 1   | 90 642.19          | $6.48 \times 10^{-8}$    | 101.7           |
|                                       | 14 5 10 1 - 14 4 11 1   | 90 662.384         | $2.41 \times 10^{-6}$    | 64.3            |
|                                       | 32 11 22 0 - 31 12 20 1 | 90 674.452         | $1.02 \times 10^{-7}$    | 319.4           |
|                                       | 18 3 16 0 - 17 4 14 1   | 90 675.102         | $5.45 \times 10^{-8}$    | 88.0            |
|                                       | 32 11 21 0 - 31 12 19 1 | 90 675.776         | $1.02 \times 10^{-7}$    | 319.4           |
|                                       | 35 23 12 1 - 36 22 15 1 | 90 680.757         | $1.66 \times 10^{-7}$    | 569.3           |
|                                       | 35 23 13 1 - 36 22 14 1 | 90 680.757         | $1.66 \times 10^{-7}$    | 569.3           |
|                                       | 11 5 6 0 - 11 4 7 0     | 90 683.206         | $1.88 \times 10^{-6}$    | 44.8            |
|                                       | 11 5 6 1 - 11 4 7 1     | 90 686.174         | $1.97 \times 10^{-6}$    | 45.1            |
|                                       | 33 22 11 0 - 34 21 14 0 | 90 701.431         | $1.30 \times 10^{-7}$    | 513.0           |
|                                       | 33 22 12 0 - 34 21 13 0 | 90 701.431         | $1.30 \times 10^{-7}$    | 513.0           |
|                                       | 26 4 22 0 - 26 4 23 1   | 90 726.496         | $8.82 \times 10^{-7}$    | 184.8           |
|                                       | 14 5 10 0 - 14 4 11 0   | 90 731.469         | $1.99 \times 10^{-6}$    | 64.0            |
|                                       | 15 5 11 0 - 15 4 12 0   | 90 752.358         | $2.03 \times 10^{-6}$    | 71.4            |
|                                       | 53 10 43 0 - 53 10 44 1 | 90 785.844         | $7.06 \times 10^{-7}$    | 762.7           |
|                                       | 16 3 14 1 - 16 1 15 0   | 90 802.123         | $6.80 \times 10^{-7}$    | 71.5            |
|                                       | 33 22 11 1 - 34 21 14 1 | 90 839.672         | $1.60 \times 10^{-7}$    | 513.4           |
|                                       | 33 22 12 1 - 34 21 13 1 | 90 839.672         | $1.60 \times 10^{-7}$    | 513.4           |
|                                       | 13 5 9 1 - 13 4 10 1    | 90 852.643         | $2.23 \times 10^{-6}$    | 57.4            |
|                                       | 13 5 9 0 - 13 4 10 0    | 90 857.67          | $1.95 \times 10^{-6}$    | 57.1            |
|                                       | 31 21 10 0 - 32 20 13 0 | 90 864.536         | $1.26 \times 10^{-7}$    | 460.0           |
|                                       | 31 21 11 0 - 32 20 12 0 | 90 864.536         | $1.26 \times 10^{-7}$    | 460.0           |
|                                       | 15 4 11 1 - 15 3 13 0   | 90 866.003         | $2.69 \times 10^{-7}$    | 67.7            |
|                                       | 20 5 16 0 - 19 6 14 1   | 90 918.748         | $1.89 \times 10^{-7}$    | 116.1           |
|                                       | 30 10 21 0 - 29 11 19 1 | 90 926.845         | $1.06 \times 10^{-7}$    | 278.1           |
|                                       | 30 10 20 0 - 29 11 18 1 | 90 933.622         | $1.05 \times 10^{-7}$    | 278.1           |
|                                       | 19 4 16 1 - 19 3 17 1   | 90 968.215         | $1.86 \times 10^{-6}$    | 101.9           |
|                                       | 16 5 12 0 - 16 4 13 0   | 90 992.142         | $2.09 \times 10^{-6}$    | 79.4            |
|                                       | 58 11 47 0 - 58 11 48 1 | 90 996.168         | $6.94 \times 10^{-7}$    | 911.4           |
|                                       | 31 21 10 1 - 32 20 13 1 | 90 996.852         | $1.54 \times 10^{-7}$    | 460.4           |
|                                       | 31 21 11 1 - 32 20 12 1 | 90 996.852         | $1.54 \times 10^{-7}$    | 460.4           |
|                                       | 17 4 13 0 - 16 5 11 1   | 91 008.128         | $2.61 \times 10^{-7}$    | 84.1            |
|                                       | 29 20 9 0 - 30 19 12 0  | 91 025.255         | $1.20 \times 10^{-7}$    | 410.0           |
|                                       | 29 20 10 0 - 30 19 11 0 | 91 025.255         | $1.20 \times 10^{-7}$    | 410.0           |
|                                       | 39 15 25 1 - 38 16 23 0 | 91 041.27          | $8.54 \times 10^{-8}$    | 494.3           |
|                                       | 12 5 8 0 - 12 4 9 0     | 91 067.16          | $1.92 \times 10^{-6}$    | 50.7            |
|                                       | 12 5 8 1 - 12 4 9 1     | 91 076.809         | $2.13 \times 10^{-6}$    | 51.0            |
|                                       | 25 4 21 0 - 25 3 22 0   | 91 106.286         | $2.05 \times 10^{-6}$    | 171.7           |
|                                       | 31 7 24 1 - 31 6 25 1   | 91 112.101         | $3.06 \times 10^{-6}$    | 270.7           |
|                                       | 29 20 9 1 - 30 19 12 1  | 91 151.433         | $1.47 \times 10^{-7}$    | 410.3           |
|                                       | 29 20 10 1 - 30 19 11 1 | 91 151.433         | $1.47 \times 10^{-7}$    | 410.3           |
|                                       | 27 19 8 0 - 28 18 11 0  | 91 182.665         | $1.14 \times 10^{-7}$    | 362.9           |
|                                       | 27 19 9 0 - 28 18 10 0  | 91 182.665         | $1.13 \times 10^{-7}$    | 362.9           |
|                                       | 14 3 11 1 - 13 4 10 1   | 91 186.341         | $6.58 \times 10^{-7}$    | 57.4            |
|                                       | 16 3 14 1 - 15 4 12 0   | 91 213.836         | $1.30 \times 10^{-7}$    | 71.5            |
|                                       | 14 3 11 0 - 13 4 10 0   | 91 224.675         | $4.15 \times 10^{-7}$    | 57.1            |
|                                       | 28 9 20 0 - 27 10 18 1  | 91 234.81          | $1.11 \times 10^{-7}$    | 239.8           |
|                                       | 10 5 5 0 - 10 4 6 0     | 91 244.026         | $1.81 \times 10^{-6}$    | 39.3            |
|                                       | 10 5 5 1 - 10 4 6 1     | 91 253.037         | $1.92 \times 10^{-6}$    | 39.7            |
|                                       | 28 9 19 0 - 27 10 17 1  | 91 267.756         | $1.10 \times 10^{-7}$    | 239.8           |
|                                       | 27 19 8 1 - 28 18 11 1  | 91 302.508         | $1.39 \times 10^{-7}$    | 363.2           |

Table B.2: continued.

| Species                               | Transition<br>J K L M   | Frequency<br>(MHz) | $A_{ij}$<br>(s <sup>-1</sup> ) | $E_{up}$<br>(K) |
|---------------------------------------|-------------------------|--------------------|--------------------------------|-----------------|
|                                       | 27 19 9 1 - 28 18 10 1  | 91 302.508         | $1.39 \times 10^{-7}$          | 363.2           |
|                                       | 11 5 7 0 - 11 4 8 0     | 91 308.601         | $1.87 \times 10^{-6}$          | 44.7            |
|                                       | 11 5 7 1 - 11 4 8 1     | 91 321.795         | $2.05 \times 10^{-6}$          | 45.1            |
|                                       | 16 5 12 1 - 16 4 13 1   | 91 327.482         | $1.50 \times 10^{-6}$          | 79.7            |
|                                       | 25 18 7 0 - 26 17 10 0  | 91 335.784         | $1.06 \times 10^{-7}$          | 318.7           |
|                                       | 25 18 8 0 - 26 17 9 0   | 91 335.784         | $1.06 \times 10^{-7}$          | 318.7           |
|                                       | 18 4 15 1 - 17 5 12 1   | 91 340.39          | $4.62 \times 10^{-7}$          | 92.6            |
|                                       | 37 14 24 1 - 36 15 22 0 | 91 349.668         | $8.79 \times 10^{-8}$          | 442.3           |
|                                       | 37 14 23 1 - 36 15 21 0 | 91 349.672         | $8.79 \times 10^{-8}$          | 442.3           |
|                                       | 15 1 14 1 - 15 1 15 0   | 93 180.613         | $3.17 \times 10^{-7}$          | 59.9            |
|                                       | 18 2 16 1 - 17 4 14 1   | 93 181.585         | $4.49 \times 10^{-8}$          | 88.2            |
|                                       | 19 1 18 1 - 18 2 16 0   | 103 296.497        | $1.03 \times 10^{-7}$          | 92.8            |
|                                       | 25 7 19 0 - 24 8 17 1   | 103 307.653        | $2.11 \times 10^{-7}$          | 184.5           |
|                                       | 19 2 17 1 - 19 2 18 0   | 103 341.273        | $2.55 \times 10^{-7}$          | 97.4            |
|                                       | 17 6 11 0 - 17 5 13 1   | 103 365.434        | $4.16 \times 10^{-7}$          | 93.1            |
|                                       | 15 6 10 0 - 15 5 10 1   | 103 477.405        | $5.87 \times 10^{-7}$          | 76.8            |
|                                       | 30 10 21 1 - 29 11 19 0 | 103 489.245        | $1.47 \times 10^{-7}$          | 278.4           |
|                                       | 30 10 20 1 - 29 11 18 0 | 103 496.358        | $1.48 \times 10^{-7}$          | 278.4           |
| gGg-(CH <sub>2</sub> OH) <sub>2</sub> | 19 2 18 0 - 18 3 16 1   | 90 619.203         | $6.90 \times 10^{-7}$          | 91.9            |
|                                       | 9 5 4 1 - 9 4 5 1       | 90 625.64          | $3.63 \times 10^{-6}$          | 34.2            |
|                                       | 9 5 4 0 - 9 4 5 0       | 90 637.706         | $3.50 \times 10^{-6}$          | 34.1            |
|                                       | 22 6 17 0 - 22 5 17 1   | 90 710.878         | $3.12 \times 10^{-6}$          | 141.6           |
|                                       | 9 5 5 1 - 9 4 6 1       | 90 750.006         | $3.54 \times 10^{-6}$          | 34.2            |
|                                       | 9 5 5 0 - 9 4 6 0       | 90 761.349         | $3.62 \times 10^{-6}$          | 34.1            |
|                                       | 17 3 15 0 - 16 4 13 1   | 90 849.293         | $1.24 \times 10^{-6}$          | 78.8            |
|                                       | 19 15 4 1 - 20 14 6 0   | 90 855.162         | $1.57 \times 10^{-7}$          | 202.0           |
|                                       | 19 15 5 1 - 20 14 7 0   | 90 855.162         | $1.57 \times 10^{-7}$          | 202.0           |
|                                       | 8 5 3 1 - 8 4 4 1       | 90 862.788         | $3.34 \times 10^{-6}$          | 29.8            |
|                                       | 8 5 3 0 - 8 4 4 0       | 90 874.028         | $3.28 \times 10^{-6}$          | 29.7            |
|                                       | 8 5 4 1 - 8 4 5 1       | 90 911.505         | $3.31 \times 10^{-6}$          | 29.8            |
|                                       | 8 5 4 0 - 8 4 5 0       | 90 922.458         | $3.32 \times 10^{-6}$          | 29.7            |
|                                       | 16 1 15 0 - 16 0 16 0   | 90 930.932         | $1.45 \times 10^{-6}$          | 66.7            |
|                                       | 11 5 7 1 - 11 4 7 0     | 90 988.303         | $3.83 \times 10^{-6}$          | 44.5            |
|                                       | 7 5 2 1 - 7 4 3 1       | 91 016.495         | $2.96 \times 10^{-6}$          | 25.9            |
|                                       | 7 5 2 0 - 7 4 3 0       | 91 027.312         | $2.92 \times 10^{-6}$          | 25.8            |
|                                       | 7 5 3 1 - 7 4 4 1       | 91 032.962         | $2.95 \times 10^{-6}$          | 25.9            |
|                                       | 7 5 3 0 - 7 4 4 0       | 91 043.681         | $2.93 \times 10^{-6}$          | 25.8            |
|                                       | 4 3 2 1 - 3 2 1 1       | 91 101.828         | $4.93 \times 10^{-6}$          | 9.3             |
|                                       | 6 5 1 1 - 6 4 2 1       | 91 113.072         | $2.40 \times 10^{-6}$          | 22.5            |
|                                       | 4 3 2 0 - 3 2 1 0       | 91 113.703         | $4.72 \times 10^{-6}$          | 9.3             |
|                                       | 17 14 3 1 - 18 13 5 0   | 91 113.915         | $1.32 \times 10^{-7}$          | 169.9           |
|                                       | 17 14 4 1 - 18 13 6 0   | 91 113.915         | $1.31 \times 10^{-7}$          | 169.9           |
|                                       | 6 5 2 1 - 6 4 3 1       | 91 117.61          | $2.39 \times 10^{-6}$          | 22.5            |
|                                       | 6 5 1 0 - 6 4 2 0       | 91 123.664         | $2.37 \times 10^{-6}$          | 22.4            |
|                                       | 17 5 12 0 - 17 4 14 1   | 91 125.215         | $4.19 \times 10^{-6}$          | 87.2            |
|                                       | 6 5 2 0 - 6 4 3 0       | 91 128.176         | $2.37 \times 10^{-6}$          | 22.4            |
|                                       | 16 1 15 1 - 16 0 16 1   | 91 152.424         | $1.69 \times 10^{-6}$          | 66.8            |
|                                       | 5 5 0 1 - 5 4 1 1       | 91 170.801         | $1.52 \times 10^{-6}$          | 19.5            |
|                                       | 5 5 1 1 - 5 4 2 1       | 91 171.716         | $1.52 \times 10^{-6}$          | 19.5            |
|                                       | 41 6 35 1 - 40 9 32 1   | 91 177.349         | $1.31 \times 10^{-7}$          | 446.6           |
|                                       | 5 5 0 0 - 5 4 1 0       | 91 181.28          | $1.50 \times 10^{-6}$          | 19.5            |
|                                       | 5 5 1 0 - 5 4 2 0       | 91 182.189         | $1.50 \times 10^{-6}$          | 19.5            |
|                                       | 30 5 25 0 - 30 5 26 1   | 91 231.701         | $3.36 \times 10^{-7}$          | 244.5           |
|                                       | 41 6 35 0 - 40 9 32 0   | 91 257.694         | $1.21 \times 10^{-7}$          | 446.6           |
|                                       | 18 5 14 1 - 18 4 15 1   | 91 262.747         | $4.24 \times 10^{-6}$          | 96.0            |
|                                       | 18 5 14 0 - 18 4 15 0   | 91 268.437         | $4.70 \times 10^{-6}$          | 96.0            |

Table B.2: continued.

| Species                            | Transition<br>J K L M | Frequency<br>(MHz) | $A_{ij}$<br>( $s^{-1}$ ) | $E_{up}$<br>(K) |
|------------------------------------|-----------------------|--------------------|--------------------------|-----------------|
|                                    | 13 5 8 1 - 13 4 10 0  | 91 275.54          | $3.05 \times 10^{-6}$    | 56.7            |
|                                    | 14 5 9 1 - 14 4 11 0  | 91 280.948         | $3.02 \times 10^{-6}$    | 63.6            |
|                                    | 18 3 16 0 - 18 1 17 1 | 91 306.616         | $1.57 \times 10^{-6}$    | 87.5            |
|                                    | 9 2 8 1 - 8 2 7 0     | 91 332.324         | $6.59 \times 10^{-6}$    | 23.8            |
|                                    | 31 7 24 1 - 31 6 25 1 | 91 355.815         | $6.00 \times 10^{-6}$    | 268.3           |
|                                    | 15 13 2 1 - 16 12 4 0 | 91 361.122         | $1.01 \times 10^{-7}$    | 140.7           |
|                                    | 15 13 3 1 - 16 12 5 0 | 91 361.122         | $1.01 \times 10^{-7}$    | 140.7           |
|                                    | 9 4 5 1 - 8 4 4 0     | 93 162.746         | $5.77 \times 10^{-6}$    | 29.8            |
|                                    | 17 3 15 1 - 16 4 13 0 | 93 172.871         | $1.32 \times 10^{-6}$    | 78.9            |
|                                    | 18 5 13 0 - 18 4 15 1 | 93 190.697         | $3.45 \times 10^{-6}$    | 96.1            |
|                                    | 10 4 7 1 - 9 4 6 0    | 103 372.306        | $8.30 \times 10^{-6}$    | 34.7            |
|                                    | 18 4 14 0 - 18 3 16 1 | 103 426.616        | $1.89 \times 10^{-6}$    | 92.5            |
|                                    | 22 4 19 0 - 22 2 20 1 | 103 438.467        | $5.12 \times 10^{-6}$    | 131.6           |
|                                    | 22 2 21 0 - 21 2 19 0 | 103 457.183        | $1.01 \times 10^{-7}$    | 121.0           |
|                                    | 19 3 17 0 - 18 4 15 1 | 103 488.002        | $1.74 \times 10^{-6}$    | 96.6            |
| D <sub>2</sub> CO                  | 5 1 4 - 5 1 5         | 91 246.233         | $1.61 \times 10^{-6}$    | 49.6            |
| t-HCOOH                            | 34 4 30 - 34 4 31     | 103 423.53         | $2.60 \times 10^{-7}$    | 700.5           |
| c-C <sub>2</sub> H <sub>4</sub> O  | 11 6 5 - 11 5 6       | 90 842.056         | $8.21 \times 10^{-6}$    | 137.2           |
|                                    | 21 14 7 - 21 13 8     | 91 160.793         | $1.21 \times 10^{-5}$    | 492.8           |
| c-C <sub>2</sub> H <sub>3</sub> DO | 9 5 5 - 9 3 6         | 90 667.609         | $1.17 \times 10^{-7}$    | 83.6            |
|                                    | 7 2 5 - 7 2 6         | 90 683.057         | $9.45 \times 10^{-8}$    | 48.3            |
|                                    | 7 2 5 - 7 1 6         | 90 710.475         | $4.70 \times 10^{-6}$    | 48.3            |
|                                    | 10 8 2 - 10 7 3       | 90 781.87          | $6.42 \times 10^{-6}$    | 113.1           |
|                                    | 13 8 6 - 12 11 1      | 90 852.748         | $1.17 \times 10^{-9}$    | 174.4           |
|                                    | 12 7 6 - 11 10 1      | 91 140.581         | $1.69 \times 10^{-9}$    | 147.5           |
|                                    | 13 2 11 - 12 5 8      | 91 153.128         | $1.10 \times 10^{-8}$    | 141.1           |
|                                    | 13 3 11 - 12 4 8      | 91 366.508         | $1.10 \times 10^{-8}$    | 141.1           |
| HC <sub>3</sub> N                  | 10 - 9                | 90 979.023         | $5.81 \times 10^{-5}$    | 24.0            |
| CH <sub>3</sub> CH <sub>2</sub> CN | 35 5 31 - 36 2 34     | 90 800.771         | $6.07 \times 10^{-8}$    | 299.2           |
|                                    | 49 7 43 - 50 5 46     | 90 949.453         | $2.17 \times 10^{-8}$    | 581.9           |
|                                    | 58 8 51 - 59 6 54     | 90 998.392         | $2.24 \times 10^{-8}$    | 807.6           |
|                                    | 27 2 25 - 27 2 26     | 91 008.34          | $5.49 \times 10^{-7}$    | 169.8           |
|                                    | 29 3 26 - 29 2 27     | 91 018.22          | $5.25 \times 10^{-6}$    | 199.1           |
|                                    | 48 7 41 - 47 8 40     | 91 161.765         | $1.09 \times 10^{-6}$    | 560.8           |
|                                    | 61 3 58 - 60 5 55     | 91 196.7           | $3.17 \times 10^{-8}$    | 828.0           |
|                                    | 36 2 34 - 35 4 31     | 91 281.468         | $7.96 \times 10^{-8}$    | 294.8           |
|                                    | 35 3 33 - 36 1 36     | 91 284.048         | $5.56 \times 10^{-9}$    | 280.5           |
|                                    | 14 3 12 - 15 0 15     | 91 342.464         | $3.11 \times 10^{-8}$    | 55.2            |
|                                    | 35 3 33 - 36 0 36     | 91 350.299         | $2.83 \times 10^{-8}$    | 280.5           |
|                                    | 39 2 37 - 40 1 40     | 93 156.345         | $2.49 \times 10^{-8}$    | 343.8           |
|                                    | 39 2 37 - 40 0 40     | 93 181.535         | $4.84 \times 10^{-9}$    | 343.8           |
|                                    | 21 7 15 - 22 6 16     | 103 384.573        | $1.23 \times 10^{-6}$    | 153.8           |
|                                    | 21 7 14 - 22 6 17     | 103 385.42         | $1.23 \times 10^{-6}$    | 153.8           |
|                                    | 60 4 57 - 59 5 54     | 103 417.147        | $2.63 \times 10^{-7}$    | 802.3           |
| HOCH <sub>2</sub> CN               | 38 2 36 0 - 39 1 39 0 | 90 597.603         | $5.26 \times 10^{-8}$    | 338.5           |
|                                    | 25 2 23 0 - 25 1 24 0 | 90 619.344         | $4.38 \times 10^{-6}$    | 151.6           |
|                                    | 18 4 14 0 - 18 3 16 1 | 90 635.379         | $2.87 \times 10^{-6}$    | 98.0            |
|                                    | 36 8 29 0 - 37 7 30 0 | 90 753.122         | $1.17 \times 10^{-6}$    | 383.8           |
|                                    | 36 8 28 0 - 37 7 31 0 | 90 757.105         | $1.17 \times 10^{-6}$    | 383.8           |
|                                    | 19 4 15 0 - 19 3 17 1 | 90 808.881         | $2.86 \times 10^{-6}$    | 106.4           |
|                                    | 49 5 45 1 - 50 2 48 1 | 90 829.279         | $8.35 \times 10^{-8}$    | 583.4           |
|                                    | 23 4 19 1 - 24 2 22 1 | 90 918.82          | $1.95 \times 10^{-7}$    | 149.9           |
|                                    | 29 5 25 1 - 30 4 27 0 | 90 932.471         | $1.27 \times 10^{-6}$    | 232.8           |
|                                    | 23 2 21 0 - 23 1 23 1 | 90 938.751         | $8.97 \times 10^{-7}$    | 129.5           |
|                                    | 8 0 8 1 - 8 1 8 0     | 90 948.488         | $6.84 \times 10^{-6}$    | 21.3            |
|                                    | 8 1 8 1 - 7 2 6 0     | 90 973.549         | $8.01 \times 10^{-7}$    | 22.3            |

Table B.2: continued.

| Species             | Transition<br>J K L M     | Frequency<br>(MHz) | $A_{ij}$<br>(s <sup>-1</sup> ) | $E_{up}$<br>(K) |
|---------------------|---------------------------|--------------------|--------------------------------|-----------------|
|                     | 20 4 16 0 - 20 3 18 1     | 91 039.63          | $2.87 \times 10^{-6}$          | 115.3           |
|                     | 42 2 40 0 - 41 4 37 0     | 91 089.387         | $1.69 \times 10^{-7}$          | 410.4           |
|                     | 56 7 50 1 - 55 8 47 1     | 91 170.271         | $1.30 \times 10^{-6}$          | 780.4           |
|                     | 49 5 45 0 - 50 2 48 0     | 91 212.431         | $1.20 \times 10^{-7}$          | 578.4           |
|                     | 10 0 10 1 - 9 0 9 1       | 91 244.602         | $2.25 \times 10^{-5}$          | 29.6            |
|                     | 35 6 30 1 - 36 5 32 0     | 91 280.978         | $1.27 \times 10^{-6}$          | 334.4           |
|                     | 10 0 10 0 - 9 0 9 0       | 91 282.104         | $2.27 \times 10^{-5}$          | 24.2            |
|                     | 29 2 27 1 - 29 2 28 1     | 91 307.51          | $1.12 \times 10^{-7}$          | 206.3           |
|                     | 21 4 17 0 - 21 3 19 1     | 91 343.484         | $2.87 \times 10^{-6}$          | 124.6           |
|                     | 34 3 32 0 - 33 4 29 0     | 93 175.688         | $1.03 \times 10^{-6}$          | 276.0           |
|                     | 16 1 15 0 - 15 1 15 1     | 93 179.831         | $4.57 \times 10^{-7}$          | 62.8            |
|                     | 30 9 21 0 - 31 8 23 1     | 93 190.634         | $9.50 \times 10^{-7}$          | 318.3           |
|                     | 30 9 22 0 - 31 8 24 1     | 93 190.64          | $9.50 \times 10^{-7}$          | 318.3           |
|                     | 35 2 33 0 - 34 3 31 1     | 103 318.063        | $3.15 \times 10^{-6}$          | 288.9           |
|                     | 45 3 42 1 - 45 3 42 0     | 103 318.312        | $9.15 \times 10^{-8}$          | 482.2           |
|                     | 59 9 51 1 - 58 10 49 0    | 103 334.357        | $1.76 \times 10^{-6}$          | 901.2           |
|                     | 59 9 50 1 - 58 10 48 0    | 103 341.424        | $1.76 \times 10^{-6}$          | 901.2           |
|                     | 20 2 18 0 - 19 2 18 1     | 103 352.311        | $7.48 \times 10^{-8}$          | 99.7            |
|                     | 21 4 17 1 - 22 3 19 0     | 103 384.207        | $1.71 \times 10^{-6}$          | 130.0           |
|                     | 32 2 30 1 - 32 2 30 0     | 103 402.141        | $1.77 \times 10^{-6}$          | 248.2           |
|                     | 27 4 23 1 - 26 5 21 0     | 103 421.493        | $1.71 \times 10^{-6}$          | 195.2           |
|                     | 57 7 50 0 - 56 8 49 0     | 103 437.673        | $1.87 \times 10^{-6}$          | 800.8           |
|                     | 46 8 38 1 - 47 7 40 0     | 103 440.794        | $1.79 \times 10^{-6}$          | 572.8           |
|                     | 48 4 44 1 - 48 4 44 0     | 103 506.105        | $1.08 \times 10^{-7}$          | 552.9           |
| NH <sub>2</sub> CHO | 15 3 12 - 16 1 15         | 91 136.103         | $4.85 \times 10^{-8}$          | 149.5           |
|                     | 36 5 32 - 35 6 29         | 103 296.485        | $7.38 \times 10^{-7}$          | 755.7           |
|                     | 20 5 16 - 21 4 17         | 103 446.144        | $7.16 \times 10^{-7}$          | 288.6           |
| CH <sub>3</sub> SH  | 1 -1 1 1 - 0 0 0 1        | 90 637.359         | $7.97 \times 10^{-7}$          | 5.8             |
|                     | 12 -1 12 4 - 11 -2 10 4   | 91 128.19          | $3.80 \times 10^{-7}$          | 571.2           |
|                     | 9 1 8 1 - 9 0 9 1         | 103 389.812        | $2.55 \times 10^{-6}$          | 61.0            |
|                     | 12 3 9 1 - 13 2 11 1      | 103 399.789        | $5.79 \times 10^{-7}$          | 133.6           |
|                     | 8 0 8 0 - 7 1 6 0         | 103 504.193        | $1.54 \times 10^{-6}$          | 43.7            |
|                     | 27 5 22 -3 - 26 6 20 -3   | 103 508.935        | $5.40 \times 10^{-7}$          | 870.7           |
|                     | 27 -5 23 -3 - 26 -6 21 -3 | 103 509.321        | $5.40 \times 10^{-7}$          | 870.7           |