Adaptive Federated Learning for Automatic Modulation Classification Under Class and Noise Imbalance

Jose Angel Sanchez Viloria¹, Dimitris Stripelis², Panos P. Markopoulos³, George Sklivanitis¹, and Dimitris A. Pados ¹ *

¹Center for Connected Autonomy and AI, Florida Atlantic University, Boca Raton, FL, USA
²Information Sciences Institute, University of Southern California, Marina Del Rey, CA, USA
³Depts. Electrical & Computer Eng. and Comp. Sc., The University of Texas at San Antonio, San Antonio, TX, USA
josesanchez2019@fau.edu, gsklivanitis@fau.edu, dpados@fau.edu, stripeli@isi.edu, panagiotis.markopoulos@utsa.edu

Extended Abstract

The ability to rapidly understand and label the radio spectrum in an autonomous way is key for monitoring spectrum interference, spectrum utilization efficiency, protecting passive users, monitoring and enforcing compliance with regulations, detecting faulty radios, dynamic spectrum access, opportunistic mesh networking, and numerous NextG regulatory and defense applications. We consider the problem of automatic modulation classification (AMC) by a distributed network of wireless sensors that monitor the spectrum for signal transmissions of interest over a large deployment area. Each sensor receives signals under a specific channel condition depending on its location and trains an individual model of a deep neural network (DNN) accordingly to classify signals. To improve modulation classification accuracy, we consider federated learning (FL) where each individual sensor shares its trained model with a centralized controller, which, after aggregation, initializes its model for the next round of training. Without exchanging any spectrum data (such as in cooperative spectrum sensing), this process is repeated over time. A common DNN is built across the network while preserving the privacy associated with signals collected at different locations. Given their distributed nature, the statistics of the data across these sensors are likely to differ significantly. We propose the use of adaptive federated learning for AMC. Specifically, we use FEDADAM -an algorithm using Adam for server optimization – and examine how it compares to the FEDAVG algorithm -one of the standard FL algorithms, which averages client parameters after some local iterations, in particular in challenging scenarios that include class imbalance and/or noise-level imbalance across the network. Our extensive numerical studies over 11 standard modulation classes corroborate the merit of adaptive FL, outperforming its standard alternatives in various challenging cases and for various network sizes.

Our contributions can be summarized as follows:

Copyright © 2024, Association for the Advancement of Artificial Intelligence (www.aaai.org). All rights reserved.




Figure 1: Testing accuracy vs. federation rounds under high noise and class imbalance for 16 clients.

- For the first time we apply adaptive federated learning methods for the problem of AMC.
- We consider the problem of signal-to-noise ratio (SNR) imbalance which is a problem that has not been studied in the literature for the problem of AMC.
- We provide extensive numerical studies that demonstrate the merits of adaptive FL vs. standard FL in the presence of data heterogeneity (expressed in class and/or SNR imbalance) across distributed radio clients.

Fig. 1 shows the testing accuracy between standard and adaptive FL under the most difficult scenarios that were considered during our experiments. For the noise imbalance scenario, SNR has 4 different variations (30 dB, 15 dB, 5 dB, and 0 dB). During this scenario, FEDADAM clearly outperforms FEDAVG by a difference of more than 20% for the federation of 16 clients. Similarly, the heterogeneous data distribution where $\alpha=0.08\cdot 1_N$ shows that FEDADAM also exceeds FEDAVG testing accuracy by about 10%.

^{*}This work was supported in part by the National Science Foundation under awards with number 2030234, 2117822, 2226392, 2133516, and 2332744, the Air Force Office of Scientific Research under grant FA9550-20-1-0039, and the Air Force Research Laboratory under Grant FA8750-21-1-0500.